

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.057 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.086	0.086	
19	192.5	≦* <	197.5	156	2.96142	0.084	0.084	
18	187.5	≦* <	192.5	152	2.91081	0.083	0.083	
17	182.5	≦* <	187.5	148	2.86019	0.082	0.082	
16	177.5	≦* <	182.5	144	2.80957	0.080	0.080	
15	172.5	≦* <	177.5	140	2.75895	0.079	0.079	
14	167.5	≦* <	172.5	136	2.70834	0.077	0.077	
13	162.5	≦* <	167.5	132	2.65772	0.076	0.076	
12	157.5	≦* <	162.5	128	2.60710	0.074	0.074	
11	152.5	≦* <	157.5	124	2.55648	0.073	0.073	
10	147.5	≦* <	152.5	120	2.50587	0.071	0.071	
9	142.5	≦* <	147.5	116	2.45525	0.070	0.070	
8	137.5	≦* <	142.5	112	2.40463	0.069	0.069	
7	132.5	≦* <	137.5	108	2.35401	0.067	0.067	
6	127.5	≦* <	132.5	104	2.30340	0.066	0.066	
5	122.5	≦* <	127.5	100	2.25278	0.064	0.064	
4	117.5	≦* <	122.5	96	2.20216	0.063	0.063	
3	112.5	≦* <	117.5	92	2.15154	0.061	0.061	
2	107.5	≦* <	112.5	88	2.10093	0.060	0.060	
1	102.5	≦* <	107.5	84	2.05031	0.058	0.058	
0	97.5	≦* <	102.5	80	1.99969	0.057	0.057	
-1	92.5	≦* <	97.5	76	1.94908	0.056	0.056	
-2	87.5	≦* <	92.5	72	1.89846	0.054	0.054	
-3	82.5	≦* <	87.5	68	1.84784	0.053	0.053	
-4	77.5	≦* <	82.5	64	1.79722	0.051	0.051	
-5	72.5	≦* <	77.5	60	1.74661	0.050	0.050	
-6	67.5	≦* <	72.5	56	1.69599	0.048	0.048	
-7	62.5	≦* <	67.5	52	1.64537	0.047	0.047	
-8	57.5	≦* <	62.5	48	1.59475	0.045	0.045	
-9	52.5	≦* <	57.5	44	1.54414	0.044	0.044	
-10	47.5	≦* <	52.5	40	1.49352	0.043	0.043	
-11	42.5	≦* <	47.5	36	1.44290	0.041	0.041	
-12	37.5	≦* <	42.5	32	1.39228	0.040	0.040	
-13	32.5	≦* <	37.5	28	1.34167	0.038	0.038	
-14	27.5	≦* <	32.5	24	1.29105	0.037	0.037	
-15	22.5	≦* <	27.5	20	1.24043	0.035	0.035	
-16	17.5	≦* <	22.5	16	1.18982	0.034	0.034	
-17	12.5	≦* <	17.5	12	1.13920	0.032	0.032	
-18	7.5	≦* <	12.5	8	1.08858	0.031	0.031	
-19	2.5	≦* <	7.5	4	1.03796	0.030	0.030	
-20	0.0	≦* <	2.5	1.00	1.00000	0.028	0.028	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.057 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.082	0.082	
19	192.5	≦* <	197.5	156	2.96142	0.080	0.080	
18	187.5	≦* <	192.5	152	2.91081	0.079	0.079	
17	182.5	≦* <	187.5	148	2.86019	0.078	0.078	
16	177.5	≦* <	182.5	144	2.80957	0.076	0.076	
15	172.5	≦* <	177.5	140	2.75895	0.075	0.075	
14	167.5	≦* <	172.5	136	2.70834	0.073	0.073	
13	162.5	≦* <	167.5	132	2.65772	0.072	0.072	
12	157.5	≦* <	162.5	128	2.60710	0.070	0.070	
11	152.5	≦* <	157.5	124	2.55648	0.069	0.069	
10	147.5	≦* <	152.5	120	2.50587	0.067	0.067	
9	142.5	≦* <	147.5	116	2.45525	0.067	0.067	
8	137.5	≦* <	142.5	112	2.40463	0.066	0.066	
7	132.5	≦* <	137.5	108	2.35401	0.064	0.064	
6	127.5	≦* <	132.5	104	2.30340	0.063	0.063	
5	122.5	≦* <	127.5	100	2.25278	0.061	0.061	
4	117.5	≦* <	122.5	96	2.20216	0.060	0.060	
3	112.5	≦* <	117.5	92	2.15154	0.058	0.058	
2	107.5	≦* <	112.5	88	2.10093	0.057	0.057	
1	102.5	≦* <	107.5	84	2.05031	0.055	0.055	
0	97.5	≦* <	102.5	80	1.99969	0.054	0.054	
-1	92.5	≦* <	97.5	76	1.94908	0.053	0.053	
-2	87.5	≦* <	92.5	72	1.89846	0.051	0.051	
-3	82.5	≦* <	87.5	68	1.84784	0.050	0.050	
-4	77.5	≦* <	82.5	64	1.79722	0.048	0.048	
-5	72.5	≦* <	77.5	60	1.74661	0.048	0.048	
-6	67.5	≦* <	72.5	56	1.69599	0.046	0.046	
-7	62.5	≦* <	67.5	52	1.64537	0.045	0.045	
-8	57.5	≦* <	62.5	48	1.59475	0.043	0.043	
-9	52.5	≦* <	57.5	44	1.54414	0.042	0.042	
-10	47.5	≦* <	52.5	40	1.49352	0.041	0.041	
-11	42.5	≦* <	47.5	36	1.44290	0.039	0.039	
-12	37.5	≦* <	42.5	32	1.39228	0.038	0.038	
-13	32.5	≦* <	37.5	28	1.34167	0.036	0.036	
-14	27.5	≦* <	32.5	24	1.29105	0.035	0.035	
-15	22.5	≦* <	27.5	20	1.24043	0.033	0.033	
-16	17.5	≦* <	22.5	16	1.18982	0.032	0.032	
-17	12.5	≦* <	17.5	12	1.13920	0.030	0.030	
-18	7.5	≦* <	12.5	8	1.08858	0.029	0.029	
-19	2.5	≦* <	7.5	4	1.03796	0.029	0.029	
-20	0.0	≦* <	2.5	1.00	1.00000	0.027	0.027	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.039 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.059	0.059	
19	192.5	≦* <	197.5	156	2.96142	0.058	0.058	
18	187.5	≦* <	192.5	152	2.91081	0.057	0.057	
17	182.5	≦* <	187.5	148	2.86019	0.056	0.056	
16	177.5	≦* <	182.5	144	2.80957	0.055	0.055	
15	172.5	≦* <	177.5	140	2.75895	0.054	0.054	
14	167.5	≦* <	172.5	136	2.70834	0.053	0.053	
13	162.5	≦* <	167.5	132	2.65772	0.052	0.052	
12	157.5	≦* <	162.5	128	2.60710	0.051	0.051	
11	152.5	≦* <	157.5	124	2.55648	0.050	0.050	
10	147.5	≦* <	152.5	120	2.50587	0.049	0.049	
9	142.5	≦* <	147.5	116	2.45525	0.048	0.048	
8	137.5	≦* <	142.5	112	2.40463	0.047	0.047	
7	132.5	≦* <	137.5	108	2.35401	0.046	0.046	
6	127.5	≦* <	132.5	104	2.30340	0.045	0.045	
5	122.5	≦* <	127.5	100	2.25278	0.044	0.044	
4	117.5	≦* <	122.5	96	2.20216	0.043	0.043	
3	112.5	≦* <	117.5	92	2.15154	0.042	0.042	
2	107.5	≦* <	112.5	88	2.10093	0.041	0.041	
1	102.5	≦* <	107.5	84	2.05031	0.040	0.040	
0	97.5	≦* <	102.5	80	1.99969	0.039	0.039	
-1	92.5	≦* <	97.5	76	1.94908	0.038	0.038	
-2	87.5	≦* <	92.5	72	1.89846	0.037	0.037	
-3	82.5	≦* <	87.5	68	1.84784	0.036	0.036	
-4	77.5	≦* <	82.5	64	1.79722	0.035	0.035	
-5	72.5	≦* <	77.5	60	1.74661	0.034	0.034	
-6	67.5	≦* <	72.5	56	1.69599	0.033	0.033	
-7	62.5	≦* <	67.5	52	1.64537	0.032	0.032	
-8	57.5	≦* <	62.5	48	1.59475	0.031	0.031	
-9	52.5	≦* <	57.5	44	1.54414	0.030	0.030	
-10	47.5	≦* <	52.5	40	1.49352	0.029	0.029	
-11	42.5	≦* <	47.5	36	1.44290	0.028	0.028	
-12	37.5	≦* <	42.5	32	1.39228	0.027	0.027	
-13	32.5	≦* <	37.5	28	1.34167	0.026	0.026	
-14	27.5	≦* <	32.5	24	1.29105	0.025	0.025	
-15	22.5	≦* <	27.5	20	1.24043	0.024	0.024	
-16	17.5	≦* <	22.5	16	1.18982	0.023	0.023	
-17	12.5	≦* <	17.5	12	1.13920	0.022	0.022	
-18	7.5	≦* <	12.5	8	1.08858	0.021	0.021	
-19	2.5	≦* <	7.5	4	1.03796	0.020	0.020	
-20	0.0	≦* <	2.5	1.00	1.00000	0.019	0.019	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.039 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.056	0.056	
19	192.5	≦* <	197.5	156	2.96142	0.055	0.055	
18	187.5	≦* <	192.5	152	2.91081	0.054	0.054	
17	182.5	≦* <	187.5	148	2.86019	0.053	0.053	
16	177.5	≦* <	182.5	144	2.80957	0.052	0.052	
15	172.5	≦* <	177.5	140	2.75895	0.051	0.051	
14	167.5	≦* <	172.5	136	2.70834	0.050	0.050	
13	162.5	≦* <	167.5	132	2.65772	0.049	0.049	
12	157.5	≦* <	162.5	128	2.60710	0.048	0.048	
11	152.5	≦* <	157.5	124	2.55648	0.048	0.048	
10	147.5	≦* <	152.5	120	2.50587	0.047	0.047	
9	142.5	≦* <	147.5	116	2.45525	0.046	0.046	
8	137.5	≦* <	142.5	112	2.40463	0.045	0.045	
7	132.5	≦* <	137.5	108	2.35401	0.044	0.044	
6	127.5	≦* <	132.5	104	2.30340	0.043	0.043	
5	122.5	≦* <	127.5	100	2.25278	0.042	0.042	
4	117.5	≦* <	122.5	96	2.20216	0.041	0.041	
3	112.5	≦* <	117.5	92	2.15154	0.040	0.040	
2	107.5	≦* <	112.5	88	2.10093	0.039	0.039	
1	102.5	≦* <	107.5	84	2.05031	0.038	0.038	
0	97.5	≦* <	102.5	80	1.99969	0.037	0.037	
-1	92.5	≦* <	97.5	76	1.94908	0.036	0.036	
-2	87.5	≦* <	92.5	72	1.89846	0.035	0.035	
-3	82.5	≦* <	87.5	68	1.84784	0.034	0.034	
-4	77.5	≦* <	82.5	64	1.79722	0.033	0.033	
-5	72.5	≦* <	77.5	60	1.74661	0.032	0.032	
-6	67.5	≦* <	72.5	56	1.69599	0.031	0.031	
-7	62.5	≦* <	67.5	52	1.64537	0.030	0.030	
-8	57.5	≦* <	62.5	48	1.59475	0.029	0.029	
-9	52.5	≦* <	57.5	44	1.54414	0.029	0.029	
-10	47.5	≦* <	52.5	40	1.49352	0.028	0.028	
-11	42.5	≦* <	47.5	36	1.44290	0.027	0.027	
-12	37.5	≦* <	42.5	32	1.39228	0.026	0.026	
-13	32.5	≦* <	37.5	28	1.34167	0.025	0.025	
-14	27.5	≦* <	32.5	24	1.29105	0.024	0.024	
-15	22.5	≦* <	27.5	20	1.24043	0.023	0.023	
-16	17.5	≦* <	22.5	16	1.18982	0.022	0.022	
-17	12.5	≦* <	17.5	12	1.13920	0.021	0.021	
-18	7.5	≦* <	12.5	8	1.08858	0.020	0.020	
-19	2.5	≦* <	7.5	4	1.03796	0.019	0.019	
-20	0.0	≦* <	2.5	1.00	1.00000	0.018	0.018	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.028 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.042	0.042	
19	192.5	≦* <	197.5	156	2.96142	0.041	0.041	
18	187.5	≦* <	192.5	152	2.91081	0.041	0.041	
17	182.5	≦* <	187.5	148	2.86019	0.040	0.040	
16	177.5	≦* <	182.5	144	2.80957	0.039	0.039	
15	172.5	≦* <	177.5	140	2.75895	0.039	0.039	
14	167.5	≦* <	172.5	136	2.70834	0.038	0.038	
13	162.5	≦* <	167.5	132	2.65772	0.037	0.037	
12	157.5	≦* <	162.5	128	2.60710	0.036	0.036	
11	152.5	≦* <	157.5	124	2.55648	0.036	0.036	
10	147.5	≦* <	152.5	120	2.50587	0.035	0.035	
9	142.5	≦* <	147.5	116	2.45525	0.034	0.034	
8	137.5	≦* <	142.5	112	2.40463	0.034	0.034	
7	132.5	≦* <	137.5	108	2.35401	0.033	0.033	
6	127.5	≦* <	132.5	104	2.30340	0.032	0.032	
5	122.5	≦* <	127.5	100	2.25278	0.032	0.032	
4	117.5	≦* <	122.5	96	2.20216	0.031	0.031	
3	112.5	≦* <	117.5	92	2.15154	0.030	0.030	
2	107.5	≦* <	112.5	88	2.10093	0.029	0.029	
1	102.5	≦* <	107.5	84	2.05031	0.029	0.029	
0	97.5	≦* <	102.5	80	1.99969	0.028	0.028	
-1	92.5	≦* <	97.5	76	1.94908	0.027	0.027	
-2	87.5	≦* <	92.5	72	1.89846	0.027	0.027	
-3	82.5	≦* <	87.5	68	1.84784	0.026	0.026	
-4	77.5	≦* <	82.5	64	1.79722	0.025	0.025	
-5	72.5	≦* <	77.5	60	1.74661	0.024	0.024	
-6	67.5	≦* <	72.5	56	1.69599	0.024	0.024	
-7	62.5	≦* <	67.5	52	1.64537	0.023	0.023	
-8	57.5	≦* <	62.5	48	1.59475	0.022	0.022	
-9	52.5	≦* <	57.5	44	1.54414	0.022	0.022	
-10	47.5	≦* <	52.5	40	1.49352	0.021	0.021	
-11	42.5	≦* <	47.5	36	1.44290	0.020	0.020	
-12	37.5	≦* <	42.5	32	1.39228	0.019	0.019	
-13	32.5	≦* <	37.5	28	1.34167	0.019	0.019	
-14	27.5	≦* <	32.5	24	1.29105	0.018	0.018	
-15	22.5	≦* <	27.5	20	1.24043	0.017	0.017	
-16	17.5	≦* <	22.5	16	1.18982	0.017	0.017	
-17	12.5	≦* <	17.5	12	1.13920	0.016	0.016	
-18	7.5	≦* <	12.5	8	1.08858	0.015	0.015	
-19	2.5	≦* <	7.5	4	1.03796	0.015	0.015	
-20	0.0	≦* <	2.5	1.00	1.00000	0.014	0.014	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.028 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.040	0.040	
19	192.5	≦* <	197.5	156	2.96142	0.039	0.039	
18	187.5	≦* <	192.5	152	2.91081	0.039	0.039	
17	182.5	≦* <	187.5	148	2.86019	0.038	0.038	
16	177.5	≦* <	182.5	144	2.80957	0.037	0.037	
15	172.5	≦* <	177.5	140	2.75895	0.037	0.037	
14	167.5	≦* <	172.5	136	2.70834	0.036	0.036	
13	162.5	≦* <	167.5	132	2.65772	0.035	0.035	
12	157.5	≦* <	162.5	128	2.60710	0.034	0.034	
11	152.5	≦* <	157.5	124	2.55648	0.034	0.034	
10	147.5	≦* <	152.5	120	2.50587	0.033	0.033	
9	142.5	≦* <	147.5	116	2.45525	0.032	0.032	
8	137.5	≦* <	142.5	112	2.40463	0.032	0.032	
7	132.5	≦* <	137.5	108	2.35401	0.031	0.031	
6	127.5	≦* <	132.5	104	2.30340	0.030	0.030	
5	122.5	≦* <	127.5	100	2.25278	0.030	0.030	
4	117.5	≦* <	122.5	96	2.20216	0.029	0.029	
3	112.5	≦* <	117.5	92	2.15154	0.029	0.029	
2	107.5	≦* <	112.5	88	2.10093	0.028	0.028	
1	102.5	≦* <	107.5	84	2.05031	0.028	0.028	
0	97.5	≦* <	102.5	80	1.99969	0.027	0.027	
-1	92.5	≦* <	97.5	76	1.94908	0.026	0.026	
-2	87.5	≦* <	92.5	72	1.89846	0.026	0.026	
-3	82.5	≦* <	87.5	68	1.84784	0.025	0.025	
-4	77.5	≦* <	82.5	64	1.79722	0.024	0.024	
-5	72.5	≦* <	77.5	60	1.74661	0.023	0.023	
-6	67.5	≦* <	72.5	56	1.69599	0.023	0.023	
-7	62.5	≦* <	67.5	52	1.64537	0.022	0.022	
-8	57.5	≦* <	62.5	48	1.59475	0.021	0.021	
-9	52.5	≦* <	57.5	44	1.54414	0.021	0.021	
-10	47.5	≦* <	52.5	40	1.49352	0.020	0.020	
-11	42.5	≦* <	47.5	36	1.44290	0.019	0.019	
-12	37.5	≦* <	42.5	32	1.39228	0.018	0.018	
-13	32.5	≦* <	37.5	28	1.34167	0.018	0.018	
-14	27.5	≦* <	32.5	24	1.29105	0.017	0.017	
-15	22.5	≦* <	27.5	20	1.24043	0.016	0.016	
-16	17.5	≦* <	22.5	16	1.18982	0.016	0.016	
-17	12.5	≦* <	17.5	12	1.13920	0.015	0.015	
-18	7.5	≦* <	12.5	8	1.08858	0.014	0.014	
-19	2.5	≦* <	7.5	4	1.03796	0.014	0.014	
-20	0.0	≦* <	2.5	1.00	1.00000	0.013	0.013	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.014 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.021	0.021	
19	192.5	≦* <	197.5	156	2.96142	0.021	0.021	
18	187.5	≦* <	192.5	152	2.91081	0.020	0.020	
17	182.5	≦* <	187.5	148	2.86019	0.020	0.020	
16	177.5	≦* <	182.5	144	2.80957	0.020	0.020	
15	172.5	≦* <	177.5	140	2.75895	0.019	0.019	
14	167.5	≦* <	172.5	136	2.70834	0.019	0.019	
13	162.5	≦* <	167.5	132	2.65772	0.019	0.019	
12	157.5	≦* <	162.5	128	2.60710	0.018	0.018	
11	152.5	≦* <	157.5	124	2.55648	0.018	0.018	
10	147.5	≦* <	152.5	120	2.50587	0.018	0.018	
9	142.5	≦* <	147.5	116	2.45525	0.017	0.017	
8	137.5	≦* <	142.5	112	2.40463	0.017	0.017	
7	132.5	≦* <	137.5	108	2.35401	0.016	0.016	
6	127.5	≦* <	132.5	104	2.30340	0.016	0.016	
5	122.5	≦* <	127.5	100	2.25278	0.016	0.016	
4	117.5	≦* <	122.5	96	2.20216	0.015	0.015	
3	112.5	≦* <	117.5	92	2.15154	0.015	0.015	
2	107.5	≦* <	112.5	88	2.10093	0.015	0.015	
1	102.5	≦* <	107.5	84	2.05031	0.014	0.014	
0	97.5	≦* <	102.5	80	1.99969	0.014	0.014	
-1	92.5	≦* <	97.5	76	1.94908	0.014	0.014	
-2	87.5	≦* <	92.5	72	1.89846	0.013	0.013	
-3	82.5	≦* <	87.5	68	1.84784	0.013	0.013	
-4	77.5	≦* <	82.5	64	1.79722	0.013	0.013	
-5	72.5	≦* <	77.5	60	1.74661	0.012	0.012	
-6	67.5	≦* <	72.5	56	1.69599	0.012	0.012	
-7	62.5	≦* <	67.5	52	1.64537	0.012	0.012	
-8	57.5	≦* <	62.5	48	1.59475	0.011	0.011	
-9	52.5	≦* <	57.5	44	1.54414	0.011	0.011	
-10	47.5	≦* <	52.5	40	1.49352	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.44290	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.39228	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.34167	0.009	0.009	
-14	27.5	≦* <	32.5	24	1.29105	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.24043	0.009	0.009	
-16	17.5	≦* <	22.5	16	1.18982	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.13920	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.08858	0.008	0.008	
-19	2.5	≦* <	7.5	4	1.03796	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.007	0.007	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.014 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.020	0.020	
19	192.5	≦* <	197.5	156	2.96142	0.020	0.020	
18	187.5	≦* <	192.5	152	2.91081	0.019	0.019	
17	182.5	≦* <	187.5	148	2.86019	0.019	0.019	
16	177.5	≦* <	182.5	144	2.80957	0.019	0.019	
15	172.5	≦* <	177.5	140	2.75895	0.018	0.018	
14	167.5	≦* <	172.5	136	2.70834	0.018	0.018	
13	162.5	≦* <	167.5	132	2.65772	0.018	0.018	
12	157.5	≦* <	162.5	128	2.60710	0.017	0.017	
11	152.5	≦* <	157.5	124	2.55648	0.017	0.017	
10	147.5	≦* <	152.5	120	2.50587	0.017	0.017	
9	142.5	≦* <	147.5	116	2.45525	0.016	0.016	
8	137.5	≦* <	142.5	112	2.40463	0.016	0.016	
7	132.5	≦* <	137.5	108	2.35401	0.015	0.015	
6	127.5	≦* <	132.5	104	2.30340	0.015	0.015	
5	122.5	≦* <	127.5	100	2.25278	0.015	0.015	
4	117.5	≦* <	122.5	96	2.20216	0.014	0.014	
3	112.5	≦* <	117.5	92	2.15154	0.014	0.014	
2	107.5	≦* <	112.5	88	2.10093	0.014	0.014	
1	102.5	≦* <	107.5	84	2.05031	0.013	0.013	
0	97.5	≦* <	102.5	80	1.99969	0.013	0.013	
-1	92.5	≦* <	97.5	76	1.94908	0.013	0.013	
-2	87.5	≦* <	92.5	72	1.89846	0.012	0.012	
-3	82.5	≦* <	87.5	68	1.84784	0.012	0.012	
-4	77.5	≦* <	82.5	64	1.79722	0.012	0.012	
-5	72.5	≦* <	77.5	60	1.74661	0.011	0.011	
-6	67.5	≦* <	72.5	56	1.69599	0.011	0.011	
-7	62.5	≦* <	67.5	52	1.64537	0.011	0.011	
-8	57.5	≦* <	62.5	48	1.59475	0.010	0.010	
-9	52.5	≦* <	57.5	44	1.54414	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.49352	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.44290	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.39228	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.34167	0.009	0.009	
-14	27.5	≦* <	32.5	24	1.29105	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.24043	0.009	0.009	
-16	17.5	≦* <	22.5	16	1.18982	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.13920	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.08858	0.008	0.008	
-19	2.5	≦* <	7.5	4	1.03796	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.007	0.007	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.009 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.014	0.014	
19	192.5	≦* <	197.5	156	2.96142	0.013	0.013	
18	187.5	≦* <	192.5	152	2.91081	0.013	0.013	
17	182.5	≦* <	187.5	148	2.86019	0.013	0.013	
16	177.5	≦* <	182.5	144	2.80957	0.013	0.013	
15	172.5	≦* <	177.5	140	2.75895	0.012	0.012	
14	167.5	≦* <	172.5	136	2.70834	0.012	0.012	
13	162.5	≦* <	167.5	132	2.65772	0.012	0.012	
12	157.5	≦* <	162.5	128	2.60710	0.012	0.012	
11	152.5	≦* <	157.5	124	2.55648	0.012	0.012	
10	147.5	≦* <	152.5	120	2.50587	0.011	0.011	
9	142.5	≦* <	147.5	116	2.45525	0.011	0.011	
8	137.5	≦* <	142.5	112	2.40463	0.011	0.011	
7	132.5	≦* <	137.5	108	2.35401	0.011	0.011	
6	127.5	≦* <	132.5	104	2.30340	0.010	0.010	
5	122.5	≦* <	127.5	100	2.25278	0.010	0.010	
4	117.5	≦* <	122.5	96	2.20216	0.010	0.010	
3	112.5	≦* <	117.5	92	2.15154	0.010	0.010	
2	107.5	≦* <	112.5	88	2.10093	0.009	0.009	
1	102.5	≦* <	107.5	84	2.05031	0.009	0.009	
0	97.5	≦* <	102.5	80	1.99969	0.009	0.009	
-1	92.5	≦* <	97.5	76	1.94908	0.009	0.009	
-2	87.5	≦* <	92.5	72	1.89846	0.009	0.009	
-3	82.5	≦* <	87.5	68	1.84784	0.008	0.008	
-4	77.5	≦* <	82.5	64	1.79722	0.008	0.008	
-5	72.5	≦* <	77.5	60	1.74661	0.008	0.008	
-6	67.5	≦* <	72.5	56	1.69599	0.008	0.008	
-7	62.5	≦* <	67.5	52	1.64537	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.59475	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.54414	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.49352	0.007	0.007	
-11	42.5	≦* <	47.5	36	1.44290	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.39228	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.34167	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.29105	0.006	0.006	
-15	22.5	≦* <	27.5	20	1.24043	0.006	0.006	
-16	17.5	≦* <	22.5	16	1.18982	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.13920	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.08858	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.03796	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.009 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.013	0.013	
19	192.5	≦* <	197.5	156	2.96142	0.012	0.012	
18	187.5	≦* <	192.5	152	2.91081	0.012	0.012	
17	182.5	≦* <	187.5	148	2.86019	0.012	0.012	
16	177.5	≦* <	182.5	144	2.80957	0.012	0.012	
15	172.5	≦* <	177.5	140	2.75895	0.011	0.011	
14	167.5	≦* <	172.5	136	2.70834	0.011	0.011	
13	162.5	≦* <	167.5	132	2.65772	0.011	0.011	
12	157.5	≦* <	162.5	128	2.60710	0.011	0.011	
11	152.5	≦* <	157.5	124	2.55648	0.011	0.011	
10	147.5	≦* <	152.5	120	2.50587	0.010	0.010	
9	142.5	≦* <	147.5	116	2.45525	0.010	0.010	
8	137.5	≦* <	142.5	112	2.40463	0.010	0.010	
7	132.5	≦* <	137.5	108	2.35401	0.010	0.010	
6	127.5	≦* <	132.5	104	2.30340	0.010	0.010	
5	122.5	≦* <	127.5	100	2.25278	0.010	0.010	
4	117.5	≦* <	122.5	96	2.20216	0.010	0.010	
3	112.5	≦* <	117.5	92	2.15154	0.010	0.010	
2	107.5	≦* <	112.5	88	2.10093	0.009	0.009	
1	102.5	≦* <	107.5	84	2.05031	0.009	0.009	
0	97.5	≦* <	102.5	80	1.99969	0.009	0.009	
-1	92.5	≦* <	97.5	76	1.94908	0.009	0.009	
-2	87.5	≦* <	92.5	72	1.89846	0.009	0.009	
-3	82.5	≦* <	87.5	68	1.84784	0.008	0.008	
-4	77.5	≦* <	82.5	64	1.79722	0.008	0.008	
-5	72.5	≦* <	77.5	60	1.74661	0.008	0.008	
-6	67.5	≦* <	72.5	56	1.69599	0.008	0.008	
-7	62.5	≦* <	67.5	52	1.64537	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.59475	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.54414	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.49352	0.007	0.007	
-11	42.5	≦* <	47.5	36	1.44290	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.39228	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.34167	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.29105	0.006	0.006	
-15	22.5	≦* <	27.5	20	1.24043	0.006	0.006	
-16	17.5	≦* <	22.5	16	1.18982	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.13920	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.08858	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.03796	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.020 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.033	0.033	
19	192.5	≦* <	197.5	156	2.15198	0.022	0.022	
18	187.5	≦* <	192.5	152	2.12226	0.021	0.021	
17	182.5	≦* <	187.5	148	2.09253	0.021	0.021	
16	177.5	≦* <	182.5	144	2.06280	0.021	0.021	
15	172.5	≦* <	177.5	140	2.03307	0.020	0.020	
14	167.5	≦* <	172.5	136	2.00334	0.020	0.020	
13	162.5	≦* <	167.5	132	1.97361	0.020	0.020	
12	157.5	≦* <	162.5	128	1.94388	0.019	0.019	
11	152.5	≦* <	157.5	124	1.91416	0.019	0.019	
10	147.5	≦* <	152.5	120	1.88443	0.019	0.019	
9	142.5	≦* <	147.5	116	1.85470	0.019	0.019	
8	137.5	≦* <	142.5	112	1.82497	0.018	0.018	
7	132.5	≦* <	137.5	108	1.79524	0.018	0.018	
6	127.5	≦* <	132.5	104	1.76551	0.018	0.018	
5	122.5	≦* <	127.5	100	1.73578	0.017	0.017	
4	117.5	≦* <	122.5	96	1.70605	0.017	0.017	
3	112.5	≦* <	117.5	92	1.67633	0.017	0.017	
2	107.5	≦* <	112.5	88	1.64660	0.016	0.016	
1	102.5	≦* <	107.5	84	1.61687	0.016	0.016	
0	97.5	≦* <	102.5	80	1.58714	0.016	0.016	
-1	92.5	≦* <	97.5	76	1.55741	0.016	0.016	
-2	87.5	≦* <	92.5	72	1.52768	0.015	0.015	
-3	82.5	≦* <	87.5	68	1.49795	0.015	0.015	
-4	77.5	≦* <	82.5	64	1.46823	0.015	0.015	
-5	72.5	≦* <	77.5	60	1.43850	0.014	0.014	
-6	67.5	≦* <	72.5	56	1.40877	0.014	0.014	
-7	62.5	≦* <	67.5	52	1.37904	0.014	0.014	
-8	57.5	≦* <	62.5	48	1.34931	0.013	0.013	
-9	52.5	≦* <	57.5	44	1.31958	0.013	0.013	
-10	47.5	≦* <	52.5	40	1.28985	0.013	0.013	
-11	42.5	≦* <	47.5	36	1.26013	0.013	0.013	
-12	37.5	≦* <	42.5	32	1.23040	0.012	0.012	
-13	32.5	≦* <	37.5	28	1.20067	0.012	0.012	
-14	27.5	≦* <	32.5	24	1.17094	0.012	0.012	
-15	22.5	≦* <	27.5	20	1.14121	0.011	0.011	
-16	17.5	≦* <	22.5	16	1.11148	0.011	0.011	
-17	12.5	≦* <	17.5	12	1.08175	0.011	0.011	
-18	7.5	≦* <	12.5	8	1.05203	0.011	0.011	
-19	2.5	≦* <	7.5	4	1.02230	0.010	0.010	
-20	0.0	≦* <	2.5	1.00	1.00000	0.010	0.010	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.020 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.031	0.031	
19	192.5	≦* <	197.5	156	2.15198	0.021	0.021	
18	187.5	≦* <	192.5	152	2.12226	0.020	0.020	
17	182.5	≦* <	187.5	148	2.09253	0.020	0.020	
16	177.5	≦* <	182.5	144	2.06280	0.020	0.020	
15	172.5	≦* <	177.5	140	2.03307	0.019	0.019	
14	167.5	≦* <	172.5	136	2.00334	0.019	0.019	
13	162.5	≦* <	167.5	132	1.97361	0.019	0.019	
12	157.5	≦* <	162.5	128	1.94388	0.018	0.018	
11	152.5	≦* <	157.5	124	1.91416	0.018	0.018	
10	147.5	≦* <	152.5	120	1.88443	0.018	0.018	
9	142.5	≦* <	147.5	116	1.85470	0.018	0.018	
8	137.5	≦* <	142.5	112	1.82497	0.017	0.017	
7	132.5	≦* <	137.5	108	1.79524	0.017	0.017	
6	127.5	≦* <	132.5	104	1.76551	0.017	0.017	
5	122.5	≦* <	127.5	100	1.73578	0.016	0.016	
4	117.5	≦* <	122.5	96	1.70605	0.016	0.016	
3	112.5	≦* <	117.5	92	1.67633	0.016	0.016	
2	107.5	≦* <	112.5	88	1.64660	0.015	0.015	
1	102.5	≦* <	107.5	84	1.61687	0.015	0.015	
0	97.5	≦* <	102.5	80	1.58714	0.015	0.015	
-1	92.5	≦* <	97.5	76	1.55741	0.015	0.015	
-2	87.5	≦* <	92.5	72	1.52768	0.014	0.014	
-3	82.5	≦* <	87.5	68	1.49795	0.014	0.014	
-4	77.5	≦* <	82.5	64	1.46823	0.014	0.014	
-5	72.5	≦* <	77.5	60	1.43850	0.013	0.013	
-6	67.5	≦* <	72.5	56	1.40877	0.013	0.013	
-7	62.5	≦* <	67.5	52	1.37904	0.013	0.013	
-8	57.5	≦* <	62.5	48	1.34931	0.012	0.012	
-9	52.5	≦* <	57.5	44	1.31958	0.012	0.012	
-10	47.5	≦* <	52.5	40	1.28985	0.012	0.012	
-11	42.5	≦* <	47.5	36	1.26013	0.012	0.012	
-12	37.5	≦* <	42.5	32	1.23040	0.011	0.011	
-13	32.5	≦* <	37.5	28	1.20067	0.011	0.011	
-14	27.5	≦* <	32.5	24	1.17094	0.011	0.011	
-15	22.5	≦* <	27.5	20	1.14121	0.010	0.010	
-16	17.5	≦* <	22.5	16	1.11148	0.010	0.010	
-17	12.5	≦* <	17.5	12	1.08175	0.010	0.010	
-18	7.5	≦* <	12.5	8	1.05203	0.010	0.010	
-19	2.5	≦* <	7.5	4	1.02230	0.010	0.010	
-20	0.0	≦* <	2.5	1.00	1.00000	0.010	0.010	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.017 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.028	0.028	
19	192.5	≦* <	197.5	156	2.15198	0.018	0.018	
18	187.5	≦* <	192.5	152	2.12226	0.018	0.018	
17	182.5	≦* <	187.5	148	2.09253	0.018	0.018	
16	177.5	≦* <	182.5	144	2.06280	0.018	0.018	
15	172.5	≦* <	177.5	140	2.03307	0.017	0.017	
14	167.5	≦* <	172.5	136	2.00334	0.017	0.017	
13	162.5	≦* <	167.5	132	1.97361	0.017	0.017	
12	157.5	≦* <	162.5	128	1.94388	0.017	0.017	
11	152.5	≦* <	157.5	124	1.91416	0.016	0.016	
10	147.5	≦* <	152.5	120	1.88443	0.016	0.016	
9	142.5	≦* <	147.5	116	1.85470	0.016	0.016	
8	137.5	≦* <	142.5	112	1.82497	0.016	0.016	
7	132.5	≦* <	137.5	108	1.79524	0.015	0.015	
6	127.5	≦* <	132.5	104	1.76551	0.015	0.015	
5	122.5	≦* <	127.5	100	1.73578	0.015	0.015	
4	117.5	≦* <	122.5	96	1.70605	0.015	0.015	
3	112.5	≦* <	117.5	92	1.67633	0.014	0.014	
2	107.5	≦* <	112.5	88	1.64660	0.014	0.014	
1	102.5	≦* <	107.5	84	1.61687	0.014	0.014	
0	97.5	≦* <	102.5	80	1.58714	0.013	0.013	
-1	92.5	≦* <	97.5	76	1.55741	0.013	0.013	
-2	87.5	≦* <	92.5	72	1.52768	0.013	0.013	
-3	82.5	≦* <	87.5	68	1.49795	0.013	0.013	
-4	77.5	≦* <	82.5	64	1.46823	0.012	0.012	
-5	72.5	≦* <	77.5	60	1.43850	0.012	0.012	
-6	67.5	≦* <	72.5	56	1.40877	0.012	0.012	
-7	62.5	≦* <	67.5	52	1.37904	0.012	0.012	
-8	57.5	≦* <	62.5	48	1.34931	0.011	0.011	
-9	52.5	≦* <	57.5	44	1.31958	0.011	0.011	
-10	47.5	≦* <	52.5	40	1.28985	0.011	0.011	
-11	42.5	≦* <	47.5	36	1.26013	0.011	0.011	
-12	37.5	≦* <	42.5	32	1.23040	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.20067	0.010	0.010	
-14	27.5	≦* <	32.5	24	1.17094	0.010	0.010	
-15	22.5	≦* <	27.5	20	1.14121	0.010	0.010	
-16	17.5	≦* <	22.5	16	1.11148	0.009	0.009	
-17	12.5	≦* <	17.5	12	1.08175	0.009	0.009	
-18	7.5	≦* <	12.5	8	1.05203	0.009	0.009	
-19	2.5	≦* <	7.5	4	1.02230	0.009	0.009	
-20	0.0	≦* <	2.5	1.00	1.00000	0.008	0.008	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.017 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.027	0.027	
19	192.5	≦* <	197.5	156	2.15198	0.017	0.017	
18	187.5	≦* <	192.5	152	2.12226	0.017	0.017	
17	182.5	≦* <	187.5	148	2.09253	0.017	0.017	
16	177.5	≦* <	182.5	144	2.06280	0.017	0.017	
15	172.5	≦* <	177.5	140	2.03307	0.016	0.016	
14	167.5	≦* <	172.5	136	2.00334	0.016	0.016	
13	162.5	≦* <	167.5	132	1.97361	0.016	0.016	
12	157.5	≦* <	162.5	128	1.94388	0.016	0.016	
11	152.5	≦* <	157.5	124	1.91416	0.015	0.015	
10	147.5	≦* <	152.5	120	1.88443	0.015	0.015	
9	142.5	≦* <	147.5	116	1.85470	0.015	0.015	
8	137.5	≦* <	142.5	112	1.82497	0.015	0.015	
7	132.5	≦* <	137.5	108	1.79524	0.014	0.014	
6	127.5	≦* <	132.5	104	1.76551	0.014	0.014	
5	122.5	≦* <	127.5	100	1.73578	0.014	0.014	
4	117.5	≦* <	122.5	96	1.70605	0.014	0.014	
3	112.5	≦* <	117.5	92	1.67633	0.013	0.013	
2	107.5	≦* <	112.5	88	1.64660	0.013	0.013	
1	102.5	≦* <	107.5	84	1.61687	0.013	0.013	
0	97.5	≦* <	102.5	80	1.58714	0.012	0.012	
-1	92.5	≦* <	97.5	76	1.55741	0.012	0.012	
-2	87.5	≦* <	92.5	72	1.52768	0.012	0.012	
-3	82.5	≦* <	87.5	68	1.49795	0.012	0.012	
-4	77.5	≦* <	82.5	64	1.46823	0.011	0.011	
-5	72.5	≦* <	77.5	60	1.43850	0.011	0.011	
-6	67.5	≦* <	72.5	56	1.40877	0.011	0.011	
-7	62.5	≦* <	67.5	52	1.37904	0.011	0.011	
-8	57.5	≦* <	62.5	48	1.34931	0.010	0.010	
-9	52.5	≦* <	57.5	44	1.31958	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.28985	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.26013	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.23040	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.20067	0.010	0.010	
-14	27.5	≦* <	32.5	24	1.17094	0.010	0.010	
-15	22.5	≦* <	27.5	20	1.14121	0.010	0.010	
-16	17.5	≦* <	22.5	16	1.11148	0.009	0.009	
-17	12.5	≦* <	17.5	12	1.08175	0.009	0.009	
-18	7.5	≦* <	12.5	8	1.05203	0.009	0.009	
-19	2.5	≦* <	7.5	4	1.02230	0.009	0.009	
-20	0.0	≦* <	2.5	1.00	1.00000	0.008	0.008	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.014 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.023	0.023	
19	192.5	≦* <	197.5	156	2.15198	0.015	0.015	
18	187.5	≦* <	192.5	152	2.12226	0.015	0.015	
17	182.5	≦* <	187.5	148	2.09253	0.015	0.015	
16	177.5	≦* <	182.5	144	2.06280	0.014	0.014	
15	172.5	≦* <	177.5	140	2.03307	0.014	0.014	
14	167.5	≦* <	172.5	136	2.00334	0.014	0.014	
13	162.5	≦* <	167.5	132	1.97361	0.014	0.014	
12	157.5	≦* <	162.5	128	1.94388	0.014	0.014	
11	152.5	≦* <	157.5	124	1.91416	0.013	0.013	
10	147.5	≦* <	152.5	120	1.88443	0.013	0.013	
9	142.5	≦* <	147.5	116	1.85470	0.013	0.013	
8	137.5	≦* <	142.5	112	1.82497	0.013	0.013	
7	132.5	≦* <	137.5	108	1.79524	0.013	0.013	
6	127.5	≦* <	132.5	104	1.76551	0.012	0.012	
5	122.5	≦* <	127.5	100	1.73578	0.012	0.012	
4	117.5	≦* <	122.5	96	1.70605	0.012	0.012	
3	112.5	≦* <	117.5	92	1.67633	0.012	0.012	
2	107.5	≦* <	112.5	88	1.64660	0.012	0.012	
1	102.5	≦* <	107.5	84	1.61687	0.011	0.011	
0	97.5	≦* <	102.5	80	1.58714	0.011	0.011	
-1	92.5	≦* <	97.5	76	1.55741	0.011	0.011	
-2	87.5	≦* <	92.5	72	1.52768	0.011	0.011	
-3	82.5	≦* <	87.5	68	1.49795	0.010	0.010	
-4	77.5	≦* <	82.5	64	1.46823	0.010	0.010	
-5	72.5	≦* <	77.5	60	1.43850	0.010	0.010	
-6	67.5	≦* <	72.5	56	1.40877	0.010	0.010	
-7	62.5	≦* <	67.5	52	1.37904	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.34931	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.31958	0.009	0.009	
-10	47.5	≦* <	52.5	40	1.28985	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.26013	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.23040	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.20067	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.17094	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.14121	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.11148	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.08175	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.05203	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.02230	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.007	0.007	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.014 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.022	0.022	
19	192.5	≦* <	197.5	156	2.15198	0.014	0.014	
18	187.5	≦* <	192.5	152	2.12226	0.014	0.014	
17	182.5	≦* <	187.5	148	2.09253	0.014	0.014	
16	177.5	≦* <	182.5	144	2.06280	0.013	0.013	
15	172.5	≦* <	177.5	140	2.03307	0.013	0.013	
14	167.5	≦* <	172.5	136	2.00334	0.013	0.013	
13	162.5	≦* <	167.5	132	1.97361	0.013	0.013	
12	157.5	≦* <	162.5	128	1.94388	0.013	0.013	
11	152.5	≦* <	157.5	124	1.91416	0.012	0.012	
10	147.5	≦* <	152.5	120	1.88443	0.012	0.012	
9	142.5	≦* <	147.5	116	1.85470	0.012	0.012	
8	137.5	≦* <	142.5	112	1.82497	0.012	0.012	
7	132.5	≦* <	137.5	108	1.79524	0.012	0.012	
6	127.5	≦* <	132.5	104	1.76551	0.011	0.011	
5	122.5	≦* <	127.5	100	1.73578	0.011	0.011	
4	117.5	≦* <	122.5	96	1.70605	0.011	0.011	
3	112.5	≦* <	117.5	92	1.67633	0.011	0.011	
2	107.5	≦* <	112.5	88	1.64660	0.011	0.011	
1	102.5	≦* <	107.5	84	1.61687	0.010	0.010	
0	97.5	≦* <	102.5	80	1.58714	0.010	0.010	
-1	92.5	≦* <	97.5	76	1.55741	0.010	0.010	
-2	87.5	≦* <	92.5	72	1.52768	0.010	0.010	
-3	82.5	≦* <	87.5	68	1.49795	0.010	0.010	
-4	77.5	≦* <	82.5	64	1.46823	0.010	0.010	
-5	72.5	≦* <	77.5	60	1.43850	0.010	0.010	
-6	67.5	≦* <	72.5	56	1.40877	0.010	0.010	
-7	62.5	≦* <	67.5	52	1.37904	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.34931	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.31958	0.009	0.009	
-10	47.5	≦* <	52.5	40	1.28985	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.26013	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.23040	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.20067	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.17094	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.14121	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.11148	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.08175	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.05203	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.02230	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.007	0.007	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.009 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.015	0.015	
19	192.5	≦* <	197.5	156	2.15198	0.010	0.010	
18	187.5	≦* <	192.5	152	2.12226	0.010	0.010	
17	182.5	≦* <	187.5	148	2.09253	0.009	0.009	
16	177.5	≦* <	182.5	144	2.06280	0.009	0.009	
15	172.5	≦* <	177.5	140	2.03307	0.009	0.009	
14	167.5	≦* <	172.5	136	2.00334	0.009	0.009	
13	162.5	≦* <	167.5	132	1.97361	0.009	0.009	
12	157.5	≦* <	162.5	128	1.94388	0.009	0.009	
11	152.5	≦* <	157.5	124	1.91416	0.009	0.009	
10	147.5	≦* <	152.5	120	1.88443	0.008	0.008	
9	142.5	≦* <	147.5	116	1.85470	0.008	0.008	
8	137.5	≦* <	142.5	112	1.82497	0.008	0.008	
7	132.5	≦* <	137.5	108	1.79524	0.008	0.008	
6	127.5	≦* <	132.5	104	1.76551	0.008	0.008	
5	122.5	≦* <	127.5	100	1.73578	0.008	0.008	
4	117.5	≦* <	122.5	96	1.70605	0.008	0.008	
3	112.5	≦* <	117.5	92	1.67633	0.008	0.008	
2	107.5	≦* <	112.5	88	1.64660	0.007	0.007	
1	102.5	≦* <	107.5	84	1.61687	0.007	0.007	
0	97.5	≦* <	102.5	80	1.58714	0.007	0.007	
-1	92.5	≦* <	97.5	76	1.55741	0.007	0.007	
-2	87.5	≦* <	92.5	72	1.52768	0.007	0.007	
-3	82.5	≦* <	87.5	68	1.49795	0.007	0.007	
-4	77.5	≦* <	82.5	64	1.46823	0.007	0.007	
-5	72.5	≦* <	77.5	60	1.43850	0.006	0.006	
-6	67.5	≦* <	72.5	56	1.40877	0.006	0.006	
-7	62.5	≦* <	67.5	52	1.37904	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.34931	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.31958	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.28985	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.26013	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.23040	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.20067	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.17094	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.14121	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.11148	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.08175	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.05203	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.02230	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.009 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.014	0.014	
19	192.5	≦* <	197.5	156	2.15198	0.010	0.010	
18	187.5	≦* <	192.5	152	2.12226	0.010	0.010	
17	182.5	≦* <	187.5	148	2.09253	0.009	0.009	
16	177.5	≦* <	182.5	144	2.06280	0.009	0.009	
15	172.5	≦* <	177.5	140	2.03307	0.009	0.009	
14	167.5	≦* <	172.5	136	2.00334	0.009	0.009	
13	162.5	≦* <	167.5	132	1.97361	0.009	0.009	
12	157.5	≦* <	162.5	128	1.94388	0.009	0.009	
11	152.5	≦* <	157.5	124	1.91416	0.009	0.009	
10	147.5	≦* <	152.5	120	1.88443	0.008	0.008	
9	142.5	≦* <	147.5	116	1.85470	0.008	0.008	
8	137.5	≦* <	142.5	112	1.82497	0.008	0.008	
7	132.5	≦* <	137.5	108	1.79524	0.008	0.008	
6	127.5	≦* <	132.5	104	1.76551	0.008	0.008	
5	122.5	≦* <	127.5	100	1.73578	0.008	0.008	
4	117.5	≦* <	122.5	96	1.70605	0.008	0.008	
3	112.5	≦* <	117.5	92	1.67633	0.008	0.008	
2	107.5	≦* <	112.5	88	1.64660	0.007	0.007	
1	102.5	≦* <	107.5	84	1.61687	0.007	0.007	
0	97.5	≦* <	102.5	80	1.58714	0.007	0.007	
-1	92.5	≦* <	97.5	76	1.55741	0.007	0.007	
-2	87.5	≦* <	92.5	72	1.52768	0.007	0.007	
-3	82.5	≦* <	87.5	68	1.49795	0.007	0.007	
-4	77.5	≦* <	82.5	64	1.46823	0.007	0.007	
-5	72.5	≦* <	77.5	60	1.43850	0.006	0.006	
-6	67.5	≦* <	72.5	56	1.40877	0.006	0.006	
-7	62.5	≦* <	67.5	52	1.37904	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.34931	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.31958	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.28985	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.26013	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.23040	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.20067	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.17094	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.14121	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.11148	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.08175	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.05203	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.02230	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.005 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.008	0.008	
19	192.5	≦* <	197.5	156	2.15198	0.005	0.005	
18	187.5	≦* <	192.5	152	2.12226	0.005	0.005	
17	182.5	≦* <	187.5	148	2.09253	0.005	0.005	
16	177.5	≦* <	182.5	144	2.06280	0.005	0.005	
15	172.5	≦* <	177.5	140	2.03307	0.005	0.005	
14	167.5	≦* <	172.5	136	2.00334	0.005	0.005	
13	162.5	≦* <	167.5	132	1.97361	0.005	0.005	
12	157.5	≦* <	162.5	128	1.94388	0.005	0.005	
11	152.5	≦* <	157.5	124	1.91416	0.005	0.005	
10	147.5	≦* <	152.5	120	1.88443	0.005	0.005	
9	142.5	≦* <	147.5	116	1.85470	0.005	0.005	
8	137.5	≦* <	142.5	112	1.82497	0.005	0.005	
7	132.5	≦* <	137.5	108	1.79524	0.004	0.004	
6	127.5	≦* <	132.5	104	1.76551	0.004	0.004	
5	122.5	≦* <	127.5	100	1.73578	0.004	0.004	
4	117.5	≦* <	122.5	96	1.70605	0.004	0.004	
3	112.5	≦* <	117.5	92	1.67633	0.004	0.004	
2	107.5	≦* <	112.5	88	1.64660	0.004	0.004	
1	102.5	≦* <	107.5	84	1.61687	0.004	0.004	
0	97.5	≦* <	102.5	80	1.58714	0.004	0.004	
-1	92.5	≦* <	97.5	76	1.55741	0.004	0.004	
-2	87.5	≦* <	92.5	72	1.52768	0.004	0.004	
-3	82.5	≦* <	87.5	68	1.49795	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.46823	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.43850	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.40877	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.37904	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.34931	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.31958	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.28985	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.26013	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.23040	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.20067	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.17094	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.14121	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.11148	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.08175	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.05203	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.02230	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.005 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.008	0.008	
19	192.5	≦* <	197.5	156	2.15198	0.005	0.005	
18	187.5	≦* <	192.5	152	2.12226	0.005	0.005	
17	182.5	≦* <	187.5	148	2.09253	0.005	0.005	
16	177.5	≦* <	182.5	144	2.06280	0.005	0.005	
15	172.5	≦* <	177.5	140	2.03307	0.005	0.005	
14	167.5	≦* <	172.5	136	2.00334	0.005	0.005	
13	162.5	≦* <	167.5	132	1.97361	0.005	0.005	
12	157.5	≦* <	162.5	128	1.94388	0.005	0.005	
11	152.5	≦* <	157.5	124	1.91416	0.005	0.005	
10	147.5	≦* <	152.5	120	1.88443	0.005	0.005	
9	142.5	≦* <	147.5	116	1.85470	0.005	0.005	
8	137.5	≦* <	142.5	112	1.82497	0.005	0.005	
7	132.5	≦* <	137.5	108	1.79524	0.004	0.004	
6	127.5	≦* <	132.5	104	1.76551	0.004	0.004	
5	122.5	≦* <	127.5	100	1.73578	0.004	0.004	
4	117.5	≦* <	122.5	96	1.70605	0.004	0.004	
3	112.5	≦* <	117.5	92	1.67633	0.004	0.004	
2	107.5	≦* <	112.5	88	1.64660	0.004	0.004	
1	102.5	≦* <	107.5	84	1.61687	0.004	0.004	
0	97.5	≦* <	102.5	80	1.58714	0.004	0.004	
-1	92.5	≦* <	97.5	76	1.55741	0.004	0.004	
-2	87.5	≦* <	92.5	72	1.52768	0.004	0.004	
-3	82.5	≦* <	87.5	68	1.49795	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.46823	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.43850	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.40877	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.37904	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.34931	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.31958	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.28985	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.26013	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.23040	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.20067	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.17094	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.14121	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.11148	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.08175	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.05203	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.02230	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.166 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.250	0.250	
19	192.5	≦* <	197.5	156	2.96142	0.246	0.246	
18	187.5	≦* <	192.5	152	2.91081	0.242	0.242	
17	182.5	≦* <	187.5	148	2.86019	0.237	0.237	
16	177.5	≦* <	182.5	144	2.80957	0.233	0.233	
15	172.5	≦* <	177.5	140	2.75895	0.229	0.229	
14	167.5	≦* <	172.5	136	2.70834	0.225	0.225	
13	162.5	≦* <	167.5	132	2.65772	0.221	0.221	
12	157.5	≦* <	162.5	128	2.60710	0.216	0.216	
11	152.5	≦* <	157.5	124	2.55648	0.212	0.212	
10	147.5	≦* <	152.5	120	2.50587	0.208	0.208	
9	142.5	≦* <	147.5	116	2.45525	0.204	0.204	
8	137.5	≦* <	142.5	112	2.40463	0.200	0.200	
7	132.5	≦* <	137.5	108	2.35401	0.195	0.195	
6	127.5	≦* <	132.5	104	2.30340	0.191	0.191	
5	122.5	≦* <	127.5	100	2.25278	0.187	0.187	
4	117.5	≦* <	122.5	96	2.20216	0.183	0.183	
3	112.5	≦* <	117.5	92	2.15154	0.179	0.179	
2	107.5	≦* <	112.5	88	2.10093	0.174	0.174	
1	102.5	≦* <	107.5	84	2.05031	0.170	0.170	
0	97.5	≦* <	102.5	80	1.99969	0.166	0.166	
-1	92.5	≦* <	97.5	76	1.94908	0.162	0.162	
-2	87.5	≦* <	92.5	72	1.89846	0.158	0.158	
-3	82.5	≦* <	87.5	68	1.84784	0.153	0.153	
-4	77.5	≦* <	82.5	64	1.79722	0.149	0.149	
-5	72.5	≦* <	77.5	60	1.74661	0.145	0.145	
-6	67.5	≦* <	72.5	56	1.69599	0.141	0.141	
-7	62.5	≦* <	67.5	52	1.64537	0.137	0.137	
-8	57.5	≦* <	62.5	48	1.59475	0.132	0.132	
-9	52.5	≦* <	57.5	44	1.54414	0.128	0.128	
-10	47.5	≦* <	52.5	40	1.49352	0.124	0.124	
-11	42.5	≦* <	47.5	36	1.44290	0.120	0.120	
-12	37.5	≦* <	42.5	32	1.39228	0.116	0.116	
-13	32.5	≦* <	37.5	28	1.34167	0.111	0.111	
-14	27.5	≦* <	32.5	24	1.29105	0.107	0.107	
-15	22.5	≦* <	27.5	20	1.24043	0.103	0.103	
-16	17.5	≦* <	22.5	16	1.18982	0.099	0.099	
-17	12.5	≦* <	17.5	12	1.13920	0.095	0.095	
-18	7.5	≦* <	12.5	8	1.08858	0.090	0.090	
-19	2.5	≦* <	7.5	4	1.03796	0.086	0.086	
-20	0.0	≦* <	2.5	1.00	1.00000	0.083	0.083	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.166 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.238	0.238	
19	192.5	≦* <	197.5	156	2.96142	0.234	0.234	
18	187.5	≦* <	192.5	152	2.91081	0.230	0.230	
17	182.5	≦* <	187.5	148	2.86019	0.225	0.225	
16	177.5	≦* <	182.5	144	2.80957	0.221	0.221	
15	172.5	≦* <	177.5	140	2.75895	0.218	0.218	
14	167.5	≦* <	172.5	136	2.70834	0.214	0.214	
13	162.5	≦* <	167.5	132	2.65772	0.210	0.210	
12	157.5	≦* <	162.5	128	2.60710	0.205	0.205	
11	152.5	≦* <	157.5	124	2.55648	0.201	0.201	
10	147.5	≦* <	152.5	120	2.50587	0.198	0.198	
9	142.5	≦* <	147.5	116	2.45525	0.194	0.194	
8	137.5	≦* <	142.5	112	2.40463	0.190	0.190	
7	132.5	≦* <	137.5	108	2.35401	0.185	0.185	
6	127.5	≦* <	132.5	104	2.30340	0.181	0.181	
5	122.5	≦* <	127.5	100	2.25278	0.178	0.178	
4	117.5	≦* <	122.5	96	2.20216	0.174	0.174	
3	112.5	≦* <	117.5	92	2.15154	0.170	0.170	
2	107.5	≦* <	112.5	88	2.10093	0.165	0.165	
1	102.5	≦* <	107.5	84	2.05031	0.162	0.162	
0	97.5	≦* <	102.5	80	1.99969	0.158	0.158	
-1	92.5	≦* <	97.5	76	1.94908	0.154	0.154	
-2	87.5	≦* <	92.5	72	1.89846	0.150	0.150	
-3	82.5	≦* <	87.5	68	1.84784	0.145	0.145	
-4	77.5	≦* <	82.5	64	1.79722	0.142	0.142	
-5	72.5	≦* <	77.5	60	1.74661	0.138	0.138	
-6	67.5	≦* <	72.5	56	1.69599	0.134	0.134	
-7	62.5	≦* <	67.5	52	1.64537	0.130	0.130	
-8	57.5	≦* <	62.5	48	1.59475	0.125	0.125	
-9	52.5	≦* <	57.5	44	1.54414	0.122	0.122	
-10	47.5	≦* <	52.5	40	1.49352	0.118	0.118	
-11	42.5	≦* <	47.5	36	1.44290	0.114	0.114	
-12	37.5	≦* <	42.5	32	1.39228	0.110	0.110	
-13	32.5	≦* <	37.5	28	1.34167	0.105	0.105	
-14	27.5	≦* <	32.5	24	1.29105	0.102	0.102	
-15	22.5	≦* <	27.5	20	1.24043	0.098	0.098	
-16	17.5	≦* <	22.5	16	1.18982	0.094	0.094	
-17	12.5	≦* <	17.5	12	1.13920	0.090	0.090	
-18	7.5	≦* <	12.5	8	1.08858	0.086	0.086	
-19	2.5	≦* <	7.5	4	1.03796	0.082	0.082	
-20	0.0	≦* <	2.5	1.00	1.00000	0.079	0.079	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.148 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.223	0.223	
19	192.5	≦* <	197.5	156	2.96142	0.219	0.219	
18	187.5	≦* <	192.5	152	2.91081	0.215	0.215	
17	182.5	≦* <	187.5	148	2.86019	0.212	0.212	
16	177.5	≦* <	182.5	144	2.80957	0.208	0.208	
15	172.5	≦* <	177.5	140	2.75895	0.204	0.204	
14	167.5	≦* <	172.5	136	2.70834	0.200	0.200	
13	162.5	≦* <	167.5	132	2.65772	0.197	0.197	
12	157.5	≦* <	162.5	128	2.60710	0.193	0.193	
11	152.5	≦* <	157.5	124	2.55648	0.189	0.189	
10	147.5	≦* <	152.5	120	2.50587	0.185	0.185	
9	142.5	≦* <	147.5	116	2.45525	0.182	0.182	
8	137.5	≦* <	142.5	112	2.40463	0.178	0.178	
7	132.5	≦* <	137.5	108	2.35401	0.174	0.174	
6	127.5	≦* <	132.5	104	2.30340	0.170	0.170	
5	122.5	≦* <	127.5	100	2.25278	0.167	0.167	
4	117.5	≦* <	122.5	96	2.20216	0.163	0.163	
3	112.5	≦* <	117.5	92	2.15154	0.159	0.159	
2	107.5	≦* <	112.5	88	2.10093	0.155	0.155	
1	102.5	≦* <	107.5	84	2.05031	0.152	0.152	
0	97.5	≦* <	102.5	80	1.99969	0.148	0.148	
-1	92.5	≦* <	97.5	76	1.94908	0.144	0.144	
-2	87.5	≦* <	92.5	72	1.89846	0.140	0.140	
-3	82.5	≦* <	87.5	68	1.84784	0.137	0.137	
-4	77.5	≦* <	82.5	64	1.79722	0.133	0.133	
-5	72.5	≦* <	77.5	60	1.74661	0.129	0.129	
-6	67.5	≦* <	72.5	56	1.69599	0.126	0.126	
-7	62.5	≦* <	67.5	52	1.64537	0.122	0.122	
-8	57.5	≦* <	62.5	48	1.59475	0.118	0.118	
-9	52.5	≦* <	57.5	44	1.54414	0.114	0.114	
-10	47.5	≦* <	52.5	40	1.49352	0.111	0.111	
-11	42.5	≦* <	47.5	36	1.44290	0.107	0.107	
-12	37.5	≦* <	42.5	32	1.39228	0.103	0.103	
-13	32.5	≦* <	37.5	28	1.34167	0.099	0.099	
-14	27.5	≦* <	32.5	24	1.29105	0.096	0.096	
-15	22.5	≦* <	27.5	20	1.24043	0.092	0.092	
-16	17.5	≦* <	22.5	16	1.18982	0.088	0.088	
-17	12.5	≦* <	17.5	12	1.13920	0.084	0.084	
-18	7.5	≦* <	12.5	8	1.08858	0.081	0.081	
-19	2.5	≦* <	7.5	4	1.03796	0.077	0.077	
-20	0.0	≦* <	2.5	1.00	1.00000	0.074	0.074	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.148 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.212	0.212	
19	192.5	≦* <	197.5	156	2.96142	0.208	0.208	
18	187.5	≦* <	192.5	152	2.91081	0.204	0.204	
17	182.5	≦* <	187.5	148	2.86019	0.201	0.201	
16	177.5	≦* <	182.5	144	2.80957	0.198	0.198	
15	172.5	≦* <	177.5	140	2.75895	0.194	0.194	
14	167.5	≦* <	172.5	136	2.70834	0.190	0.190	
13	162.5	≦* <	167.5	132	2.65772	0.187	0.187	
12	157.5	≦* <	162.5	128	2.60710	0.183	0.183	
11	152.5	≦* <	157.5	124	2.55648	0.180	0.180	
10	147.5	≦* <	152.5	120	2.50587	0.176	0.176	
9	142.5	≦* <	147.5	116	2.45525	0.173	0.173	
8	137.5	≦* <	142.5	112	2.40463	0.169	0.169	
7	132.5	≦* <	137.5	108	2.35401	0.165	0.165	
6	127.5	≦* <	132.5	104	2.30340	0.162	0.162	
5	122.5	≦* <	127.5	100	2.25278	0.159	0.159	
4	117.5	≦* <	122.5	96	2.20216	0.155	0.155	
3	112.5	≦* <	117.5	92	2.15154	0.151	0.151	
2	107.5	≦* <	112.5	88	2.10093	0.147	0.147	
1	102.5	≦* <	107.5	84	2.05031	0.144	0.144	
0	97.5	≦* <	102.5	80	1.99969	0.141	0.141	
-1	92.5	≦* <	97.5	76	1.94908	0.137	0.137	
-2	87.5	≦* <	92.5	72	1.89846	0.133	0.133	
-3	82.5	≦* <	87.5	68	1.84784	0.130	0.130	
-4	77.5	≦* <	82.5	64	1.79722	0.126	0.126	
-5	72.5	≦* <	77.5	60	1.74661	0.123	0.123	
-6	67.5	≦* <	72.5	56	1.69599	0.120	0.120	
-7	62.5	≦* <	67.5	52	1.64537	0.116	0.116	
-8	57.5	≦* <	62.5	48	1.59475	0.112	0.112	
-9	52.5	≦* <	57.5	44	1.54414	0.108	0.108	
-10	47.5	≦* <	52.5	40	1.49352	0.105	0.105	
-11	42.5	≦* <	47.5	36	1.44290	0.102	0.102	
-12	37.5	≦* <	42.5	32	1.39228	0.098	0.098	
-13	32.5	≦* <	37.5	28	1.34167	0.094	0.094	
-14	27.5	≦* <	32.5	24	1.29105	0.091	0.091	
-15	22.5	≦* <	27.5	20	1.24043	0.087	0.087	
-16	17.5	≦* <	22.5	16	1.18982	0.084	0.084	
-17	12.5	≦* <	17.5	12	1.13920	0.080	0.080	
-18	7.5	≦* <	12.5	8	1.08858	0.077	0.077	
-19	2.5	≦* <	7.5	4	1.03796	0.073	0.073	
-20	0.0	≦* <	2.5	1.00	1.00000	0.070	0.070	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.110 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.166	0.166	
19	192.5	≦* <	197.5	156	2.96142	0.163	0.163	
18	187.5	≦* <	192.5	152	2.91081	0.160	0.160	
17	182.5	≦* <	187.5	148	2.86019	0.157	0.157	
16	177.5	≦* <	182.5	144	2.80957	0.155	0.155	
15	172.5	≦* <	177.5	140	2.75895	0.152	0.152	
14	167.5	≦* <	172.5	136	2.70834	0.149	0.149	
13	162.5	≦* <	167.5	132	2.65772	0.146	0.146	
12	157.5	≦* <	162.5	128	2.60710	0.143	0.143	
11	152.5	≦* <	157.5	124	2.55648	0.141	0.141	
10	147.5	≦* <	152.5	120	2.50587	0.138	0.138	
9	142.5	≦* <	147.5	116	2.45525	0.135	0.135	
8	137.5	≦* <	142.5	112	2.40463	0.132	0.132	
7	132.5	≦* <	137.5	108	2.35401	0.129	0.129	
6	127.5	≦* <	132.5	104	2.30340	0.127	0.127	
5	122.5	≦* <	127.5	100	2.25278	0.124	0.124	
4	117.5	≦* <	122.5	96	2.20216	0.121	0.121	
3	112.5	≦* <	117.5	92	2.15154	0.118	0.118	
2	107.5	≦* <	112.5	88	2.10093	0.116	0.116	
1	102.5	≦* <	107.5	84	2.05031	0.113	0.113	
0	97.5	≦* <	102.5	80	1.99969	0.110	0.110	
-1	92.5	≦* <	97.5	76	1.94908	0.107	0.107	
-2	87.5	≦* <	92.5	72	1.89846	0.104	0.104	
-3	82.5	≦* <	87.5	68	1.84784	0.102	0.102	
-4	77.5	≦* <	82.5	64	1.79722	0.099	0.099	
-5	72.5	≦* <	77.5	60	1.74661	0.096	0.096	
-6	67.5	≦* <	72.5	56	1.69599	0.093	0.093	
-7	62.5	≦* <	67.5	52	1.64537	0.090	0.090	
-8	57.5	≦* <	62.5	48	1.59475	0.088	0.088	
-9	52.5	≦* <	57.5	44	1.54414	0.085	0.085	
-10	47.5	≦* <	52.5	40	1.49352	0.082	0.082	
-11	42.5	≦* <	47.5	36	1.44290	0.079	0.079	
-12	37.5	≦* <	42.5	32	1.39228	0.077	0.077	
-13	32.5	≦* <	37.5	28	1.34167	0.074	0.074	
-14	27.5	≦* <	32.5	24	1.29105	0.071	0.071	
-15	22.5	≦* <	27.5	20	1.24043	0.068	0.068	
-16	17.5	≦* <	22.5	16	1.18982	0.065	0.065	
-17	12.5	≦* <	17.5	12	1.13920	0.063	0.063	
-18	7.5	≦* <	12.5	8	1.08858	0.060	0.060	
-19	2.5	≦* <	7.5	4	1.03796	0.057	0.057	
-20	0.0	≦* <	2.5	1.00	1.00000	0.055	0.055	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.110 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.158	0.158	
19	192.5	≦* <	197.5	156	2.96142	0.155	0.155	
18	187.5	≦* <	192.5	152	2.91081	0.152	0.152	
17	182.5	≦* <	187.5	148	2.86019	0.149	0.149	
16	177.5	≦* <	182.5	144	2.80957	0.147	0.147	
15	172.5	≦* <	177.5	140	2.75895	0.144	0.144	
14	167.5	≦* <	172.5	136	2.70834	0.142	0.142	
13	162.5	≦* <	167.5	132	2.65772	0.139	0.139	
12	157.5	≦* <	162.5	128	2.60710	0.136	0.136	
11	152.5	≦* <	157.5	124	2.55648	0.134	0.134	
10	147.5	≦* <	152.5	120	2.50587	0.131	0.131	
9	142.5	≦* <	147.5	116	2.45525	0.128	0.128	
8	137.5	≦* <	142.5	112	2.40463	0.125	0.125	
7	132.5	≦* <	137.5	108	2.35401	0.123	0.123	
6	127.5	≦* <	132.5	104	2.30340	0.121	0.121	
5	122.5	≦* <	127.5	100	2.25278	0.118	0.118	
4	117.5	≦* <	122.5	96	2.20216	0.115	0.115	
3	112.5	≦* <	117.5	92	2.15154	0.112	0.112	
2	107.5	≦* <	112.5	88	2.10093	0.110	0.110	
1	102.5	≦* <	107.5	84	2.05031	0.107	0.107	
0	97.5	≦* <	102.5	80	1.99969	0.105	0.105	
-1	92.5	≦* <	97.5	76	1.94908	0.102	0.102	
-2	87.5	≦* <	92.5	72	1.89846	0.099	0.099	
-3	82.5	≦* <	87.5	68	1.84784	0.097	0.097	
-4	77.5	≦* <	82.5	64	1.79722	0.094	0.094	
-5	72.5	≦* <	77.5	60	1.74661	0.091	0.091	
-6	67.5	≦* <	72.5	56	1.69599	0.088	0.088	
-7	62.5	≦* <	67.5	52	1.64537	0.086	0.086	
-8	57.5	≦* <	62.5	48	1.59475	0.084	0.084	
-9	52.5	≦* <	57.5	44	1.54414	0.081	0.081	
-10	47.5	≦* <	52.5	40	1.49352	0.078	0.078	
-11	42.5	≦* <	47.5	36	1.44290	0.075	0.075	
-12	37.5	≦* <	42.5	32	1.39228	0.073	0.073	
-13	32.5	≦* <	37.5	28	1.34167	0.070	0.070	
-14	27.5	≦* <	32.5	24	1.29105	0.067	0.067	
-15	22.5	≦* <	27.5	20	1.24043	0.065	0.065	
-16	17.5	≦* <	22.5	16	1.18982	0.062	0.062	
-17	12.5	≦* <	17.5	12	1.13920	0.060	0.060	
-18	7.5	≦* <	12.5	8	1.08858	0.057	0.057	
-19	2.5	≦* <	7.5	4	1.03796	0.054	0.054	
-20	0.0	≦* <	2.5	1.00	1.00000	0.052	0.052	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.040 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.060	0.060	
19	192.5	≦* <	197.5	156	2.96142	0.059	0.059	
18	187.5	≦* <	192.5	152	2.91081	0.058	0.058	
17	182.5	≦* <	187.5	148	2.86019	0.057	0.057	
16	177.5	≦* <	182.5	144	2.80957	0.056	0.056	
15	172.5	≦* <	177.5	140	2.75895	0.055	0.055	
14	167.5	≦* <	172.5	136	2.70834	0.054	0.054	
13	162.5	≦* <	167.5	132	2.65772	0.053	0.053	
12	157.5	≦* <	162.5	128	2.60710	0.052	0.052	
11	152.5	≦* <	157.5	124	2.55648	0.051	0.051	
10	147.5	≦* <	152.5	120	2.50587	0.050	0.050	
9	142.5	≦* <	147.5	116	2.45525	0.049	0.049	
8	137.5	≦* <	142.5	112	2.40463	0.048	0.048	
7	132.5	≦* <	137.5	108	2.35401	0.047	0.047	
6	127.5	≦* <	132.5	104	2.30340	0.046	0.046	
5	122.5	≦* <	127.5	100	2.25278	0.045	0.045	
4	117.5	≦* <	122.5	96	2.20216	0.044	0.044	
3	112.5	≦* <	117.5	92	2.15154	0.043	0.043	
2	107.5	≦* <	112.5	88	2.10093	0.042	0.042	
1	102.5	≦* <	107.5	84	2.05031	0.041	0.041	
0	97.5	≦* <	102.5	80	1.99969	0.040	0.040	
-1	92.5	≦* <	97.5	76	1.94908	0.039	0.039	
-2	87.5	≦* <	92.5	72	1.89846	0.038	0.038	
-3	82.5	≦* <	87.5	68	1.84784	0.037	0.037	
-4	77.5	≦* <	82.5	64	1.79722	0.036	0.036	
-5	72.5	≦* <	77.5	60	1.74661	0.035	0.035	
-6	67.5	≦* <	72.5	56	1.69599	0.034	0.034	
-7	62.5	≦* <	67.5	52	1.64537	0.033	0.033	
-8	57.5	≦* <	62.5	48	1.59475	0.032	0.032	
-9	52.5	≦* <	57.5	44	1.54414	0.031	0.031	
-10	47.5	≦* <	52.5	40	1.49352	0.030	0.030	
-11	42.5	≦* <	47.5	36	1.44290	0.029	0.029	
-12	37.5	≦* <	42.5	32	1.39228	0.028	0.028	
-13	32.5	≦* <	37.5	28	1.34167	0.027	0.027	
-14	27.5	≦* <	32.5	24	1.29105	0.026	0.026	
-15	22.5	≦* <	27.5	20	1.24043	0.025	0.025	
-16	17.5	≦* <	22.5	16	1.18982	0.024	0.024	
-17	12.5	≦* <	17.5	12	1.13920	0.023	0.023	
-18	7.5	≦* <	12.5	8	1.08858	0.022	0.022	
-19	2.5	≦* <	7.5	4	1.03796	0.021	0.021	
-20	0.0	≦* <	2.5	1.00	1.00000	0.020	0.020	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.040 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.057	0.057	
19	192.5	≦* <	197.5	156	2.96142	0.056	0.056	
18	187.5	≦* <	192.5	152	2.91081	0.055	0.055	
17	182.5	≦* <	187.5	148	2.86019	0.054	0.054	
16	177.5	≦* <	182.5	144	2.80957	0.053	0.053	
15	172.5	≦* <	177.5	140	2.75895	0.052	0.052	
14	167.5	≦* <	172.5	136	2.70834	0.051	0.051	
13	162.5	≦* <	167.5	132	2.65772	0.050	0.050	
12	157.5	≦* <	162.5	128	2.60710	0.049	0.049	
11	152.5	≦* <	157.5	124	2.55648	0.048	0.048	
10	147.5	≦* <	152.5	120	2.50587	0.048	0.048	
9	142.5	≦* <	147.5	116	2.45525	0.047	0.047	
8	137.5	≦* <	142.5	112	2.40463	0.046	0.046	
7	132.5	≦* <	137.5	108	2.35401	0.045	0.045	
6	127.5	≦* <	132.5	104	2.30340	0.044	0.044	
5	122.5	≦* <	127.5	100	2.25278	0.043	0.043	
4	117.5	≦* <	122.5	96	2.20216	0.042	0.042	
3	112.5	≦* <	117.5	92	2.15154	0.041	0.041	
2	107.5	≦* <	112.5	88	2.10093	0.040	0.040	
1	102.5	≦* <	107.5	84	2.05031	0.039	0.039	
0	97.5	≦* <	102.5	80	1.99969	0.038	0.038	
-1	92.5	≦* <	97.5	76	1.94908	0.037	0.037	
-2	87.5	≦* <	92.5	72	1.89846	0.036	0.036	
-3	82.5	≦* <	87.5	68	1.84784	0.035	0.035	
-4	77.5	≦* <	82.5	64	1.79722	0.034	0.034	
-5	72.5	≦* <	77.5	60	1.74661	0.033	0.033	
-6	67.5	≦* <	72.5	56	1.69599	0.032	0.032	
-7	62.5	≦* <	67.5	52	1.64537	0.031	0.031	
-8	57.5	≦* <	62.5	48	1.59475	0.030	0.030	
-9	52.5	≦* <	57.5	44	1.54414	0.029	0.029	
-10	47.5	≦* <	52.5	40	1.49352	0.029	0.029	
-11	42.5	≦* <	47.5	36	1.44290	0.028	0.028	
-12	37.5	≦* <	42.5	32	1.39228	0.027	0.027	
-13	32.5	≦* <	37.5	28	1.34167	0.026	0.026	
-14	27.5	≦* <	32.5	24	1.29105	0.025	0.025	
-15	22.5	≦* <	27.5	20	1.24043	0.024	0.024	
-16	17.5	≦* <	22.5	16	1.18982	0.023	0.023	
-17	12.5	≦* <	17.5	12	1.13920	0.022	0.022	
-18	7.5	≦* <	12.5	8	1.08858	0.021	0.021	
-19	2.5	≦* <	7.5	4	1.03796	0.020	0.020	
-20	0.0	≦* <	2.5	1.00	1.00000	0.019	0.019	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.024 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.036	0.036	
19	192.5	≦* <	197.5	156	2.96142	0.036	0.036	
18	187.5	≦* <	192.5	152	2.91081	0.035	0.035	
17	182.5	≦* <	187.5	148	2.86019	0.034	0.034	
16	177.5	≦* <	182.5	144	2.80957	0.034	0.034	
15	172.5	≦* <	177.5	140	2.75895	0.033	0.033	
14	167.5	≦* <	172.5	136	2.70834	0.033	0.033	
13	162.5	≦* <	167.5	132	2.65772	0.032	0.032	
12	157.5	≦* <	162.5	128	2.60710	0.031	0.031	
11	152.5	≦* <	157.5	124	2.55648	0.031	0.031	
10	147.5	≦* <	152.5	120	2.50587	0.030	0.030	
9	142.5	≦* <	147.5	116	2.45525	0.029	0.029	
8	137.5	≦* <	142.5	112	2.40463	0.029	0.029	
7	132.5	≦* <	137.5	108	2.35401	0.028	0.028	
6	127.5	≦* <	132.5	104	2.30340	0.028	0.028	
5	122.5	≦* <	127.5	100	2.25278	0.027	0.027	
4	117.5	≦* <	122.5	96	2.20216	0.026	0.026	
3	112.5	≦* <	117.5	92	2.15154	0.026	0.026	
2	107.5	≦* <	112.5	88	2.10093	0.025	0.025	
1	102.5	≦* <	107.5	84	2.05031	0.025	0.025	
0	97.5	≦* <	102.5	80	1.99969	0.024	0.024	
-1	92.5	≦* <	97.5	76	1.94908	0.023	0.023	
-2	87.5	≦* <	92.5	72	1.89846	0.023	0.023	
-3	82.5	≦* <	87.5	68	1.84784	0.022	0.022	
-4	77.5	≦* <	82.5	64	1.79722	0.022	0.022	
-5	72.5	≦* <	77.5	60	1.74661	0.021	0.021	
-6	67.5	≦* <	72.5	56	1.69599	0.020	0.020	
-7	62.5	≦* <	67.5	52	1.64537	0.020	0.020	
-8	57.5	≦* <	62.5	48	1.59475	0.019	0.019	
-9	52.5	≦* <	57.5	44	1.54414	0.019	0.019	
-10	47.5	≦* <	52.5	40	1.49352	0.018	0.018	
-11	42.5	≦* <	47.5	36	1.44290	0.017	0.017	
-12	37.5	≦* <	42.5	32	1.39228	0.017	0.017	
-13	32.5	≦* <	37.5	28	1.34167	0.016	0.016	
-14	27.5	≦* <	32.5	24	1.29105	0.015	0.015	
-15	22.5	≦* <	27.5	20	1.24043	0.015	0.015	
-16	17.5	≦* <	22.5	16	1.18982	0.014	0.014	
-17	12.5	≦* <	17.5	12	1.13920	0.014	0.014	
-18	7.5	≦* <	12.5	8	1.08858	0.013	0.013	
-19	2.5	≦* <	7.5	4	1.03796	0.012	0.012	
-20	0.0	≦* <	2.5	1.00	1.00000	0.012	0.012	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.024 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.034	0.034	
19	192.5	≦* <	197.5	156	2.96142	0.034	0.034	
18	187.5	≦* <	192.5	152	2.91081	0.033	0.033	
17	182.5	≦* <	187.5	148	2.86019	0.032	0.032	
16	177.5	≦* <	182.5	144	2.80957	0.032	0.032	
15	172.5	≦* <	177.5	140	2.75895	0.031	0.031	
14	167.5	≦* <	172.5	136	2.70834	0.031	0.031	
13	162.5	≦* <	167.5	132	2.65772	0.030	0.030	
12	157.5	≦* <	162.5	128	2.60710	0.029	0.029	
11	152.5	≦* <	157.5	124	2.55648	0.029	0.029	
10	147.5	≦* <	152.5	120	2.50587	0.029	0.029	
9	142.5	≦* <	147.5	116	2.45525	0.028	0.028	
8	137.5	≦* <	142.5	112	2.40463	0.028	0.028	
7	132.5	≦* <	137.5	108	2.35401	0.027	0.027	
6	127.5	≦* <	132.5	104	2.30340	0.027	0.027	
5	122.5	≦* <	127.5	100	2.25278	0.026	0.026	
4	117.5	≦* <	122.5	96	2.20216	0.025	0.025	
3	112.5	≦* <	117.5	92	2.15154	0.025	0.025	
2	107.5	≦* <	112.5	88	2.10093	0.024	0.024	
1	102.5	≦* <	107.5	84	2.05031	0.024	0.024	
0	97.5	≦* <	102.5	80	1.99969	0.023	0.023	
-1	92.5	≦* <	97.5	76	1.94908	0.022	0.022	
-2	87.5	≦* <	92.5	72	1.89846	0.022	0.022	
-3	82.5	≦* <	87.5	68	1.84784	0.021	0.021	
-4	77.5	≦* <	82.5	64	1.79722	0.021	0.021	
-5	72.5	≦* <	77.5	60	1.74661	0.020	0.020	
-6	67.5	≦* <	72.5	56	1.69599	0.019	0.019	
-7	62.5	≦* <	67.5	52	1.64537	0.019	0.019	
-8	57.5	≦* <	62.5	48	1.59475	0.018	0.018	
-9	52.5	≦* <	57.5	44	1.54414	0.018	0.018	
-10	47.5	≦* <	52.5	40	1.49352	0.017	0.017	
-11	42.5	≦* <	47.5	36	1.44290	0.016	0.016	
-12	37.5	≦* <	42.5	32	1.39228	0.016	0.016	
-13	32.5	≦* <	37.5	28	1.34167	0.015	0.015	
-14	27.5	≦* <	32.5	24	1.29105	0.014	0.014	
-15	22.5	≦* <	27.5	20	1.24043	0.014	0.014	
-16	17.5	≦* <	22.5	16	1.18982	0.013	0.013	
-17	12.5	≦* <	17.5	12	1.13920	0.013	0.013	
-18	7.5	≦* <	12.5	8	1.08858	0.012	0.012	
-19	2.5	≦* <	7.5	4	1.03796	0.011	0.011	
-20	0.0	≦* <	2.5	1.00	1.00000	0.011	0.011	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.955 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	2.012	2.012	
19	192.5	≧* <	197.5	156	4.04730	1.933	1.933	
18	187.5	≧* <	192.5	152	3.96866	1.895	1.895	
17	182.5	≧* <	187.5	148	3.89002	1.857	1.857	
16	177.5	≧* <	182.5	144	3.81138	1.820	1.820	
15	172.5	≧* <	177.5	140	3.73274	1.782	1.782	
14	167.5	≧* <	172.5	136	3.65410	1.745	1.745	
13	162.5	≧* <	167.5	132	3.57546	1.707	1.707	
12	157.5	≧* <	162.5	128	3.49682	1.670	1.670	
11	152.5	≧* <	157.5	124	3.41818	1.632	1.632	
10	147.5	≧* <	152.5	120	3.33954	1.595	1.595	
9	142.5	≧* <	147.5	116	3.26090	1.557	1.557	
8	137.5	≧* <	142.5	112	3.18226	1.520	1.520	
7	132.5	≧* <	137.5	108	3.10362	1.482	1.482	
6	127.5	≧* <	132.5	104	3.02498	1.444	1.444	
5	122.5	≧* <	127.5	100	2.94634	1.407	1.407	
4	117.5	≧* <	122.5	96	2.86770	1.369	1.369	
3	112.5	≧* <	117.5	92	2.78906	1.332	1.332	
2	107.5	≧* <	112.5	88	2.71042	1.294	1.294	
1	102.5	≧* <	107.5	84	2.63178	1.257	1.257	
0	97.5	≧* <	102.5	80	2.55314	1.219	1.219	
-1	92.5	≧* <	97.5	76	2.47450	1.182	1.182	
-2	87.5	≧* <	92.5	72	2.39586	1.144	1.144	
-3	82.5	≧* <	87.5	68	2.31722	1.106	1.106	
-4	77.5	≧* <	82.5	64	2.23858	1.069	1.069	
-5	72.5	≧* <	77.5	60	2.15994	1.031	1.031	
-6	67.5	≧* <	72.5	56	2.08130	0.994	0.994	
-7	62.5	≧* <	67.5	52	2.00266	0.956	0.956	
-8	57.5	≧* <	62.5	48	1.92402	0.919	0.919	
-9	52.5	≧* <	57.5	44	1.84538	0.881	0.881	
-10	47.5	≧* <	52.5	40	1.76674	0.844	0.844	
-11	42.5	≧* <	47.5	36	1.68810	0.806	0.806	
-12	37.5	≧* <	42.5	32	1.60946	0.769	0.769	
-13	32.5	≧* <	37.5	28	1.53082	0.731	0.731	
-14	27.5	≧* <	32.5	24	1.45218	0.693	0.693	
-15	22.5	≧* <	27.5	20	1.37354	0.656	0.656	
-16	17.5	≧* <	22.5	16	1.29490	0.618	0.618	
-17	12.5	≧* <	17.5	12	1.21626	0.581	0.581	
-18	7.5	≧* <	12.5	8	1.13762	0.543	0.543	
-19	2.5	≧* <	7.5	4	1.05898	0.506	0.506	
-20	0.0	≧* <	2.5	1.00	1.00000	0.477	0.477	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.955 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.710	1.710	
19	192.5	≦* <	197.5	156	4.04730	1.643	1.643	
18	187.5	≦* <	192.5	152	3.96866	1.611	1.611	
17	182.5	≦* <	187.5	148	3.89002	1.578	1.578	
16	177.5	≦* <	182.5	144	3.81138	1.547	1.547	
15	172.5	≦* <	177.5	140	3.73274	1.515	1.515	
14	167.5	≦* <	172.5	136	3.65410	1.483	1.483	
13	162.5	≦* <	167.5	132	3.57546	1.451	1.451	
12	157.5	≦* <	162.5	128	3.49682	1.420	1.420	
11	152.5	≦* <	157.5	124	3.41818	1.387	1.387	
10	147.5	≦* <	152.5	120	3.33954	1.356	1.356	
9	142.5	≦* <	147.5	116	3.26090	1.323	1.323	
8	137.5	≦* <	142.5	112	3.18226	1.292	1.292	
7	132.5	≦* <	137.5	108	3.10362	1.260	1.260	
6	127.5	≦* <	132.5	104	3.02498	1.227	1.227	
5	122.5	≦* <	127.5	100	2.94634	1.196	1.196	
4	117.5	≦* <	122.5	96	2.86770	1.164	1.164	
3	112.5	≦* <	117.5	92	2.78906	1.132	1.132	
2	107.5	≦* <	112.5	88	2.71042	1.100	1.100	
1	102.5	≦* <	107.5	84	2.63178	1.068	1.068	
0	97.5	≦* <	102.5	80	2.55314	1.036	1.036	
-1	92.5	≦* <	97.5	76	2.47450	1.005	1.005	
-2	87.5	≦* <	92.5	72	2.39586	0.972	0.972	
-3	82.5	≦* <	87.5	68	2.31722	0.940	0.940	
-4	77.5	≦* <	82.5	64	2.23858	0.909	0.909	
-5	72.5	≦* <	77.5	60	2.15994	0.876	0.876	
-6	67.5	≦* <	72.5	56	2.08130	0.845	0.845	
-7	62.5	≦* <	67.5	52	2.00266	0.813	0.813	
-8	57.5	≦* <	62.5	48	1.92402	0.781	0.781	
-9	52.5	≦* <	57.5	44	1.84538	0.749	0.749	
-10	47.5	≦* <	52.5	40	1.76674	0.717	0.717	
-11	42.5	≦* <	47.5	36	1.68810	0.685	0.685	
-12	37.5	≦* <	42.5	32	1.60946	0.654	0.654	
-13	32.5	≦* <	37.5	28	1.53082	0.621	0.621	
-14	27.5	≦* <	32.5	24	1.45218	0.589	0.589	
-15	22.5	≦* <	27.5	20	1.37354	0.558	0.558	
-16	17.5	≦* <	22.5	16	1.29490	0.525	0.525	
-17	12.5	≦* <	17.5	12	1.21626	0.494	0.494	
-18	7.5	≦* <	12.5	8	1.13762	0.462	0.462	
-19	2.5	≦* <	7.5	4	1.05898	0.430	0.430	
-20	0.0	≦* <	2.5	1.00	1.00000	0.405	0.405	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.955 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.911	1.911	
19	192.5	≧* <	197.5	156	4.04730	1.836	1.836	
18	187.5	≧* <	192.5	152	3.96866	1.800	1.800	
17	182.5	≧* <	187.5	148	3.89002	1.764	1.764	
16	177.5	≧* <	182.5	144	3.81138	1.729	1.729	
15	172.5	≧* <	177.5	140	3.73274	1.693	1.693	
14	167.5	≧* <	172.5	136	3.65410	1.658	1.658	
13	162.5	≧* <	167.5	132	3.57546	1.622	1.622	
12	157.5	≧* <	162.5	128	3.49682	1.587	1.587	
11	152.5	≧* <	157.5	124	3.41818	1.550	1.550	
10	147.5	≧* <	152.5	120	3.33954	1.515	1.515	
9	142.5	≧* <	147.5	116	3.26090	1.479	1.479	
8	137.5	≧* <	142.5	112	3.18226	1.444	1.444	
7	132.5	≧* <	137.5	108	3.10362	1.408	1.408	
6	127.5	≧* <	132.5	104	3.02498	1.372	1.372	
5	122.5	≧* <	127.5	100	2.94634	1.337	1.337	
4	117.5	≧* <	122.5	96	2.86770	1.301	1.301	
3	112.5	≧* <	117.5	92	2.78906	1.265	1.265	
2	107.5	≧* <	112.5	88	2.71042	1.229	1.229	
1	102.5	≧* <	107.5	84	2.63178	1.194	1.194	
0	97.5	≧* <	102.5	80	2.55314	1.158	1.158	
-1	92.5	≧* <	97.5	76	2.47450	1.123	1.123	
-2	87.5	≧* <	92.5	72	2.39586	1.087	1.087	
-3	82.5	≧* <	87.5	68	2.31722	1.051	1.051	
-4	77.5	≧* <	82.5	64	2.23858	1.016	1.016	
-5	72.5	≧* <	77.5	60	2.15994	0.979	0.979	
-6	67.5	≧* <	72.5	56	2.08130	0.944	0.944	
-7	62.5	≧* <	67.5	52	2.00266	0.908	0.908	
-8	57.5	≧* <	62.5	48	1.92402	0.873	0.873	
-9	52.5	≧* <	57.5	44	1.84538	0.837	0.837	
-10	47.5	≧* <	52.5	40	1.76674	0.802	0.802	
-11	42.5	≧* <	47.5	36	1.68810	0.766	0.766	
-12	37.5	≧* <	42.5	32	1.60946	0.731	0.731	
-13	32.5	≧* <	37.5	28	1.53082	0.694	0.694	
-14	27.5	≧* <	32.5	24	1.45218	0.658	0.658	
-15	22.5	≧* <	27.5	20	1.37354	0.623	0.623	
-16	17.5	≧* <	22.5	16	1.29490	0.587	0.587	
-17	12.5	≧* <	17.5	12	1.21626	0.552	0.552	
-18	7.5	≧* <	12.5	8	1.13762	0.516	0.516	
-19	2.5	≧* <	7.5	4	1.05898	0.481	0.481	
-20	0.0	≧* <	2.5	1.00	1.00000	0.453	0.453	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.955 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.625	1.625	
19	192.5	≦* <	197.5	156	4.04730	1.561	1.561	
18	187.5	≦* <	192.5	152	3.96866	1.530	1.530	
17	182.5	≦* <	187.5	148	3.89002	1.500	1.500	
16	177.5	≦* <	182.5	144	3.81138	1.470	1.470	
15	172.5	≦* <	177.5	140	3.73274	1.439	1.439	
14	167.5	≦* <	172.5	136	3.65410	1.409	1.409	
13	162.5	≦* <	167.5	132	3.57546	1.378	1.378	
12	157.5	≦* <	162.5	128	3.49682	1.349	1.349	
11	152.5	≦* <	157.5	124	3.41818	1.318	1.318	
10	147.5	≦* <	152.5	120	3.33954	1.288	1.288	
9	142.5	≦* <	147.5	116	3.26090	1.257	1.257	
8	137.5	≦* <	142.5	112	3.18226	1.227	1.227	
7	132.5	≦* <	137.5	108	3.10362	1.197	1.197	
6	127.5	≦* <	132.5	104	3.02498	1.166	1.166	
5	122.5	≦* <	127.5	100	2.94634	1.136	1.136	
4	117.5	≦* <	122.5	96	2.86770	1.105	1.105	
3	112.5	≦* <	117.5	92	2.78906	1.076	1.076	
2	107.5	≦* <	112.5	88	2.71042	1.045	1.045	
1	102.5	≦* <	107.5	84	2.63178	1.015	1.015	
0	97.5	≦* <	102.5	80	2.55314	0.984	0.984	
-1	92.5	≦* <	97.5	76	2.47450	0.954	0.954	
-2	87.5	≦* <	92.5	72	2.39586	0.924	0.924	
-3	82.5	≦* <	87.5	68	2.31722	0.893	0.893	
-4	77.5	≦* <	82.5	64	2.23858	0.863	0.863	
-5	72.5	≦* <	77.5	60	2.15994	0.833	0.833	
-6	67.5	≦* <	72.5	56	2.08130	0.803	0.803	
-7	62.5	≦* <	67.5	52	2.00266	0.772	0.772	
-8	57.5	≦* <	62.5	48	1.92402	0.742	0.742	
-9	52.5	≦* <	57.5	44	1.84538	0.711	0.711	
-10	47.5	≦* <	52.5	40	1.76674	0.682	0.682	
-11	42.5	≦* <	47.5	36	1.68810	0.651	0.651	
-12	37.5	≦* <	42.5	32	1.60946	0.621	0.621	
-13	32.5	≦* <	37.5	28	1.53082	0.590	0.590	
-14	27.5	≦* <	32.5	24	1.45218	0.560	0.560	
-15	22.5	≦* <	27.5	20	1.37354	0.530	0.530	
-16	17.5	≦* <	22.5	16	1.29490	0.499	0.499	
-17	12.5	≦* <	17.5	12	1.21626	0.469	0.469	
-18	7.5	≦* <	12.5	8	1.13762	0.438	0.438	
-19	2.5	≦* <	7.5	4	1.05898	0.409	0.409	
-20	0.0	≦* <	2.5	1.00	1.00000	0.385	0.385	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.013 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.027	0.027	
19	192.5	≦* <	197.5	156	4.04730	0.026	0.026	
18	187.5	≦* <	192.5	152	3.96866	0.026	0.026	
17	182.5	≦* <	187.5	148	3.89002	0.025	0.025	
16	177.5	≦* <	182.5	144	3.81138	0.025	0.025	
15	172.5	≦* <	177.5	140	3.73274	0.024	0.024	
14	167.5	≦* <	172.5	136	3.65410	0.024	0.024	
13	162.5	≦* <	167.5	132	3.57546	0.023	0.023	
12	157.5	≦* <	162.5	128	3.49682	0.023	0.023	
11	152.5	≦* <	157.5	124	3.41818	0.022	0.022	
10	147.5	≦* <	152.5	120	3.33954	0.022	0.022	
9	142.5	≦* <	147.5	116	3.26090	0.021	0.021	
8	137.5	≦* <	142.5	112	3.18226	0.021	0.021	
7	132.5	≦* <	137.5	108	3.10362	0.020	0.020	
6	127.5	≦* <	132.5	104	3.02498	0.020	0.020	
5	122.5	≦* <	127.5	100	2.94634	0.019	0.019	
4	117.5	≦* <	122.5	96	2.86770	0.019	0.019	
3	112.5	≦* <	117.5	92	2.78906	0.018	0.018	
2	107.5	≦* <	112.5	88	2.71042	0.018	0.018	
1	102.5	≦* <	107.5	84	2.63178	0.017	0.017	
0	97.5	≦* <	102.5	80	2.55314	0.017	0.017	
-1	92.5	≦* <	97.5	76	2.47450	0.016	0.016	
-2	87.5	≦* <	92.5	72	2.39586	0.016	0.016	
-3	82.5	≦* <	87.5	68	2.31722	0.015	0.015	
-4	77.5	≦* <	82.5	64	2.23858	0.015	0.015	
-5	72.5	≦* <	77.5	60	2.15994	0.014	0.014	
-6	67.5	≦* <	72.5	56	2.08130	0.014	0.014	
-7	62.5	≦* <	67.5	52	2.00266	0.013	0.013	
-8	57.5	≦* <	62.5	48	1.92402	0.013	0.013	
-9	52.5	≦* <	57.5	44	1.84538	0.012	0.012	
-10	47.5	≦* <	52.5	40	1.76674	0.011	0.011	
-11	42.5	≦* <	47.5	36	1.68810	0.011	0.011	
-12	37.5	≦* <	42.5	32	1.60946	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.53082	0.010	0.010	
-14	27.5	≦* <	32.5	24	1.45218	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.37354	0.009	0.009	
-16	17.5	≦* <	22.5	16	1.29490	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.21626	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.13762	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.05898	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.013 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.023	0.023	
19	192.5	≦* <	197.5	156	4.04730	0.022	0.022	
18	187.5	≦* <	192.5	152	3.96866	0.022	0.022	
17	182.5	≦* <	187.5	148	3.89002	0.021	0.021	
16	177.5	≦* <	182.5	144	3.81138	0.021	0.021	
15	172.5	≦* <	177.5	140	3.73274	0.020	0.020	
14	167.5	≦* <	172.5	136	3.65410	0.020	0.020	
13	162.5	≦* <	167.5	132	3.57546	0.020	0.020	
12	157.5	≦* <	162.5	128	3.49682	0.020	0.020	
11	152.5	≦* <	157.5	124	3.41818	0.019	0.019	
10	147.5	≦* <	152.5	120	3.33954	0.019	0.019	
9	142.5	≦* <	147.5	116	3.26090	0.018	0.018	
8	137.5	≦* <	142.5	112	3.18226	0.018	0.018	
7	132.5	≦* <	137.5	108	3.10362	0.017	0.017	
6	127.5	≦* <	132.5	104	3.02498	0.017	0.017	
5	122.5	≦* <	127.5	100	2.94634	0.016	0.016	
4	117.5	≦* <	122.5	96	2.86770	0.016	0.016	
3	112.5	≦* <	117.5	92	2.78906	0.015	0.015	
2	107.5	≦* <	112.5	88	2.71042	0.015	0.015	
1	102.5	≦* <	107.5	84	2.63178	0.014	0.014	
0	97.5	≦* <	102.5	80	2.55314	0.014	0.014	
-1	92.5	≦* <	97.5	76	2.47450	0.014	0.014	
-2	87.5	≦* <	92.5	72	2.39586	0.014	0.014	
-3	82.5	≦* <	87.5	68	2.31722	0.013	0.013	
-4	77.5	≦* <	82.5	64	2.23858	0.013	0.013	
-5	72.5	≦* <	77.5	60	2.15994	0.012	0.012	
-6	67.5	≦* <	72.5	56	2.08130	0.012	0.012	
-7	62.5	≦* <	67.5	52	2.00266	0.011	0.011	
-8	57.5	≦* <	62.5	48	1.92402	0.011	0.011	
-9	52.5	≦* <	57.5	44	1.84538	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.76674	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.68810	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.60946	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.53082	0.009	0.009	
-14	27.5	≦* <	32.5	24	1.45218	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.37354	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.29490	0.007	0.007	
-17	12.5	≦* <	17.5	12	1.21626	0.007	0.007	
-18	7.5	≦* <	12.5	8	1.13762	0.006	0.006	
-19	2.5	≦* <	7.5	4	1.05898	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.013 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.026	0.026	
19	192.5	≦* <	197.5	156	4.04730	0.025	0.025	
18	187.5	≦* <	192.5	152	3.96866	0.025	0.025	
17	182.5	≦* <	187.5	148	3.89002	0.024	0.024	
16	177.5	≦* <	182.5	144	3.81138	0.024	0.024	
15	172.5	≦* <	177.5	140	3.73274	0.023	0.023	
14	167.5	≦* <	172.5	136	3.65410	0.023	0.023	
13	162.5	≦* <	167.5	132	3.57546	0.022	0.022	
12	157.5	≦* <	162.5	128	3.49682	0.022	0.022	
11	152.5	≦* <	157.5	124	3.41818	0.021	0.021	
10	147.5	≦* <	152.5	120	3.33954	0.021	0.021	
9	142.5	≦* <	147.5	116	3.26090	0.020	0.020	
8	137.5	≦* <	142.5	112	3.18226	0.020	0.020	
7	132.5	≦* <	137.5	108	3.10362	0.019	0.019	
6	127.5	≦* <	132.5	104	3.02498	0.019	0.019	
5	122.5	≦* <	127.5	100	2.94634	0.018	0.018	
4	117.5	≦* <	122.5	96	2.86770	0.018	0.018	
3	112.5	≦* <	117.5	92	2.78906	0.017	0.017	
2	107.5	≦* <	112.5	88	2.71042	0.017	0.017	
1	102.5	≦* <	107.5	84	2.63178	0.016	0.016	
0	97.5	≦* <	102.5	80	2.55314	0.016	0.016	
-1	92.5	≦* <	97.5	76	2.47450	0.015	0.015	
-2	87.5	≦* <	92.5	72	2.39586	0.015	0.015	
-3	82.5	≦* <	87.5	68	2.31722	0.014	0.014	
-4	77.5	≦* <	82.5	64	2.23858	0.014	0.014	
-5	72.5	≦* <	77.5	60	2.15994	0.013	0.013	
-6	67.5	≦* <	72.5	56	2.08130	0.013	0.013	
-7	62.5	≦* <	67.5	52	2.00266	0.012	0.012	
-8	57.5	≦* <	62.5	48	1.92402	0.012	0.012	
-9	52.5	≦* <	57.5	44	1.84538	0.011	0.011	
-10	47.5	≦* <	52.5	40	1.76674	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.68810	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.60946	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.53082	0.010	0.010	
-14	27.5	≦* <	32.5	24	1.45218	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.37354	0.009	0.009	
-16	17.5	≦* <	22.5	16	1.29490	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.21626	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.13762	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.05898	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.013 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.022	0.022	
19	192.5	≦* <	197.5	156	4.04730	0.021	0.021	
18	187.5	≦* <	192.5	152	3.96866	0.021	0.021	
17	182.5	≦* <	187.5	148	3.89002	0.020	0.020	
16	177.5	≦* <	182.5	144	3.81138	0.020	0.020	
15	172.5	≦* <	177.5	140	3.73274	0.019	0.019	
14	167.5	≦* <	172.5	136	3.65410	0.019	0.019	
13	162.5	≦* <	167.5	132	3.57546	0.019	0.019	
12	157.5	≦* <	162.5	128	3.49682	0.019	0.019	
11	152.5	≦* <	157.5	124	3.41818	0.018	0.018	
10	147.5	≦* <	152.5	120	3.33954	0.018	0.018	
9	142.5	≦* <	147.5	116	3.26090	0.017	0.017	
8	137.5	≦* <	142.5	112	3.18226	0.017	0.017	
7	132.5	≦* <	137.5	108	3.10362	0.016	0.016	
6	127.5	≦* <	132.5	104	3.02498	0.016	0.016	
5	122.5	≦* <	127.5	100	2.94634	0.015	0.015	
4	117.5	≦* <	122.5	96	2.86770	0.015	0.015	
3	112.5	≦* <	117.5	92	2.78906	0.015	0.015	
2	107.5	≦* <	112.5	88	2.71042	0.015	0.015	
1	102.5	≦* <	107.5	84	2.63178	0.014	0.014	
0	97.5	≦* <	102.5	80	2.55314	0.014	0.014	
-1	92.5	≦* <	97.5	76	2.47450	0.013	0.013	
-2	87.5	≦* <	92.5	72	2.39586	0.013	0.013	
-3	82.5	≦* <	87.5	68	2.31722	0.012	0.012	
-4	77.5	≦* <	82.5	64	2.23858	0.012	0.012	
-5	72.5	≦* <	77.5	60	2.15994	0.011	0.011	
-6	67.5	≦* <	72.5	56	2.08130	0.011	0.011	
-7	62.5	≦* <	67.5	52	2.00266	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.92402	0.010	0.010	
-9	52.5	≦* <	57.5	44	1.84538	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.76674	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.68810	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.60946	0.008	0.008	
-13	32.5	≦* <	37.5	28	1.53082	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.45218	0.007	0.007	
-15	22.5	≦* <	27.5	20	1.37354	0.007	0.007	
-16	17.5	≦* <	22.5	16	1.29490	0.006	0.006	
-17	12.5	≦* <	17.5	12	1.21626	0.006	0.006	
-18	7.5	≦* <	12.5	8	1.13762	0.006	0.006	
-19	2.5	≦* <	7.5	4	1.05898	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.460 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.969	0.969	
19	192.5	≦* <	197.5	156	4.04730	0.931	0.931	
18	187.5	≦* <	192.5	152	3.96866	0.913	0.913	
17	182.5	≦* <	187.5	148	3.89002	0.895	0.895	
16	177.5	≦* <	182.5	144	3.81138	0.877	0.877	
15	172.5	≦* <	177.5	140	3.73274	0.859	0.859	
14	167.5	≦* <	172.5	136	3.65410	0.840	0.840	
13	162.5	≦* <	167.5	132	3.57546	0.822	0.822	
12	157.5	≦* <	162.5	128	3.49682	0.804	0.804	
11	152.5	≦* <	157.5	124	3.41818	0.786	0.786	
10	147.5	≦* <	152.5	120	3.33954	0.768	0.768	
9	142.5	≦* <	147.5	116	3.26090	0.750	0.750	
8	137.5	≦* <	142.5	112	3.18226	0.732	0.732	
7	132.5	≦* <	137.5	108	3.10362	0.714	0.714	
6	127.5	≦* <	132.5	104	3.02498	0.696	0.696	
5	122.5	≦* <	127.5	100	2.94634	0.678	0.678	
4	117.5	≦* <	122.5	96	2.86770	0.660	0.660	
3	112.5	≦* <	117.5	92	2.78906	0.641	0.641	
2	107.5	≦* <	112.5	88	2.71042	0.623	0.623	
1	102.5	≦* <	107.5	84	2.63178	0.605	0.605	
0	97.5	≦* <	102.5	80	2.55314	0.587	0.587	
-1	92.5	≦* <	97.5	76	2.47450	0.569	0.569	
-2	87.5	≦* <	92.5	72	2.39586	0.551	0.551	
-3	82.5	≦* <	87.5	68	2.31722	0.533	0.533	
-4	77.5	≦* <	82.5	64	2.23858	0.515	0.515	
-5	72.5	≦* <	77.5	60	2.15994	0.497	0.497	
-6	67.5	≦* <	72.5	56	2.08130	0.479	0.479	
-7	62.5	≦* <	67.5	52	2.00266	0.461	0.461	
-8	57.5	≦* <	62.5	48	1.92402	0.443	0.443	
-9	52.5	≦* <	57.5	44	1.84538	0.424	0.424	
-10	47.5	≦* <	52.5	40	1.76674	0.406	0.406	
-11	42.5	≦* <	47.5	36	1.68810	0.388	0.388	
-12	37.5	≦* <	42.5	32	1.60946	0.370	0.370	
-13	32.5	≦* <	37.5	28	1.53082	0.352	0.352	
-14	27.5	≦* <	32.5	24	1.45218	0.334	0.334	
-15	22.5	≦* <	27.5	20	1.37354	0.316	0.316	
-16	17.5	≦* <	22.5	16	1.29490	0.298	0.298	
-17	12.5	≦* <	17.5	12	1.21626	0.280	0.280	
-18	7.5	≦* <	12.5	8	1.13762	0.262	0.262	
-19	2.5	≦* <	7.5	4	1.05898	0.244	0.244	
-20	0.0	≦* <	2.5	1.00	1.00000	0.230	0.230	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.460 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.824	0.824	
19	192.5	≦* <	197.5	156	4.04730	0.791	0.791	
18	187.5	≦* <	192.5	152	3.96866	0.776	0.776	
17	182.5	≦* <	187.5	148	3.89002	0.761	0.761	
16	177.5	≦* <	182.5	144	3.81138	0.745	0.745	
15	172.5	≦* <	177.5	140	3.73274	0.730	0.730	
14	167.5	≦* <	172.5	136	3.65410	0.714	0.714	
13	162.5	≦* <	167.5	132	3.57546	0.699	0.699	
12	157.5	≦* <	162.5	128	3.49682	0.683	0.683	
11	152.5	≦* <	157.5	124	3.41818	0.668	0.668	
10	147.5	≦* <	152.5	120	3.33954	0.653	0.653	
9	142.5	≦* <	147.5	116	3.26090	0.638	0.638	
8	137.5	≦* <	142.5	112	3.18226	0.622	0.622	
7	132.5	≦* <	137.5	108	3.10362	0.607	0.607	
6	127.5	≦* <	132.5	104	3.02498	0.592	0.592	
5	122.5	≦* <	127.5	100	2.94634	0.576	0.576	
4	117.5	≦* <	122.5	96	2.86770	0.561	0.561	
3	112.5	≦* <	117.5	92	2.78906	0.545	0.545	
2	107.5	≦* <	112.5	88	2.71042	0.530	0.530	
1	102.5	≦* <	107.5	84	2.63178	0.514	0.514	
0	97.5	≦* <	102.5	80	2.55314	0.499	0.499	
-1	92.5	≦* <	97.5	76	2.47450	0.484	0.484	
-2	87.5	≦* <	92.5	72	2.39586	0.468	0.468	
-3	82.5	≦* <	87.5	68	2.31722	0.453	0.453	
-4	77.5	≦* <	82.5	64	2.23858	0.438	0.438	
-5	72.5	≦* <	77.5	60	2.15994	0.422	0.422	
-6	67.5	≦* <	72.5	56	2.08130	0.407	0.407	
-7	62.5	≦* <	67.5	52	2.00266	0.392	0.392	
-8	57.5	≦* <	62.5	48	1.92402	0.377	0.377	
-9	52.5	≦* <	57.5	44	1.84538	0.360	0.360	
-10	47.5	≦* <	52.5	40	1.76674	0.345	0.345	
-11	42.5	≦* <	47.5	36	1.68810	0.330	0.330	
-12	37.5	≦* <	42.5	32	1.60946	0.315	0.315	
-13	32.5	≦* <	37.5	28	1.53082	0.299	0.299	
-14	27.5	≦* <	32.5	24	1.45218	0.284	0.284	
-15	22.5	≦* <	27.5	20	1.37354	0.269	0.269	
-16	17.5	≦* <	22.5	16	1.29490	0.253	0.253	
-17	12.5	≦* <	17.5	12	1.21626	0.238	0.238	
-18	7.5	≦* <	12.5	8	1.13762	0.223	0.223	
-19	2.5	≦* <	7.5	4	1.05898	0.207	0.207	
-20	0.0	≦* <	2.5	1.00	1.00000	0.196	0.196	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.460 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.921	0.921	
19	192.5	≦* <	197.5	156	4.04730	0.884	0.884	
18	187.5	≦* <	192.5	152	3.96866	0.867	0.867	
17	182.5	≦* <	187.5	148	3.89002	0.850	0.850	
16	177.5	≦* <	182.5	144	3.81138	0.833	0.833	
15	172.5	≦* <	177.5	140	3.73274	0.816	0.816	
14	167.5	≦* <	172.5	136	3.65410	0.798	0.798	
13	162.5	≦* <	167.5	132	3.57546	0.781	0.781	
12	157.5	≦* <	162.5	128	3.49682	0.764	0.764	
11	152.5	≦* <	157.5	124	3.41818	0.747	0.747	
10	147.5	≦* <	152.5	120	3.33954	0.730	0.730	
9	142.5	≦* <	147.5	116	3.26090	0.713	0.713	
8	137.5	≦* <	142.5	112	3.18226	0.695	0.695	
7	132.5	≦* <	137.5	108	3.10362	0.678	0.678	
6	127.5	≦* <	132.5	104	3.02498	0.661	0.661	
5	122.5	≦* <	127.5	100	2.94634	0.644	0.644	
4	117.5	≦* <	122.5	96	2.86770	0.627	0.627	
3	112.5	≦* <	117.5	92	2.78906	0.609	0.609	
2	107.5	≦* <	112.5	88	2.71042	0.592	0.592	
1	102.5	≦* <	107.5	84	2.63178	0.575	0.575	
0	97.5	≦* <	102.5	80	2.55314	0.558	0.558	
-1	92.5	≦* <	97.5	76	2.47450	0.541	0.541	
-2	87.5	≦* <	92.5	72	2.39586	0.523	0.523	
-3	82.5	≦* <	87.5	68	2.31722	0.506	0.506	
-4	77.5	≦* <	82.5	64	2.23858	0.489	0.489	
-5	72.5	≦* <	77.5	60	2.15994	0.472	0.472	
-6	67.5	≦* <	72.5	56	2.08130	0.455	0.455	
-7	62.5	≦* <	67.5	52	2.00266	0.438	0.438	
-8	57.5	≦* <	62.5	48	1.92402	0.421	0.421	
-9	52.5	≦* <	57.5	44	1.84538	0.403	0.403	
-10	47.5	≦* <	52.5	40	1.76674	0.386	0.386	
-11	42.5	≦* <	47.5	36	1.68810	0.369	0.369	
-12	37.5	≦* <	42.5	32	1.60946	0.352	0.352	
-13	32.5	≦* <	37.5	28	1.53082	0.334	0.334	
-14	27.5	≦* <	32.5	24	1.45218	0.317	0.317	
-15	22.5	≦* <	27.5	20	1.37354	0.300	0.300	
-16	17.5	≦* <	22.5	16	1.29490	0.283	0.283	
-17	12.5	≦* <	17.5	12	1.21626	0.266	0.266	
-18	7.5	≦* <	12.5	8	1.13762	0.249	0.249	
-19	2.5	≦* <	7.5	4	1.05898	0.232	0.232	
-20	0.0	≦* <	2.5	1.00	1.00000	0.219	0.219	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.460 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.782	0.782	
19	192.5	≦* <	197.5	156	4.04730	0.752	0.752	
18	187.5	≦* <	192.5	152	3.96866	0.737	0.737	
17	182.5	≦* <	187.5	148	3.89002	0.723	0.723	
16	177.5	≦* <	182.5	144	3.81138	0.708	0.708	
15	172.5	≦* <	177.5	140	3.73274	0.694	0.694	
14	167.5	≦* <	172.5	136	3.65410	0.678	0.678	
13	162.5	≦* <	167.5	132	3.57546	0.664	0.664	
12	157.5	≦* <	162.5	128	3.49682	0.649	0.649	
11	152.5	≦* <	157.5	124	3.41818	0.635	0.635	
10	147.5	≦* <	152.5	120	3.33954	0.620	0.620	
9	142.5	≦* <	147.5	116	3.26090	0.606	0.606	
8	137.5	≦* <	142.5	112	3.18226	0.591	0.591	
7	132.5	≦* <	137.5	108	3.10362	0.577	0.577	
6	127.5	≦* <	132.5	104	3.02498	0.562	0.562	
5	122.5	≦* <	127.5	100	2.94634	0.547	0.547	
4	117.5	≦* <	122.5	96	2.86770	0.533	0.533	
3	112.5	≦* <	117.5	92	2.78906	0.518	0.518	
2	107.5	≦* <	112.5	88	2.71042	0.503	0.503	
1	102.5	≦* <	107.5	84	2.63178	0.489	0.489	
0	97.5	≦* <	102.5	80	2.55314	0.474	0.474	
-1	92.5	≦* <	97.5	76	2.47450	0.459	0.459	
-2	87.5	≦* <	92.5	72	2.39586	0.445	0.445	
-3	82.5	≦* <	87.5	68	2.31722	0.430	0.430	
-4	77.5	≦* <	82.5	64	2.23858	0.416	0.416	
-5	72.5	≦* <	77.5	60	2.15994	0.401	0.401	
-6	67.5	≦* <	72.5	56	2.08130	0.387	0.387	
-7	62.5	≦* <	67.5	52	2.00266	0.372	0.372	
-8	57.5	≦* <	62.5	48	1.92402	0.358	0.358	
-9	52.5	≦* <	57.5	44	1.84538	0.342	0.342	
-10	47.5	≦* <	52.5	40	1.76674	0.328	0.328	
-11	42.5	≦* <	47.5	36	1.68810	0.313	0.313	
-12	37.5	≦* <	42.5	32	1.60946	0.299	0.299	
-13	32.5	≦* <	37.5	28	1.53082	0.284	0.284	
-14	27.5	≦* <	32.5	24	1.45218	0.270	0.270	
-15	22.5	≦* <	27.5	20	1.37354	0.255	0.255	
-16	17.5	≦* <	22.5	16	1.29490	0.241	0.241	
-17	12.5	≦* <	17.5	12	1.21626	0.226	0.226	
-18	7.5	≦* <	12.5	8	1.13762	0.212	0.212	
-19	2.5	≦* <	7.5	4	1.05898	0.197	0.197	
-20	0.0	≦* <	2.5	1.00	1.00000	0.186	0.186	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.012 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.025	0.025	
19	192.5	≦* <	197.5	156	4.04730	0.024	0.024	
18	187.5	≦* <	192.5	152	3.96866	0.024	0.024	
17	182.5	≦* <	187.5	148	3.89002	0.023	0.023	
16	177.5	≦* <	182.5	144	3.81138	0.023	0.023	
15	172.5	≦* <	177.5	140	3.73274	0.022	0.022	
14	167.5	≦* <	172.5	136	3.65410	0.022	0.022	
13	162.5	≦* <	167.5	132	3.57546	0.021	0.021	
12	157.5	≦* <	162.5	128	3.49682	0.021	0.021	
11	152.5	≦* <	157.5	124	3.41818	0.021	0.021	
10	147.5	≦* <	152.5	120	3.33954	0.020	0.020	
9	142.5	≦* <	147.5	116	3.26090	0.020	0.020	
8	137.5	≦* <	142.5	112	3.18226	0.019	0.019	
7	132.5	≦* <	137.5	108	3.10362	0.019	0.019	
6	127.5	≦* <	132.5	104	3.02498	0.018	0.018	
5	122.5	≦* <	127.5	100	2.94634	0.018	0.018	
4	117.5	≦* <	122.5	96	2.86770	0.017	0.017	
3	112.5	≦* <	117.5	92	2.78906	0.017	0.017	
2	107.5	≦* <	112.5	88	2.71042	0.016	0.016	
1	102.5	≦* <	107.5	84	2.63178	0.016	0.016	
0	97.5	≦* <	102.5	80	2.55314	0.015	0.015	
-1	92.5	≦* <	97.5	76	2.47450	0.015	0.015	
-2	87.5	≦* <	92.5	72	2.39586	0.014	0.014	
-3	82.5	≦* <	87.5	68	2.31722	0.014	0.014	
-4	77.5	≦* <	82.5	64	2.23858	0.013	0.013	
-5	72.5	≦* <	77.5	60	2.15994	0.013	0.013	
-6	67.5	≦* <	72.5	56	2.08130	0.012	0.012	
-7	62.5	≦* <	67.5	52	2.00266	0.012	0.012	
-8	57.5	≦* <	62.5	48	1.92402	0.012	0.012	
-9	52.5	≦* <	57.5	44	1.84538	0.011	0.011	
-10	47.5	≦* <	52.5	40	1.76674	0.011	0.011	
-11	42.5	≦* <	47.5	36	1.68810	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.60946	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.53082	0.009	0.009	
-14	27.5	≦* <	32.5	24	1.45218	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.37354	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.29490	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.21626	0.007	0.007	
-18	7.5	≦* <	12.5	8	1.13762	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.05898	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.012 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.021	0.021	
19	192.5	≦* <	197.5	156	4.04730	0.020	0.020	
18	187.5	≦* <	192.5	152	3.96866	0.020	0.020	
17	182.5	≦* <	187.5	148	3.89002	0.020	0.020	
16	177.5	≦* <	182.5	144	3.81138	0.020	0.020	
15	172.5	≦* <	177.5	140	3.73274	0.019	0.019	
14	167.5	≦* <	172.5	136	3.65410	0.019	0.019	
13	162.5	≦* <	167.5	132	3.57546	0.018	0.018	
12	157.5	≦* <	162.5	128	3.49682	0.018	0.018	
11	152.5	≦* <	157.5	124	3.41818	0.018	0.018	
10	147.5	≦* <	152.5	120	3.33954	0.017	0.017	
9	142.5	≦* <	147.5	116	3.26090	0.017	0.017	
8	137.5	≦* <	142.5	112	3.18226	0.016	0.016	
7	132.5	≦* <	137.5	108	3.10362	0.016	0.016	
6	127.5	≦* <	132.5	104	3.02498	0.015	0.015	
5	122.5	≦* <	127.5	100	2.94634	0.015	0.015	
4	117.5	≦* <	122.5	96	2.86770	0.014	0.014	
3	112.5	≦* <	117.5	92	2.78906	0.014	0.014	
2	107.5	≦* <	112.5	88	2.71042	0.014	0.014	
1	102.5	≦* <	107.5	84	2.63178	0.014	0.014	
0	97.5	≦* <	102.5	80	2.55314	0.013	0.013	
-1	92.5	≦* <	97.5	76	2.47450	0.013	0.013	
-2	87.5	≦* <	92.5	72	2.39586	0.012	0.012	
-3	82.5	≦* <	87.5	68	2.31722	0.012	0.012	
-4	77.5	≦* <	82.5	64	2.23858	0.011	0.011	
-5	72.5	≦* <	77.5	60	2.15994	0.011	0.011	
-6	67.5	≦* <	72.5	56	2.08130	0.010	0.010	
-7	62.5	≦* <	67.5	52	2.00266	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.92402	0.010	0.010	
-9	52.5	≦* <	57.5	44	1.84538	0.009	0.009	
-10	47.5	≦* <	52.5	40	1.76674	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.68810	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.60946	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.53082	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.45218	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.37354	0.007	0.007	
-16	17.5	≦* <	22.5	16	1.29490	0.007	0.007	
-17	12.5	≦* <	17.5	12	1.21626	0.006	0.006	
-18	7.5	≦* <	12.5	8	1.13762	0.006	0.006	
-19	2.5	≦* <	7.5	4	1.05898	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.012 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.024	0.024	
19	192.5	≦* <	197.5	156	4.04730	0.023	0.023	
18	187.5	≦* <	192.5	152	3.96866	0.023	0.023	
17	182.5	≦* <	187.5	148	3.89002	0.022	0.022	
16	177.5	≦* <	182.5	144	3.81138	0.022	0.022	
15	172.5	≦* <	177.5	140	3.73274	0.021	0.021	
14	167.5	≦* <	172.5	136	3.65410	0.021	0.021	
13	162.5	≦* <	167.5	132	3.57546	0.020	0.020	
12	157.5	≦* <	162.5	128	3.49682	0.020	0.020	
11	152.5	≦* <	157.5	124	3.41818	0.020	0.020	
10	147.5	≦* <	152.5	120	3.33954	0.019	0.019	
9	142.5	≦* <	147.5	116	3.26090	0.019	0.019	
8	137.5	≦* <	142.5	112	3.18226	0.018	0.018	
7	132.5	≦* <	137.5	108	3.10362	0.018	0.018	
6	127.5	≦* <	132.5	104	3.02498	0.017	0.017	
5	122.5	≦* <	127.5	100	2.94634	0.017	0.017	
4	117.5	≦* <	122.5	96	2.86770	0.016	0.016	
3	112.5	≦* <	117.5	92	2.78906	0.016	0.016	
2	107.5	≦* <	112.5	88	2.71042	0.015	0.015	
1	102.5	≦* <	107.5	84	2.63178	0.015	0.015	
0	97.5	≦* <	102.5	80	2.55314	0.014	0.014	
-1	92.5	≦* <	97.5	76	2.47450	0.014	0.014	
-2	87.5	≦* <	92.5	72	2.39586	0.013	0.013	
-3	82.5	≦* <	87.5	68	2.31722	0.013	0.013	
-4	77.5	≦* <	82.5	64	2.23858	0.012	0.012	
-5	72.5	≦* <	77.5	60	2.15994	0.012	0.012	
-6	67.5	≦* <	72.5	56	2.08130	0.011	0.011	
-7	62.5	≦* <	67.5	52	2.00266	0.011	0.011	
-8	57.5	≦* <	62.5	48	1.92402	0.011	0.011	
-9	52.5	≦* <	57.5	44	1.84538	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.76674	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.68810	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.60946	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.53082	0.009	0.009	
-14	27.5	≦* <	32.5	24	1.45218	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.37354	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.29490	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.21626	0.007	0.007	
-18	7.5	≦* <	12.5	8	1.13762	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.05898	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.012 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.020	0.020	
19	192.5	≧* <	197.5	156	4.04730	0.019	0.019	
18	187.5	≧* <	192.5	152	3.96866	0.019	0.019	
17	182.5	≧* <	187.5	148	3.89002	0.019	0.019	
16	177.5	≧* <	182.5	144	3.81138	0.019	0.019	
15	172.5	≧* <	177.5	140	3.73274	0.018	0.018	
14	167.5	≧* <	172.5	136	3.65410	0.018	0.018	
13	162.5	≧* <	167.5	132	3.57546	0.017	0.017	
12	157.5	≧* <	162.5	128	3.49682	0.017	0.017	
11	152.5	≧* <	157.5	124	3.41818	0.017	0.017	
10	147.5	≧* <	152.5	120	3.33954	0.016	0.016	
9	142.5	≧* <	147.5	116	3.26090	0.016	0.016	
8	137.5	≧* <	142.5	112	3.18226	0.015	0.015	
7	132.5	≧* <	137.5	108	3.10362	0.015	0.015	
6	127.5	≧* <	132.5	104	3.02498	0.015	0.015	
5	122.5	≧* <	127.5	100	2.94634	0.015	0.015	
4	117.5	≧* <	122.5	96	2.86770	0.014	0.014	
3	112.5	≧* <	117.5	92	2.78906	0.014	0.014	
2	107.5	≧* <	112.5	88	2.71042	0.013	0.013	
1	102.5	≧* <	107.5	84	2.63178	0.013	0.013	
0	97.5	≧* <	102.5	80	2.55314	0.012	0.012	
-1	92.5	≧* <	97.5	76	2.47450	0.012	0.012	
-2	87.5	≧* <	92.5	72	2.39586	0.011	0.011	
-3	82.5	≧* <	87.5	68	2.31722	0.011	0.011	
-4	77.5	≧* <	82.5	64	2.23858	0.010	0.010	
-5	72.5	≧* <	77.5	60	2.15994	0.010	0.010	
-6	67.5	≧* <	72.5	56	2.08130	0.010	0.010	
-7	62.5	≧* <	67.5	52	2.00266	0.010	0.010	
-8	57.5	≧* <	62.5	48	1.92402	0.010	0.010	
-9	52.5	≧* <	57.5	44	1.84538	0.009	0.009	
-10	47.5	≧* <	52.5	40	1.76674	0.009	0.009	
-11	42.5	≧* <	47.5	36	1.68810	0.008	0.008	
-12	37.5	≧* <	42.5	32	1.60946	0.008	0.008	
-13	32.5	≧* <	37.5	28	1.53082	0.007	0.007	
-14	27.5	≧* <	32.5	24	1.45218	0.007	0.007	
-15	22.5	≧* <	27.5	20	1.37354	0.006	0.006	
-16	17.5	≧* <	22.5	16	1.29490	0.006	0.006	
-17	12.5	≧* <	17.5	12	1.21626	0.006	0.006	
-18	7.5	≧* <	12.5	8	1.13762	0.006	0.006	
-19	2.5	≧* <	7.5	4	1.05898	0.005	0.005	
-20	0.0	≧* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.242 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.510	0.510	
19	192.5	≦* <	197.5	156	4.04730	0.490	0.490	
18	187.5	≦* <	192.5	152	3.96866	0.480	0.480	
17	182.5	≦* <	187.5	148	3.89002	0.471	0.471	
16	177.5	≦* <	182.5	144	3.81138	0.461	0.461	
15	172.5	≦* <	177.5	140	3.73274	0.452	0.452	
14	167.5	≦* <	172.5	136	3.65410	0.442	0.442	
13	162.5	≦* <	167.5	132	3.57546	0.433	0.433	
12	157.5	≦* <	162.5	128	3.49682	0.423	0.423	
11	152.5	≦* <	157.5	124	3.41818	0.414	0.414	
10	147.5	≦* <	152.5	120	3.33954	0.404	0.404	
9	142.5	≦* <	147.5	116	3.26090	0.395	0.395	
8	137.5	≦* <	142.5	112	3.18226	0.385	0.385	
7	132.5	≦* <	137.5	108	3.10362	0.376	0.376	
6	127.5	≦* <	132.5	104	3.02498	0.366	0.366	
5	122.5	≦* <	127.5	100	2.94634	0.357	0.357	
4	117.5	≦* <	122.5	96	2.86770	0.347	0.347	
3	112.5	≦* <	117.5	92	2.78906	0.337	0.337	
2	107.5	≦* <	112.5	88	2.71042	0.328	0.328	
1	102.5	≦* <	107.5	84	2.63178	0.318	0.318	
0	97.5	≦* <	102.5	80	2.55314	0.309	0.309	
-1	92.5	≦* <	97.5	76	2.47450	0.299	0.299	
-2	87.5	≦* <	92.5	72	2.39586	0.290	0.290	
-3	82.5	≦* <	87.5	68	2.31722	0.280	0.280	
-4	77.5	≦* <	82.5	64	2.23858	0.271	0.271	
-5	72.5	≦* <	77.5	60	2.15994	0.261	0.261	
-6	67.5	≦* <	72.5	56	2.08130	0.252	0.252	
-7	62.5	≦* <	67.5	52	2.00266	0.242	0.242	
-8	57.5	≦* <	62.5	48	1.92402	0.233	0.233	
-9	52.5	≦* <	57.5	44	1.84538	0.223	0.223	
-10	47.5	≦* <	52.5	40	1.76674	0.214	0.214	
-11	42.5	≦* <	47.5	36	1.68810	0.204	0.204	
-12	37.5	≦* <	42.5	32	1.60946	0.195	0.195	
-13	32.5	≦* <	37.5	28	1.53082	0.185	0.185	
-14	27.5	≦* <	32.5	24	1.45218	0.176	0.176	
-15	22.5	≦* <	27.5	20	1.37354	0.166	0.166	
-16	17.5	≦* <	22.5	16	1.29490	0.157	0.157	
-17	12.5	≦* <	17.5	12	1.21626	0.147	0.147	
-18	7.5	≦* <	12.5	8	1.13762	0.138	0.138	
-19	2.5	≦* <	7.5	4	1.05898	0.128	0.128	
-20	0.0	≦* <	2.5	1.00	1.00000	0.121	0.121	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.242 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.434	0.434	
19	192.5	≦* <	197.5	156	4.04730	0.417	0.417	
18	187.5	≦* <	192.5	152	3.96866	0.408	0.408	
17	182.5	≦* <	187.5	148	3.89002	0.400	0.400	
16	177.5	≦* <	182.5	144	3.81138	0.392	0.392	
15	172.5	≦* <	177.5	140	3.73274	0.384	0.384	
14	167.5	≦* <	172.5	136	3.65410	0.376	0.376	
13	162.5	≦* <	167.5	132	3.57546	0.368	0.368	
12	157.5	≦* <	162.5	128	3.49682	0.360	0.360	
11	152.5	≦* <	157.5	124	3.41818	0.352	0.352	
10	147.5	≦* <	152.5	120	3.33954	0.343	0.343	
9	142.5	≦* <	147.5	116	3.26090	0.336	0.336	
8	137.5	≦* <	142.5	112	3.18226	0.327	0.327	
7	132.5	≦* <	137.5	108	3.10362	0.320	0.320	
6	127.5	≦* <	132.5	104	3.02498	0.311	0.311	
5	122.5	≦* <	127.5	100	2.94634	0.303	0.303	
4	117.5	≦* <	122.5	96	2.86770	0.295	0.295	
3	112.5	≦* <	117.5	92	2.78906	0.286	0.286	
2	107.5	≦* <	112.5	88	2.71042	0.279	0.279	
1	102.5	≦* <	107.5	84	2.63178	0.270	0.270	
0	97.5	≦* <	102.5	80	2.55314	0.263	0.263	
-1	92.5	≦* <	97.5	76	2.47450	0.254	0.254	
-2	87.5	≦* <	92.5	72	2.39586	0.247	0.247	
-3	82.5	≦* <	87.5	68	2.31722	0.238	0.238	
-4	77.5	≦* <	82.5	64	2.23858	0.230	0.230	
-5	72.5	≦* <	77.5	60	2.15994	0.222	0.222	
-6	67.5	≦* <	72.5	56	2.08130	0.214	0.214	
-7	62.5	≦* <	67.5	52	2.00266	0.206	0.206	
-8	57.5	≦* <	62.5	48	1.92402	0.198	0.198	
-9	52.5	≦* <	57.5	44	1.84538	0.190	0.190	
-10	47.5	≦* <	52.5	40	1.76674	0.182	0.182	
-11	42.5	≦* <	47.5	36	1.68810	0.173	0.173	
-12	37.5	≦* <	42.5	32	1.60946	0.166	0.166	
-13	32.5	≦* <	37.5	28	1.53082	0.157	0.157	
-14	27.5	≦* <	32.5	24	1.45218	0.150	0.150	
-15	22.5	≦* <	27.5	20	1.37354	0.141	0.141	
-16	17.5	≦* <	22.5	16	1.29490	0.133	0.133	
-17	12.5	≦* <	17.5	12	1.21626	0.125	0.125	
-18	7.5	≦* <	12.5	8	1.13762	0.117	0.117	
-19	2.5	≦* <	7.5	4	1.05898	0.109	0.109	
-20	0.0	≦* <	2.5	1.00	1.00000	0.103	0.103	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.242 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.485	0.485	
19	192.5	≦* <	197.5	156	4.04730	0.466	0.466	
18	187.5	≦* <	192.5	152	3.96866	0.456	0.456	
17	182.5	≦* <	187.5	148	3.89002	0.447	0.447	
16	177.5	≦* <	182.5	144	3.81138	0.438	0.438	
15	172.5	≦* <	177.5	140	3.73274	0.429	0.429	
14	167.5	≦* <	172.5	136	3.65410	0.420	0.420	
13	162.5	≦* <	167.5	132	3.57546	0.411	0.411	
12	157.5	≦* <	162.5	128	3.49682	0.402	0.402	
11	152.5	≦* <	157.5	124	3.41818	0.393	0.393	
10	147.5	≦* <	152.5	120	3.33954	0.384	0.384	
9	142.5	≦* <	147.5	116	3.26090	0.375	0.375	
8	137.5	≦* <	142.5	112	3.18226	0.366	0.366	
7	132.5	≦* <	137.5	108	3.10362	0.357	0.357	
6	127.5	≦* <	132.5	104	3.02498	0.348	0.348	
5	122.5	≦* <	127.5	100	2.94634	0.339	0.339	
4	117.5	≦* <	122.5	96	2.86770	0.330	0.330	
3	112.5	≦* <	117.5	92	2.78906	0.320	0.320	
2	107.5	≦* <	112.5	88	2.71042	0.312	0.312	
1	102.5	≦* <	107.5	84	2.63178	0.302	0.302	
0	97.5	≦* <	102.5	80	2.55314	0.294	0.294	
-1	92.5	≦* <	97.5	76	2.47450	0.284	0.284	
-2	87.5	≦* <	92.5	72	2.39586	0.276	0.276	
-3	82.5	≦* <	87.5	68	2.31722	0.266	0.266	
-4	77.5	≦* <	82.5	64	2.23858	0.257	0.257	
-5	72.5	≦* <	77.5	60	2.15994	0.248	0.248	
-6	67.5	≦* <	72.5	56	2.08130	0.239	0.239	
-7	62.5	≦* <	67.5	52	2.00266	0.230	0.230	
-8	57.5	≦* <	62.5	48	1.92402	0.221	0.221	
-9	52.5	≦* <	57.5	44	1.84538	0.212	0.212	
-10	47.5	≦* <	52.5	40	1.76674	0.203	0.203	
-11	42.5	≦* <	47.5	36	1.68810	0.194	0.194	
-12	37.5	≦* <	42.5	32	1.60946	0.185	0.185	
-13	32.5	≦* <	37.5	28	1.53082	0.176	0.176	
-14	27.5	≦* <	32.5	24	1.45218	0.167	0.167	
-15	22.5	≦* <	27.5	20	1.37354	0.158	0.158	
-16	17.5	≦* <	22.5	16	1.29490	0.149	0.149	
-17	12.5	≦* <	17.5	12	1.21626	0.140	0.140	
-18	7.5	≦* <	12.5	8	1.13762	0.131	0.131	
-19	2.5	≦* <	7.5	4	1.05898	0.122	0.122	
-20	0.0	≦* <	2.5	1.00	1.00000	0.115	0.115	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.242 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.412	0.412	
19	192.5	≧* <	197.5	156	4.04730	0.396	0.396	
18	187.5	≧* <	192.5	152	3.96866	0.388	0.388	
17	182.5	≧* <	187.5	148	3.89002	0.380	0.380	
16	177.5	≧* <	182.5	144	3.81138	0.372	0.372	
15	172.5	≧* <	177.5	140	3.73274	0.365	0.365	
14	167.5	≧* <	172.5	136	3.65410	0.357	0.357	
13	162.5	≧* <	167.5	132	3.57546	0.350	0.350	
12	157.5	≧* <	162.5	128	3.49682	0.342	0.342	
11	152.5	≧* <	157.5	124	3.41818	0.334	0.334	
10	147.5	≧* <	152.5	120	3.33954	0.326	0.326	
9	142.5	≧* <	147.5	116	3.26090	0.319	0.319	
8	137.5	≧* <	142.5	112	3.18226	0.311	0.311	
7	132.5	≧* <	137.5	108	3.10362	0.304	0.304	
6	127.5	≧* <	132.5	104	3.02498	0.296	0.296	
5	122.5	≧* <	127.5	100	2.94634	0.288	0.288	
4	117.5	≧* <	122.5	96	2.86770	0.280	0.280	
3	112.5	≧* <	117.5	92	2.78906	0.272	0.272	
2	107.5	≧* <	112.5	88	2.71042	0.265	0.265	
1	102.5	≧* <	107.5	84	2.63178	0.257	0.257	
0	97.5	≧* <	102.5	80	2.55314	0.250	0.250	
-1	92.5	≧* <	97.5	76	2.47450	0.241	0.241	
-2	87.5	≧* <	92.5	72	2.39586	0.234	0.234	
-3	82.5	≧* <	87.5	68	2.31722	0.226	0.226	
-4	77.5	≧* <	82.5	64	2.23858	0.219	0.219	
-5	72.5	≧* <	77.5	60	2.15994	0.211	0.211	
-6	67.5	≧* <	72.5	56	2.08130	0.203	0.203	
-7	62.5	≧* <	67.5	52	2.00266	0.195	0.195	
-8	57.5	≧* <	62.5	48	1.92402	0.188	0.188	
-9	52.5	≧* <	57.5	44	1.84538	0.180	0.180	
-10	47.5	≧* <	52.5	40	1.76674	0.173	0.173	
-11	42.5	≧* <	47.5	36	1.68810	0.165	0.165	
-12	37.5	≧* <	42.5	32	1.60946	0.157	0.157	
-13	32.5	≧* <	37.5	28	1.53082	0.149	0.149	
-14	27.5	≧* <	32.5	24	1.45218	0.142	0.142	
-15	22.5	≧* <	27.5	20	1.37354	0.134	0.134	
-16	17.5	≧* <	22.5	16	1.29490	0.127	0.127	
-17	12.5	≧* <	17.5	12	1.21626	0.119	0.119	
-18	7.5	≧* <	12.5	8	1.13762	0.111	0.111	
-19	2.5	≧* <	7.5	4	1.05898	0.103	0.103	
-20	0.0	≧* <	2.5	1.00	1.00000	0.098	0.098	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.011 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.023	0.023	
19	192.5	≦* <	197.5	156	4.04730	0.022	0.022	
18	187.5	≦* <	192.5	152	3.96866	0.022	0.022	
17	182.5	≦* <	187.5	148	3.89002	0.021	0.021	
16	177.5	≦* <	182.5	144	3.81138	0.021	0.021	
15	172.5	≦* <	177.5	140	3.73274	0.021	0.021	
14	167.5	≦* <	172.5	136	3.65410	0.020	0.020	
13	162.5	≦* <	167.5	132	3.57546	0.020	0.020	
12	157.5	≦* <	162.5	128	3.49682	0.019	0.019	
11	152.5	≦* <	157.5	124	3.41818	0.019	0.019	
10	147.5	≦* <	152.5	120	3.33954	0.018	0.018	
9	142.5	≦* <	147.5	116	3.26090	0.018	0.018	
8	137.5	≦* <	142.5	112	3.18226	0.018	0.018	
7	132.5	≦* <	137.5	108	3.10362	0.017	0.017	
6	127.5	≦* <	132.5	104	3.02498	0.017	0.017	
5	122.5	≦* <	127.5	100	2.94634	0.016	0.016	
4	117.5	≦* <	122.5	96	2.86770	0.016	0.016	
3	112.5	≦* <	117.5	92	2.78906	0.015	0.015	
2	107.5	≦* <	112.5	88	2.71042	0.015	0.015	
1	102.5	≦* <	107.5	84	2.63178	0.014	0.014	
0	97.5	≦* <	102.5	80	2.55314	0.014	0.014	
-1	92.5	≦* <	97.5	76	2.47450	0.014	0.014	
-2	87.5	≦* <	92.5	72	2.39586	0.013	0.013	
-3	82.5	≦* <	87.5	68	2.31722	0.013	0.013	
-4	77.5	≦* <	82.5	64	2.23858	0.012	0.012	
-5	72.5	≦* <	77.5	60	2.15994	0.012	0.012	
-6	67.5	≦* <	72.5	56	2.08130	0.011	0.011	
-7	62.5	≦* <	67.5	52	2.00266	0.011	0.011	
-8	57.5	≦* <	62.5	48	1.92402	0.011	0.011	
-9	52.5	≦* <	57.5	44	1.84538	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.76674	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.68810	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.60946	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.53082	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.45218	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.37354	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.29490	0.007	0.007	
-17	12.5	≦* <	17.5	12	1.21626	0.007	0.007	
-18	7.5	≦* <	12.5	8	1.13762	0.006	0.006	
-19	2.5	≦* <	7.5	4	1.05898	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.011 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.020	0.020	
19	192.5	≦* <	197.5	156	4.04730	0.019	0.019	
18	187.5	≦* <	192.5	152	3.96866	0.019	0.019	
17	182.5	≦* <	187.5	148	3.89002	0.018	0.018	
16	177.5	≦* <	182.5	144	3.81138	0.018	0.018	
15	172.5	≦* <	177.5	140	3.73274	0.018	0.018	
14	167.5	≦* <	172.5	136	3.65410	0.017	0.017	
13	162.5	≦* <	167.5	132	3.57546	0.017	0.017	
12	157.5	≦* <	162.5	128	3.49682	0.016	0.016	
11	152.5	≦* <	157.5	124	3.41818	0.016	0.016	
10	147.5	≦* <	152.5	120	3.33954	0.015	0.015	
9	142.5	≦* <	147.5	116	3.26090	0.015	0.015	
8	137.5	≦* <	142.5	112	3.18226	0.015	0.015	
7	132.5	≦* <	137.5	108	3.10362	0.014	0.014	
6	127.5	≦* <	132.5	104	3.02498	0.014	0.014	
5	122.5	≦* <	127.5	100	2.94634	0.014	0.014	
4	117.5	≦* <	122.5	96	2.86770	0.014	0.014	
3	112.5	≦* <	117.5	92	2.78906	0.013	0.013	
2	107.5	≦* <	112.5	88	2.71042	0.013	0.013	
1	102.5	≦* <	107.5	84	2.63178	0.012	0.012	
0	97.5	≦* <	102.5	80	2.55314	0.012	0.012	
-1	92.5	≦* <	97.5	76	2.47450	0.012	0.012	
-2	87.5	≦* <	92.5	72	2.39586	0.011	0.011	
-3	82.5	≦* <	87.5	68	2.31722	0.011	0.011	
-4	77.5	≦* <	82.5	64	2.23858	0.010	0.010	
-5	72.5	≦* <	77.5	60	2.15994	0.010	0.010	
-6	67.5	≦* <	72.5	56	2.08130	0.009	0.009	
-7	62.5	≦* <	67.5	52	2.00266	0.009	0.009	
-8	57.5	≦* <	62.5	48	1.92402	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.84538	0.009	0.009	
-10	47.5	≦* <	52.5	40	1.76674	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.68810	0.008	0.008	
-12	37.5	≦* <	42.5	32	1.60946	0.008	0.008	
-13	32.5	≦* <	37.5	28	1.53082	0.007	0.007	
-14	27.5	≦* <	32.5	24	1.45218	0.007	0.007	
-15	22.5	≦* <	27.5	20	1.37354	0.007	0.007	
-16	17.5	≦* <	22.5	16	1.29490	0.006	0.006	
-17	12.5	≦* <	17.5	12	1.21626	0.006	0.006	
-18	7.5	≦* <	12.5	8	1.13762	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05898	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.011 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.022	0.022	
19	192.5	≦* <	197.5	156	4.04730	0.021	0.021	
18	187.5	≦* <	192.5	152	3.96866	0.021	0.021	
17	182.5	≦* <	187.5	148	3.89002	0.020	0.020	
16	177.5	≦* <	182.5	144	3.81138	0.020	0.020	
15	172.5	≦* <	177.5	140	3.73274	0.020	0.020	
14	167.5	≦* <	172.5	136	3.65410	0.019	0.019	
13	162.5	≦* <	167.5	132	3.57546	0.019	0.019	
12	157.5	≦* <	162.5	128	3.49682	0.018	0.018	
11	152.5	≦* <	157.5	124	3.41818	0.018	0.018	
10	147.5	≦* <	152.5	120	3.33954	0.017	0.017	
9	142.5	≦* <	147.5	116	3.26090	0.017	0.017	
8	137.5	≦* <	142.5	112	3.18226	0.017	0.017	
7	132.5	≦* <	137.5	108	3.10362	0.016	0.016	
6	127.5	≦* <	132.5	104	3.02498	0.016	0.016	
5	122.5	≦* <	127.5	100	2.94634	0.015	0.015	
4	117.5	≦* <	122.5	96	2.86770	0.015	0.015	
3	112.5	≦* <	117.5	92	2.78906	0.014	0.014	
2	107.5	≦* <	112.5	88	2.71042	0.014	0.014	
1	102.5	≦* <	107.5	84	2.63178	0.013	0.013	
0	97.5	≦* <	102.5	80	2.55314	0.013	0.013	
-1	92.5	≦* <	97.5	76	2.47450	0.013	0.013	
-2	87.5	≦* <	92.5	72	2.39586	0.012	0.012	
-3	82.5	≦* <	87.5	68	2.31722	0.012	0.012	
-4	77.5	≦* <	82.5	64	2.23858	0.011	0.011	
-5	72.5	≦* <	77.5	60	2.15994	0.011	0.011	
-6	67.5	≦* <	72.5	56	2.08130	0.010	0.010	
-7	62.5	≦* <	67.5	52	2.00266	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.92402	0.010	0.010	
-9	52.5	≦* <	57.5	44	1.84538	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.76674	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.68810	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.60946	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.53082	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.45218	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.37354	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.29490	0.007	0.007	
-17	12.5	≦* <	17.5	12	1.21626	0.007	0.007	
-18	7.5	≦* <	12.5	8	1.13762	0.006	0.006	
-19	2.5	≦* <	7.5	4	1.05898	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.011 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.019	0.019	
19	192.5	≦* <	197.5	156	4.04730	0.018	0.018	
18	187.5	≦* <	192.5	152	3.96866	0.018	0.018	
17	182.5	≦* <	187.5	148	3.89002	0.017	0.017	
16	177.5	≦* <	182.5	144	3.81138	0.017	0.017	
15	172.5	≦* <	177.5	140	3.73274	0.017	0.017	
14	167.5	≦* <	172.5	136	3.65410	0.016	0.016	
13	162.5	≦* <	167.5	132	3.57546	0.016	0.016	
12	157.5	≦* <	162.5	128	3.49682	0.015	0.015	
11	152.5	≦* <	157.5	124	3.41818	0.015	0.015	
10	147.5	≦* <	152.5	120	3.33954	0.015	0.015	
9	142.5	≦* <	147.5	116	3.26090	0.015	0.015	
8	137.5	≦* <	142.5	112	3.18226	0.015	0.015	
7	132.5	≦* <	137.5	108	3.10362	0.014	0.014	
6	127.5	≦* <	132.5	104	3.02498	0.014	0.014	
5	122.5	≦* <	127.5	100	2.94634	0.013	0.013	
4	117.5	≦* <	122.5	96	2.86770	0.013	0.013	
3	112.5	≦* <	117.5	92	2.78906	0.012	0.012	
2	107.5	≦* <	112.5	88	2.71042	0.012	0.012	
1	102.5	≦* <	107.5	84	2.63178	0.011	0.011	
0	97.5	≦* <	102.5	80	2.55314	0.011	0.011	
-1	92.5	≦* <	97.5	76	2.47450	0.011	0.011	
-2	87.5	≦* <	92.5	72	2.39586	0.010	0.010	
-3	82.5	≦* <	87.5	68	2.31722	0.010	0.010	
-4	77.5	≦* <	82.5	64	2.23858	0.010	0.010	
-5	72.5	≦* <	77.5	60	2.15994	0.010	0.010	
-6	67.5	≦* <	72.5	56	2.08130	0.009	0.009	
-7	62.5	≦* <	67.5	52	2.00266	0.009	0.009	
-8	57.5	≦* <	62.5	48	1.92402	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.84538	0.008	0.008	
-10	47.5	≦* <	52.5	40	1.76674	0.008	0.008	
-11	42.5	≦* <	47.5	36	1.68810	0.007	0.007	
-12	37.5	≦* <	42.5	32	1.60946	0.007	0.007	
-13	32.5	≦* <	37.5	28	1.53082	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.45218	0.006	0.006	
-15	22.5	≦* <	27.5	20	1.37354	0.006	0.006	
-16	17.5	≦* <	22.5	16	1.29490	0.006	0.006	
-17	12.5	≦* <	17.5	12	1.21626	0.006	0.006	
-18	7.5	≦* <	12.5	8	1.13762	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05898	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.075 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.158	0.158	
19	192.5	≦* <	197.5	156	4.04730	0.152	0.152	
18	187.5	≦* <	192.5	152	3.96866	0.149	0.149	
17	182.5	≦* <	187.5	148	3.89002	0.146	0.146	
16	177.5	≦* <	182.5	144	3.81138	0.143	0.143	
15	172.5	≦* <	177.5	140	3.73274	0.140	0.140	
14	167.5	≦* <	172.5	136	3.65410	0.137	0.137	
13	162.5	≦* <	167.5	132	3.57546	0.134	0.134	
12	157.5	≦* <	162.5	128	3.49682	0.131	0.131	
11	152.5	≦* <	157.5	124	3.41818	0.128	0.128	
10	147.5	≦* <	152.5	120	3.33954	0.125	0.125	
9	142.5	≦* <	147.5	116	3.26090	0.122	0.122	
8	137.5	≦* <	142.5	112	3.18226	0.119	0.119	
7	132.5	≦* <	137.5	108	3.10362	0.116	0.116	
6	127.5	≦* <	132.5	104	3.02498	0.113	0.113	
5	122.5	≦* <	127.5	100	2.94634	0.110	0.110	
4	117.5	≦* <	122.5	96	2.86770	0.108	0.108	
3	112.5	≦* <	117.5	92	2.78906	0.105	0.105	
2	107.5	≦* <	112.5	88	2.71042	0.102	0.102	
1	102.5	≦* <	107.5	84	2.63178	0.099	0.099	
0	97.5	≦* <	102.5	80	2.55314	0.096	0.096	
-1	92.5	≦* <	97.5	76	2.47450	0.093	0.093	
-2	87.5	≦* <	92.5	72	2.39586	0.090	0.090	
-3	82.5	≦* <	87.5	68	2.31722	0.087	0.087	
-4	77.5	≦* <	82.5	64	2.23858	0.084	0.084	
-5	72.5	≦* <	77.5	60	2.15994	0.081	0.081	
-6	67.5	≦* <	72.5	56	2.08130	0.078	0.078	
-7	62.5	≦* <	67.5	52	2.00266	0.075	0.075	
-8	57.5	≦* <	62.5	48	1.92402	0.072	0.072	
-9	52.5	≦* <	57.5	44	1.84538	0.069	0.069	
-10	47.5	≦* <	52.5	40	1.76674	0.066	0.066	
-11	42.5	≦* <	47.5	36	1.68810	0.063	0.063	
-12	37.5	≦* <	42.5	32	1.60946	0.060	0.060	
-13	32.5	≦* <	37.5	28	1.53082	0.057	0.057	
-14	27.5	≦* <	32.5	24	1.45218	0.054	0.054	
-15	22.5	≦* <	27.5	20	1.37354	0.052	0.052	
-16	17.5	≦* <	22.5	16	1.29490	0.049	0.049	
-17	12.5	≦* <	17.5	12	1.21626	0.046	0.046	
-18	7.5	≦* <	12.5	8	1.13762	0.043	0.043	
-19	2.5	≦* <	7.5	4	1.05898	0.040	0.040	
-20	0.0	≦* <	2.5	1.00	1.00000	0.037	0.037	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.075 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.134	0.134	
19	192.5	≦* <	197.5	156	4.04730	0.129	0.129	
18	187.5	≦* <	192.5	152	3.96866	0.127	0.127	
17	182.5	≦* <	187.5	148	3.89002	0.124	0.124	
16	177.5	≦* <	182.5	144	3.81138	0.122	0.122	
15	172.5	≦* <	177.5	140	3.73274	0.119	0.119	
14	167.5	≦* <	172.5	136	3.65410	0.116	0.116	
13	162.5	≦* <	167.5	132	3.57546	0.114	0.114	
12	157.5	≦* <	162.5	128	3.49682	0.111	0.111	
11	152.5	≦* <	157.5	124	3.41818	0.109	0.109	
10	147.5	≦* <	152.5	120	3.33954	0.106	0.106	
9	142.5	≦* <	147.5	116	3.26090	0.104	0.104	
8	137.5	≦* <	142.5	112	3.18226	0.101	0.101	
7	132.5	≦* <	137.5	108	3.10362	0.099	0.099	
6	127.5	≦* <	132.5	104	3.02498	0.096	0.096	
5	122.5	≦* <	127.5	100	2.94634	0.094	0.094	
4	117.5	≦* <	122.5	96	2.86770	0.092	0.092	
3	112.5	≦* <	117.5	92	2.78906	0.089	0.089	
2	107.5	≦* <	112.5	88	2.71042	0.087	0.087	
1	102.5	≦* <	107.5	84	2.63178	0.084	0.084	
0	97.5	≦* <	102.5	80	2.55314	0.082	0.082	
-1	92.5	≦* <	97.5	76	2.47450	0.079	0.079	
-2	87.5	≦* <	92.5	72	2.39586	0.077	0.077	
-3	82.5	≦* <	87.5	68	2.31722	0.074	0.074	
-4	77.5	≦* <	82.5	64	2.23858	0.071	0.071	
-5	72.5	≦* <	77.5	60	2.15994	0.069	0.069	
-6	67.5	≦* <	72.5	56	2.08130	0.066	0.066	
-7	62.5	≦* <	67.5	52	2.00266	0.064	0.064	
-8	57.5	≦* <	62.5	48	1.92402	0.061	0.061	
-9	52.5	≦* <	57.5	44	1.84538	0.059	0.059	
-10	47.5	≦* <	52.5	40	1.76674	0.056	0.056	
-11	42.5	≦* <	47.5	36	1.68810	0.054	0.054	
-12	37.5	≦* <	42.5	32	1.60946	0.051	0.051	
-13	32.5	≦* <	37.5	28	1.53082	0.048	0.048	
-14	27.5	≦* <	32.5	24	1.45218	0.046	0.046	
-15	22.5	≦* <	27.5	20	1.37354	0.044	0.044	
-16	17.5	≦* <	22.5	16	1.29490	0.042	0.042	
-17	12.5	≦* <	17.5	12	1.21626	0.039	0.039	
-18	7.5	≦* <	12.5	8	1.13762	0.037	0.037	
-19	2.5	≦* <	7.5	4	1.05898	0.034	0.034	
-20	0.0	≦* <	2.5	1.00	1.00000	0.031	0.031	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.075 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.150	0.150	
19	192.5	≦* <	197.5	156	4.04730	0.144	0.144	
18	187.5	≦* <	192.5	152	3.96866	0.142	0.142	
17	182.5	≦* <	187.5	148	3.89002	0.139	0.139	
16	177.5	≦* <	182.5	144	3.81138	0.136	0.136	
15	172.5	≦* <	177.5	140	3.73274	0.133	0.133	
14	167.5	≦* <	172.5	136	3.65410	0.130	0.130	
13	162.5	≦* <	167.5	132	3.57546	0.127	0.127	
12	157.5	≦* <	162.5	128	3.49682	0.124	0.124	
11	152.5	≦* <	157.5	124	3.41818	0.122	0.122	
10	147.5	≦* <	152.5	120	3.33954	0.119	0.119	
9	142.5	≦* <	147.5	116	3.26090	0.116	0.116	
8	137.5	≦* <	142.5	112	3.18226	0.113	0.113	
7	132.5	≦* <	137.5	108	3.10362	0.110	0.110	
6	127.5	≦* <	132.5	104	3.02498	0.107	0.107	
5	122.5	≦* <	127.5	100	2.94634	0.105	0.105	
4	117.5	≦* <	122.5	96	2.86770	0.103	0.103	
3	112.5	≦* <	117.5	92	2.78906	0.100	0.100	
2	107.5	≦* <	112.5	88	2.71042	0.097	0.097	
1	102.5	≦* <	107.5	84	2.63178	0.094	0.094	
0	97.5	≦* <	102.5	80	2.55314	0.091	0.091	
-1	92.5	≦* <	97.5	76	2.47450	0.088	0.088	
-2	87.5	≦* <	92.5	72	2.39586	0.086	0.086	
-3	82.5	≦* <	87.5	68	2.31722	0.083	0.083	
-4	77.5	≦* <	82.5	64	2.23858	0.080	0.080	
-5	72.5	≦* <	77.5	60	2.15994	0.077	0.077	
-6	67.5	≦* <	72.5	56	2.08130	0.074	0.074	
-7	62.5	≦* <	67.5	52	2.00266	0.071	0.071	
-8	57.5	≦* <	62.5	48	1.92402	0.068	0.068	
-9	52.5	≦* <	57.5	44	1.84538	0.066	0.066	
-10	47.5	≦* <	52.5	40	1.76674	0.063	0.063	
-11	42.5	≦* <	47.5	36	1.68810	0.060	0.060	
-12	37.5	≦* <	42.5	32	1.60946	0.057	0.057	
-13	32.5	≦* <	37.5	28	1.53082	0.054	0.054	
-14	27.5	≦* <	32.5	24	1.45218	0.051	0.051	
-15	22.5	≦* <	27.5	20	1.37354	0.049	0.049	
-16	17.5	≦* <	22.5	16	1.29490	0.047	0.047	
-17	12.5	≦* <	17.5	12	1.21626	0.044	0.044	
-18	7.5	≦* <	12.5	8	1.13762	0.041	0.041	
-19	2.5	≦* <	7.5	4	1.05898	0.038	0.038	
-20	0.0	≦* <	2.5	1.00	1.00000	0.035	0.035	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.075 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.128	0.128	
19	192.5	≦* <	197.5	156	4.04730	0.123	0.123	
18	187.5	≦* <	192.5	152	3.96866	0.120	0.120	
17	182.5	≦* <	187.5	148	3.89002	0.118	0.118	
16	177.5	≦* <	182.5	144	3.81138	0.115	0.115	
15	172.5	≦* <	177.5	140	3.73274	0.113	0.113	
14	167.5	≦* <	172.5	136	3.65410	0.111	0.111	
13	162.5	≦* <	167.5	132	3.57546	0.108	0.108	
12	157.5	≦* <	162.5	128	3.49682	0.106	0.106	
11	152.5	≦* <	157.5	124	3.41818	0.103	0.103	
10	147.5	≦* <	152.5	120	3.33954	0.101	0.101	
9	142.5	≦* <	147.5	116	3.26090	0.099	0.099	
8	137.5	≦* <	142.5	112	3.18226	0.096	0.096	
7	132.5	≦* <	137.5	108	3.10362	0.094	0.094	
6	127.5	≦* <	132.5	104	3.02498	0.091	0.091	
5	122.5	≦* <	127.5	100	2.94634	0.089	0.089	
4	117.5	≦* <	122.5	96	2.86770	0.087	0.087	
3	112.5	≦* <	117.5	92	2.78906	0.085	0.085	
2	107.5	≦* <	112.5	88	2.71042	0.082	0.082	
1	102.5	≦* <	107.5	84	2.63178	0.080	0.080	
0	97.5	≦* <	102.5	80	2.55314	0.078	0.078	
-1	92.5	≦* <	97.5	76	2.47450	0.075	0.075	
-2	87.5	≦* <	92.5	72	2.39586	0.073	0.073	
-3	82.5	≦* <	87.5	68	2.31722	0.070	0.070	
-4	77.5	≦* <	82.5	64	2.23858	0.068	0.068	
-5	72.5	≦* <	77.5	60	2.15994	0.065	0.065	
-6	67.5	≦* <	72.5	56	2.08130	0.063	0.063	
-7	62.5	≦* <	67.5	52	2.00266	0.061	0.061	
-8	57.5	≦* <	62.5	48	1.92402	0.058	0.058	
-9	52.5	≦* <	57.5	44	1.84538	0.056	0.056	
-10	47.5	≦* <	52.5	40	1.76674	0.053	0.053	
-11	42.5	≦* <	47.5	36	1.68810	0.051	0.051	
-12	37.5	≦* <	42.5	32	1.60946	0.048	0.048	
-13	32.5	≦* <	37.5	28	1.53082	0.046	0.046	
-14	27.5	≦* <	32.5	24	1.45218	0.044	0.044	
-15	22.5	≦* <	27.5	20	1.37354	0.042	0.042	
-16	17.5	≦* <	22.5	16	1.29490	0.040	0.040	
-17	12.5	≦* <	17.5	12	1.21626	0.037	0.037	
-18	7.5	≦* <	12.5	8	1.13762	0.035	0.035	
-19	2.5	≦* <	7.5	4	1.05898	0.032	0.032	
-20	0.0	≦* <	2.5	1.00	1.00000	0.030	0.030	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.008	0.008	
19	192.5	≦* <	197.5	156	4.04730	0.008	0.008	
18	187.5	≦* <	192.5	152	3.96866	0.008	0.008	
17	182.5	≦* <	187.5	148	3.89002	0.008	0.008	
16	177.5	≦* <	182.5	144	3.81138	0.008	0.008	
15	172.5	≦* <	177.5	140	3.73274	0.007	0.007	
14	167.5	≦* <	172.5	136	3.65410	0.007	0.007	
13	162.5	≦* <	167.5	132	3.57546	0.007	0.007	
12	157.5	≦* <	162.5	128	3.49682	0.007	0.007	
11	152.5	≦* <	157.5	124	3.41818	0.007	0.007	
10	147.5	≦* <	152.5	120	3.33954	0.007	0.007	
9	142.5	≦* <	147.5	116	3.26090	0.007	0.007	
8	137.5	≦* <	142.5	112	3.18226	0.006	0.006	
7	132.5	≦* <	137.5	108	3.10362	0.006	0.006	
6	127.5	≦* <	132.5	104	3.02498	0.006	0.006	
5	122.5	≦* <	127.5	100	2.94634	0.006	0.006	
4	117.5	≦* <	122.5	96	2.86770	0.006	0.006	
3	112.5	≦* <	117.5	92	2.78906	0.006	0.006	
2	107.5	≦* <	112.5	88	2.71042	0.005	0.005	
1	102.5	≦* <	107.5	84	2.63178	0.005	0.005	
0	97.5	≦* <	102.5	80	2.55314	0.005	0.005	
-1	92.5	≦* <	97.5	76	2.47450	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.39586	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.31722	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.23858	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.15994	0.004	0.004	
-6	67.5	≦* <	72.5	56	2.08130	0.004	0.004	
-7	62.5	≦* <	67.5	52	2.00266	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.92402	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.84538	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.76674	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.53082	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.45218	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.37354	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29490	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.007	0.007	
19	192.5	≦* <	197.5	156	4.04730	0.007	0.007	
18	187.5	≦* <	192.5	152	3.96866	0.007	0.007	
17	182.5	≦* <	187.5	148	3.89002	0.007	0.007	
16	177.5	≦* <	182.5	144	3.81138	0.007	0.007	
15	172.5	≦* <	177.5	140	3.73274	0.006	0.006	
14	167.5	≦* <	172.5	136	3.65410	0.006	0.006	
13	162.5	≦* <	167.5	132	3.57546	0.006	0.006	
12	157.5	≦* <	162.5	128	3.49682	0.006	0.006	
11	152.5	≦* <	157.5	124	3.41818	0.006	0.006	
10	147.5	≦* <	152.5	120	3.33954	0.006	0.006	
9	142.5	≦* <	147.5	116	3.26090	0.006	0.006	
8	137.5	≦* <	142.5	112	3.18226	0.005	0.005	
7	132.5	≦* <	137.5	108	3.10362	0.005	0.005	
6	127.5	≦* <	132.5	104	3.02498	0.005	0.005	
5	122.5	≦* <	127.5	100	2.94634	0.005	0.005	
4	117.5	≦* <	122.5	96	2.86770	0.005	0.005	
3	112.5	≦* <	117.5	92	2.78906	0.005	0.005	
2	107.5	≦* <	112.5	88	2.71042	0.004	0.004	
1	102.5	≦* <	107.5	84	2.63178	0.004	0.004	
0	97.5	≦* <	102.5	80	2.55314	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.47450	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.39586	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.31722	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≦* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.53082	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.45218	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.37354	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29490	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.008	0.008	
19	192.5	≦* <	197.5	156	4.04730	0.008	0.008	
18	187.5	≦* <	192.5	152	3.96866	0.008	0.008	
17	182.5	≦* <	187.5	148	3.89002	0.008	0.008	
16	177.5	≦* <	182.5	144	3.81138	0.008	0.008	
15	172.5	≦* <	177.5	140	3.73274	0.007	0.007	
14	167.5	≦* <	172.5	136	3.65410	0.007	0.007	
13	162.5	≦* <	167.5	132	3.57546	0.007	0.007	
12	157.5	≦* <	162.5	128	3.49682	0.007	0.007	
11	152.5	≦* <	157.5	124	3.41818	0.007	0.007	
10	147.5	≦* <	152.5	120	3.33954	0.007	0.007	
9	142.5	≦* <	147.5	116	3.26090	0.007	0.007	
8	137.5	≦* <	142.5	112	3.18226	0.006	0.006	
7	132.5	≦* <	137.5	108	3.10362	0.006	0.006	
6	127.5	≦* <	132.5	104	3.02498	0.006	0.006	
5	122.5	≦* <	127.5	100	2.94634	0.006	0.006	
4	117.5	≦* <	122.5	96	2.86770	0.006	0.006	
3	112.5	≦* <	117.5	92	2.78906	0.006	0.006	
2	107.5	≦* <	112.5	88	2.71042	0.005	0.005	
1	102.5	≦* <	107.5	84	2.63178	0.005	0.005	
0	97.5	≦* <	102.5	80	2.55314	0.005	0.005	
-1	92.5	≦* <	97.5	76	2.47450	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.39586	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.31722	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.23858	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.15994	0.004	0.004	
-6	67.5	≦* <	72.5	56	2.08130	0.004	0.004	
-7	62.5	≦* <	67.5	52	2.00266	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.92402	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.84538	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.76674	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.53082	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.45218	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.37354	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29490	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.006	0.006	
19	192.5	≦* <	197.5	156	4.04730	0.006	0.006	
18	187.5	≦* <	192.5	152	3.96866	0.006	0.006	
17	182.5	≦* <	187.5	148	3.89002	0.006	0.006	
16	177.5	≦* <	182.5	144	3.81138	0.006	0.006	
15	172.5	≦* <	177.5	140	3.73274	0.006	0.006	
14	167.5	≦* <	172.5	136	3.65410	0.006	0.006	
13	162.5	≦* <	167.5	132	3.57546	0.006	0.006	
12	157.5	≦* <	162.5	128	3.49682	0.006	0.006	
11	152.5	≦* <	157.5	124	3.41818	0.006	0.006	
10	147.5	≦* <	152.5	120	3.33954	0.006	0.006	
9	142.5	≦* <	147.5	116	3.26090	0.006	0.006	
8	137.5	≦* <	142.5	112	3.18226	0.005	0.005	
7	132.5	≦* <	137.5	108	3.10362	0.005	0.005	
6	127.5	≦* <	132.5	104	3.02498	0.005	0.005	
5	122.5	≦* <	127.5	100	2.94634	0.005	0.005	
4	117.5	≦* <	122.5	96	2.86770	0.005	0.005	
3	112.5	≦* <	117.5	92	2.78906	0.005	0.005	
2	107.5	≦* <	112.5	88	2.71042	0.004	0.004	
1	102.5	≦* <	107.5	84	2.63178	0.004	0.004	
0	97.5	≦* <	102.5	80	2.55314	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.47450	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.39586	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.31722	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≦* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.68810	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.031 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.065	0.065	
19	192.5	≦* <	197.5	156	4.04730	0.063	0.063	
18	187.5	≦* <	192.5	152	3.96866	0.062	0.062	
17	182.5	≦* <	187.5	148	3.89002	0.060	0.060	
16	177.5	≦* <	182.5	144	3.81138	0.059	0.059	
15	172.5	≦* <	177.5	140	3.73274	0.058	0.058	
14	167.5	≦* <	172.5	136	3.65410	0.057	0.057	
13	162.5	≦* <	167.5	132	3.57546	0.055	0.055	
12	157.5	≦* <	162.5	128	3.49682	0.054	0.054	
11	152.5	≦* <	157.5	124	3.41818	0.053	0.053	
10	147.5	≦* <	152.5	120	3.33954	0.052	0.052	
9	142.5	≦* <	147.5	116	3.26090	0.051	0.051	
8	137.5	≦* <	142.5	112	3.18226	0.049	0.049	
7	132.5	≦* <	137.5	108	3.10362	0.048	0.048	
6	127.5	≦* <	132.5	104	3.02498	0.047	0.047	
5	122.5	≦* <	127.5	100	2.94634	0.046	0.046	
4	117.5	≦* <	122.5	96	2.86770	0.044	0.044	
3	112.5	≦* <	117.5	92	2.78906	0.043	0.043	
2	107.5	≦* <	112.5	88	2.71042	0.042	0.042	
1	102.5	≦* <	107.5	84	2.63178	0.041	0.041	
0	97.5	≦* <	102.5	80	2.55314	0.040	0.040	
-1	92.5	≦* <	97.5	76	2.47450	0.038	0.038	
-2	87.5	≦* <	92.5	72	2.39586	0.037	0.037	
-3	82.5	≦* <	87.5	68	2.31722	0.036	0.036	
-4	77.5	≦* <	82.5	64	2.23858	0.035	0.035	
-5	72.5	≦* <	77.5	60	2.15994	0.033	0.033	
-6	67.5	≦* <	72.5	56	2.08130	0.032	0.032	
-7	62.5	≦* <	67.5	52	2.00266	0.031	0.031	
-8	57.5	≦* <	62.5	48	1.92402	0.030	0.030	
-9	52.5	≦* <	57.5	44	1.84538	0.029	0.029	
-10	47.5	≦* <	52.5	40	1.76674	0.027	0.027	
-11	42.5	≦* <	47.5	36	1.68810	0.026	0.026	
-12	37.5	≦* <	42.5	32	1.60946	0.025	0.025	
-13	32.5	≦* <	37.5	28	1.53082	0.024	0.024	
-14	27.5	≦* <	32.5	24	1.45218	0.023	0.023	
-15	22.5	≦* <	27.5	20	1.37354	0.021	0.021	
-16	17.5	≦* <	22.5	16	1.29490	0.020	0.020	
-17	12.5	≦* <	17.5	12	1.21626	0.019	0.019	
-18	7.5	≦* <	12.5	8	1.13762	0.018	0.018	
-19	2.5	≦* <	7.5	4	1.05898	0.016	0.016	
-20	0.0	≦* <	2.5	1.00	1.00000	0.015	0.015	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.031 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.055	0.055	
19	192.5	≦* <	197.5	156	4.04730	0.054	0.054	
18	187.5	≦* <	192.5	152	3.96866	0.053	0.053	
17	182.5	≦* <	187.5	148	3.89002	0.051	0.051	
16	177.5	≦* <	182.5	144	3.81138	0.050	0.050	
15	172.5	≦* <	177.5	140	3.73274	0.049	0.049	
14	167.5	≦* <	172.5	136	3.65410	0.048	0.048	
13	162.5	≦* <	167.5	132	3.57546	0.047	0.047	
12	157.5	≦* <	162.5	128	3.49682	0.046	0.046	
11	152.5	≦* <	157.5	124	3.41818	0.045	0.045	
10	147.5	≦* <	152.5	120	3.33954	0.044	0.044	
9	142.5	≦* <	147.5	116	3.26090	0.043	0.043	
8	137.5	≦* <	142.5	112	3.18226	0.042	0.042	
7	132.5	≦* <	137.5	108	3.10362	0.041	0.041	
6	127.5	≦* <	132.5	104	3.02498	0.040	0.040	
5	122.5	≦* <	127.5	100	2.94634	0.039	0.039	
4	117.5	≦* <	122.5	96	2.86770	0.037	0.037	
3	112.5	≦* <	117.5	92	2.78906	0.037	0.037	
2	107.5	≦* <	112.5	88	2.71042	0.036	0.036	
1	102.5	≦* <	107.5	84	2.63178	0.035	0.035	
0	97.5	≦* <	102.5	80	2.55314	0.034	0.034	
-1	92.5	≦* <	97.5	76	2.47450	0.032	0.032	
-2	87.5	≦* <	92.5	72	2.39586	0.031	0.031	
-3	82.5	≦* <	87.5	68	2.31722	0.031	0.031	
-4	77.5	≦* <	82.5	64	2.23858	0.030	0.030	
-5	72.5	≦* <	77.5	60	2.15994	0.028	0.028	
-6	67.5	≦* <	72.5	56	2.08130	0.027	0.027	
-7	62.5	≦* <	67.5	52	2.00266	0.026	0.026	
-8	57.5	≦* <	62.5	48	1.92402	0.026	0.026	
-9	52.5	≦* <	57.5	44	1.84538	0.025	0.025	
-10	47.5	≦* <	52.5	40	1.76674	0.023	0.023	
-11	42.5	≦* <	47.5	36	1.68810	0.022	0.022	
-12	37.5	≦* <	42.5	32	1.60946	0.021	0.021	
-13	32.5	≦* <	37.5	28	1.53082	0.020	0.020	
-14	27.5	≦* <	32.5	24	1.45218	0.020	0.020	
-15	22.5	≦* <	27.5	20	1.37354	0.018	0.018	
-16	17.5	≦* <	22.5	16	1.29490	0.017	0.017	
-17	12.5	≦* <	17.5	12	1.21626	0.016	0.016	
-18	7.5	≦* <	12.5	8	1.13762	0.015	0.015	
-19	2.5	≦* <	7.5	4	1.05898	0.014	0.014	
-20	0.0	≦* <	2.5	1.00	1.00000	0.013	0.013	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.031 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.062	0.062	
19	192.5	≦* <	197.5	156	4.04730	0.060	0.060	
18	187.5	≦* <	192.5	152	3.96866	0.059	0.059	
17	182.5	≦* <	187.5	148	3.89002	0.057	0.057	
16	177.5	≦* <	182.5	144	3.81138	0.056	0.056	
15	172.5	≦* <	177.5	140	3.73274	0.055	0.055	
14	167.5	≦* <	172.5	136	3.65410	0.054	0.054	
13	162.5	≦* <	167.5	132	3.57546	0.052	0.052	
12	157.5	≦* <	162.5	128	3.49682	0.051	0.051	
11	152.5	≦* <	157.5	124	3.41818	0.050	0.050	
10	147.5	≦* <	152.5	120	3.33954	0.049	0.049	
9	142.5	≦* <	147.5	116	3.26090	0.048	0.048	
8	137.5	≦* <	142.5	112	3.18226	0.047	0.047	
7	132.5	≦* <	137.5	108	3.10362	0.046	0.046	
6	127.5	≦* <	132.5	104	3.02498	0.045	0.045	
5	122.5	≦* <	127.5	100	2.94634	0.044	0.044	
4	117.5	≦* <	122.5	96	2.86770	0.042	0.042	
3	112.5	≦* <	117.5	92	2.78906	0.041	0.041	
2	107.5	≦* <	112.5	88	2.71042	0.040	0.040	
1	102.5	≦* <	107.5	84	2.63178	0.039	0.039	
0	97.5	≦* <	102.5	80	2.55314	0.038	0.038	
-1	92.5	≦* <	97.5	76	2.47450	0.036	0.036	
-2	87.5	≦* <	92.5	72	2.39586	0.035	0.035	
-3	82.5	≦* <	87.5	68	2.31722	0.034	0.034	
-4	77.5	≦* <	82.5	64	2.23858	0.033	0.033	
-5	72.5	≦* <	77.5	60	2.15994	0.031	0.031	
-6	67.5	≦* <	72.5	56	2.08130	0.030	0.030	
-7	62.5	≦* <	67.5	52	2.00266	0.029	0.029	
-8	57.5	≦* <	62.5	48	1.92402	0.029	0.029	
-9	52.5	≦* <	57.5	44	1.84538	0.028	0.028	
-10	47.5	≦* <	52.5	40	1.76674	0.026	0.026	
-11	42.5	≦* <	47.5	36	1.68810	0.025	0.025	
-12	37.5	≦* <	42.5	32	1.60946	0.024	0.024	
-13	32.5	≦* <	37.5	28	1.53082	0.023	0.023	
-14	27.5	≦* <	32.5	24	1.45218	0.022	0.022	
-15	22.5	≦* <	27.5	20	1.37354	0.020	0.020	
-16	17.5	≦* <	22.5	16	1.29490	0.019	0.019	
-17	12.5	≦* <	17.5	12	1.21626	0.018	0.018	
-18	7.5	≦* <	12.5	8	1.13762	0.017	0.017	
-19	2.5	≦* <	7.5	4	1.05898	0.015	0.015	
-20	0.0	≦* <	2.5	1.00	1.00000	0.014	0.014	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.031 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.052	0.052	
19	192.5	≦* <	197.5	156	4.04730	0.051	0.051	
18	187.5	≦* <	192.5	152	3.96866	0.050	0.050	
17	182.5	≦* <	187.5	148	3.89002	0.048	0.048	
16	177.5	≦* <	182.5	144	3.81138	0.048	0.048	
15	172.5	≦* <	177.5	140	3.73274	0.047	0.047	
14	167.5	≦* <	172.5	136	3.65410	0.046	0.046	
13	162.5	≦* <	167.5	132	3.57546	0.044	0.044	
12	157.5	≦* <	162.5	128	3.49682	0.044	0.044	
11	152.5	≦* <	157.5	124	3.41818	0.043	0.043	
10	147.5	≦* <	152.5	120	3.33954	0.042	0.042	
9	142.5	≦* <	147.5	116	3.26090	0.041	0.041	
8	137.5	≦* <	142.5	112	3.18226	0.040	0.040	
7	132.5	≦* <	137.5	108	3.10362	0.039	0.039	
6	127.5	≦* <	132.5	104	3.02498	0.038	0.038	
5	122.5	≦* <	127.5	100	2.94634	0.037	0.037	
4	117.5	≦* <	122.5	96	2.86770	0.036	0.036	
3	112.5	≦* <	117.5	92	2.78906	0.035	0.035	
2	107.5	≦* <	112.5	88	2.71042	0.034	0.034	
1	102.5	≦* <	107.5	84	2.63178	0.033	0.033	
0	97.5	≦* <	102.5	80	2.55314	0.032	0.032	
-1	92.5	≦* <	97.5	76	2.47450	0.031	0.031	
-2	87.5	≦* <	92.5	72	2.39586	0.030	0.030	
-3	82.5	≦* <	87.5	68	2.31722	0.029	0.029	
-4	77.5	≦* <	82.5	64	2.23858	0.028	0.028	
-5	72.5	≦* <	77.5	60	2.15994	0.027	0.027	
-6	67.5	≦* <	72.5	56	2.08130	0.026	0.026	
-7	62.5	≦* <	67.5	52	2.00266	0.025	0.025	
-8	57.5	≦* <	62.5	48	1.92402	0.024	0.024	
-9	52.5	≦* <	57.5	44	1.84538	0.023	0.023	
-10	47.5	≦* <	52.5	40	1.76674	0.022	0.022	
-11	42.5	≦* <	47.5	36	1.68810	0.021	0.021	
-12	37.5	≦* <	42.5	32	1.60946	0.020	0.020	
-13	32.5	≦* <	37.5	28	1.53082	0.019	0.019	
-14	27.5	≦* <	32.5	24	1.45218	0.019	0.019	
-15	22.5	≦* <	27.5	20	1.37354	0.017	0.017	
-16	17.5	≦* <	22.5	16	1.29490	0.016	0.016	
-17	12.5	≦* <	17.5	12	1.21626	0.015	0.015	
-18	7.5	≦* <	12.5	8	1.13762	0.015	0.015	
-19	2.5	≦* <	7.5	4	1.05898	0.013	0.013	
-20	0.0	≦* <	2.5	1.00	1.00000	0.012	0.012	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.006	0.006	
19	192.5	≦* <	197.5	156	4.04730	0.006	0.006	
18	187.5	≦* <	192.5	152	3.96866	0.006	0.006	
17	182.5	≦* <	187.5	148	3.89002	0.006	0.006	
16	177.5	≦* <	182.5	144	3.81138	0.006	0.006	
15	172.5	≦* <	177.5	140	3.73274	0.006	0.006	
14	167.5	≦* <	172.5	136	3.65410	0.005	0.005	
13	162.5	≦* <	167.5	132	3.57546	0.005	0.005	
12	157.5	≦* <	162.5	128	3.49682	0.005	0.005	
11	152.5	≦* <	157.5	124	3.41818	0.005	0.005	
10	147.5	≦* <	152.5	120	3.33954	0.005	0.005	
9	142.5	≦* <	147.5	116	3.26090	0.005	0.005	
8	137.5	≦* <	142.5	112	3.18226	0.005	0.005	
7	132.5	≦* <	137.5	108	3.10362	0.005	0.005	
6	127.5	≦* <	132.5	104	3.02498	0.005	0.005	
5	122.5	≦* <	127.5	100	2.94634	0.004	0.004	
4	117.5	≦* <	122.5	96	2.86770	0.004	0.004	
3	112.5	≦* <	117.5	92	2.78906	0.004	0.004	
2	107.5	≦* <	112.5	88	2.71042	0.004	0.004	
1	102.5	≦* <	107.5	84	2.63178	0.004	0.004	
0	97.5	≦* <	102.5	80	2.55314	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.47450	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.39586	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.31722	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≦* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.005	0.005	
19	192.5	≧* <	197.5	156	4.04730	0.005	0.005	
18	187.5	≧* <	192.5	152	3.96866	0.005	0.005	
17	182.5	≧* <	187.5	148	3.89002	0.005	0.005	
16	177.5	≧* <	182.5	144	3.81138	0.005	0.005	
15	172.5	≧* <	177.5	140	3.73274	0.005	0.005	
14	167.5	≧* <	172.5	136	3.65410	0.004	0.004	
13	162.5	≧* <	167.5	132	3.57546	0.004	0.004	
12	157.5	≧* <	162.5	128	3.49682	0.004	0.004	
11	152.5	≧* <	157.5	124	3.41818	0.004	0.004	
10	147.5	≧* <	152.5	120	3.33954	0.004	0.004	
9	142.5	≧* <	147.5	116	3.26090	0.004	0.004	
8	137.5	≧* <	142.5	112	3.18226	0.004	0.004	
7	132.5	≧* <	137.5	108	3.10362	0.004	0.004	
6	127.5	≧* <	132.5	104	3.02498	0.004	0.004	
5	122.5	≧* <	127.5	100	2.94634	0.003	0.003	
4	117.5	≧* <	122.5	96	2.86770	0.003	0.003	
3	112.5	≧* <	117.5	92	2.78906	0.003	0.003	
2	107.5	≧* <	112.5	88	2.71042	0.003	0.003	
1	102.5	≧* <	107.5	84	2.63178	0.003	0.003	
0	97.5	≧* <	102.5	80	2.55314	0.003	0.003	
-1	92.5	≧* <	97.5	76	2.47450	0.003	0.003	
-2	87.5	≧* <	92.5	72	2.39586	0.003	0.003	
-3	82.5	≧* <	87.5	68	2.31722	0.003	0.003	
-4	77.5	≧* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≧* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≧* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≧* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≧* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≧* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≧* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≧* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≧* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≧* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≧* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≧* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≧* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≧* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≧* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≧* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≧* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.006	0.006	
19	192.5	≦* <	197.5	156	4.04730	0.006	0.006	
18	187.5	≦* <	192.5	152	3.96866	0.006	0.006	
17	182.5	≦* <	187.5	148	3.89002	0.006	0.006	
16	177.5	≦* <	182.5	144	3.81138	0.006	0.006	
15	172.5	≦* <	177.5	140	3.73274	0.006	0.006	
14	167.5	≦* <	172.5	136	3.65410	0.005	0.005	
13	162.5	≦* <	167.5	132	3.57546	0.005	0.005	
12	157.5	≦* <	162.5	128	3.49682	0.005	0.005	
11	152.5	≦* <	157.5	124	3.41818	0.005	0.005	
10	147.5	≦* <	152.5	120	3.33954	0.005	0.005	
9	142.5	≦* <	147.5	116	3.26090	0.005	0.005	
8	137.5	≦* <	142.5	112	3.18226	0.005	0.005	
7	132.5	≦* <	137.5	108	3.10362	0.005	0.005	
6	127.5	≦* <	132.5	104	3.02498	0.005	0.005	
5	122.5	≦* <	127.5	100	2.94634	0.004	0.004	
4	117.5	≦* <	122.5	96	2.86770	0.004	0.004	
3	112.5	≦* <	117.5	92	2.78906	0.004	0.004	
2	107.5	≦* <	112.5	88	2.71042	0.004	0.004	
1	102.5	≦* <	107.5	84	2.63178	0.004	0.004	
0	97.5	≦* <	102.5	80	2.55314	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.47450	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.39586	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.31722	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≦* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.005	0.005	
19	192.5	≦* <	197.5	156	4.04730	0.005	0.005	
18	187.5	≦* <	192.5	152	3.96866	0.005	0.005	
17	182.5	≦* <	187.5	148	3.89002	0.005	0.005	
16	177.5	≦* <	182.5	144	3.81138	0.005	0.005	
15	172.5	≦* <	177.5	140	3.73274	0.005	0.005	
14	167.5	≦* <	172.5	136	3.65410	0.004	0.004	
13	162.5	≦* <	167.5	132	3.57546	0.004	0.004	
12	157.5	≦* <	162.5	128	3.49682	0.004	0.004	
11	152.5	≦* <	157.5	124	3.41818	0.004	0.004	
10	147.5	≦* <	152.5	120	3.33954	0.004	0.004	
9	142.5	≦* <	147.5	116	3.26090	0.004	0.004	
8	137.5	≦* <	142.5	112	3.18226	0.004	0.004	
7	132.5	≦* <	137.5	108	3.10362	0.004	0.004	
6	127.5	≦* <	132.5	104	3.02498	0.004	0.004	
5	122.5	≦* <	127.5	100	2.94634	0.003	0.003	
4	117.5	≦* <	122.5	96	2.86770	0.003	0.003	
3	112.5	≦* <	117.5	92	2.78906	0.003	0.003	
2	107.5	≦* <	112.5	88	2.71042	0.003	0.003	
1	102.5	≦* <	107.5	84	2.63178	0.003	0.003	
0	97.5	≦* <	102.5	80	2.55314	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.47450	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.39586	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.31722	0.002	0.002	
-4	77.5	≦* <	82.5	64	2.23858	0.002	0.002	
-5	72.5	≦* <	77.5	60	2.15994	0.002	0.002	
-6	67.5	≦* <	72.5	56	2.08130	0.002	0.002	
-7	62.5	≦* <	67.5	52	2.00266	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.92402	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.84538	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.76674	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.68810	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.635 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.665	1.665	
19	192.5	≧* <	197.5	156	4.05190	1.286	1.286	
18	187.5	≧* <	192.5	152	3.97314	1.261	1.261	
17	182.5	≧* <	187.5	148	3.89438	1.236	1.236	
16	177.5	≧* <	182.5	144	3.81562	1.211	1.211	
15	172.5	≧* <	177.5	140	3.73686	1.186	1.186	
14	167.5	≧* <	172.5	136	3.65810	1.161	1.161	
13	162.5	≧* <	167.5	132	3.57934	1.136	1.136	
12	157.5	≧* <	162.5	128	3.50059	1.111	1.111	
11	152.5	≧* <	157.5	124	3.42183	1.086	1.086	
10	147.5	≧* <	152.5	120	3.34307	1.061	1.061	
9	142.5	≧* <	147.5	116	3.26431	1.036	1.036	
8	137.5	≧* <	142.5	112	3.18555	1.011	1.011	
7	132.5	≧* <	137.5	108	3.10679	0.986	0.986	
6	127.5	≧* <	132.5	104	3.02803	0.961	0.961	
5	122.5	≧* <	127.5	100	2.94928	0.936	0.936	
4	117.5	≧* <	122.5	96	2.87052	0.911	0.911	
3	112.5	≧* <	117.5	92	2.79176	0.886	0.886	
2	107.5	≧* <	112.5	88	2.71300	0.861	0.861	
1	102.5	≧* <	107.5	84	2.63424	0.836	0.836	
0	97.5	≧* <	102.5	80	2.55548	0.811	0.811	
-1	92.5	≧* <	97.5	76	2.47672	0.786	0.786	
-2	87.5	≧* <	92.5	72	2.39797	0.761	0.761	
-3	82.5	≧* <	87.5	68	2.31921	0.736	0.736	
-4	77.5	≧* <	82.5	64	2.24045	0.711	0.711	
-5	72.5	≧* <	77.5	60	2.16169	0.686	0.686	
-6	67.5	≧* <	72.5	56	2.08293	0.661	0.661	
-7	62.5	≧* <	67.5	52	2.00417	0.636	0.636	
-8	57.5	≧* <	62.5	48	1.92541	0.611	0.611	
-9	52.5	≧* <	57.5	44	1.84666	0.586	0.586	
-10	47.5	≧* <	52.5	40	1.76790	0.561	0.561	
-11	42.5	≧* <	47.5	36	1.68914	0.536	0.536	
-12	37.5	≧* <	42.5	32	1.61038	0.511	0.511	
-13	32.5	≧* <	37.5	28	1.53162	0.486	0.486	
-14	27.5	≧* <	32.5	24	1.45286	0.461	0.461	
-15	22.5	≧* <	27.5	20	1.37410	0.436	0.436	
-16	17.5	≧* <	22.5	16	1.29534	0.411	0.411	
-17	12.5	≧* <	17.5	12	1.21659	0.386	0.386	
-18	7.5	≧* <	12.5	8	1.13783	0.361	0.361	
-19	2.5	≧* <	7.5	4	1.05907	0.336	0.336	
-20	0.0	≧* <	2.5	1.00	1.00000	0.317	0.317	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.635 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.582	1.582	
19	192.5	≦* <	197.5	156	4.05190	1.222	1.222	
18	187.5	≦* <	192.5	152	3.97314	1.198	1.198	
17	182.5	≦* <	187.5	148	3.89438	1.174	1.174	
16	177.5	≦* <	182.5	144	3.81562	1.150	1.150	
15	172.5	≦* <	177.5	140	3.73686	1.127	1.127	
14	167.5	≦* <	172.5	136	3.65810	1.103	1.103	
13	162.5	≦* <	167.5	132	3.57934	1.079	1.079	
12	157.5	≦* <	162.5	128	3.50059	1.055	1.055	
11	152.5	≦* <	157.5	124	3.42183	1.032	1.032	
10	147.5	≦* <	152.5	120	3.34307	1.008	1.008	
9	142.5	≦* <	147.5	116	3.26431	0.984	0.984	
8	137.5	≦* <	142.5	112	3.18555	0.960	0.960	
7	132.5	≦* <	137.5	108	3.10679	0.937	0.937	
6	127.5	≦* <	132.5	104	3.02803	0.913	0.913	
5	122.5	≦* <	127.5	100	2.94928	0.889	0.889	
4	117.5	≦* <	122.5	96	2.87052	0.865	0.865	
3	112.5	≦* <	117.5	92	2.79176	0.842	0.842	
2	107.5	≦* <	112.5	88	2.71300	0.818	0.818	
1	102.5	≦* <	107.5	84	2.63424	0.794	0.794	
0	97.5	≦* <	102.5	80	2.55548	0.770	0.770	
-1	92.5	≦* <	97.5	76	2.47672	0.747	0.747	
-2	87.5	≦* <	92.5	72	2.39797	0.723	0.723	
-3	82.5	≦* <	87.5	68	2.31921	0.699	0.699	
-4	77.5	≦* <	82.5	64	2.24045	0.675	0.675	
-5	72.5	≦* <	77.5	60	2.16169	0.652	0.652	
-6	67.5	≦* <	72.5	56	2.08293	0.628	0.628	
-7	62.5	≦* <	67.5	52	2.00417	0.604	0.604	
-8	57.5	≦* <	62.5	48	1.92541	0.580	0.580	
-9	52.5	≦* <	57.5	44	1.84666	0.557	0.557	
-10	47.5	≦* <	52.5	40	1.76790	0.533	0.533	
-11	42.5	≦* <	47.5	36	1.68914	0.509	0.509	
-12	37.5	≦* <	42.5	32	1.61038	0.485	0.485	
-13	32.5	≦* <	37.5	28	1.53162	0.462	0.462	
-14	27.5	≦* <	32.5	24	1.45286	0.438	0.438	
-15	22.5	≦* <	27.5	20	1.37410	0.414	0.414	
-16	17.5	≦* <	22.5	16	1.29534	0.390	0.390	
-17	12.5	≦* <	17.5	12	1.21659	0.367	0.367	
-18	7.5	≦* <	12.5	8	1.13783	0.343	0.343	
-19	2.5	≦* <	7.5	4	1.05907	0.319	0.319	
-20	0.0	≦* <	2.5	1.00	1.00000	0.301	0.301	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.010 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.026	0.026	
19	192.5	≧* <	197.5	156	4.05190	0.020	0.020	
18	187.5	≧* <	192.5	152	3.97314	0.020	0.020	
17	182.5	≧* <	187.5	148	3.89438	0.019	0.019	
16	177.5	≧* <	182.5	144	3.81562	0.019	0.019	
15	172.5	≧* <	177.5	140	3.73686	0.019	0.019	
14	167.5	≧* <	172.5	136	3.65810	0.018	0.018	
13	162.5	≧* <	167.5	132	3.57934	0.018	0.018	
12	157.5	≧* <	162.5	128	3.50059	0.018	0.018	
11	152.5	≧* <	157.5	124	3.42183	0.017	0.017	
10	147.5	≧* <	152.5	120	3.34307	0.017	0.017	
9	142.5	≧* <	147.5	116	3.26431	0.016	0.016	
8	137.5	≧* <	142.5	112	3.18555	0.016	0.016	
7	132.5	≧* <	137.5	108	3.10679	0.016	0.016	
6	127.5	≧* <	132.5	104	3.02803	0.015	0.015	
5	122.5	≧* <	127.5	100	2.94928	0.015	0.015	
4	117.5	≧* <	122.5	96	2.87052	0.014	0.014	
3	112.5	≧* <	117.5	92	2.79176	0.014	0.014	
2	107.5	≧* <	112.5	88	2.71300	0.014	0.014	
1	102.5	≧* <	107.5	84	2.63424	0.013	0.013	
0	97.5	≧* <	102.5	80	2.55548	0.013	0.013	
-1	92.5	≧* <	97.5	76	2.47672	0.012	0.012	
-2	87.5	≧* <	92.5	72	2.39797	0.012	0.012	
-3	82.5	≧* <	87.5	68	2.31921	0.012	0.012	
-4	77.5	≧* <	82.5	64	2.24045	0.011	0.011	
-5	72.5	≧* <	77.5	60	2.16169	0.011	0.011	
-6	67.5	≧* <	72.5	56	2.08293	0.010	0.010	
-7	62.5	≧* <	67.5	52	2.00417	0.010	0.010	
-8	57.5	≧* <	62.5	48	1.92541	0.010	0.010	
-9	52.5	≧* <	57.5	44	1.84666	0.009	0.009	
-10	47.5	≧* <	52.5	40	1.76790	0.009	0.009	
-11	42.5	≧* <	47.5	36	1.68914	0.008	0.008	
-12	37.5	≧* <	42.5	32	1.61038	0.008	0.008	
-13	32.5	≧* <	37.5	28	1.53162	0.008	0.008	
-14	27.5	≧* <	32.5	24	1.45286	0.007	0.007	
-15	22.5	≧* <	27.5	20	1.37410	0.007	0.007	
-16	17.5	≧* <	22.5	16	1.29534	0.006	0.006	
-17	12.5	≧* <	17.5	12	1.21659	0.006	0.006	
-18	7.5	≧* <	12.5	8	1.13783	0.006	0.006	
-19	2.5	≧* <	7.5	4	1.05907	0.005	0.005	
-20	0.0	≧* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.010 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.025	0.025	
19	192.5	≧* <	197.5	156	4.05190	0.019	0.019	
18	187.5	≧* <	192.5	152	3.97314	0.019	0.019	
17	182.5	≧* <	187.5	148	3.89438	0.018	0.018	
16	177.5	≧* <	182.5	144	3.81562	0.018	0.018	
15	172.5	≧* <	177.5	140	3.73686	0.018	0.018	
14	167.5	≧* <	172.5	136	3.65810	0.017	0.017	
13	162.5	≧* <	167.5	132	3.57934	0.017	0.017	
12	157.5	≧* <	162.5	128	3.50059	0.017	0.017	
11	152.5	≧* <	157.5	124	3.42183	0.016	0.016	
10	147.5	≧* <	152.5	120	3.34307	0.016	0.016	
9	142.5	≧* <	147.5	116	3.26431	0.015	0.015	
8	137.5	≧* <	142.5	112	3.18555	0.015	0.015	
7	132.5	≧* <	137.5	108	3.10679	0.015	0.015	
6	127.5	≧* <	132.5	104	3.02803	0.014	0.014	
5	122.5	≧* <	127.5	100	2.94928	0.014	0.014	
4	117.5	≧* <	122.5	96	2.87052	0.013	0.013	
3	112.5	≧* <	117.5	92	2.79176	0.013	0.013	
2	107.5	≧* <	112.5	88	2.71300	0.013	0.013	
1	102.5	≧* <	107.5	84	2.63424	0.012	0.012	
0	97.5	≧* <	102.5	80	2.55548	0.012	0.012	
-1	92.5	≧* <	97.5	76	2.47672	0.011	0.011	
-2	87.5	≧* <	92.5	72	2.39797	0.011	0.011	
-3	82.5	≧* <	87.5	68	2.31921	0.011	0.011	
-4	77.5	≧* <	82.5	64	2.24045	0.010	0.010	
-5	72.5	≧* <	77.5	60	2.16169	0.010	0.010	
-6	67.5	≧* <	72.5	56	2.08293	0.010	0.010	
-7	62.5	≧* <	67.5	52	2.00417	0.010	0.010	
-8	57.5	≧* <	62.5	48	1.92541	0.010	0.010	
-9	52.5	≧* <	57.5	44	1.84666	0.009	0.009	
-10	47.5	≧* <	52.5	40	1.76790	0.009	0.009	
-11	42.5	≧* <	47.5	36	1.68914	0.008	0.008	
-12	37.5	≧* <	42.5	32	1.61038	0.008	0.008	
-13	32.5	≧* <	37.5	28	1.53162	0.008	0.008	
-14	27.5	≧* <	32.5	24	1.45286	0.007	0.007	
-15	22.5	≧* <	27.5	20	1.37410	0.007	0.007	
-16	17.5	≧* <	22.5	16	1.29534	0.006	0.006	
-17	12.5	≧* <	17.5	12	1.21659	0.006	0.006	
-18	7.5	≧* <	12.5	8	1.13783	0.006	0.006	
-19	2.5	≧* <	7.5	4	1.05907	0.005	0.005	
-20	0.0	≧* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.544 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.426	1.426	
19	192.5	≦* <	197.5	156	4.05190	1.102	1.102	
18	187.5	≦* <	192.5	152	3.97314	1.081	1.081	
17	182.5	≦* <	187.5	148	3.89438	1.059	1.059	
16	177.5	≦* <	182.5	144	3.81562	1.038	1.038	
15	172.5	≦* <	177.5	140	3.73686	1.016	1.016	
14	167.5	≦* <	172.5	136	3.65810	0.995	0.995	
13	162.5	≦* <	167.5	132	3.57934	0.974	0.974	
12	157.5	≦* <	162.5	128	3.50059	0.952	0.952	
11	152.5	≦* <	157.5	124	3.42183	0.931	0.931	
10	147.5	≦* <	152.5	120	3.34307	0.909	0.909	
9	142.5	≦* <	147.5	116	3.26431	0.888	0.888	
8	137.5	≦* <	142.5	112	3.18555	0.866	0.866	
7	132.5	≦* <	137.5	108	3.10679	0.845	0.845	
6	127.5	≦* <	132.5	104	3.02803	0.824	0.824	
5	122.5	≦* <	127.5	100	2.94928	0.802	0.802	
4	117.5	≦* <	122.5	96	2.87052	0.781	0.781	
3	112.5	≦* <	117.5	92	2.79176	0.759	0.759	
2	107.5	≦* <	112.5	88	2.71300	0.738	0.738	
1	102.5	≦* <	107.5	84	2.63424	0.717	0.717	
0	97.5	≦* <	102.5	80	2.55548	0.695	0.695	
-1	92.5	≦* <	97.5	76	2.47672	0.674	0.674	
-2	87.5	≦* <	92.5	72	2.39797	0.652	0.652	
-3	82.5	≦* <	87.5	68	2.31921	0.631	0.631	
-4	77.5	≦* <	82.5	64	2.24045	0.609	0.609	
-5	72.5	≦* <	77.5	60	2.16169	0.588	0.588	
-6	67.5	≦* <	72.5	56	2.08293	0.567	0.567	
-7	62.5	≦* <	67.5	52	2.00417	0.545	0.545	
-8	57.5	≦* <	62.5	48	1.92541	0.524	0.524	
-9	52.5	≦* <	57.5	44	1.84666	0.502	0.502	
-10	47.5	≦* <	52.5	40	1.76790	0.481	0.481	
-11	42.5	≦* <	47.5	36	1.68914	0.459	0.459	
-12	37.5	≦* <	42.5	32	1.61038	0.438	0.438	
-13	32.5	≦* <	37.5	28	1.53162	0.417	0.417	
-14	27.5	≦* <	32.5	24	1.45286	0.395	0.395	
-15	22.5	≦* <	27.5	20	1.37410	0.374	0.374	
-16	17.5	≦* <	22.5	16	1.29534	0.352	0.352	
-17	12.5	≦* <	17.5	12	1.21659	0.331	0.331	
-18	7.5	≦* <	12.5	8	1.13783	0.309	0.309	
-19	2.5	≦* <	7.5	4	1.05907	0.288	0.288	
-20	0.0	≦* <	2.5	1.00	1.00000	0.272	0.272	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.544 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.355	1.355	
19	192.5	≧* <	197.5	156	4.05190	1.047	1.047	
18	187.5	≧* <	192.5	152	3.97314	1.027	1.027	
17	182.5	≧* <	187.5	148	3.89438	1.006	1.006	
16	177.5	≧* <	182.5	144	3.81562	0.986	0.986	
15	172.5	≧* <	177.5	140	3.73686	0.965	0.965	
14	167.5	≧* <	172.5	136	3.65810	0.945	0.945	
13	162.5	≧* <	167.5	132	3.57934	0.925	0.925	
12	157.5	≧* <	162.5	128	3.50059	0.904	0.904	
11	152.5	≧* <	157.5	124	3.42183	0.884	0.884	
10	147.5	≧* <	152.5	120	3.34307	0.864	0.864	
9	142.5	≧* <	147.5	116	3.26431	0.844	0.844	
8	137.5	≧* <	142.5	112	3.18555	0.823	0.823	
7	132.5	≧* <	137.5	108	3.10679	0.803	0.803	
6	127.5	≧* <	132.5	104	3.02803	0.783	0.783	
5	122.5	≧* <	127.5	100	2.94928	0.762	0.762	
4	117.5	≧* <	122.5	96	2.87052	0.742	0.742	
3	112.5	≧* <	117.5	92	2.79176	0.721	0.721	
2	107.5	≧* <	112.5	88	2.71300	0.701	0.701	
1	102.5	≧* <	107.5	84	2.63424	0.681	0.681	
0	97.5	≧* <	102.5	80	2.55548	0.660	0.660	
-1	92.5	≧* <	97.5	76	2.47672	0.640	0.640	
-2	87.5	≧* <	92.5	72	2.39797	0.619	0.619	
-3	82.5	≧* <	87.5	68	2.31921	0.599	0.599	
-4	77.5	≧* <	82.5	64	2.24045	0.579	0.579	
-5	72.5	≧* <	77.5	60	2.16169	0.559	0.559	
-6	67.5	≧* <	72.5	56	2.08293	0.539	0.539	
-7	62.5	≧* <	67.5	52	2.00417	0.518	0.518	
-8	57.5	≧* <	62.5	48	1.92541	0.498	0.498	
-9	52.5	≧* <	57.5	44	1.84666	0.477	0.477	
-10	47.5	≧* <	52.5	40	1.76790	0.457	0.457	
-11	42.5	≧* <	47.5	36	1.68914	0.436	0.436	
-12	37.5	≧* <	42.5	32	1.61038	0.416	0.416	
-13	32.5	≧* <	37.5	28	1.53162	0.396	0.396	
-14	27.5	≧* <	32.5	24	1.45286	0.375	0.375	
-15	22.5	≧* <	27.5	20	1.37410	0.355	0.355	
-16	17.5	≧* <	22.5	16	1.29534	0.334	0.334	
-17	12.5	≧* <	17.5	12	1.21659	0.314	0.314	
-18	7.5	≧* <	12.5	8	1.13783	0.294	0.294	
-19	2.5	≧* <	7.5	4	1.05907	0.274	0.274	
-20	0.0	≧* <	2.5	1.00	1.00000	0.258	0.258	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.009 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.024	0.024	
19	192.5	≦* <	197.5	156	4.05190	0.018	0.018	
18	187.5	≦* <	192.5	152	3.97314	0.018	0.018	
17	182.5	≦* <	187.5	148	3.89438	0.018	0.018	
16	177.5	≦* <	182.5	144	3.81562	0.017	0.017	
15	172.5	≦* <	177.5	140	3.73686	0.017	0.017	
14	167.5	≦* <	172.5	136	3.65810	0.016	0.016	
13	162.5	≦* <	167.5	132	3.57934	0.016	0.016	
12	157.5	≦* <	162.5	128	3.50059	0.016	0.016	
11	152.5	≦* <	157.5	124	3.42183	0.015	0.015	
10	147.5	≦* <	152.5	120	3.34307	0.015	0.015	
9	142.5	≦* <	147.5	116	3.26431	0.015	0.015	
8	137.5	≦* <	142.5	112	3.18555	0.014	0.014	
7	132.5	≦* <	137.5	108	3.10679	0.014	0.014	
6	127.5	≦* <	132.5	104	3.02803	0.014	0.014	
5	122.5	≦* <	127.5	100	2.94928	0.013	0.013	
4	117.5	≦* <	122.5	96	2.87052	0.013	0.013	
3	112.5	≦* <	117.5	92	2.79176	0.013	0.013	
2	107.5	≦* <	112.5	88	2.71300	0.012	0.012	
1	102.5	≦* <	107.5	84	2.63424	0.012	0.012	
0	97.5	≦* <	102.5	80	2.55548	0.011	0.011	
-1	92.5	≦* <	97.5	76	2.47672	0.011	0.011	
-2	87.5	≦* <	92.5	72	2.39797	0.011	0.011	
-3	82.5	≦* <	87.5	68	2.31921	0.010	0.010	
-4	77.5	≦* <	82.5	64	2.24045	0.010	0.010	
-5	72.5	≦* <	77.5	60	2.16169	0.010	0.010	
-6	67.5	≦* <	72.5	56	2.08293	0.009	0.009	
-7	62.5	≦* <	67.5	52	2.00417	0.009	0.009	
-8	57.5	≦* <	62.5	48	1.92541	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.84666	0.008	0.008	
-10	47.5	≦* <	52.5	40	1.76790	0.008	0.008	
-11	42.5	≦* <	47.5	36	1.68914	0.008	0.008	
-12	37.5	≦* <	42.5	32	1.61038	0.007	0.007	
-13	32.5	≦* <	37.5	28	1.53162	0.007	0.007	
-14	27.5	≦* <	32.5	24	1.45286	0.007	0.007	
-15	22.5	≦* <	27.5	20	1.37410	0.006	0.006	
-16	17.5	≦* <	22.5	16	1.29534	0.006	0.006	
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05907	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.009 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.023	0.023	
19	192.5	≦* <	197.5	156	4.05190	0.017	0.017	
18	187.5	≦* <	192.5	152	3.97314	0.017	0.017	
17	182.5	≦* <	187.5	148	3.89438	0.017	0.017	
16	177.5	≦* <	182.5	144	3.81562	0.016	0.016	
15	172.5	≦* <	177.5	140	3.73686	0.016	0.016	
14	167.5	≦* <	172.5	136	3.65810	0.015	0.015	
13	162.5	≦* <	167.5	132	3.57934	0.015	0.015	
12	157.5	≦* <	162.5	128	3.50059	0.015	0.015	
11	152.5	≦* <	157.5	124	3.42183	0.014	0.014	
10	147.5	≦* <	152.5	120	3.34307	0.014	0.014	
9	142.5	≦* <	147.5	116	3.26431	0.014	0.014	
8	137.5	≦* <	142.5	112	3.18555	0.013	0.013	
7	132.5	≦* <	137.5	108	3.10679	0.013	0.013	
6	127.5	≦* <	132.5	104	3.02803	0.013	0.013	
5	122.5	≦* <	127.5	100	2.94928	0.012	0.012	
4	117.5	≦* <	122.5	96	2.87052	0.012	0.012	
3	112.5	≦* <	117.5	92	2.79176	0.012	0.012	
2	107.5	≦* <	112.5	88	2.71300	0.011	0.011	
1	102.5	≦* <	107.5	84	2.63424	0.011	0.011	
0	97.5	≦* <	102.5	80	2.55548	0.010	0.010	
-1	92.5	≦* <	97.5	76	2.47672	0.010	0.010	
-2	87.5	≦* <	92.5	72	2.39797	0.010	0.010	
-3	82.5	≦* <	87.5	68	2.31921	0.010	0.010	
-4	77.5	≦* <	82.5	64	2.24045	0.010	0.010	
-5	72.5	≦* <	77.5	60	2.16169	0.010	0.010	
-6	67.5	≦* <	72.5	56	2.08293	0.009	0.009	
-7	62.5	≦* <	67.5	52	2.00417	0.009	0.009	
-8	57.5	≦* <	62.5	48	1.92541	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.84666	0.008	0.008	
-10	47.5	≦* <	52.5	40	1.76790	0.008	0.008	
-11	42.5	≦* <	47.5	36	1.68914	0.008	0.008	
-12	37.5	≦* <	42.5	32	1.61038	0.007	0.007	
-13	32.5	≦* <	37.5	28	1.53162	0.007	0.007	
-14	27.5	≦* <	32.5	24	1.45286	0.007	0.007	
-15	22.5	≦* <	27.5	20	1.37410	0.006	0.006	
-16	17.5	≦* <	22.5	16	1.29534	0.006	0.006	
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05907	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.467 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.224	1.224	
19	192.5	≧* <	197.5	156	4.05190	0.946	0.946	
18	187.5	≧* <	192.5	152	3.97314	0.928	0.928	
17	182.5	≧* <	187.5	148	3.89438	0.909	0.909	
16	177.5	≧* <	182.5	144	3.81562	0.891	0.891	
15	172.5	≧* <	177.5	140	3.73686	0.873	0.873	
14	167.5	≧* <	172.5	136	3.65810	0.854	0.854	
13	162.5	≧* <	167.5	132	3.57934	0.836	0.836	
12	157.5	≧* <	162.5	128	3.50059	0.817	0.817	
11	152.5	≧* <	157.5	124	3.42183	0.799	0.799	
10	147.5	≧* <	152.5	120	3.34307	0.781	0.781	
9	142.5	≧* <	147.5	116	3.26431	0.762	0.762	
8	137.5	≧* <	142.5	112	3.18555	0.744	0.744	
7	132.5	≧* <	137.5	108	3.10679	0.725	0.725	
6	127.5	≧* <	132.5	104	3.02803	0.707	0.707	
5	122.5	≧* <	127.5	100	2.94928	0.689	0.689	
4	117.5	≧* <	122.5	96	2.87052	0.670	0.670	
3	112.5	≧* <	117.5	92	2.79176	0.652	0.652	
2	107.5	≧* <	112.5	88	2.71300	0.633	0.633	
1	102.5	≧* <	107.5	84	2.63424	0.615	0.615	
0	97.5	≧* <	102.5	80	2.55548	0.597	0.597	
-1	92.5	≧* <	97.5	76	2.47672	0.578	0.578	
-2	87.5	≧* <	92.5	72	2.39797	0.560	0.560	
-3	82.5	≧* <	87.5	68	2.31921	0.542	0.542	
-4	77.5	≧* <	82.5	64	2.24045	0.523	0.523	
-5	72.5	≧* <	77.5	60	2.16169	0.505	0.505	
-6	67.5	≧* <	72.5	56	2.08293	0.486	0.486	
-7	62.5	≧* <	67.5	52	2.00417	0.468	0.468	
-8	57.5	≧* <	62.5	48	1.92541	0.450	0.450	
-9	52.5	≧* <	57.5	44	1.84666	0.431	0.431	
-10	47.5	≧* <	52.5	40	1.76790	0.413	0.413	
-11	42.5	≧* <	47.5	36	1.68914	0.394	0.394	
-12	37.5	≧* <	42.5	32	1.61038	0.376	0.376	
-13	32.5	≧* <	37.5	28	1.53162	0.358	0.358	
-14	27.5	≧* <	32.5	24	1.45286	0.339	0.339	
-15	22.5	≧* <	27.5	20	1.37410	0.321	0.321	
-16	17.5	≧* <	22.5	16	1.29534	0.302	0.302	
-17	12.5	≧* <	17.5	12	1.21659	0.284	0.284	
-18	7.5	≧* <	12.5	8	1.13783	0.266	0.266	
-19	2.5	≧* <	7.5	4	1.05907	0.247	0.247	
-20	0.0	≧* <	2.5	1.00	1.00000	0.233	0.233	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.467 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.163	1.163	
19	192.5	≧* <	197.5	156	4.05190	0.899	0.899	
18	187.5	≧* <	192.5	152	3.97314	0.882	0.882	
17	182.5	≧* <	187.5	148	3.89438	0.864	0.864	
16	177.5	≧* <	182.5	144	3.81562	0.846	0.846	
15	172.5	≧* <	177.5	140	3.73686	0.829	0.829	
14	167.5	≧* <	172.5	136	3.65810	0.811	0.811	
13	162.5	≧* <	167.5	132	3.57934	0.794	0.794	
12	157.5	≧* <	162.5	128	3.50059	0.776	0.776	
11	152.5	≧* <	157.5	124	3.42183	0.759	0.759	
10	147.5	≧* <	152.5	120	3.34307	0.742	0.742	
9	142.5	≧* <	147.5	116	3.26431	0.724	0.724	
8	137.5	≧* <	142.5	112	3.18555	0.707	0.707	
7	132.5	≧* <	137.5	108	3.10679	0.689	0.689	
6	127.5	≧* <	132.5	104	3.02803	0.672	0.672	
5	122.5	≧* <	127.5	100	2.94928	0.655	0.655	
4	117.5	≧* <	122.5	96	2.87052	0.637	0.637	
3	112.5	≧* <	117.5	92	2.79176	0.619	0.619	
2	107.5	≧* <	112.5	88	2.71300	0.601	0.601	
1	102.5	≧* <	107.5	84	2.63424	0.584	0.584	
0	97.5	≧* <	102.5	80	2.55548	0.567	0.567	
-1	92.5	≧* <	97.5	76	2.47672	0.549	0.549	
-2	87.5	≧* <	92.5	72	2.39797	0.532	0.532	
-3	82.5	≧* <	87.5	68	2.31921	0.515	0.515	
-4	77.5	≧* <	82.5	64	2.24045	0.497	0.497	
-5	72.5	≧* <	77.5	60	2.16169	0.480	0.480	
-6	67.5	≧* <	72.5	56	2.08293	0.462	0.462	
-7	62.5	≧* <	67.5	52	2.00417	0.445	0.445	
-8	57.5	≧* <	62.5	48	1.92541	0.428	0.428	
-9	52.5	≧* <	57.5	44	1.84666	0.409	0.409	
-10	47.5	≧* <	52.5	40	1.76790	0.392	0.392	
-11	42.5	≧* <	47.5	36	1.68914	0.374	0.374	
-12	37.5	≧* <	42.5	32	1.61038	0.357	0.357	
-13	32.5	≧* <	37.5	28	1.53162	0.340	0.340	
-14	27.5	≧* <	32.5	24	1.45286	0.322	0.322	
-15	22.5	≧* <	27.5	20	1.37410	0.305	0.305	
-16	17.5	≧* <	22.5	16	1.29534	0.287	0.287	
-17	12.5	≧* <	17.5	12	1.21659	0.270	0.270	
-18	7.5	≧* <	12.5	8	1.13783	0.253	0.253	
-19	2.5	≧* <	7.5	4	1.05907	0.235	0.235	
-20	0.0	≧* <	2.5	1.00	1.00000	0.221	0.221	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.008 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.021	0.021	
19	192.5	≦* <	197.5	156	4.05190	0.016	0.016	
18	187.5	≦* <	192.5	152	3.97314	0.016	0.016	
17	182.5	≦* <	187.5	148	3.89438	0.016	0.016	
16	177.5	≦* <	182.5	144	3.81562	0.015	0.015	
15	172.5	≦* <	177.5	140	3.73686	0.015	0.015	
14	167.5	≦* <	172.5	136	3.65810	0.015	0.015	
13	162.5	≦* <	167.5	132	3.57934	0.014	0.014	
12	157.5	≦* <	162.5	128	3.50059	0.014	0.014	
11	152.5	≦* <	157.5	124	3.42183	0.014	0.014	
10	147.5	≦* <	152.5	120	3.34307	0.013	0.013	
9	142.5	≦* <	147.5	116	3.26431	0.013	0.013	
8	137.5	≦* <	142.5	112	3.18555	0.013	0.013	
7	132.5	≦* <	137.5	108	3.10679	0.012	0.012	
6	127.5	≦* <	132.5	104	3.02803	0.012	0.012	
5	122.5	≦* <	127.5	100	2.94928	0.012	0.012	
4	117.5	≦* <	122.5	96	2.87052	0.011	0.011	
3	112.5	≦* <	117.5	92	2.79176	0.011	0.011	
2	107.5	≦* <	112.5	88	2.71300	0.011	0.011	
1	102.5	≦* <	107.5	84	2.63424	0.011	0.011	
0	97.5	≦* <	102.5	80	2.55548	0.010	0.010	
-1	92.5	≦* <	97.5	76	2.47672	0.010	0.010	
-2	87.5	≦* <	92.5	72	2.39797	0.010	0.010	
-3	82.5	≦* <	87.5	68	2.31921	0.009	0.009	
-4	77.5	≦* <	82.5	64	2.24045	0.009	0.009	
-5	72.5	≦* <	77.5	60	2.16169	0.009	0.009	
-6	67.5	≦* <	72.5	56	2.08293	0.008	0.008	
-7	62.5	≦* <	67.5	52	2.00417	0.008	0.008	
-8	57.5	≦* <	62.5	48	1.92541	0.008	0.008	
-9	52.5	≦* <	57.5	44	1.84666	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.76790	0.007	0.007	
-11	42.5	≦* <	47.5	36	1.68914	0.007	0.007	
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53162	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.45286	0.006	0.006	
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.008 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.020	0.020	
19	192.5	≦* <	197.5	156	4.05190	0.015	0.015	
18	187.5	≦* <	192.5	152	3.97314	0.015	0.015	
17	182.5	≦* <	187.5	148	3.89438	0.015	0.015	
16	177.5	≦* <	182.5	144	3.81562	0.014	0.014	
15	172.5	≦* <	177.5	140	3.73686	0.014	0.014	
14	167.5	≦* <	172.5	136	3.65810	0.014	0.014	
13	162.5	≦* <	167.5	132	3.57934	0.013	0.013	
12	157.5	≦* <	162.5	128	3.50059	0.013	0.013	
11	152.5	≦* <	157.5	124	3.42183	0.013	0.013	
10	147.5	≦* <	152.5	120	3.34307	0.012	0.012	
9	142.5	≦* <	147.5	116	3.26431	0.012	0.012	
8	137.5	≦* <	142.5	112	3.18555	0.012	0.012	
7	132.5	≦* <	137.5	108	3.10679	0.011	0.011	
6	127.5	≦* <	132.5	104	3.02803	0.011	0.011	
5	122.5	≦* <	127.5	100	2.94928	0.011	0.011	
4	117.5	≦* <	122.5	96	2.87052	0.010	0.010	
3	112.5	≦* <	117.5	92	2.79176	0.010	0.010	
2	107.5	≦* <	112.5	88	2.71300	0.010	0.010	
1	102.5	≦* <	107.5	84	2.63424	0.010	0.010	
0	97.5	≦* <	102.5	80	2.55548	0.010	0.010	
-1	92.5	≦* <	97.5	76	2.47672	0.010	0.010	
-2	87.5	≦* <	92.5	72	2.39797	0.010	0.010	
-3	82.5	≦* <	87.5	68	2.31921	0.009	0.009	
-4	77.5	≦* <	82.5	64	2.24045	0.009	0.009	
-5	72.5	≦* <	77.5	60	2.16169	0.009	0.009	
-6	67.5	≦* <	72.5	56	2.08293	0.008	0.008	
-7	62.5	≦* <	67.5	52	2.00417	0.008	0.008	
-8	57.5	≦* <	62.5	48	1.92541	0.008	0.008	
-9	52.5	≦* <	57.5	44	1.84666	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.76790	0.007	0.007	
-11	42.5	≦* <	47.5	36	1.68914	0.007	0.007	
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53162	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.45286	0.006	0.006	
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.416 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.091	1.091	
19	192.5	≧* <	197.5	156	4.05190	0.843	0.843	
18	187.5	≧* <	192.5	152	3.97314	0.826	0.826	
17	182.5	≧* <	187.5	148	3.89438	0.810	0.810	
16	177.5	≧* <	182.5	144	3.81562	0.794	0.794	
15	172.5	≧* <	177.5	140	3.73686	0.777	0.777	
14	167.5	≧* <	172.5	136	3.65810	0.761	0.761	
13	162.5	≧* <	167.5	132	3.57934	0.745	0.745	
12	157.5	≧* <	162.5	128	3.50059	0.728	0.728	
11	152.5	≧* <	157.5	124	3.42183	0.712	0.712	
10	147.5	≧* <	152.5	120	3.34307	0.695	0.695	
9	142.5	≧* <	147.5	116	3.26431	0.679	0.679	
8	137.5	≧* <	142.5	112	3.18555	0.663	0.663	
7	132.5	≧* <	137.5	108	3.10679	0.646	0.646	
6	127.5	≧* <	132.5	104	3.02803	0.630	0.630	
5	122.5	≧* <	127.5	100	2.94928	0.613	0.613	
4	117.5	≧* <	122.5	96	2.87052	0.597	0.597	
3	112.5	≧* <	117.5	92	2.79176	0.581	0.581	
2	107.5	≧* <	112.5	88	2.71300	0.564	0.564	
1	102.5	≧* <	107.5	84	2.63424	0.548	0.548	
0	97.5	≧* <	102.5	80	2.55548	0.532	0.532	
-1	92.5	≧* <	97.5	76	2.47672	0.515	0.515	
-2	87.5	≧* <	92.5	72	2.39797	0.499	0.499	
-3	82.5	≧* <	87.5	68	2.31921	0.482	0.482	
-4	77.5	≧* <	82.5	64	2.24045	0.466	0.466	
-5	72.5	≧* <	77.5	60	2.16169	0.450	0.450	
-6	67.5	≧* <	72.5	56	2.08293	0.433	0.433	
-7	62.5	≧* <	67.5	52	2.00417	0.417	0.417	
-8	57.5	≧* <	62.5	48	1.92541	0.400	0.400	
-9	52.5	≧* <	57.5	44	1.84666	0.384	0.384	
-10	47.5	≧* <	52.5	40	1.76790	0.368	0.368	
-11	42.5	≧* <	47.5	36	1.68914	0.351	0.351	
-12	37.5	≧* <	42.5	32	1.61038	0.335	0.335	
-13	32.5	≧* <	37.5	28	1.53162	0.319	0.319	
-14	27.5	≧* <	32.5	24	1.45286	0.302	0.302	
-15	22.5	≧* <	27.5	20	1.37410	0.286	0.286	
-16	17.5	≧* <	22.5	16	1.29534	0.269	0.269	
-17	12.5	≧* <	17.5	12	1.21659	0.253	0.253	
-18	7.5	≧* <	12.5	8	1.13783	0.237	0.237	
-19	2.5	≧* <	7.5	4	1.05907	0.220	0.220	
-20	0.0	≧* <	2.5	1.00	1.00000	0.208	0.208	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.416 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.036	1.036	
19	192.5	≦* <	197.5	156	4.05190	0.801	0.801	
18	187.5	≦* <	192.5	152	3.97314	0.785	0.785	
17	182.5	≦* <	187.5	148	3.89438	0.770	0.770	
16	177.5	≦* <	182.5	144	3.81562	0.754	0.754	
15	172.5	≦* <	177.5	140	3.73686	0.738	0.738	
14	167.5	≦* <	172.5	136	3.65810	0.723	0.723	
13	162.5	≦* <	167.5	132	3.57934	0.708	0.708	
12	157.5	≦* <	162.5	128	3.50059	0.692	0.692	
11	152.5	≦* <	157.5	124	3.42183	0.676	0.676	
10	147.5	≦* <	152.5	120	3.34307	0.660	0.660	
9	142.5	≦* <	147.5	116	3.26431	0.645	0.645	
8	137.5	≦* <	142.5	112	3.18555	0.630	0.630	
7	132.5	≦* <	137.5	108	3.10679	0.614	0.614	
6	127.5	≦* <	132.5	104	3.02803	0.599	0.599	
5	122.5	≦* <	127.5	100	2.94928	0.582	0.582	
4	117.5	≦* <	122.5	96	2.87052	0.567	0.567	
3	112.5	≦* <	117.5	92	2.79176	0.552	0.552	
2	107.5	≦* <	112.5	88	2.71300	0.536	0.536	
1	102.5	≦* <	107.5	84	2.63424	0.521	0.521	
0	97.5	≦* <	102.5	80	2.55548	0.505	0.505	
-1	92.5	≦* <	97.5	76	2.47672	0.489	0.489	
-2	87.5	≦* <	92.5	72	2.39797	0.474	0.474	
-3	82.5	≦* <	87.5	68	2.31921	0.458	0.458	
-4	77.5	≦* <	82.5	64	2.24045	0.443	0.443	
-5	72.5	≦* <	77.5	60	2.16169	0.428	0.428	
-6	67.5	≦* <	72.5	56	2.08293	0.411	0.411	
-7	62.5	≦* <	67.5	52	2.00417	0.396	0.396	
-8	57.5	≦* <	62.5	48	1.92541	0.380	0.380	
-9	52.5	≦* <	57.5	44	1.84666	0.365	0.365	
-10	47.5	≦* <	52.5	40	1.76790	0.350	0.350	
-11	42.5	≦* <	47.5	36	1.68914	0.333	0.333	
-12	37.5	≦* <	42.5	32	1.61038	0.318	0.318	
-13	32.5	≦* <	37.5	28	1.53162	0.303	0.303	
-14	27.5	≦* <	32.5	24	1.45286	0.287	0.287	
-15	22.5	≦* <	27.5	20	1.37410	0.272	0.272	
-16	17.5	≦* <	22.5	16	1.29534	0.256	0.256	
-17	12.5	≦* <	17.5	12	1.21659	0.240	0.240	
-18	7.5	≦* <	12.5	8	1.13783	0.225	0.225	
-19	2.5	≦* <	7.5	4	1.05907	0.209	0.209	
-20	0.0	≦* <	2.5	1.00	1.00000	0.198	0.198	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.007 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.018	0.018	
19	192.5	≦* <	197.5	156	4.05190	0.014	0.014	
18	187.5	≦* <	192.5	152	3.97314	0.014	0.014	
17	182.5	≦* <	187.5	148	3.89438	0.014	0.014	
16	177.5	≦* <	182.5	144	3.81562	0.013	0.013	
15	172.5	≦* <	177.5	140	3.73686	0.013	0.013	
14	167.5	≦* <	172.5	136	3.65810	0.013	0.013	
13	162.5	≦* <	167.5	132	3.57934	0.013	0.013	
12	157.5	≦* <	162.5	128	3.50059	0.012	0.012	
11	152.5	≦* <	157.5	124	3.42183	0.012	0.012	
10	147.5	≦* <	152.5	120	3.34307	0.012	0.012	
9	142.5	≦* <	147.5	116	3.26431	0.011	0.011	
8	137.5	≦* <	142.5	112	3.18555	0.011	0.011	
7	132.5	≦* <	137.5	108	3.10679	0.011	0.011	
6	127.5	≦* <	132.5	104	3.02803	0.011	0.011	
5	122.5	≦* <	127.5	100	2.94928	0.010	0.010	
4	117.5	≦* <	122.5	96	2.87052	0.010	0.010	
3	112.5	≦* <	117.5	92	2.79176	0.010	0.010	
2	107.5	≦* <	112.5	88	2.71300	0.009	0.009	
1	102.5	≦* <	107.5	84	2.63424	0.009	0.009	
0	97.5	≦* <	102.5	80	2.55548	0.009	0.009	
-1	92.5	≦* <	97.5	76	2.47672	0.009	0.009	
-2	87.5	≦* <	92.5	72	2.39797	0.008	0.008	
-3	82.5	≦* <	87.5	68	2.31921	0.008	0.008	
-4	77.5	≦* <	82.5	64	2.24045	0.008	0.008	
-5	72.5	≦* <	77.5	60	2.16169	0.008	0.008	
-6	67.5	≦* <	72.5	56	2.08293	0.007	0.007	
-7	62.5	≦* <	67.5	52	2.00417	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.92541	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.84666	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76790	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.68914	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53162	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45286	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21659	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13783	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.007 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.017	0.017	
19	192.5	≦* <	197.5	156	4.05190	0.013	0.013	
18	187.5	≦* <	192.5	152	3.97314	0.013	0.013	
17	182.5	≦* <	187.5	148	3.89438	0.013	0.013	
16	177.5	≦* <	182.5	144	3.81562	0.012	0.012	
15	172.5	≦* <	177.5	140	3.73686	0.012	0.012	
14	167.5	≦* <	172.5	136	3.65810	0.012	0.012	
13	162.5	≦* <	167.5	132	3.57934	0.012	0.012	
12	157.5	≦* <	162.5	128	3.50059	0.011	0.011	
11	152.5	≦* <	157.5	124	3.42183	0.011	0.011	
10	147.5	≦* <	152.5	120	3.34307	0.011	0.011	
9	142.5	≦* <	147.5	116	3.26431	0.010	0.010	
8	137.5	≦* <	142.5	112	3.18555	0.010	0.010	
7	132.5	≦* <	137.5	108	3.10679	0.010	0.010	
6	127.5	≦* <	132.5	104	3.02803	0.010	0.010	
5	122.5	≦* <	127.5	100	2.94928	0.010	0.010	
4	117.5	≦* <	122.5	96	2.87052	0.010	0.010	
3	112.5	≦* <	117.5	92	2.79176	0.010	0.010	
2	107.5	≦* <	112.5	88	2.71300	0.009	0.009	
1	102.5	≦* <	107.5	84	2.63424	0.009	0.009	
0	97.5	≦* <	102.5	80	2.55548	0.009	0.009	
-1	92.5	≦* <	97.5	76	2.47672	0.009	0.009	
-2	87.5	≦* <	92.5	72	2.39797	0.008	0.008	
-3	82.5	≦* <	87.5	68	2.31921	0.008	0.008	
-4	77.5	≦* <	82.5	64	2.24045	0.008	0.008	
-5	72.5	≦* <	77.5	60	2.16169	0.008	0.008	
-6	67.5	≦* <	72.5	56	2.08293	0.007	0.007	
-7	62.5	≦* <	67.5	52	2.00417	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.92541	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.84666	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76790	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.68914	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53162	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45286	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21659	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13783	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.280 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.734	0.734	
19	192.5	≦* <	197.5	156	4.05190	0.567	0.567	
18	187.5	≦* <	192.5	152	3.97314	0.556	0.556	
17	182.5	≦* <	187.5	148	3.89438	0.545	0.545	
16	177.5	≦* <	182.5	144	3.81562	0.534	0.534	
15	172.5	≦* <	177.5	140	3.73686	0.523	0.523	
14	167.5	≦* <	172.5	136	3.65810	0.512	0.512	
13	162.5	≦* <	167.5	132	3.57934	0.501	0.501	
12	157.5	≦* <	162.5	128	3.50059	0.490	0.490	
11	152.5	≦* <	157.5	124	3.42183	0.479	0.479	
10	147.5	≦* <	152.5	120	3.34307	0.468	0.468	
9	142.5	≦* <	147.5	116	3.26431	0.457	0.457	
8	137.5	≦* <	142.5	112	3.18555	0.446	0.446	
7	132.5	≦* <	137.5	108	3.10679	0.435	0.435	
6	127.5	≦* <	132.5	104	3.02803	0.424	0.424	
5	122.5	≦* <	127.5	100	2.94928	0.413	0.413	
4	117.5	≦* <	122.5	96	2.87052	0.402	0.402	
3	112.5	≦* <	117.5	92	2.79176	0.391	0.391	
2	107.5	≦* <	112.5	88	2.71300	0.380	0.380	
1	102.5	≦* <	107.5	84	2.63424	0.369	0.369	
0	97.5	≦* <	102.5	80	2.55548	0.358	0.358	
-1	92.5	≦* <	97.5	76	2.47672	0.347	0.347	
-2	87.5	≦* <	92.5	72	2.39797	0.336	0.336	
-3	82.5	≦* <	87.5	68	2.31921	0.325	0.325	
-4	77.5	≦* <	82.5	64	2.24045	0.314	0.314	
-5	72.5	≦* <	77.5	60	2.16169	0.303	0.303	
-6	67.5	≦* <	72.5	56	2.08293	0.292	0.292	
-7	62.5	≦* <	67.5	52	2.00417	0.281	0.281	
-8	57.5	≦* <	62.5	48	1.92541	0.270	0.270	
-9	52.5	≦* <	57.5	44	1.84666	0.259	0.259	
-10	47.5	≦* <	52.5	40	1.76790	0.248	0.248	
-11	42.5	≦* <	47.5	36	1.68914	0.236	0.236	
-12	37.5	≦* <	42.5	32	1.61038	0.225	0.225	
-13	32.5	≦* <	37.5	28	1.53162	0.214	0.214	
-14	27.5	≦* <	32.5	24	1.45286	0.203	0.203	
-15	22.5	≦* <	27.5	20	1.37410	0.192	0.192	
-16	17.5	≦* <	22.5	16	1.29534	0.181	0.181	
-17	12.5	≦* <	17.5	12	1.21659	0.170	0.170	
-18	7.5	≦* <	12.5	8	1.13783	0.159	0.159	
-19	2.5	≦* <	7.5	4	1.05907	0.148	0.148	
-20	0.0	≦* <	2.5	1.00	1.00000	0.140	0.140	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.280 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.697	0.697	
19	192.5	≧* <	197.5	156	4.05190	0.539	0.539	
18	187.5	≧* <	192.5	152	3.97314	0.528	0.528	
17	182.5	≧* <	187.5	148	3.89438	0.518	0.518	
16	177.5	≧* <	182.5	144	3.81562	0.507	0.507	
15	172.5	≧* <	177.5	140	3.73686	0.497	0.497	
14	167.5	≧* <	172.5	136	3.65810	0.486	0.486	
13	162.5	≧* <	167.5	132	3.57934	0.476	0.476	
12	157.5	≧* <	162.5	128	3.50059	0.466	0.466	
11	152.5	≧* <	157.5	124	3.42183	0.455	0.455	
10	147.5	≧* <	152.5	120	3.34307	0.445	0.445	
9	142.5	≧* <	147.5	116	3.26431	0.434	0.434	
8	137.5	≧* <	142.5	112	3.18555	0.424	0.424	
7	132.5	≧* <	137.5	108	3.10679	0.413	0.413	
6	127.5	≧* <	132.5	104	3.02803	0.403	0.403	
5	122.5	≧* <	127.5	100	2.94928	0.392	0.392	
4	117.5	≧* <	122.5	96	2.87052	0.382	0.382	
3	112.5	≧* <	117.5	92	2.79176	0.371	0.371	
2	107.5	≧* <	112.5	88	2.71300	0.361	0.361	
1	102.5	≧* <	107.5	84	2.63424	0.351	0.351	
0	97.5	≧* <	102.5	80	2.55548	0.340	0.340	
-1	92.5	≧* <	97.5	76	2.47672	0.330	0.330	
-2	87.5	≧* <	92.5	72	2.39797	0.319	0.319	
-3	82.5	≧* <	87.5	68	2.31921	0.309	0.309	
-4	77.5	≧* <	82.5	64	2.24045	0.298	0.298	
-5	72.5	≧* <	77.5	60	2.16169	0.288	0.288	
-6	67.5	≧* <	72.5	56	2.08293	0.277	0.277	
-7	62.5	≧* <	67.5	52	2.00417	0.267	0.267	
-8	57.5	≧* <	62.5	48	1.92541	0.257	0.257	
-9	52.5	≧* <	57.5	44	1.84666	0.246	0.246	
-10	47.5	≧* <	52.5	40	1.76790	0.236	0.236	
-11	42.5	≧* <	47.5	36	1.68914	0.224	0.224	
-12	37.5	≧* <	42.5	32	1.61038	0.214	0.214	
-13	32.5	≧* <	37.5	28	1.53162	0.203	0.203	
-14	27.5	≧* <	32.5	24	1.45286	0.193	0.193	
-15	22.5	≧* <	27.5	20	1.37410	0.182	0.182	
-16	17.5	≧* <	22.5	16	1.29534	0.172	0.172	
-17	12.5	≧* <	17.5	12	1.21659	0.162	0.162	
-18	7.5	≧* <	12.5	8	1.13783	0.151	0.151	
-19	2.5	≧* <	7.5	4	1.05907	0.141	0.141	
-20	0.0	≧* <	2.5	1.00	1.00000	0.133	0.133	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.005 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.013	0.013	
19	192.5	≦* <	197.5	156	4.05190	0.010	0.010	
18	187.5	≦* <	192.5	152	3.97314	0.010	0.010	
17	182.5	≦* <	187.5	148	3.89438	0.010	0.010	
16	177.5	≦* <	182.5	144	3.81562	0.010	0.010	
15	172.5	≦* <	177.5	140	3.73686	0.009	0.009	
14	167.5	≦* <	172.5	136	3.65810	0.009	0.009	
13	162.5	≦* <	167.5	132	3.57934	0.009	0.009	
12	157.5	≦* <	162.5	128	3.50059	0.009	0.009	
11	152.5	≦* <	157.5	124	3.42183	0.009	0.009	
10	147.5	≦* <	152.5	120	3.34307	0.008	0.008	
9	142.5	≦* <	147.5	116	3.26431	0.008	0.008	
8	137.5	≦* <	142.5	112	3.18555	0.008	0.008	
7	132.5	≦* <	137.5	108	3.10679	0.008	0.008	
6	127.5	≦* <	132.5	104	3.02803	0.008	0.008	
5	122.5	≦* <	127.5	100	2.94928	0.007	0.007	
4	117.5	≦* <	122.5	96	2.87052	0.007	0.007	
3	112.5	≦* <	117.5	92	2.79176	0.007	0.007	
2	107.5	≦* <	112.5	88	2.71300	0.007	0.007	
1	102.5	≦* <	107.5	84	2.63424	0.007	0.007	
0	97.5	≦* <	102.5	80	2.55548	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.47672	0.006	0.006	
-2	87.5	≦* <	92.5	72	2.39797	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.31921	0.006	0.006	
-4	77.5	≦* <	82.5	64	2.24045	0.006	0.006	
-5	72.5	≦* <	77.5	60	2.16169	0.005	0.005	
-6	67.5	≦* <	72.5	56	2.08293	0.005	0.005	
-7	62.5	≦* <	67.5	52	2.00417	0.005	0.005	
-8	57.5	≦* <	62.5	48	1.92541	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.84666	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.76790	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.68914	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.61038	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.53162	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.45286	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.37410	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29534	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21659	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.13783	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.05907	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.005 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.012	0.012	
19	192.5	≦* <	197.5	156	4.05190	0.010	0.010	
18	187.5	≦* <	192.5	152	3.97314	0.010	0.010	
17	182.5	≦* <	187.5	148	3.89438	0.010	0.010	
16	177.5	≦* <	182.5	144	3.81562	0.010	0.010	
15	172.5	≦* <	177.5	140	3.73686	0.009	0.009	
14	167.5	≦* <	172.5	136	3.65810	0.009	0.009	
13	162.5	≦* <	167.5	132	3.57934	0.009	0.009	
12	157.5	≦* <	162.5	128	3.50059	0.009	0.009	
11	152.5	≦* <	157.5	124	3.42183	0.009	0.009	
10	147.5	≦* <	152.5	120	3.34307	0.008	0.008	
9	142.5	≦* <	147.5	116	3.26431	0.008	0.008	
8	137.5	≦* <	142.5	112	3.18555	0.008	0.008	
7	132.5	≦* <	137.5	108	3.10679	0.008	0.008	
6	127.5	≦* <	132.5	104	3.02803	0.008	0.008	
5	122.5	≦* <	127.5	100	2.94928	0.007	0.007	
4	117.5	≦* <	122.5	96	2.87052	0.007	0.007	
3	112.5	≦* <	117.5	92	2.79176	0.007	0.007	
2	107.5	≦* <	112.5	88	2.71300	0.007	0.007	
1	102.5	≦* <	107.5	84	2.63424	0.007	0.007	
0	97.5	≦* <	102.5	80	2.55548	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.47672	0.006	0.006	
-2	87.5	≦* <	92.5	72	2.39797	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.31921	0.006	0.006	
-4	77.5	≦* <	82.5	64	2.24045	0.006	0.006	
-5	72.5	≦* <	77.5	60	2.16169	0.005	0.005	
-6	67.5	≦* <	72.5	56	2.08293	0.005	0.005	
-7	62.5	≦* <	67.5	52	2.00417	0.005	0.005	
-8	57.5	≦* <	62.5	48	1.92541	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.84666	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.76790	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.68914	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.61038	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.53162	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.45286	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.37410	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29534	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21659	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.13783	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.05907	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.205 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.566	0.566	
19	192.5	≦* <	197.5	156	3.46093	0.355	0.355	
18	187.5	≦* <	192.5	152	3.39742	0.348	0.348	
17	182.5	≦* <	187.5	148	3.33391	0.342	0.342	
16	177.5	≦* <	182.5	144	3.27041	0.335	0.335	
15	172.5	≦* <	177.5	140	3.20690	0.329	0.329	
14	167.5	≦* <	172.5	136	3.14339	0.322	0.322	
13	162.5	≦* <	167.5	132	3.07988	0.316	0.316	
12	157.5	≦* <	162.5	128	3.01637	0.309	0.309	
11	152.5	≦* <	157.5	124	2.95287	0.303	0.303	
10	147.5	≦* <	152.5	120	2.88936	0.296	0.296	
9	142.5	≦* <	147.5	116	2.82585	0.290	0.290	
8	137.5	≦* <	142.5	112	2.76234	0.283	0.283	
7	132.5	≦* <	137.5	108	2.69884	0.277	0.277	
6	127.5	≦* <	132.5	104	2.63533	0.270	0.270	
5	122.5	≦* <	127.5	100	2.57182	0.264	0.264	
4	117.5	≦* <	122.5	96	2.50831	0.257	0.257	
3	112.5	≦* <	117.5	92	2.44480	0.251	0.251	
2	107.5	≦* <	112.5	88	2.38130	0.244	0.244	
1	102.5	≦* <	107.5	84	2.31779	0.238	0.238	
0	97.5	≦* <	102.5	80	2.25428	0.231	0.231	
-1	92.5	≦* <	97.5	76	2.19077	0.225	0.225	
-2	87.5	≦* <	92.5	72	2.12726	0.218	0.218	
-3	82.5	≦* <	87.5	68	2.06376	0.212	0.212	
-4	77.5	≦* <	82.5	64	2.00025	0.205	0.205	
-5	72.5	≦* <	77.5	60	1.93674	0.199	0.199	
-6	67.5	≦* <	72.5	56	1.87323	0.192	0.192	
-7	62.5	≦* <	67.5	52	1.80973	0.185	0.185	
-8	57.5	≦* <	62.5	48	1.74622	0.179	0.179	
-9	52.5	≦* <	57.5	44	1.68271	0.172	0.172	
-10	47.5	≦* <	52.5	40	1.61920	0.166	0.166	
-11	42.5	≦* <	47.5	36	1.55569	0.159	0.159	
-12	37.5	≦* <	42.5	32	1.49219	0.153	0.153	
-13	32.5	≦* <	37.5	28	1.42868	0.146	0.146	
-14	27.5	≦* <	32.5	24	1.36517	0.140	0.140	
-15	22.5	≦* <	27.5	20	1.30166	0.133	0.133	
-16	17.5	≦* <	22.5	16	1.23815	0.127	0.127	
-17	12.5	≦* <	17.5	12	1.17465	0.120	0.120	
-18	7.5	≦* <	12.5	8	1.11114	0.114	0.114	
-19	2.5	≦* <	7.5	4	1.04763	0.107	0.107	
-20	0.0	≦* <	2.5	1.00	1.00000	0.102	0.102	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.205 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.538	0.538	
19	192.5	≧* <	197.5	156	3.46093	0.337	0.337	
18	187.5	≧* <	192.5	152	3.39742	0.331	0.331	
17	182.5	≧* <	187.5	148	3.33391	0.325	0.325	
16	177.5	≧* <	182.5	144	3.27041	0.318	0.318	
15	172.5	≧* <	177.5	140	3.20690	0.313	0.313	
14	167.5	≧* <	172.5	136	3.14339	0.306	0.306	
13	162.5	≧* <	167.5	132	3.07988	0.300	0.300	
12	157.5	≧* <	162.5	128	3.01637	0.294	0.294	
11	152.5	≧* <	157.5	124	2.95287	0.288	0.288	
10	147.5	≧* <	152.5	120	2.88936	0.281	0.281	
9	142.5	≧* <	147.5	116	2.82585	0.276	0.276	
8	137.5	≧* <	142.5	112	2.76234	0.269	0.269	
7	132.5	≧* <	137.5	108	2.69884	0.263	0.263	
6	127.5	≧* <	132.5	104	2.63533	0.257	0.257	
5	122.5	≧* <	127.5	100	2.57182	0.251	0.251	
4	117.5	≧* <	122.5	96	2.50831	0.244	0.244	
3	112.5	≧* <	117.5	92	2.44480	0.238	0.238	
2	107.5	≧* <	112.5	88	2.38130	0.232	0.232	
1	102.5	≧* <	107.5	84	2.31779	0.226	0.226	
0	97.5	≧* <	102.5	80	2.25428	0.219	0.219	
-1	92.5	≧* <	97.5	76	2.19077	0.214	0.214	
-2	87.5	≧* <	92.5	72	2.12726	0.207	0.207	
-3	82.5	≧* <	87.5	68	2.06376	0.201	0.201	
-4	77.5	≧* <	82.5	64	2.00025	0.195	0.195	
-5	72.5	≧* <	77.5	60	1.93674	0.189	0.189	
-6	67.5	≧* <	72.5	56	1.87323	0.182	0.182	
-7	62.5	≧* <	67.5	52	1.80973	0.176	0.176	
-8	57.5	≧* <	62.5	48	1.74622	0.170	0.170	
-9	52.5	≧* <	57.5	44	1.68271	0.163	0.163	
-10	47.5	≧* <	52.5	40	1.61920	0.158	0.158	
-11	42.5	≧* <	47.5	36	1.55569	0.151	0.151	
-12	37.5	≧* <	42.5	32	1.49219	0.145	0.145	
-13	32.5	≧* <	37.5	28	1.42868	0.139	0.139	
-14	27.5	≧* <	32.5	24	1.36517	0.133	0.133	
-15	22.5	≧* <	27.5	20	1.30166	0.126	0.126	
-16	17.5	≧* <	22.5	16	1.23815	0.121	0.121	
-17	12.5	≧* <	17.5	12	1.17465	0.114	0.114	
-18	7.5	≧* <	12.5	8	1.11114	0.108	0.108	
-19	2.5	≧* <	7.5	4	1.04763	0.102	0.102	
-20	0.0	≧* <	2.5	1.00	1.00000	0.097	0.097	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.014	0.014	
19	192.5	≦* <	197.5	156	3.46093	0.009	0.009	
18	187.5	≦* <	192.5	152	3.39742	0.008	0.008	
17	182.5	≦* <	187.5	148	3.33391	0.008	0.008	
16	177.5	≦* <	182.5	144	3.27041	0.008	0.008	
15	172.5	≦* <	177.5	140	3.20690	0.008	0.008	
14	167.5	≦* <	172.5	136	3.14339	0.008	0.008	
13	162.5	≦* <	167.5	132	3.07988	0.008	0.008	
12	157.5	≦* <	162.5	128	3.01637	0.008	0.008	
11	152.5	≦* <	157.5	124	2.95287	0.007	0.007	
10	147.5	≦* <	152.5	120	2.88936	0.007	0.007	
9	142.5	≦* <	147.5	116	2.82585	0.007	0.007	
8	137.5	≦* <	142.5	112	2.76234	0.007	0.007	
7	132.5	≦* <	137.5	108	2.69884	0.007	0.007	
6	127.5	≦* <	132.5	104	2.63533	0.007	0.007	
5	122.5	≦* <	127.5	100	2.57182	0.006	0.006	
4	117.5	≦* <	122.5	96	2.50831	0.006	0.006	
3	112.5	≦* <	117.5	92	2.44480	0.006	0.006	
2	107.5	≦* <	112.5	88	2.38130	0.006	0.006	
1	102.5	≦* <	107.5	84	2.31779	0.006	0.006	
0	97.5	≦* <	102.5	80	2.25428	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.19077	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.12726	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.06376	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.00025	0.005	0.005	
-5	72.5	≦* <	77.5	60	1.93674	0.005	0.005	
-6	67.5	≦* <	72.5	56	1.87323	0.005	0.005	
-7	62.5	≦* <	67.5	52	1.80973	0.005	0.005	
-8	57.5	≦* <	62.5	48	1.74622	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.68271	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.61920	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.55569	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.49219	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.42868	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23815	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.17465	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.11114	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.04763	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.013	0.013	
19	192.5	≦* <	197.5	156	3.46093	0.009	0.009	
18	187.5	≦* <	192.5	152	3.39742	0.008	0.008	
17	182.5	≦* <	187.5	148	3.33391	0.008	0.008	
16	177.5	≦* <	182.5	144	3.27041	0.008	0.008	
15	172.5	≦* <	177.5	140	3.20690	0.008	0.008	
14	167.5	≦* <	172.5	136	3.14339	0.008	0.008	
13	162.5	≦* <	167.5	132	3.07988	0.008	0.008	
12	157.5	≦* <	162.5	128	3.01637	0.008	0.008	
11	152.5	≦* <	157.5	124	2.95287	0.007	0.007	
10	147.5	≦* <	152.5	120	2.88936	0.007	0.007	
9	142.5	≦* <	147.5	116	2.82585	0.007	0.007	
8	137.5	≦* <	142.5	112	2.76234	0.007	0.007	
7	132.5	≦* <	137.5	108	2.69884	0.007	0.007	
6	127.5	≦* <	132.5	104	2.63533	0.007	0.007	
5	122.5	≦* <	127.5	100	2.57182	0.006	0.006	
4	117.5	≦* <	122.5	96	2.50831	0.006	0.006	
3	112.5	≦* <	117.5	92	2.44480	0.006	0.006	
2	107.5	≦* <	112.5	88	2.38130	0.006	0.006	
1	102.5	≦* <	107.5	84	2.31779	0.006	0.006	
0	97.5	≦* <	102.5	80	2.25428	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.19077	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.12726	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.06376	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.00025	0.005	0.005	
-5	72.5	≦* <	77.5	60	1.93674	0.005	0.005	
-6	67.5	≦* <	72.5	56	1.87323	0.005	0.005	
-7	62.5	≦* <	67.5	52	1.80973	0.005	0.005	
-8	57.5	≦* <	62.5	48	1.74622	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.68271	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.61920	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.55569	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.49219	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.42868	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23815	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.17465	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.11114	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.04763	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.176 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.486	0.486	
19	192.5	≦* <	197.5	156	3.46093	0.305	0.305	
18	187.5	≦* <	192.5	152	3.39742	0.299	0.299	
17	182.5	≦* <	187.5	148	3.33391	0.293	0.293	
16	177.5	≦* <	182.5	144	3.27041	0.288	0.288	
15	172.5	≦* <	177.5	140	3.20690	0.282	0.282	
14	167.5	≦* <	172.5	136	3.14339	0.277	0.277	
13	162.5	≦* <	167.5	132	3.07988	0.271	0.271	
12	157.5	≦* <	162.5	128	3.01637	0.265	0.265	
11	152.5	≦* <	157.5	124	2.95287	0.260	0.260	
10	147.5	≦* <	152.5	120	2.88936	0.254	0.254	
9	142.5	≦* <	147.5	116	2.82585	0.249	0.249	
8	137.5	≦* <	142.5	112	2.76234	0.243	0.243	
7	132.5	≦* <	137.5	108	2.69884	0.237	0.237	
6	127.5	≦* <	132.5	104	2.63533	0.232	0.232	
5	122.5	≦* <	127.5	100	2.57182	0.226	0.226	
4	117.5	≦* <	122.5	96	2.50831	0.221	0.221	
3	112.5	≦* <	117.5	92	2.44480	0.215	0.215	
2	107.5	≦* <	112.5	88	2.38130	0.210	0.210	
1	102.5	≦* <	107.5	84	2.31779	0.204	0.204	
0	97.5	≦* <	102.5	80	2.25428	0.198	0.198	
-1	92.5	≦* <	97.5	76	2.19077	0.193	0.193	
-2	87.5	≦* <	92.5	72	2.12726	0.187	0.187	
-3	82.5	≦* <	87.5	68	2.06376	0.182	0.182	
-4	77.5	≦* <	82.5	64	2.00025	0.176	0.176	
-5	72.5	≦* <	77.5	60	1.93674	0.170	0.170	
-6	67.5	≦* <	72.5	56	1.87323	0.165	0.165	
-7	62.5	≦* <	67.5	52	1.80973	0.159	0.159	
-8	57.5	≦* <	62.5	48	1.74622	0.154	0.154	
-9	52.5	≦* <	57.5	44	1.68271	0.148	0.148	
-10	47.5	≦* <	52.5	40	1.61920	0.142	0.142	
-11	42.5	≦* <	47.5	36	1.55569	0.137	0.137	
-12	37.5	≦* <	42.5	32	1.49219	0.131	0.131	
-13	32.5	≦* <	37.5	28	1.42868	0.126	0.126	
-14	27.5	≦* <	32.5	24	1.36517	0.120	0.120	
-15	22.5	≦* <	27.5	20	1.30166	0.115	0.115	
-16	17.5	≦* <	22.5	16	1.23815	0.109	0.109	
-17	12.5	≦* <	17.5	12	1.17465	0.103	0.103	
-18	7.5	≦* <	12.5	8	1.11114	0.098	0.098	
-19	2.5	≦* <	7.5	4	1.04763	0.092	0.092	
-20	0.0	≦* <	2.5	1.00	1.00000	0.088	0.088	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.176 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.462	0.462	
19	192.5	≦* <	197.5	156	3.46093	0.290	0.290	
18	187.5	≦* <	192.5	152	3.39742	0.284	0.284	
17	182.5	≦* <	187.5	148	3.33391	0.278	0.278	
16	177.5	≦* <	182.5	144	3.27041	0.274	0.274	
15	172.5	≦* <	177.5	140	3.20690	0.268	0.268	
14	167.5	≦* <	172.5	136	3.14339	0.263	0.263	
13	162.5	≦* <	167.5	132	3.07988	0.257	0.257	
12	157.5	≦* <	162.5	128	3.01637	0.252	0.252	
11	152.5	≦* <	157.5	124	2.95287	0.247	0.247	
10	147.5	≦* <	152.5	120	2.88936	0.241	0.241	
9	142.5	≦* <	147.5	116	2.82585	0.237	0.237	
8	137.5	≦* <	142.5	112	2.76234	0.231	0.231	
7	132.5	≦* <	137.5	108	2.69884	0.225	0.225	
6	127.5	≦* <	132.5	104	2.63533	0.220	0.220	
5	122.5	≦* <	127.5	100	2.57182	0.215	0.215	
4	117.5	≦* <	122.5	96	2.50831	0.210	0.210	
3	112.5	≦* <	117.5	92	2.44480	0.204	0.204	
2	107.5	≦* <	112.5	88	2.38130	0.200	0.200	
1	102.5	≦* <	107.5	84	2.31779	0.194	0.194	
0	97.5	≦* <	102.5	80	2.25428	0.188	0.188	
-1	92.5	≦* <	97.5	76	2.19077	0.183	0.183	
-2	87.5	≦* <	92.5	72	2.12726	0.178	0.178	
-3	82.5	≦* <	87.5	68	2.06376	0.173	0.173	
-4	77.5	≦* <	82.5	64	2.00025	0.167	0.167	
-5	72.5	≦* <	77.5	60	1.93674	0.162	0.162	
-6	67.5	≦* <	72.5	56	1.87323	0.157	0.157	
-7	62.5	≦* <	67.5	52	1.80973	0.151	0.151	
-8	57.5	≦* <	62.5	48	1.74622	0.146	0.146	
-9	52.5	≦* <	57.5	44	1.68271	0.141	0.141	
-10	47.5	≦* <	52.5	40	1.61920	0.135	0.135	
-11	42.5	≦* <	47.5	36	1.55569	0.130	0.130	
-12	37.5	≦* <	42.5	32	1.49219	0.124	0.124	
-13	32.5	≦* <	37.5	28	1.42868	0.120	0.120	
-14	27.5	≦* <	32.5	24	1.36517	0.114	0.114	
-15	22.5	≦* <	27.5	20	1.30166	0.109	0.109	
-16	17.5	≦* <	22.5	16	1.23815	0.104	0.104	
-17	12.5	≦* <	17.5	12	1.17465	0.098	0.098	
-18	7.5	≦* <	12.5	8	1.11114	0.093	0.093	
-19	2.5	≦* <	7.5	4	1.04763	0.087	0.087	
-20	0.0	≦* <	2.5	1.00	1.00000	0.084	0.084	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.011	0.011	
19	192.5	≦* <	197.5	156	3.46093	0.007	0.007	
18	187.5	≦* <	192.5	152	3.39742	0.007	0.007	
17	182.5	≦* <	187.5	148	3.33391	0.007	0.007	
16	177.5	≦* <	182.5	144	3.27041	0.007	0.007	
15	172.5	≦* <	177.5	140	3.20690	0.006	0.006	
14	167.5	≦* <	172.5	136	3.14339	0.006	0.006	
13	162.5	≦* <	167.5	132	3.07988	0.006	0.006	
12	157.5	≦* <	162.5	128	3.01637	0.006	0.006	
11	152.5	≦* <	157.5	124	2.95287	0.006	0.006	
10	147.5	≦* <	152.5	120	2.88936	0.006	0.006	
9	142.5	≦* <	147.5	116	2.82585	0.006	0.006	
8	137.5	≦* <	142.5	112	2.76234	0.006	0.006	
7	132.5	≦* <	137.5	108	2.69884	0.005	0.005	
6	127.5	≦* <	132.5	104	2.63533	0.005	0.005	
5	122.5	≦* <	127.5	100	2.57182	0.005	0.005	
4	117.5	≦* <	122.5	96	2.50831	0.005	0.005	
3	112.5	≦* <	117.5	92	2.44480	0.005	0.005	
2	107.5	≦* <	112.5	88	2.38130	0.005	0.005	
1	102.5	≦* <	107.5	84	2.31779	0.005	0.005	
0	97.5	≦* <	102.5	80	2.25428	0.005	0.005	
-1	92.5	≦* <	97.5	76	2.19077	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.12726	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.06376	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.00025	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.93674	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.87323	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.80973	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.55569	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.49219	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.42868	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.010	0.010	
19	192.5	≧* <	197.5	156	3.46093	0.007	0.007	
18	187.5	≧* <	192.5	152	3.39742	0.007	0.007	
17	182.5	≧* <	187.5	148	3.33391	0.007	0.007	
16	177.5	≧* <	182.5	144	3.27041	0.007	0.007	
15	172.5	≧* <	177.5	140	3.20690	0.006	0.006	
14	167.5	≧* <	172.5	136	3.14339	0.006	0.006	
13	162.5	≧* <	167.5	132	3.07988	0.006	0.006	
12	157.5	≧* <	162.5	128	3.01637	0.006	0.006	
11	152.5	≧* <	157.5	124	2.95287	0.006	0.006	
10	147.5	≧* <	152.5	120	2.88936	0.006	0.006	
9	142.5	≧* <	147.5	116	2.82585	0.006	0.006	
8	137.5	≧* <	142.5	112	2.76234	0.006	0.006	
7	132.5	≧* <	137.5	108	2.69884	0.005	0.005	
6	127.5	≧* <	132.5	104	2.63533	0.005	0.005	
5	122.5	≧* <	127.5	100	2.57182	0.005	0.005	
4	117.5	≧* <	122.5	96	2.50831	0.005	0.005	
3	112.5	≧* <	117.5	92	2.44480	0.005	0.005	
2	107.5	≧* <	112.5	88	2.38130	0.005	0.005	
1	102.5	≧* <	107.5	84	2.31779	0.005	0.005	
0	97.5	≧* <	102.5	80	2.25428	0.005	0.005	
-1	92.5	≧* <	97.5	76	2.19077	0.004	0.004	
-2	87.5	≧* <	92.5	72	2.12726	0.004	0.004	
-3	82.5	≧* <	87.5	68	2.06376	0.004	0.004	
-4	77.5	≧* <	82.5	64	2.00025	0.004	0.004	
-5	72.5	≧* <	77.5	60	1.93674	0.004	0.004	
-6	67.5	≧* <	72.5	56	1.87323	0.004	0.004	
-7	62.5	≧* <	67.5	52	1.80973	0.004	0.004	
-8	57.5	≧* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≧* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≧* <	52.5	40	1.61920	0.003	0.003	
-11	42.5	≧* <	47.5	36	1.55569	0.003	0.003	
-12	37.5	≧* <	42.5	32	1.49219	0.003	0.003	
-13	32.5	≧* <	37.5	28	1.42868	0.003	0.003	
-14	27.5	≧* <	32.5	24	1.36517	0.003	0.003	
-15	22.5	≧* <	27.5	20	1.30166	0.003	0.003	
-16	17.5	≧* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≧* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≧* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≧* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≧* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.145 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.400	0.400	
19	192.5	≦* <	197.5	156	3.46093	0.251	0.251	
18	187.5	≦* <	192.5	152	3.39742	0.246	0.246	
17	182.5	≦* <	187.5	148	3.33391	0.242	0.242	
16	177.5	≦* <	182.5	144	3.27041	0.237	0.237	
15	172.5	≦* <	177.5	140	3.20690	0.233	0.233	
14	167.5	≦* <	172.5	136	3.14339	0.228	0.228	
13	162.5	≦* <	167.5	132	3.07988	0.223	0.223	
12	157.5	≦* <	162.5	128	3.01637	0.219	0.219	
11	152.5	≦* <	157.5	124	2.95287	0.214	0.214	
10	147.5	≦* <	152.5	120	2.88936	0.209	0.209	
9	142.5	≦* <	147.5	116	2.82585	0.205	0.205	
8	137.5	≦* <	142.5	112	2.76234	0.200	0.200	
7	132.5	≦* <	137.5	108	2.69884	0.196	0.196	
6	127.5	≦* <	132.5	104	2.63533	0.191	0.191	
5	122.5	≦* <	127.5	100	2.57182	0.186	0.186	
4	117.5	≦* <	122.5	96	2.50831	0.182	0.182	
3	112.5	≦* <	117.5	92	2.44480	0.177	0.177	
2	107.5	≦* <	112.5	88	2.38130	0.173	0.173	
1	102.5	≦* <	107.5	84	2.31779	0.168	0.168	
0	97.5	≦* <	102.5	80	2.25428	0.163	0.163	
-1	92.5	≦* <	97.5	76	2.19077	0.159	0.159	
-2	87.5	≦* <	92.5	72	2.12726	0.154	0.154	
-3	82.5	≦* <	87.5	68	2.06376	0.150	0.150	
-4	77.5	≦* <	82.5	64	2.00025	0.145	0.145	
-5	72.5	≦* <	77.5	60	1.93674	0.140	0.140	
-6	67.5	≦* <	72.5	56	1.87323	0.136	0.136	
-7	62.5	≦* <	67.5	52	1.80973	0.131	0.131	
-8	57.5	≦* <	62.5	48	1.74622	0.127	0.127	
-9	52.5	≦* <	57.5	44	1.68271	0.122	0.122	
-10	47.5	≦* <	52.5	40	1.61920	0.117	0.117	
-11	42.5	≦* <	47.5	36	1.55569	0.113	0.113	
-12	37.5	≦* <	42.5	32	1.49219	0.108	0.108	
-13	32.5	≦* <	37.5	28	1.42868	0.104	0.104	
-14	27.5	≦* <	32.5	24	1.36517	0.099	0.099	
-15	22.5	≦* <	27.5	20	1.30166	0.094	0.094	
-16	17.5	≦* <	22.5	16	1.23815	0.090	0.090	
-17	12.5	≦* <	17.5	12	1.17465	0.085	0.085	
-18	7.5	≦* <	12.5	8	1.11114	0.081	0.081	
-19	2.5	≦* <	7.5	4	1.04763	0.076	0.076	
-20	0.0	≦* <	2.5	1.00	1.00000	0.072	0.072	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.145 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.380	0.380	
19	192.5	≦* <	197.5	156	3.46093	0.238	0.238	
18	187.5	≦* <	192.5	152	3.39742	0.234	0.234	
17	182.5	≦* <	187.5	148	3.33391	0.230	0.230	
16	177.5	≦* <	182.5	144	3.27041	0.225	0.225	
15	172.5	≦* <	177.5	140	3.20690	0.221	0.221	
14	167.5	≦* <	172.5	136	3.14339	0.217	0.217	
13	162.5	≦* <	167.5	132	3.07988	0.212	0.212	
12	157.5	≦* <	162.5	128	3.01637	0.208	0.208	
11	152.5	≦* <	157.5	124	2.95287	0.203	0.203	
10	147.5	≦* <	152.5	120	2.88936	0.199	0.199	
9	142.5	≦* <	147.5	116	2.82585	0.195	0.195	
8	137.5	≦* <	142.5	112	2.76234	0.190	0.190	
7	132.5	≦* <	137.5	108	2.69884	0.186	0.186	
6	127.5	≦* <	132.5	104	2.63533	0.181	0.181	
5	122.5	≦* <	127.5	100	2.57182	0.177	0.177	
4	117.5	≦* <	122.5	96	2.50831	0.173	0.173	
3	112.5	≦* <	117.5	92	2.44480	0.168	0.168	
2	107.5	≦* <	112.5	88	2.38130	0.164	0.164	
1	102.5	≦* <	107.5	84	2.31779	0.160	0.160	
0	97.5	≦* <	102.5	80	2.25428	0.155	0.155	
-1	92.5	≦* <	97.5	76	2.19077	0.151	0.151	
-2	87.5	≦* <	92.5	72	2.12726	0.146	0.146	
-3	82.5	≦* <	87.5	68	2.06376	0.143	0.143	
-4	77.5	≦* <	82.5	64	2.00025	0.138	0.138	
-5	72.5	≦* <	77.5	60	1.93674	0.133	0.133	
-6	67.5	≦* <	72.5	56	1.87323	0.129	0.129	
-7	62.5	≦* <	67.5	52	1.80973	0.124	0.124	
-8	57.5	≦* <	62.5	48	1.74622	0.121	0.121	
-9	52.5	≦* <	57.5	44	1.68271	0.116	0.116	
-10	47.5	≦* <	52.5	40	1.61920	0.111	0.111	
-11	42.5	≦* <	47.5	36	1.55569	0.107	0.107	
-12	37.5	≦* <	42.5	32	1.49219	0.103	0.103	
-13	32.5	≦* <	37.5	28	1.42868	0.099	0.099	
-14	27.5	≦* <	32.5	24	1.36517	0.094	0.094	
-15	22.5	≦* <	27.5	20	1.30166	0.089	0.089	
-16	17.5	≦* <	22.5	16	1.23815	0.086	0.086	
-17	12.5	≦* <	17.5	12	1.17465	0.081	0.081	
-18	7.5	≦* <	12.5	8	1.11114	0.077	0.077	
-19	2.5	≦* <	7.5	4	1.04763	0.072	0.072	
-20	0.0	≦* <	2.5	1.00	1.00000	0.068	0.068	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.139 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.384	0.384	
19	192.5	≦* <	197.5	156	3.46093	0.241	0.241	
18	187.5	≦* <	192.5	152	3.39742	0.236	0.236	
17	182.5	≦* <	187.5	148	3.33391	0.232	0.232	
16	177.5	≦* <	182.5	144	3.27041	0.227	0.227	
15	172.5	≦* <	177.5	140	3.20690	0.223	0.223	
14	167.5	≦* <	172.5	136	3.14339	0.218	0.218	
13	162.5	≦* <	167.5	132	3.07988	0.214	0.214	
12	157.5	≦* <	162.5	128	3.01637	0.210	0.210	
11	152.5	≦* <	157.5	124	2.95287	0.205	0.205	
10	147.5	≦* <	152.5	120	2.88936	0.201	0.201	
9	142.5	≦* <	147.5	116	2.82585	0.196	0.196	
8	137.5	≦* <	142.5	112	2.76234	0.192	0.192	
7	132.5	≦* <	137.5	108	2.69884	0.188	0.188	
6	127.5	≦* <	132.5	104	2.63533	0.183	0.183	
5	122.5	≦* <	127.5	100	2.57182	0.179	0.179	
4	117.5	≦* <	122.5	96	2.50831	0.174	0.174	
3	112.5	≦* <	117.5	92	2.44480	0.170	0.170	
2	107.5	≦* <	112.5	88	2.38130	0.166	0.166	
1	102.5	≦* <	107.5	84	2.31779	0.161	0.161	
0	97.5	≦* <	102.5	80	2.25428	0.157	0.157	
-1	92.5	≦* <	97.5	76	2.19077	0.152	0.152	
-2	87.5	≦* <	92.5	72	2.12726	0.148	0.148	
-3	82.5	≦* <	87.5	68	2.06376	0.143	0.143	
-4	77.5	≦* <	82.5	64	2.00025	0.139	0.139	
-5	72.5	≦* <	77.5	60	1.93674	0.135	0.135	
-6	67.5	≦* <	72.5	56	1.87323	0.130	0.130	
-7	62.5	≦* <	67.5	52	1.80973	0.126	0.126	
-8	57.5	≦* <	62.5	48	1.74622	0.121	0.121	
-9	52.5	≦* <	57.5	44	1.68271	0.117	0.117	
-10	47.5	≦* <	52.5	40	1.61920	0.113	0.113	
-11	42.5	≦* <	47.5	36	1.55569	0.108	0.108	
-12	37.5	≦* <	42.5	32	1.49219	0.104	0.104	
-13	32.5	≦* <	37.5	28	1.42868	0.099	0.099	
-14	27.5	≦* <	32.5	24	1.36517	0.095	0.095	
-15	22.5	≦* <	27.5	20	1.30166	0.090	0.090	
-16	17.5	≦* <	22.5	16	1.23815	0.086	0.086	
-17	12.5	≦* <	17.5	12	1.17465	0.082	0.082	
-18	7.5	≦* <	12.5	8	1.11114	0.077	0.077	
-19	2.5	≦* <	7.5	4	1.04763	0.073	0.073	
-20	0.0	≦* <	2.5	1.00	1.00000	0.069	0.069	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.139 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.365	0.365	
19	192.5	≦* <	197.5	156	3.46093	0.229	0.229	
18	187.5	≦* <	192.5	152	3.39742	0.224	0.224	
17	182.5	≦* <	187.5	148	3.33391	0.220	0.220	
16	177.5	≦* <	182.5	144	3.27041	0.216	0.216	
15	172.5	≦* <	177.5	140	3.20690	0.212	0.212	
14	167.5	≦* <	172.5	136	3.14339	0.207	0.207	
13	162.5	≦* <	167.5	132	3.07988	0.203	0.203	
12	157.5	≦* <	162.5	128	3.01637	0.200	0.200	
11	152.5	≦* <	157.5	124	2.95287	0.195	0.195	
10	147.5	≦* <	152.5	120	2.88936	0.191	0.191	
9	142.5	≦* <	147.5	116	2.82585	0.186	0.186	
8	137.5	≦* <	142.5	112	2.76234	0.182	0.182	
7	132.5	≦* <	137.5	108	2.69884	0.179	0.179	
6	127.5	≦* <	132.5	104	2.63533	0.174	0.174	
5	122.5	≦* <	127.5	100	2.57182	0.170	0.170	
4	117.5	≦* <	122.5	96	2.50831	0.165	0.165	
3	112.5	≦* <	117.5	92	2.44480	0.162	0.162	
2	107.5	≦* <	112.5	88	2.38130	0.158	0.158	
1	102.5	≦* <	107.5	84	2.31779	0.153	0.153	
0	97.5	≦* <	102.5	80	2.25428	0.149	0.149	
-1	92.5	≦* <	97.5	76	2.19077	0.144	0.144	
-2	87.5	≦* <	92.5	72	2.12726	0.141	0.141	
-3	82.5	≦* <	87.5	68	2.06376	0.136	0.136	
-4	77.5	≦* <	82.5	64	2.00025	0.132	0.132	
-5	72.5	≦* <	77.5	60	1.93674	0.128	0.128	
-6	67.5	≦* <	72.5	56	1.87323	0.124	0.124	
-7	62.5	≦* <	67.5	52	1.80973	0.120	0.120	
-8	57.5	≦* <	62.5	48	1.74622	0.115	0.115	
-9	52.5	≦* <	57.5	44	1.68271	0.111	0.111	
-10	47.5	≦* <	52.5	40	1.61920	0.107	0.107	
-11	42.5	≦* <	47.5	36	1.55569	0.103	0.103	
-12	37.5	≦* <	42.5	32	1.49219	0.099	0.099	
-13	32.5	≦* <	37.5	28	1.42868	0.094	0.094	
-14	27.5	≦* <	32.5	24	1.36517	0.090	0.090	
-15	22.5	≦* <	27.5	20	1.30166	0.086	0.086	
-16	17.5	≦* <	22.5	16	1.23815	0.082	0.082	
-17	12.5	≦* <	17.5	12	1.17465	0.078	0.078	
-18	7.5	≦* <	12.5	8	1.11114	0.073	0.073	
-19	2.5	≦* <	7.5	4	1.04763	0.069	0.069	
-20	0.0	≦* <	2.5	1.00	1.00000	0.066	0.066	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.086 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.237	0.237	
19	192.5	≦* <	197.5	156	3.46093	0.149	0.149	
18	187.5	≦* <	192.5	152	3.39742	0.146	0.146	
17	182.5	≦* <	187.5	148	3.33391	0.143	0.143	
16	177.5	≦* <	182.5	144	3.27041	0.141	0.141	
15	172.5	≦* <	177.5	140	3.20690	0.138	0.138	
14	167.5	≦* <	172.5	136	3.14339	0.135	0.135	
13	162.5	≦* <	167.5	132	3.07988	0.132	0.132	
12	157.5	≦* <	162.5	128	3.01637	0.130	0.130	
11	152.5	≦* <	157.5	124	2.95287	0.127	0.127	
10	147.5	≦* <	152.5	120	2.88936	0.124	0.124	
9	142.5	≦* <	147.5	116	2.82585	0.122	0.122	
8	137.5	≦* <	142.5	112	2.76234	0.119	0.119	
7	132.5	≦* <	137.5	108	2.69884	0.116	0.116	
6	127.5	≦* <	132.5	104	2.63533	0.113	0.113	
5	122.5	≦* <	127.5	100	2.57182	0.111	0.111	
4	117.5	≦* <	122.5	96	2.50831	0.108	0.108	
3	112.5	≦* <	117.5	92	2.44480	0.105	0.105	
2	107.5	≦* <	112.5	88	2.38130	0.102	0.102	
1	102.5	≦* <	107.5	84	2.31779	0.100	0.100	
0	97.5	≦* <	102.5	80	2.25428	0.097	0.097	
-1	92.5	≦* <	97.5	76	2.19077	0.094	0.094	
-2	87.5	≦* <	92.5	72	2.12726	0.091	0.091	
-3	82.5	≦* <	87.5	68	2.06376	0.089	0.089	
-4	77.5	≦* <	82.5	64	2.00025	0.086	0.086	
-5	72.5	≦* <	77.5	60	1.93674	0.083	0.083	
-6	67.5	≦* <	72.5	56	1.87323	0.081	0.081	
-7	62.5	≦* <	67.5	52	1.80973	0.078	0.078	
-8	57.5	≦* <	62.5	48	1.74622	0.075	0.075	
-9	52.5	≦* <	57.5	44	1.68271	0.072	0.072	
-10	47.5	≦* <	52.5	40	1.61920	0.070	0.070	
-11	42.5	≦* <	47.5	36	1.55569	0.067	0.067	
-12	37.5	≦* <	42.5	32	1.49219	0.064	0.064	
-13	32.5	≦* <	37.5	28	1.42868	0.061	0.061	
-14	27.5	≦* <	32.5	24	1.36517	0.059	0.059	
-15	22.5	≦* <	27.5	20	1.30166	0.056	0.056	
-16	17.5	≦* <	22.5	16	1.23815	0.053	0.053	
-17	12.5	≦* <	17.5	12	1.17465	0.051	0.051	
-18	7.5	≦* <	12.5	8	1.11114	0.048	0.048	
-19	2.5	≦* <	7.5	4	1.04763	0.045	0.045	
-20	0.0	≦* <	2.5	1.00	1.00000	0.043	0.043	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.086 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.225	0.225	
19	192.5	≦* <	197.5	156	3.46093	0.142	0.142	
18	187.5	≦* <	192.5	152	3.39742	0.139	0.139	
17	182.5	≦* <	187.5	148	3.33391	0.136	0.136	
16	177.5	≦* <	182.5	144	3.27041	0.134	0.134	
15	172.5	≦* <	177.5	140	3.20690	0.131	0.131	
14	167.5	≦* <	172.5	136	3.14339	0.128	0.128	
13	162.5	≦* <	167.5	132	3.07988	0.125	0.125	
12	157.5	≦* <	162.5	128	3.01637	0.124	0.124	
11	152.5	≦* <	157.5	124	2.95287	0.121	0.121	
10	147.5	≦* <	152.5	120	2.88936	0.118	0.118	
9	142.5	≦* <	147.5	116	2.82585	0.116	0.116	
8	137.5	≦* <	142.5	112	2.76234	0.113	0.113	
7	132.5	≦* <	137.5	108	2.69884	0.110	0.110	
6	127.5	≦* <	132.5	104	2.63533	0.107	0.107	
5	122.5	≦* <	127.5	100	2.57182	0.105	0.105	
4	117.5	≦* <	122.5	96	2.50831	0.103	0.103	
3	112.5	≦* <	117.5	92	2.44480	0.100	0.100	
2	107.5	≦* <	112.5	88	2.38130	0.097	0.097	
1	102.5	≦* <	107.5	84	2.31779	0.095	0.095	
0	97.5	≦* <	102.5	80	2.25428	0.092	0.092	
-1	92.5	≦* <	97.5	76	2.19077	0.089	0.089	
-2	87.5	≦* <	92.5	72	2.12726	0.086	0.086	
-3	82.5	≦* <	87.5	68	2.06376	0.085	0.085	
-4	77.5	≦* <	82.5	64	2.00025	0.082	0.082	
-5	72.5	≦* <	77.5	60	1.93674	0.079	0.079	
-6	67.5	≦* <	72.5	56	1.87323	0.077	0.077	
-7	62.5	≦* <	67.5	52	1.80973	0.074	0.074	
-8	57.5	≦* <	62.5	48	1.74622	0.071	0.071	
-9	52.5	≦* <	57.5	44	1.68271	0.068	0.068	
-10	47.5	≦* <	52.5	40	1.61920	0.067	0.067	
-11	42.5	≦* <	47.5	36	1.55569	0.064	0.064	
-12	37.5	≦* <	42.5	32	1.49219	0.061	0.061	
-13	32.5	≦* <	37.5	28	1.42868	0.058	0.058	
-14	27.5	≦* <	32.5	24	1.36517	0.056	0.056	
-15	22.5	≦* <	27.5	20	1.30166	0.053	0.053	
-16	17.5	≦* <	22.5	16	1.23815	0.050	0.050	
-17	12.5	≦* <	17.5	12	1.17465	0.048	0.048	
-18	7.5	≦* <	12.5	8	1.11114	0.046	0.046	
-19	2.5	≦* <	7.5	4	1.04763	0.043	0.043	
-20	0.0	≦* <	2.5	1.00	1.00000	0.041	0.041	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.033 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.084	0.084	
19	192.5	≦* <	197.5	156	3.42820	0.057	0.057	
18	187.5	≦* <	192.5	152	3.36553	0.056	0.056	
17	182.5	≦* <	187.5	148	3.30287	0.054	0.054	
16	177.5	≦* <	182.5	144	3.24021	0.053	0.053	
15	172.5	≦* <	177.5	140	3.17754	0.052	0.052	
14	167.5	≦* <	172.5	136	3.11488	0.051	0.051	
13	162.5	≦* <	167.5	132	3.05222	0.050	0.050	
12	157.5	≦* <	162.5	128	2.98955	0.049	0.049	
11	152.5	≦* <	157.5	124	2.92689	0.048	0.048	
10	147.5	≦* <	152.5	120	2.86423	0.047	0.047	
9	142.5	≦* <	147.5	116	2.80157	0.046	0.046	
8	137.5	≦* <	142.5	112	2.73890	0.045	0.045	
7	132.5	≦* <	137.5	108	2.67624	0.044	0.044	
6	127.5	≦* <	132.5	104	2.61358	0.043	0.043	
5	122.5	≦* <	127.5	100	2.55091	0.042	0.042	
4	117.5	≦* <	122.5	96	2.48825	0.041	0.041	
3	112.5	≦* <	117.5	92	2.42559	0.040	0.040	
2	107.5	≦* <	112.5	88	2.36292	0.039	0.039	
1	102.5	≦* <	107.5	84	2.30026	0.038	0.038	
0	97.5	≦* <	102.5	80	2.23760	0.037	0.037	
-1	92.5	≦* <	97.5	76	2.17493	0.036	0.036	
-2	87.5	≦* <	92.5	72	2.11227	0.035	0.035	
-3	82.5	≦* <	87.5	68	2.04961	0.034	0.034	
-4	77.5	≦* <	82.5	64	1.98694	0.033	0.033	
-5	72.5	≦* <	77.5	60	1.92428	0.032	0.032	
-6	67.5	≦* <	72.5	56	1.86162	0.031	0.031	
-7	62.5	≦* <	67.5	52	1.79896	0.030	0.030	
-8	57.5	≦* <	62.5	48	1.73629	0.029	0.029	
-9	52.5	≦* <	57.5	44	1.67363	0.028	0.028	
-10	47.5	≦* <	52.5	40	1.61097	0.027	0.027	
-11	42.5	≦* <	47.5	36	1.54830	0.026	0.026	
-12	37.5	≦* <	42.5	32	1.48564	0.025	0.025	
-13	32.5	≦* <	37.5	28	1.42298	0.023	0.023	
-14	27.5	≦* <	32.5	24	1.36031	0.022	0.022	
-15	22.5	≦* <	27.5	20	1.29765	0.021	0.021	
-16	17.5	≦* <	22.5	16	1.23499	0.020	0.020	
-17	12.5	≦* <	17.5	12	1.17232	0.019	0.019	
-18	7.5	≦* <	12.5	8	1.10966	0.018	0.018	
-19	2.5	≦* <	7.5	4	1.04700	0.017	0.017	
-20	0.0	≦* <	2.5	1.00	1.00000	0.016	0.016	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.033 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.080	0.080	
19	192.5	≦* <	197.5	156	3.42820	0.054	0.054	
18	187.5	≦* <	192.5	152	3.36553	0.053	0.053	
17	182.5	≦* <	187.5	148	3.30287	0.051	0.051	
16	177.5	≦* <	182.5	144	3.24021	0.050	0.050	
15	172.5	≦* <	177.5	140	3.17754	0.049	0.049	
14	167.5	≦* <	172.5	136	3.11488	0.048	0.048	
13	162.5	≦* <	167.5	132	3.05222	0.048	0.048	
12	157.5	≦* <	162.5	128	2.98955	0.047	0.047	
11	152.5	≦* <	157.5	124	2.92689	0.046	0.046	
10	147.5	≦* <	152.5	120	2.86423	0.045	0.045	
9	142.5	≦* <	147.5	116	2.80157	0.044	0.044	
8	137.5	≦* <	142.5	112	2.73890	0.043	0.043	
7	132.5	≦* <	137.5	108	2.67624	0.042	0.042	
6	127.5	≦* <	132.5	104	2.61358	0.041	0.041	
5	122.5	≦* <	127.5	100	2.55091	0.040	0.040	
4	117.5	≦* <	122.5	96	2.48825	0.039	0.039	
3	112.5	≦* <	117.5	92	2.42559	0.038	0.038	
2	107.5	≦* <	112.5	88	2.36292	0.037	0.037	
1	102.5	≦* <	107.5	84	2.30026	0.036	0.036	
0	97.5	≦* <	102.5	80	2.23760	0.035	0.035	
-1	92.5	≦* <	97.5	76	2.17493	0.034	0.034	
-2	87.5	≦* <	92.5	72	2.11227	0.033	0.033	
-3	82.5	≦* <	87.5	68	2.04961	0.032	0.032	
-4	77.5	≦* <	82.5	64	1.98694	0.031	0.031	
-5	72.5	≦* <	77.5	60	1.92428	0.030	0.030	
-6	67.5	≦* <	72.5	56	1.86162	0.029	0.029	
-7	62.5	≦* <	67.5	52	1.79896	0.029	0.029	
-8	57.5	≦* <	62.5	48	1.73629	0.028	0.028	
-9	52.5	≦* <	57.5	44	1.67363	0.027	0.027	
-10	47.5	≦* <	52.5	40	1.61097	0.026	0.026	
-11	42.5	≦* <	47.5	36	1.54830	0.025	0.025	
-12	37.5	≦* <	42.5	32	1.48564	0.024	0.024	
-13	32.5	≦* <	37.5	28	1.42298	0.022	0.022	
-14	27.5	≦* <	32.5	24	1.36031	0.021	0.021	
-15	22.5	≦* <	27.5	20	1.29765	0.020	0.020	
-16	17.5	≦* <	22.5	16	1.23499	0.019	0.019	
-17	12.5	≦* <	17.5	12	1.17232	0.018	0.018	
-18	7.5	≦* <	12.5	8	1.10966	0.017	0.017	
-19	2.5	≦* <	7.5	4	1.04700	0.016	0.016	
-20	0.0	≦* <	2.5	1.00	1.00000	0.015	0.015	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.013	0.013	
19	192.5	≦* <	197.5	156	3.42820	0.009	0.009	
18	187.5	≦* <	192.5	152	3.36553	0.008	0.008	
17	182.5	≦* <	187.5	148	3.30287	0.008	0.008	
16	177.5	≦* <	182.5	144	3.24021	0.008	0.008	
15	172.5	≦* <	177.5	140	3.17754	0.008	0.008	
14	167.5	≦* <	172.5	136	3.11488	0.008	0.008	
13	162.5	≦* <	167.5	132	3.05222	0.008	0.008	
12	157.5	≦* <	162.5	128	2.98955	0.007	0.007	
11	152.5	≦* <	157.5	124	2.92689	0.007	0.007	
10	147.5	≦* <	152.5	120	2.86423	0.007	0.007	
9	142.5	≦* <	147.5	116	2.80157	0.007	0.007	
8	137.5	≦* <	142.5	112	2.73890	0.007	0.007	
7	132.5	≦* <	137.5	108	2.67624	0.007	0.007	
6	127.5	≦* <	132.5	104	2.61358	0.007	0.007	
5	122.5	≦* <	127.5	100	2.55091	0.006	0.006	
4	117.5	≦* <	122.5	96	2.48825	0.006	0.006	
3	112.5	≦* <	117.5	92	2.42559	0.006	0.006	
2	107.5	≦* <	112.5	88	2.36292	0.006	0.006	
1	102.5	≦* <	107.5	84	2.30026	0.006	0.006	
0	97.5	≦* <	102.5	80	2.23760	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.17493	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.11227	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.04961	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.98694	0.005	0.005	
-5	72.5	≦* <	77.5	60	1.92428	0.005	0.005	
-6	67.5	≦* <	72.5	56	1.86162	0.005	0.005	
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.73629	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.67363	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.61097	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.54830	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.48564	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.42298	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23499	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.17232	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.10966	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.04700	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.012	0.012	
19	192.5	≦* <	197.5	156	3.42820	0.009	0.009	
18	187.5	≦* <	192.5	152	3.36553	0.008	0.008	
17	182.5	≦* <	187.5	148	3.30287	0.008	0.008	
16	177.5	≦* <	182.5	144	3.24021	0.008	0.008	
15	172.5	≦* <	177.5	140	3.17754	0.008	0.008	
14	167.5	≦* <	172.5	136	3.11488	0.008	0.008	
13	162.5	≦* <	167.5	132	3.05222	0.008	0.008	
12	157.5	≦* <	162.5	128	2.98955	0.007	0.007	
11	152.5	≦* <	157.5	124	2.92689	0.007	0.007	
10	147.5	≦* <	152.5	120	2.86423	0.007	0.007	
9	142.5	≦* <	147.5	116	2.80157	0.007	0.007	
8	137.5	≦* <	142.5	112	2.73890	0.007	0.007	
7	132.5	≦* <	137.5	108	2.67624	0.007	0.007	
6	127.5	≦* <	132.5	104	2.61358	0.007	0.007	
5	122.5	≦* <	127.5	100	2.55091	0.006	0.006	
4	117.5	≦* <	122.5	96	2.48825	0.006	0.006	
3	112.5	≦* <	117.5	92	2.42559	0.006	0.006	
2	107.5	≦* <	112.5	88	2.36292	0.006	0.006	
1	102.5	≦* <	107.5	84	2.30026	0.006	0.006	
0	97.5	≦* <	102.5	80	2.23760	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.17493	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.11227	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.04961	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.98694	0.005	0.005	
-5	72.5	≦* <	77.5	60	1.92428	0.005	0.005	
-6	67.5	≦* <	72.5	56	1.86162	0.005	0.005	
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.73629	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.67363	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.61097	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.54830	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.48564	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.42298	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23499	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.17232	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.10966	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.04700	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.030 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.076	0.076	
19	192.5	≦* <	197.5	156	3.42820	0.051	0.051	
18	187.5	≦* <	192.5	152	3.36553	0.050	0.050	
17	182.5	≦* <	187.5	148	3.30287	0.050	0.050	
16	177.5	≦* <	182.5	144	3.24021	0.049	0.049	
15	172.5	≦* <	177.5	140	3.17754	0.048	0.048	
14	167.5	≦* <	172.5	136	3.11488	0.047	0.047	
13	162.5	≦* <	167.5	132	3.05222	0.046	0.046	
12	157.5	≦* <	162.5	128	2.98955	0.045	0.045	
11	152.5	≦* <	157.5	124	2.92689	0.044	0.044	
10	147.5	≦* <	152.5	120	2.86423	0.043	0.043	
9	142.5	≦* <	147.5	116	2.80157	0.042	0.042	
8	137.5	≦* <	142.5	112	2.73890	0.041	0.041	
7	132.5	≦* <	137.5	108	2.67624	0.040	0.040	
6	127.5	≦* <	132.5	104	2.61358	0.039	0.039	
5	122.5	≦* <	127.5	100	2.55091	0.038	0.038	
4	117.5	≦* <	122.5	96	2.48825	0.037	0.037	
3	112.5	≦* <	117.5	92	2.42559	0.036	0.036	
2	107.5	≦* <	112.5	88	2.36292	0.035	0.035	
1	102.5	≦* <	107.5	84	2.30026	0.035	0.035	
0	97.5	≦* <	102.5	80	2.23760	0.034	0.034	
-1	92.5	≦* <	97.5	76	2.17493	0.033	0.033	
-2	87.5	≦* <	92.5	72	2.11227	0.032	0.032	
-3	82.5	≦* <	87.5	68	2.04961	0.031	0.031	
-4	77.5	≦* <	82.5	64	1.98694	0.030	0.030	
-5	72.5	≦* <	77.5	60	1.92428	0.029	0.029	
-6	67.5	≦* <	72.5	56	1.86162	0.028	0.028	
-7	62.5	≦* <	67.5	52	1.79896	0.027	0.027	
-8	57.5	≦* <	62.5	48	1.73629	0.026	0.026	
-9	52.5	≦* <	57.5	44	1.67363	0.025	0.025	
-10	47.5	≦* <	52.5	40	1.61097	0.024	0.024	
-11	42.5	≦* <	47.5	36	1.54830	0.023	0.023	
-12	37.5	≦* <	42.5	32	1.48564	0.022	0.022	
-13	32.5	≦* <	37.5	28	1.42298	0.021	0.021	
-14	27.5	≦* <	32.5	24	1.36031	0.020	0.020	
-15	22.5	≦* <	27.5	20	1.29765	0.019	0.019	
-16	17.5	≦* <	22.5	16	1.23499	0.019	0.019	
-17	12.5	≦* <	17.5	12	1.17232	0.018	0.018	
-18	7.5	≦* <	12.5	8	1.10966	0.017	0.017	
-19	2.5	≦* <	7.5	4	1.04700	0.016	0.016	
-20	0.0	≦* <	2.5	1.00	1.00000	0.015	0.015	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.030 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.072	0.072	
19	192.5	≦* <	197.5	156	3.42820	0.048	0.048	
18	187.5	≦* <	192.5	152	3.36553	0.048	0.048	
17	182.5	≦* <	187.5	148	3.30287	0.048	0.048	
16	177.5	≦* <	182.5	144	3.24021	0.047	0.047	
15	172.5	≦* <	177.5	140	3.17754	0.046	0.046	
14	167.5	≦* <	172.5	136	3.11488	0.045	0.045	
13	162.5	≦* <	167.5	132	3.05222	0.044	0.044	
12	157.5	≦* <	162.5	128	2.98955	0.043	0.043	
11	152.5	≦* <	157.5	124	2.92689	0.042	0.042	
10	147.5	≦* <	152.5	120	2.86423	0.041	0.041	
9	142.5	≦* <	147.5	116	2.80157	0.040	0.040	
8	137.5	≦* <	142.5	112	2.73890	0.039	0.039	
7	132.5	≦* <	137.5	108	2.67624	0.038	0.038	
6	127.5	≦* <	132.5	104	2.61358	0.037	0.037	
5	122.5	≦* <	127.5	100	2.55091	0.036	0.036	
4	117.5	≦* <	122.5	96	2.48825	0.035	0.035	
3	112.5	≦* <	117.5	92	2.42559	0.034	0.034	
2	107.5	≦* <	112.5	88	2.36292	0.033	0.033	
1	102.5	≦* <	107.5	84	2.30026	0.033	0.033	
0	97.5	≦* <	102.5	80	2.23760	0.032	0.032	
-1	92.5	≦* <	97.5	76	2.17493	0.031	0.031	
-2	87.5	≦* <	92.5	72	2.11227	0.030	0.030	
-3	82.5	≦* <	87.5	68	2.04961	0.029	0.029	
-4	77.5	≦* <	82.5	64	1.98694	0.029	0.029	
-5	72.5	≦* <	77.5	60	1.92428	0.028	0.028	
-6	67.5	≦* <	72.5	56	1.86162	0.027	0.027	
-7	62.5	≦* <	67.5	52	1.79896	0.026	0.026	
-8	57.5	≦* <	62.5	48	1.73629	0.025	0.025	
-9	52.5	≦* <	57.5	44	1.67363	0.024	0.024	
-10	47.5	≦* <	52.5	40	1.61097	0.023	0.023	
-11	42.5	≦* <	47.5	36	1.54830	0.022	0.022	
-12	37.5	≦* <	42.5	32	1.48564	0.021	0.021	
-13	32.5	≦* <	37.5	28	1.42298	0.020	0.020	
-14	27.5	≦* <	32.5	24	1.36031	0.019	0.019	
-15	22.5	≦* <	27.5	20	1.29765	0.018	0.018	
-16	17.5	≦* <	22.5	16	1.23499	0.018	0.018	
-17	12.5	≦* <	17.5	12	1.17232	0.017	0.017	
-18	7.5	≦* <	12.5	8	1.10966	0.016	0.016	
-19	2.5	≦* <	7.5	4	1.04700	0.015	0.015	
-20	0.0	≦* <	2.5	1.00	1.00000	0.014	0.014	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.010	0.010	
19	192.5	≦* <	197.5	156	3.42820	0.007	0.007	
18	187.5	≦* <	192.5	152	3.36553	0.007	0.007	
17	182.5	≦* <	187.5	148	3.30287	0.007	0.007	
16	177.5	≦* <	182.5	144	3.24021	0.006	0.006	
15	172.5	≦* <	177.5	140	3.17754	0.006	0.006	
14	167.5	≦* <	172.5	136	3.11488	0.006	0.006	
13	162.5	≦* <	167.5	132	3.05222	0.006	0.006	
12	157.5	≦* <	162.5	128	2.98955	0.006	0.006	
11	152.5	≦* <	157.5	124	2.92689	0.006	0.006	
10	147.5	≦* <	152.5	120	2.86423	0.006	0.006	
9	142.5	≦* <	147.5	116	2.80157	0.006	0.006	
8	137.5	≦* <	142.5	112	2.73890	0.005	0.005	
7	132.5	≦* <	137.5	108	2.67624	0.005	0.005	
6	127.5	≦* <	132.5	104	2.61358	0.005	0.005	
5	122.5	≦* <	127.5	100	2.55091	0.005	0.005	
4	117.5	≦* <	122.5	96	2.48825	0.005	0.005	
3	112.5	≦* <	117.5	92	2.42559	0.005	0.005	
2	107.5	≦* <	112.5	88	2.36292	0.005	0.005	
1	102.5	≦* <	107.5	84	2.30026	0.005	0.005	
0	97.5	≦* <	102.5	80	2.23760	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.17493	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.11227	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.04961	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.98694	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.92428	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.86162	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.54830	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.48564	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.42298	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.010	0.010	
19	192.5	≦* <	197.5	156	3.42820	0.007	0.007	
18	187.5	≦* <	192.5	152	3.36553	0.007	0.007	
17	182.5	≦* <	187.5	148	3.30287	0.007	0.007	
16	177.5	≦* <	182.5	144	3.24021	0.006	0.006	
15	172.5	≦* <	177.5	140	3.17754	0.006	0.006	
14	167.5	≦* <	172.5	136	3.11488	0.006	0.006	
13	162.5	≦* <	167.5	132	3.05222	0.006	0.006	
12	157.5	≦* <	162.5	128	2.98955	0.006	0.006	
11	152.5	≦* <	157.5	124	2.92689	0.006	0.006	
10	147.5	≦* <	152.5	120	2.86423	0.006	0.006	
9	142.5	≦* <	147.5	116	2.80157	0.006	0.006	
8	137.5	≦* <	142.5	112	2.73890	0.005	0.005	
7	132.5	≦* <	137.5	108	2.67624	0.005	0.005	
6	127.5	≦* <	132.5	104	2.61358	0.005	0.005	
5	122.5	≦* <	127.5	100	2.55091	0.005	0.005	
4	117.5	≦* <	122.5	96	2.48825	0.005	0.005	
3	112.5	≦* <	117.5	92	2.42559	0.005	0.005	
2	107.5	≦* <	112.5	88	2.36292	0.005	0.005	
1	102.5	≦* <	107.5	84	2.30026	0.005	0.005	
0	97.5	≦* <	102.5	80	2.23760	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.17493	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.11227	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.04961	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.98694	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.92428	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.86162	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.54830	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.48564	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.42298	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.025 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.063	0.063	
19	192.5	≧* <	197.5	156	3.42820	0.043	0.043	
18	187.5	≧* <	192.5	152	3.36553	0.042	0.042	
17	182.5	≧* <	187.5	148	3.30287	0.041	0.041	
16	177.5	≧* <	182.5	144	3.24021	0.041	0.041	
15	172.5	≧* <	177.5	140	3.17754	0.040	0.040	
14	167.5	≧* <	172.5	136	3.11488	0.039	0.039	
13	162.5	≧* <	167.5	132	3.05222	0.038	0.038	
12	157.5	≧* <	162.5	128	2.98955	0.037	0.037	
11	152.5	≧* <	157.5	124	2.92689	0.037	0.037	
10	147.5	≧* <	152.5	120	2.86423	0.036	0.036	
9	142.5	≧* <	147.5	116	2.80157	0.035	0.035	
8	137.5	≧* <	142.5	112	2.73890	0.034	0.034	
7	132.5	≧* <	137.5	108	2.67624	0.033	0.033	
6	127.5	≧* <	132.5	104	2.61358	0.033	0.033	
5	122.5	≧* <	127.5	100	2.55091	0.032	0.032	
4	117.5	≧* <	122.5	96	2.48825	0.031	0.031	
3	112.5	≧* <	117.5	92	2.42559	0.030	0.030	
2	107.5	≧* <	112.5	88	2.36292	0.030	0.030	
1	102.5	≧* <	107.5	84	2.30026	0.029	0.029	
0	97.5	≧* <	102.5	80	2.23760	0.028	0.028	
-1	92.5	≧* <	97.5	76	2.17493	0.027	0.027	
-2	87.5	≧* <	92.5	72	2.11227	0.026	0.026	
-3	82.5	≧* <	87.5	68	2.04961	0.026	0.026	
-4	77.5	≧* <	82.5	64	1.98694	0.025	0.025	
-5	72.5	≧* <	77.5	60	1.92428	0.024	0.024	
-6	67.5	≧* <	72.5	56	1.86162	0.023	0.023	
-7	62.5	≧* <	67.5	52	1.79896	0.022	0.022	
-8	57.5	≧* <	62.5	48	1.73629	0.022	0.022	
-9	52.5	≧* <	57.5	44	1.67363	0.021	0.021	
-10	47.5	≧* <	52.5	40	1.61097	0.020	0.020	
-11	42.5	≧* <	47.5	36	1.54830	0.019	0.019	
-12	37.5	≧* <	42.5	32	1.48564	0.019	0.019	
-13	32.5	≧* <	37.5	28	1.42298	0.018	0.018	
-14	27.5	≧* <	32.5	24	1.36031	0.017	0.017	
-15	22.5	≧* <	27.5	20	1.29765	0.016	0.016	
-16	17.5	≧* <	22.5	16	1.23499	0.015	0.015	
-17	12.5	≧* <	17.5	12	1.17232	0.015	0.015	
-18	7.5	≧* <	12.5	8	1.10966	0.014	0.014	
-19	2.5	≧* <	7.5	4	1.04700	0.013	0.013	
-20	0.0	≧* <	2.5	1.00	1.00000	0.012	0.012	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.025 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.060	0.060	
19	192.5	≦* <	197.5	156	3.42820	0.041	0.041	
18	187.5	≦* <	192.5	152	3.36553	0.040	0.040	
17	182.5	≦* <	187.5	148	3.30287	0.039	0.039	
16	177.5	≦* <	182.5	144	3.24021	0.039	0.039	
15	172.5	≦* <	177.5	140	3.17754	0.038	0.038	
14	167.5	≦* <	172.5	136	3.11488	0.037	0.037	
13	162.5	≦* <	167.5	132	3.05222	0.036	0.036	
12	157.5	≦* <	162.5	128	2.98955	0.035	0.035	
11	152.5	≦* <	157.5	124	2.92689	0.035	0.035	
10	147.5	≦* <	152.5	120	2.86423	0.034	0.034	
9	142.5	≦* <	147.5	116	2.80157	0.033	0.033	
8	137.5	≦* <	142.5	112	2.73890	0.032	0.032	
7	132.5	≦* <	137.5	108	2.67624	0.031	0.031	
6	127.5	≦* <	132.5	104	2.61358	0.031	0.031	
5	122.5	≦* <	127.5	100	2.55091	0.030	0.030	
4	117.5	≦* <	122.5	96	2.48825	0.029	0.029	
3	112.5	≦* <	117.5	92	2.42559	0.029	0.029	
2	107.5	≦* <	112.5	88	2.36292	0.029	0.029	
1	102.5	≦* <	107.5	84	2.30026	0.028	0.028	
0	97.5	≦* <	102.5	80	2.23760	0.027	0.027	
-1	92.5	≦* <	97.5	76	2.17493	0.026	0.026	
-2	87.5	≦* <	92.5	72	2.11227	0.025	0.025	
-3	82.5	≦* <	87.5	68	2.04961	0.025	0.025	
-4	77.5	≦* <	82.5	64	1.98694	0.024	0.024	
-5	72.5	≦* <	77.5	60	1.92428	0.023	0.023	
-6	67.5	≦* <	72.5	56	1.86162	0.022	0.022	
-7	62.5	≦* <	67.5	52	1.79896	0.021	0.021	
-8	57.5	≦* <	62.5	48	1.73629	0.021	0.021	
-9	52.5	≦* <	57.5	44	1.67363	0.020	0.020	
-10	47.5	≦* <	52.5	40	1.61097	0.019	0.019	
-11	42.5	≦* <	47.5	36	1.54830	0.018	0.018	
-12	37.5	≦* <	42.5	32	1.48564	0.018	0.018	
-13	32.5	≦* <	37.5	28	1.42298	0.017	0.017	
-14	27.5	≦* <	32.5	24	1.36031	0.016	0.016	
-15	22.5	≦* <	27.5	20	1.29765	0.015	0.015	
-16	17.5	≦* <	22.5	16	1.23499	0.014	0.014	
-17	12.5	≦* <	17.5	12	1.17232	0.014	0.014	
-18	7.5	≦* <	12.5	8	1.10966	0.013	0.013	
-19	2.5	≦* <	7.5	4	1.04700	0.012	0.012	
-20	0.0	≦* <	2.5	1.00	1.00000	0.011	0.011	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)			危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考
				圧縮前				
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.022 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.056	0.056	
19	192.5	≧* <	197.5	156	3.42820	0.038	0.038	
18	187.5	≧* <	192.5	152	3.36553	0.037	0.037	
17	182.5	≧* <	187.5	148	3.30287	0.036	0.036	
16	177.5	≧* <	182.5	144	3.24021	0.036	0.036	
15	172.5	≧* <	177.5	140	3.17754	0.035	0.035	
14	167.5	≧* <	172.5	136	3.11488	0.034	0.034	
13	162.5	≧* <	167.5	132	3.05222	0.034	0.034	
12	157.5	≧* <	162.5	128	2.98955	0.033	0.033	
11	152.5	≧* <	157.5	124	2.92689	0.032	0.032	
10	147.5	≧* <	152.5	120	2.86423	0.032	0.032	
9	142.5	≧* <	147.5	116	2.80157	0.031	0.031	
8	137.5	≧* <	142.5	112	2.73890	0.030	0.030	
7	132.5	≧* <	137.5	108	2.67624	0.029	0.029	
6	127.5	≧* <	132.5	104	2.61358	0.029	0.029	
5	122.5	≧* <	127.5	100	2.55091	0.028	0.028	
4	117.5	≧* <	122.5	96	2.48825	0.027	0.027	
3	112.5	≧* <	117.5	92	2.42559	0.027	0.027	
2	107.5	≧* <	112.5	88	2.36292	0.026	0.026	
1	102.5	≧* <	107.5	84	2.30026	0.025	0.025	
0	97.5	≧* <	102.5	80	2.23760	0.025	0.025	
-1	92.5	≧* <	97.5	76	2.17493	0.024	0.024	
-2	87.5	≧* <	92.5	72	2.11227	0.023	0.023	
-3	82.5	≧* <	87.5	68	2.04961	0.023	0.023	
-4	77.5	≧* <	82.5	64	1.98694	0.022	0.022	
-5	72.5	≧* <	77.5	60	1.92428	0.021	0.021	
-6	67.5	≧* <	72.5	56	1.86162	0.020	0.020	
-7	62.5	≧* <	67.5	52	1.79896	0.020	0.020	
-8	57.5	≧* <	62.5	48	1.73629	0.019	0.019	
-9	52.5	≧* <	57.5	44	1.67363	0.018	0.018	
-10	47.5	≧* <	52.5	40	1.61097	0.018	0.018	
-11	42.5	≧* <	47.5	36	1.54830	0.017	0.017	
-12	37.5	≧* <	42.5	32	1.48564	0.016	0.016	
-13	32.5	≧* <	37.5	28	1.42298	0.016	0.016	
-14	27.5	≧* <	32.5	24	1.36031	0.015	0.015	
-15	22.5	≧* <	27.5	20	1.29765	0.014	0.014	
-16	17.5	≧* <	22.5	16	1.23499	0.014	0.014	
-17	12.5	≧* <	17.5	12	1.17232	0.013	0.013	
-18	7.5	≧* <	12.5	8	1.10966	0.012	0.012	
-19	2.5	≧* <	7.5	4	1.04700	0.012	0.012	
-20	0.0	≧* <	2.5	1.00	1.00000	0.011	0.011	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.022 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)			危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考
				圧縮前				
20	197.5	≦*		261.15038	5.07546	0.053	0.053	
19	192.5	≧* <	197.5	156	3.42820	0.036	0.036	
18	187.5	≧* <	192.5	152	3.36553	0.035	0.035	
17	182.5	≧* <	187.5	148	3.30287	0.034	0.034	
16	177.5	≧* <	182.5	144	3.24021	0.034	0.034	
15	172.5	≧* <	177.5	140	3.17754	0.033	0.033	
14	167.5	≧* <	172.5	136	3.11488	0.032	0.032	
13	162.5	≧* <	167.5	132	3.05222	0.032	0.032	
12	157.5	≧* <	162.5	128	2.98955	0.031	0.031	
11	152.5	≧* <	157.5	124	2.92689	0.030	0.030	
10	147.5	≧* <	152.5	120	2.86423	0.030	0.030	
9	142.5	≧* <	147.5	116	2.80157	0.029	0.029	
8	137.5	≧* <	142.5	112	2.73890	0.029	0.029	
7	132.5	≧* <	137.5	108	2.67624	0.028	0.028	
6	127.5	≧* <	132.5	104	2.61358	0.028	0.028	
5	122.5	≧* <	127.5	100	2.55091	0.027	0.027	
4	117.5	≧* <	122.5	96	2.48825	0.026	0.026	
3	112.5	≧* <	117.5	92	2.42559	0.026	0.026	
2	107.5	≧* <	112.5	88	2.36292	0.025	0.025	
1	102.5	≧* <	107.5	84	2.30026	0.024	0.024	
0	97.5	≧* <	102.5	80	2.23760	0.024	0.024	
-1	92.5	≧* <	97.5	76	2.17493	0.023	0.023	
-2	87.5	≧* <	92.5	72	2.11227	0.022	0.022	
-3	82.5	≧* <	87.5	68	2.04961	0.022	0.022	
-4	77.5	≧* <	82.5	64	1.98694	0.021	0.021	
-5	72.5	≧* <	77.5	60	1.92428	0.020	0.020	
-6	67.5	≧* <	72.5	56	1.86162	0.019	0.019	
-7	62.5	≧* <	67.5	52	1.79896	0.019	0.019	
-8	57.5	≧* <	62.5	48	1.73629	0.018	0.018	
-9	52.5	≧* <	57.5	44	1.67363	0.017	0.017	
-10	47.5	≧* <	52.5	40	1.61097	0.017	0.017	
-11	42.5	≧* <	47.5	36	1.54830	0.016	0.016	
-12	37.5	≧* <	42.5	32	1.48564	0.015	0.015	
-13	32.5	≧* <	37.5	28	1.42298	0.015	0.015	
-14	27.5	≧* <	32.5	24	1.36031	0.014	0.014	
-15	22.5	≧* <	27.5	20	1.29765	0.013	0.013	
-16	17.5	≧* <	22.5	16	1.23499	0.013	0.013	
-17	12.5	≧* <	17.5	12	1.17232	0.012	0.012	
-18	7.5	≧* <	12.5	8	1.10966	0.011	0.011	
-19	2.5	≧* <	7.5	4	1.04700	0.011	0.011	
-20	0.0	≧* <	2.5	1.00	1.00000	0.010	0.010	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.013 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.033	0.033	
19	192.5	≦* <	197.5	156	3.42820	0.022	0.022	
18	187.5	≦* <	192.5	152	3.36553	0.022	0.022	
17	182.5	≦* <	187.5	148	3.30287	0.021	0.021	
16	177.5	≦* <	182.5	144	3.24021	0.021	0.021	
15	172.5	≦* <	177.5	140	3.17754	0.021	0.021	
14	167.5	≦* <	172.5	136	3.11488	0.020	0.020	
13	162.5	≦* <	167.5	132	3.05222	0.020	0.020	
12	157.5	≦* <	162.5	128	2.98955	0.019	0.019	
11	152.5	≦* <	157.5	124	2.92689	0.019	0.019	
10	147.5	≦* <	152.5	120	2.86423	0.019	0.019	
9	142.5	≦* <	147.5	116	2.80157	0.018	0.018	
8	137.5	≦* <	142.5	112	2.73890	0.018	0.018	
7	132.5	≦* <	137.5	108	2.67624	0.017	0.017	
6	127.5	≦* <	132.5	104	2.61358	0.017	0.017	
5	122.5	≦* <	127.5	100	2.55091	0.017	0.017	
4	117.5	≦* <	122.5	96	2.48825	0.016	0.016	
3	112.5	≦* <	117.5	92	2.42559	0.016	0.016	
2	107.5	≦* <	112.5	88	2.36292	0.015	0.015	
1	102.5	≦* <	107.5	84	2.30026	0.015	0.015	
0	97.5	≦* <	102.5	80	2.23760	0.015	0.015	
-1	92.5	≦* <	97.5	76	2.17493	0.014	0.014	
-2	87.5	≦* <	92.5	72	2.11227	0.014	0.014	
-3	82.5	≦* <	87.5	68	2.04961	0.013	0.013	
-4	77.5	≦* <	82.5	64	1.98694	0.013	0.013	
-5	72.5	≦* <	77.5	60	1.92428	0.013	0.013	
-6	67.5	≦* <	72.5	56	1.86162	0.012	0.012	
-7	62.5	≦* <	67.5	52	1.79896	0.012	0.012	
-8	57.5	≦* <	62.5	48	1.73629	0.011	0.011	
-9	52.5	≦* <	57.5	44	1.67363	0.011	0.011	
-10	47.5	≦* <	52.5	40	1.61097	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.54830	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.48564	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.42298	0.009	0.009	
-14	27.5	≦* <	32.5	24	1.36031	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.29765	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.23499	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.17232	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.10966	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.04700	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.013 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.031	0.031	
19	192.5	≦* <	197.5	156	3.42820	0.021	0.021	
18	187.5	≦* <	192.5	152	3.36553	0.021	0.021	
17	182.5	≦* <	187.5	148	3.30287	0.020	0.020	
16	177.5	≦* <	182.5	144	3.24021	0.020	0.020	
15	172.5	≦* <	177.5	140	3.17754	0.020	0.020	
14	167.5	≦* <	172.5	136	3.11488	0.019	0.019	
13	162.5	≦* <	167.5	132	3.05222	0.019	0.019	
12	157.5	≦* <	162.5	128	2.98955	0.018	0.018	
11	152.5	≦* <	157.5	124	2.92689	0.018	0.018	
10	147.5	≦* <	152.5	120	2.86423	0.018	0.018	
9	142.5	≦* <	147.5	116	2.80157	0.017	0.017	
8	137.5	≦* <	142.5	112	2.73890	0.017	0.017	
7	132.5	≦* <	137.5	108	2.67624	0.016	0.016	
6	127.5	≦* <	132.5	104	2.61358	0.016	0.016	
5	122.5	≦* <	127.5	100	2.55091	0.016	0.016	
4	117.5	≦* <	122.5	96	2.48825	0.015	0.015	
3	112.5	≦* <	117.5	92	2.42559	0.015	0.015	
2	107.5	≦* <	112.5	88	2.36292	0.014	0.014	
1	102.5	≦* <	107.5	84	2.30026	0.014	0.014	
0	97.5	≦* <	102.5	80	2.23760	0.014	0.014	
-1	92.5	≦* <	97.5	76	2.17493	0.013	0.013	
-2	87.5	≦* <	92.5	72	2.11227	0.013	0.013	
-3	82.5	≦* <	87.5	68	2.04961	0.012	0.012	
-4	77.5	≦* <	82.5	64	1.98694	0.012	0.012	
-5	72.5	≦* <	77.5	60	1.92428	0.012	0.012	
-6	67.5	≦* <	72.5	56	1.86162	0.011	0.011	
-7	62.5	≦* <	67.5	52	1.79896	0.011	0.011	
-8	57.5	≦* <	62.5	48	1.73629	0.010	0.010	
-9	52.5	≦* <	57.5	44	1.67363	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.61097	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.54830	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.48564	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.42298	0.009	0.009	
-14	27.5	≦* <	32.5	24	1.36031	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.29765	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.23499	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.17232	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.10966	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.04700	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.128 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.293	0.293	
19	192.5	≦* <	197.5	156	4.49034	0.287	0.287	
18	187.5	≦* <	192.5	152	4.40026	0.282	0.282	
17	182.5	≦* <	187.5	148	4.31019	0.276	0.276	
16	177.5	≦* <	182.5	144	4.22012	0.270	0.270	
15	172.5	≦* <	177.5	140	4.13004	0.264	0.264	
14	167.5	≦* <	172.5	136	4.03997	0.259	0.259	
13	162.5	≦* <	167.5	132	3.94990	0.253	0.253	
12	157.5	≦* <	162.5	128	3.85982	0.247	0.247	
11	152.5	≦* <	157.5	124	3.76975	0.241	0.241	
10	147.5	≦* <	152.5	120	3.67968	0.235	0.235	
9	142.5	≦* <	147.5	116	3.58960	0.230	0.230	
8	137.5	≦* <	142.5	112	3.49953	0.224	0.224	
7	132.5	≦* <	137.5	108	3.40946	0.218	0.218	
6	127.5	≦* <	132.5	104	3.31939	0.212	0.212	
5	122.5	≦* <	127.5	100	3.22931	0.207	0.207	
4	117.5	≦* <	122.5	96	3.13924	0.201	0.201	
3	112.5	≦* <	117.5	92	3.04917	0.195	0.195	
2	107.5	≦* <	112.5	88	2.95909	0.189	0.189	
1	102.5	≦* <	107.5	84	2.86902	0.184	0.184	
0	97.5	≦* <	102.5	80	2.77895	0.178	0.178	
-1	92.5	≦* <	97.5	76	2.68887	0.172	0.172	
-2	87.5	≦* <	92.5	72	2.59880	0.166	0.166	
-3	82.5	≦* <	87.5	68	2.50873	0.161	0.161	
-4	77.5	≦* <	82.5	64	2.41865	0.155	0.155	
-5	72.5	≦* <	77.5	60	2.32858	0.149	0.149	
-6	67.5	≦* <	72.5	56	2.23851	0.143	0.143	
-7	62.5	≦* <	67.5	52	2.14843	0.137	0.137	
-8	57.5	≦* <	62.5	48	2.05836	0.132	0.132	
-9	52.5	≦* <	57.5	44	1.96829	0.126	0.126	
-10	47.5	≦* <	52.5	40	1.87821	0.120	0.120	
-11	42.5	≦* <	47.5	36	1.78814	0.114	0.114	
-12	37.5	≦* <	42.5	32	1.69807	0.109	0.109	
-13	32.5	≦* <	37.5	28	1.60799	0.103	0.103	
-14	27.5	≦* <	32.5	24	1.51792	0.097	0.097	
-15	22.5	≦* <	27.5	20	1.42785	0.091	0.091	
-16	17.5	≦* <	22.5	16	1.33777	0.086	0.086	
-17	12.5	≦* <	17.5	12	1.24770	0.080	0.080	
-18	7.5	≦* <	12.5	8	1.15763	0.074	0.074	
-19	2.5	≦* <	7.5	4	1.06755	0.068	0.068	
-20	0.0	≦* <	2.5	1.00	1.00000	0.064	0.064	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.128 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.278	0.278	
19	192.5	≦* <	197.5	156	4.49034	0.273	0.273	
18	187.5	≦* <	192.5	152	4.40026	0.268	0.268	
17	182.5	≦* <	187.5	148	4.31019	0.262	0.262	
16	177.5	≦* <	182.5	144	4.22012	0.257	0.257	
15	172.5	≦* <	177.5	140	4.13004	0.251	0.251	
14	167.5	≦* <	172.5	136	4.03997	0.246	0.246	
13	162.5	≦* <	167.5	132	3.94990	0.240	0.240	
12	157.5	≦* <	162.5	128	3.85982	0.235	0.235	
11	152.5	≦* <	157.5	124	3.76975	0.229	0.229	
10	147.5	≦* <	152.5	120	3.67968	0.223	0.223	
9	142.5	≦* <	147.5	116	3.58960	0.219	0.219	
8	137.5	≦* <	142.5	112	3.49953	0.213	0.213	
7	132.5	≦* <	137.5	108	3.40946	0.207	0.207	
6	127.5	≦* <	132.5	104	3.31939	0.201	0.201	
5	122.5	≦* <	127.5	100	3.22931	0.197	0.197	
4	117.5	≦* <	122.5	96	3.13924	0.191	0.191	
3	112.5	≦* <	117.5	92	3.04917	0.185	0.185	
2	107.5	≦* <	112.5	88	2.95909	0.180	0.180	
1	102.5	≦* <	107.5	84	2.86902	0.175	0.175	
0	97.5	≦* <	102.5	80	2.77895	0.169	0.169	
-1	92.5	≦* <	97.5	76	2.68887	0.163	0.163	
-2	87.5	≦* <	92.5	72	2.59880	0.158	0.158	
-3	82.5	≦* <	87.5	68	2.50873	0.153	0.153	
-4	77.5	≦* <	82.5	64	2.41865	0.147	0.147	
-5	72.5	≦* <	77.5	60	2.32858	0.142	0.142	
-6	67.5	≦* <	72.5	56	2.23851	0.136	0.136	
-7	62.5	≦* <	67.5	52	2.14843	0.130	0.130	
-8	57.5	≦* <	62.5	48	2.05836	0.125	0.125	
-9	52.5	≦* <	57.5	44	1.96829	0.120	0.120	
-10	47.5	≦* <	52.5	40	1.87821	0.114	0.114	
-11	42.5	≦* <	47.5	36	1.78814	0.108	0.108	
-12	37.5	≦* <	42.5	32	1.69807	0.104	0.104	
-13	32.5	≦* <	37.5	28	1.60799	0.098	0.098	
-14	27.5	≦* <	32.5	24	1.51792	0.092	0.092	
-15	22.5	≦* <	27.5	20	1.42785	0.086	0.086	
-16	17.5	≦* <	22.5	16	1.33777	0.082	0.082	
-17	12.5	≦* <	17.5	12	1.24770	0.076	0.076	
-18	7.5	≦* <	12.5	8	1.15763	0.070	0.070	
-19	2.5	≦* <	7.5	4	1.06755	0.065	0.065	
-20	0.0	≦* <	2.5	1.00	1.00000	0.061	0.061	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.011	0.011	
19	192.5	≦* <	197.5	156	4.49034	0.011	0.011	
18	187.5	≦* <	192.5	152	4.40026	0.011	0.011	
17	182.5	≦* <	187.5	148	4.31019	0.011	0.011	
16	177.5	≦* <	182.5	144	4.22012	0.011	0.011	
15	172.5	≦* <	177.5	140	4.13004	0.010	0.010	
14	167.5	≦* <	172.5	136	4.03997	0.010	0.010	
13	162.5	≦* <	167.5	132	3.94990	0.010	0.010	
12	157.5	≦* <	162.5	128	3.85982	0.010	0.010	
11	152.5	≦* <	157.5	124	3.76975	0.009	0.009	
10	147.5	≦* <	152.5	120	3.67968	0.009	0.009	
9	142.5	≦* <	147.5	116	3.58960	0.009	0.009	
8	137.5	≦* <	142.5	112	3.49953	0.009	0.009	
7	132.5	≦* <	137.5	108	3.40946	0.009	0.009	
6	127.5	≦* <	132.5	104	3.31939	0.008	0.008	
5	122.5	≦* <	127.5	100	3.22931	0.008	0.008	
4	117.5	≦* <	122.5	96	3.13924	0.008	0.008	
3	112.5	≦* <	117.5	92	3.04917	0.008	0.008	
2	107.5	≦* <	112.5	88	2.95909	0.007	0.007	
1	102.5	≦* <	107.5	84	2.86902	0.007	0.007	
0	97.5	≦* <	102.5	80	2.77895	0.007	0.007	
-1	92.5	≦* <	97.5	76	2.68887	0.007	0.007	
-2	87.5	≦* <	92.5	72	2.59880	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.50873	0.006	0.006	
-4	77.5	≦* <	82.5	64	2.41865	0.006	0.006	
-5	72.5	≦* <	77.5	60	2.32858	0.006	0.006	
-6	67.5	≦* <	72.5	56	2.23851	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.14843	0.005	0.005	
-8	57.5	≦* <	62.5	48	2.05836	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.96829	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.87821	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.69807	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.60799	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.51792	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.42785	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.24770	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.15763	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.06755	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.010	0.010	
19	192.5	≦* <	197.5	156	4.49034	0.010	0.010	
18	187.5	≦* <	192.5	152	4.40026	0.010	0.010	
17	182.5	≦* <	187.5	148	4.31019	0.010	0.010	
16	177.5	≦* <	182.5	144	4.22012	0.010	0.010	
15	172.5	≦* <	177.5	140	4.13004	0.010	0.010	
14	167.5	≦* <	172.5	136	4.03997	0.010	0.010	
13	162.5	≦* <	167.5	132	3.94990	0.010	0.010	
12	157.5	≦* <	162.5	128	3.85982	0.010	0.010	
11	152.5	≦* <	157.5	124	3.76975	0.009	0.009	
10	147.5	≦* <	152.5	120	3.67968	0.009	0.009	
9	142.5	≦* <	147.5	116	3.58960	0.009	0.009	
8	137.5	≦* <	142.5	112	3.49953	0.009	0.009	
7	132.5	≦* <	137.5	108	3.40946	0.009	0.009	
6	127.5	≦* <	132.5	104	3.31939	0.008	0.008	
5	122.5	≦* <	127.5	100	3.22931	0.008	0.008	
4	117.5	≦* <	122.5	96	3.13924	0.008	0.008	
3	112.5	≦* <	117.5	92	3.04917	0.008	0.008	
2	107.5	≦* <	112.5	88	2.95909	0.007	0.007	
1	102.5	≦* <	107.5	84	2.86902	0.007	0.007	
0	97.5	≦* <	102.5	80	2.77895	0.007	0.007	
-1	92.5	≦* <	97.5	76	2.68887	0.007	0.007	
-2	87.5	≦* <	92.5	72	2.59880	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.50873	0.006	0.006	
-4	77.5	≦* <	82.5	64	2.41865	0.006	0.006	
-5	72.5	≦* <	77.5	60	2.32858	0.006	0.006	
-6	67.5	≦* <	72.5	56	2.23851	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.14843	0.005	0.005	
-8	57.5	≦* <	62.5	48	2.05836	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.96829	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.87821	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.69807	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.60799	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.51792	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.42785	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.24770	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.15763	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.06755	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.116 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.266	0.266	
19	192.5	≦* <	197.5	156	4.49034	0.260	0.260	
18	187.5	≦* <	192.5	152	4.40026	0.255	0.255	
17	182.5	≦* <	187.5	148	4.31019	0.250	0.250	
16	177.5	≦* <	182.5	144	4.22012	0.245	0.245	
15	172.5	≦* <	177.5	140	4.13004	0.240	0.240	
14	167.5	≦* <	172.5	136	4.03997	0.234	0.234	
13	162.5	≦* <	167.5	132	3.94990	0.229	0.229	
12	157.5	≦* <	162.5	128	3.85982	0.224	0.224	
11	152.5	≦* <	157.5	124	3.76975	0.219	0.219	
10	147.5	≦* <	152.5	120	3.67968	0.213	0.213	
9	142.5	≦* <	147.5	116	3.58960	0.208	0.208	
8	137.5	≦* <	142.5	112	3.49953	0.203	0.203	
7	132.5	≦* <	137.5	108	3.40946	0.198	0.198	
6	127.5	≦* <	132.5	104	3.31939	0.193	0.193	
5	122.5	≦* <	127.5	100	3.22931	0.187	0.187	
4	117.5	≦* <	122.5	96	3.13924	0.182	0.182	
3	112.5	≦* <	117.5	92	3.04917	0.177	0.177	
2	107.5	≦* <	112.5	88	2.95909	0.172	0.172	
1	102.5	≦* <	107.5	84	2.86902	0.166	0.166	
0	97.5	≦* <	102.5	80	2.77895	0.161	0.161	
-1	92.5	≦* <	97.5	76	2.68887	0.156	0.156	
-2	87.5	≦* <	92.5	72	2.59880	0.151	0.151	
-3	82.5	≦* <	87.5	68	2.50873	0.146	0.146	
-4	77.5	≦* <	82.5	64	2.41865	0.140	0.140	
-5	72.5	≦* <	77.5	60	2.32858	0.135	0.135	
-6	67.5	≦* <	72.5	56	2.23851	0.130	0.130	
-7	62.5	≦* <	67.5	52	2.14843	0.125	0.125	
-8	57.5	≦* <	62.5	48	2.05836	0.119	0.119	
-9	52.5	≦* <	57.5	44	1.96829	0.114	0.114	
-10	47.5	≦* <	52.5	40	1.87821	0.109	0.109	
-11	42.5	≦* <	47.5	36	1.78814	0.104	0.104	
-12	37.5	≦* <	42.5	32	1.69807	0.098	0.098	
-13	32.5	≦* <	37.5	28	1.60799	0.093	0.093	
-14	27.5	≦* <	32.5	24	1.51792	0.088	0.088	
-15	22.5	≦* <	27.5	20	1.42785	0.083	0.083	
-16	17.5	≦* <	22.5	16	1.33777	0.078	0.078	
-17	12.5	≦* <	17.5	12	1.24770	0.072	0.072	
-18	7.5	≦* <	12.5	8	1.15763	0.067	0.067	
-19	2.5	≦* <	7.5	4	1.06755	0.062	0.062	
-20	0.0	≦* <	2.5	1.00	1.00000	0.058	0.058	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.116 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.253	0.253	
19	192.5	≦* <	197.5	156	4.49034	0.247	0.247	
18	187.5	≦* <	192.5	152	4.40026	0.242	0.242	
17	182.5	≦* <	187.5	148	4.31019	0.238	0.238	
16	177.5	≦* <	182.5	144	4.22012	0.233	0.233	
15	172.5	≦* <	177.5	140	4.13004	0.228	0.228	
14	167.5	≦* <	172.5	136	4.03997	0.222	0.222	
13	162.5	≦* <	167.5	132	3.94990	0.218	0.218	
12	157.5	≦* <	162.5	128	3.85982	0.213	0.213	
11	152.5	≦* <	157.5	124	3.76975	0.208	0.208	
10	147.5	≦* <	152.5	120	3.67968	0.202	0.202	
9	142.5	≦* <	147.5	116	3.58960	0.198	0.198	
8	137.5	≦* <	142.5	112	3.49953	0.193	0.193	
7	132.5	≦* <	137.5	108	3.40946	0.188	0.188	
6	127.5	≦* <	132.5	104	3.31939	0.183	0.183	
5	122.5	≦* <	127.5	100	3.22931	0.178	0.178	
4	117.5	≦* <	122.5	96	3.13924	0.173	0.173	
3	112.5	≦* <	117.5	92	3.04917	0.168	0.168	
2	107.5	≦* <	112.5	88	2.95909	0.163	0.163	
1	102.5	≦* <	107.5	84	2.86902	0.158	0.158	
0	97.5	≦* <	102.5	80	2.77895	0.153	0.153	
-1	92.5	≦* <	97.5	76	2.68887	0.148	0.148	
-2	87.5	≦* <	92.5	72	2.59880	0.143	0.143	
-3	82.5	≦* <	87.5	68	2.50873	0.139	0.139	
-4	77.5	≦* <	82.5	64	2.41865	0.133	0.133	
-5	72.5	≦* <	77.5	60	2.32858	0.128	0.128	
-6	67.5	≦* <	72.5	56	2.23851	0.124	0.124	
-7	62.5	≦* <	67.5	52	2.14843	0.119	0.119	
-8	57.5	≦* <	62.5	48	2.05836	0.113	0.113	
-9	52.5	≦* <	57.5	44	1.96829	0.108	0.108	
-10	47.5	≦* <	52.5	40	1.87821	0.104	0.104	
-11	42.5	≦* <	47.5	36	1.78814	0.099	0.099	
-12	37.5	≦* <	42.5	32	1.69807	0.093	0.093	
-13	32.5	≦* <	37.5	28	1.60799	0.088	0.088	
-14	27.5	≦* <	32.5	24	1.51792	0.084	0.084	
-15	22.5	≦* <	27.5	20	1.42785	0.079	0.079	
-16	17.5	≦* <	22.5	16	1.33777	0.074	0.074	
-17	12.5	≦* <	17.5	12	1.24770	0.068	0.068	
-18	7.5	≦* <	12.5	8	1.15763	0.064	0.064	
-19	2.5	≦* <	7.5	4	1.06755	0.059	0.059	
-20	0.0	≦* <	2.5	1.00	1.00000	0.055	0.055	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.009	0.009	
19	192.5	≦* <	197.5	156	4.49034	0.009	0.009	
18	187.5	≦* <	192.5	152	4.40026	0.009	0.009	
17	182.5	≦* <	187.5	148	4.31019	0.009	0.009	
16	177.5	≦* <	182.5	144	4.22012	0.008	0.008	
15	172.5	≦* <	177.5	140	4.13004	0.008	0.008	
14	167.5	≦* <	172.5	136	4.03997	0.008	0.008	
13	162.5	≦* <	167.5	132	3.94990	0.008	0.008	
12	157.5	≦* <	162.5	128	3.85982	0.008	0.008	
11	152.5	≦* <	157.5	124	3.76975	0.008	0.008	
10	147.5	≦* <	152.5	120	3.67968	0.007	0.007	
9	142.5	≦* <	147.5	116	3.58960	0.007	0.007	
8	137.5	≦* <	142.5	112	3.49953	0.007	0.007	
7	132.5	≦* <	137.5	108	3.40946	0.007	0.007	
6	127.5	≦* <	132.5	104	3.31939	0.007	0.007	
5	122.5	≦* <	127.5	100	3.22931	0.006	0.006	
4	117.5	≦* <	122.5	96	3.13924	0.006	0.006	
3	112.5	≦* <	117.5	92	3.04917	0.006	0.006	
2	107.5	≦* <	112.5	88	2.95909	0.006	0.006	
1	102.5	≦* <	107.5	84	2.86902	0.006	0.006	
0	97.5	≦* <	102.5	80	2.77895	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.68887	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.59880	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.50873	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.41865	0.005	0.005	
-5	72.5	≦* <	77.5	60	2.32858	0.005	0.005	
-6	67.5	≦* <	72.5	56	2.23851	0.004	0.004	
-7	62.5	≦* <	67.5	52	2.14843	0.004	0.004	
-8	57.5	≦* <	62.5	48	2.05836	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.96829	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.87821	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.51792	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.42785	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.009	0.009	
19	192.5	≦* <	197.5	156	4.49034	0.009	0.009	
18	187.5	≦* <	192.5	152	4.40026	0.009	0.009	
17	182.5	≦* <	187.5	148	4.31019	0.009	0.009	
16	177.5	≦* <	182.5	144	4.22012	0.008	0.008	
15	172.5	≦* <	177.5	140	4.13004	0.008	0.008	
14	167.5	≦* <	172.5	136	4.03997	0.008	0.008	
13	162.5	≦* <	167.5	132	3.94990	0.008	0.008	
12	157.5	≦* <	162.5	128	3.85982	0.008	0.008	
11	152.5	≦* <	157.5	124	3.76975	0.008	0.008	
10	147.5	≦* <	152.5	120	3.67968	0.007	0.007	
9	142.5	≦* <	147.5	116	3.58960	0.007	0.007	
8	137.5	≦* <	142.5	112	3.49953	0.007	0.007	
7	132.5	≦* <	137.5	108	3.40946	0.007	0.007	
6	127.5	≦* <	132.5	104	3.31939	0.007	0.007	
5	122.5	≦* <	127.5	100	3.22931	0.006	0.006	
4	117.5	≦* <	122.5	96	3.13924	0.006	0.006	
3	112.5	≦* <	117.5	92	3.04917	0.006	0.006	
2	107.5	≦* <	112.5	88	2.95909	0.006	0.006	
1	102.5	≦* <	107.5	84	2.86902	0.006	0.006	
0	97.5	≦* <	102.5	80	2.77895	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.68887	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.59880	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.50873	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.41865	0.005	0.005	
-5	72.5	≦* <	77.5	60	2.32858	0.005	0.005	
-6	67.5	≦* <	72.5	56	2.23851	0.004	0.004	
-7	62.5	≦* <	67.5	52	2.14843	0.004	0.004	
-8	57.5	≦* <	62.5	48	2.05836	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.96829	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.87821	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.51792	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.42785	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.106 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.243	0.243	
19	192.5	≦* <	197.5	156	4.49034	0.238	0.238	
18	187.5	≦* <	192.5	152	4.40026	0.233	0.233	
17	182.5	≦* <	187.5	148	4.31019	0.228	0.228	
16	177.5	≦* <	182.5	144	4.22012	0.224	0.224	
15	172.5	≦* <	177.5	140	4.13004	0.219	0.219	
14	167.5	≦* <	172.5	136	4.03997	0.214	0.214	
13	162.5	≦* <	167.5	132	3.94990	0.209	0.209	
12	157.5	≦* <	162.5	128	3.85982	0.205	0.205	
11	152.5	≦* <	157.5	124	3.76975	0.200	0.200	
10	147.5	≦* <	152.5	120	3.67968	0.195	0.195	
9	142.5	≦* <	147.5	116	3.58960	0.190	0.190	
8	137.5	≦* <	142.5	112	3.49953	0.185	0.185	
7	132.5	≦* <	137.5	108	3.40946	0.181	0.181	
6	127.5	≦* <	132.5	104	3.31939	0.176	0.176	
5	122.5	≦* <	127.5	100	3.22931	0.171	0.171	
4	117.5	≦* <	122.5	96	3.13924	0.166	0.166	
3	112.5	≦* <	117.5	92	3.04917	0.162	0.162	
2	107.5	≦* <	112.5	88	2.95909	0.157	0.157	
1	102.5	≦* <	107.5	84	2.86902	0.152	0.152	
0	97.5	≦* <	102.5	80	2.77895	0.147	0.147	
-1	92.5	≦* <	97.5	76	2.68887	0.143	0.143	
-2	87.5	≦* <	92.5	72	2.59880	0.138	0.138	
-3	82.5	≦* <	87.5	68	2.50873	0.133	0.133	
-4	77.5	≦* <	82.5	64	2.41865	0.128	0.128	
-5	72.5	≦* <	77.5	60	2.32858	0.123	0.123	
-6	67.5	≦* <	72.5	56	2.23851	0.119	0.119	
-7	62.5	≦* <	67.5	52	2.14843	0.114	0.114	
-8	57.5	≦* <	62.5	48	2.05836	0.109	0.109	
-9	52.5	≦* <	57.5	44	1.96829	0.104	0.104	
-10	47.5	≦* <	52.5	40	1.87821	0.100	0.100	
-11	42.5	≦* <	47.5	36	1.78814	0.095	0.095	
-12	37.5	≦* <	42.5	32	1.69807	0.090	0.090	
-13	32.5	≦* <	37.5	28	1.60799	0.085	0.085	
-14	27.5	≦* <	32.5	24	1.51792	0.080	0.080	
-15	22.5	≦* <	27.5	20	1.42785	0.076	0.076	
-16	17.5	≦* <	22.5	16	1.33777	0.071	0.071	
-17	12.5	≦* <	17.5	12	1.24770	0.066	0.066	
-18	7.5	≦* <	12.5	8	1.15763	0.061	0.061	
-19	2.5	≦* <	7.5	4	1.06755	0.057	0.057	
-20	0.0	≦* <	2.5	1.00	1.00000	0.053	0.053	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.106 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.231	0.231	
19	192.5	≦* <	197.5	156	4.49034	0.226	0.226	
18	187.5	≦* <	192.5	152	4.40026	0.221	0.221	
17	182.5	≦* <	187.5	148	4.31019	0.217	0.217	
16	177.5	≦* <	182.5	144	4.22012	0.213	0.213	
15	172.5	≦* <	177.5	140	4.13004	0.208	0.208	
14	167.5	≦* <	172.5	136	4.03997	0.203	0.203	
13	162.5	≦* <	167.5	132	3.94990	0.199	0.199	
12	157.5	≦* <	162.5	128	3.85982	0.195	0.195	
11	152.5	≦* <	157.5	124	3.76975	0.190	0.190	
10	147.5	≦* <	152.5	120	3.67968	0.185	0.185	
9	142.5	≦* <	147.5	116	3.58960	0.181	0.181	
8	137.5	≦* <	142.5	112	3.49953	0.176	0.176	
7	132.5	≦* <	137.5	108	3.40946	0.172	0.172	
6	127.5	≦* <	132.5	104	3.31939	0.167	0.167	
5	122.5	≦* <	127.5	100	3.22931	0.162	0.162	
4	117.5	≦* <	122.5	96	3.13924	0.158	0.158	
3	112.5	≦* <	117.5	92	3.04917	0.154	0.154	
2	107.5	≦* <	112.5	88	2.95909	0.149	0.149	
1	102.5	≦* <	107.5	84	2.86902	0.144	0.144	
0	97.5	≦* <	102.5	80	2.77895	0.140	0.140	
-1	92.5	≦* <	97.5	76	2.68887	0.136	0.136	
-2	87.5	≦* <	92.5	72	2.59880	0.131	0.131	
-3	82.5	≦* <	87.5	68	2.50873	0.126	0.126	
-4	77.5	≦* <	82.5	64	2.41865	0.122	0.122	
-5	72.5	≦* <	77.5	60	2.32858	0.117	0.117	
-6	67.5	≦* <	72.5	56	2.23851	0.113	0.113	
-7	62.5	≦* <	67.5	52	2.14843	0.108	0.108	
-8	57.5	≦* <	62.5	48	2.05836	0.104	0.104	
-9	52.5	≦* <	57.5	44	1.96829	0.099	0.099	
-10	47.5	≦* <	52.5	40	1.87821	0.095	0.095	
-11	42.5	≦* <	47.5	36	1.78814	0.090	0.090	
-12	37.5	≦* <	42.5	32	1.69807	0.086	0.086	
-13	32.5	≦* <	37.5	28	1.60799	0.081	0.081	
-14	27.5	≦* <	32.5	24	1.51792	0.076	0.076	
-15	22.5	≦* <	27.5	20	1.42785	0.072	0.072	
-16	17.5	≦* <	22.5	16	1.33777	0.067	0.067	
-17	12.5	≦* <	17.5	12	1.24770	0.063	0.063	
-18	7.5	≦* <	12.5	8	1.15763	0.058	0.058	
-19	2.5	≦* <	7.5	4	1.06755	0.054	0.054	
-20	0.0	≦* <	2.5	1.00	1.00000	0.050	0.050	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.104 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.238	0.238	
19	192.5	≦* <	197.5	156	4.49034	0.233	0.233	
18	187.5	≦* <	192.5	152	4.40026	0.229	0.229	
17	182.5	≦* <	187.5	148	4.31019	0.224	0.224	
16	177.5	≦* <	182.5	144	4.22012	0.219	0.219	
15	172.5	≦* <	177.5	140	4.13004	0.215	0.215	
14	167.5	≦* <	172.5	136	4.03997	0.210	0.210	
13	162.5	≦* <	167.5	132	3.94990	0.205	0.205	
12	157.5	≦* <	162.5	128	3.85982	0.201	0.201	
11	152.5	≦* <	157.5	124	3.76975	0.196	0.196	
10	147.5	≦* <	152.5	120	3.67968	0.191	0.191	
9	142.5	≦* <	147.5	116	3.58960	0.187	0.187	
8	137.5	≦* <	142.5	112	3.49953	0.182	0.182	
7	132.5	≦* <	137.5	108	3.40946	0.177	0.177	
6	127.5	≦* <	132.5	104	3.31939	0.173	0.173	
5	122.5	≦* <	127.5	100	3.22931	0.168	0.168	
4	117.5	≦* <	122.5	96	3.13924	0.163	0.163	
3	112.5	≦* <	117.5	92	3.04917	0.159	0.159	
2	107.5	≦* <	112.5	88	2.95909	0.154	0.154	
1	102.5	≦* <	107.5	84	2.86902	0.149	0.149	
0	97.5	≦* <	102.5	80	2.77895	0.145	0.145	
-1	92.5	≦* <	97.5	76	2.68887	0.140	0.140	
-2	87.5	≦* <	92.5	72	2.59880	0.135	0.135	
-3	82.5	≦* <	87.5	68	2.50873	0.130	0.130	
-4	77.5	≦* <	82.5	64	2.41865	0.126	0.126	
-5	72.5	≦* <	77.5	60	2.32858	0.121	0.121	
-6	67.5	≦* <	72.5	56	2.23851	0.116	0.116	
-7	62.5	≦* <	67.5	52	2.14843	0.112	0.112	
-8	57.5	≦* <	62.5	48	2.05836	0.107	0.107	
-9	52.5	≦* <	57.5	44	1.96829	0.102	0.102	
-10	47.5	≦* <	52.5	40	1.87821	0.098	0.098	
-11	42.5	≦* <	47.5	36	1.78814	0.093	0.093	
-12	37.5	≦* <	42.5	32	1.69807	0.088	0.088	
-13	32.5	≦* <	37.5	28	1.60799	0.084	0.084	
-14	27.5	≦* <	32.5	24	1.51792	0.079	0.079	
-15	22.5	≦* <	27.5	20	1.42785	0.074	0.074	
-16	17.5	≦* <	22.5	16	1.33777	0.070	0.070	
-17	12.5	≦* <	17.5	12	1.24770	0.065	0.065	
-18	7.5	≦* <	12.5	8	1.15763	0.060	0.060	
-19	2.5	≦* <	7.5	4	1.06755	0.056	0.056	
-20	0.0	≦* <	2.5	1.00	1.00000	0.052	0.052	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.104 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.226	0.226	
19	192.5	≦* <	197.5	156	4.49034	0.221	0.221	
18	187.5	≦* <	192.5	152	4.40026	0.218	0.218	
17	182.5	≦* <	187.5	148	4.31019	0.213	0.213	
16	177.5	≦* <	182.5	144	4.22012	0.208	0.208	
15	172.5	≦* <	177.5	140	4.13004	0.204	0.204	
14	167.5	≦* <	172.5	136	4.03997	0.200	0.200	
13	162.5	≦* <	167.5	132	3.94990	0.195	0.195	
12	157.5	≦* <	162.5	128	3.85982	0.191	0.191	
11	152.5	≦* <	157.5	124	3.76975	0.186	0.186	
10	147.5	≦* <	152.5	120	3.67968	0.181	0.181	
9	142.5	≦* <	147.5	116	3.58960	0.178	0.178	
8	137.5	≦* <	142.5	112	3.49953	0.173	0.173	
7	132.5	≦* <	137.5	108	3.40946	0.168	0.168	
6	127.5	≦* <	132.5	104	3.31939	0.164	0.164	
5	122.5	≦* <	127.5	100	3.22931	0.160	0.160	
4	117.5	≦* <	122.5	96	3.13924	0.155	0.155	
3	112.5	≦* <	117.5	92	3.04917	0.151	0.151	
2	107.5	≦* <	112.5	88	2.95909	0.146	0.146	
1	102.5	≦* <	107.5	84	2.86902	0.142	0.142	
0	97.5	≦* <	102.5	80	2.77895	0.138	0.138	
-1	92.5	≦* <	97.5	76	2.68887	0.133	0.133	
-2	87.5	≦* <	92.5	72	2.59880	0.128	0.128	
-3	82.5	≦* <	87.5	68	2.50873	0.124	0.124	
-4	77.5	≦* <	82.5	64	2.41865	0.120	0.120	
-5	72.5	≦* <	77.5	60	2.32858	0.115	0.115	
-6	67.5	≦* <	72.5	56	2.23851	0.110	0.110	
-7	62.5	≦* <	67.5	52	2.14843	0.106	0.106	
-8	57.5	≦* <	62.5	48	2.05836	0.102	0.102	
-9	52.5	≦* <	57.5	44	1.96829	0.097	0.097	
-10	47.5	≦* <	52.5	40	1.87821	0.093	0.093	
-11	42.5	≦* <	47.5	36	1.78814	0.088	0.088	
-12	37.5	≦* <	42.5	32	1.69807	0.084	0.084	
-13	32.5	≦* <	37.5	28	1.60799	0.080	0.080	
-14	27.5	≦* <	32.5	24	1.51792	0.075	0.075	
-15	22.5	≦* <	27.5	20	1.42785	0.070	0.070	
-16	17.5	≦* <	22.5	16	1.33777	0.067	0.067	
-17	12.5	≦* <	17.5	12	1.24770	0.062	0.062	
-18	7.5	≦* <	12.5	8	1.15763	0.057	0.057	
-19	2.5	≦* <	7.5	4	1.06755	0.053	0.053	
-20	0.0	≦* <	2.5	1.00	1.00000	0.049	0.049	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.094 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.215	0.215	
19	192.5	≦* <	197.5	156	4.49034	0.211	0.211	
18	187.5	≦* <	192.5	152	4.40026	0.207	0.207	
17	182.5	≦* <	187.5	148	4.31019	0.203	0.203	
16	177.5	≦* <	182.5	144	4.22012	0.198	0.198	
15	172.5	≦* <	177.5	140	4.13004	0.194	0.194	
14	167.5	≦* <	172.5	136	4.03997	0.190	0.190	
13	162.5	≦* <	167.5	132	3.94990	0.186	0.186	
12	157.5	≦* <	162.5	128	3.85982	0.181	0.181	
11	152.5	≦* <	157.5	124	3.76975	0.177	0.177	
10	147.5	≦* <	152.5	120	3.67968	0.173	0.173	
9	142.5	≦* <	147.5	116	3.58960	0.169	0.169	
8	137.5	≦* <	142.5	112	3.49953	0.164	0.164	
7	132.5	≦* <	137.5	108	3.40946	0.160	0.160	
6	127.5	≦* <	132.5	104	3.31939	0.156	0.156	
5	122.5	≦* <	127.5	100	3.22931	0.152	0.152	
4	117.5	≦* <	122.5	96	3.13924	0.148	0.148	
3	112.5	≦* <	117.5	92	3.04917	0.143	0.143	
2	107.5	≦* <	112.5	88	2.95909	0.139	0.139	
1	102.5	≦* <	107.5	84	2.86902	0.135	0.135	
0	97.5	≦* <	102.5	80	2.77895	0.131	0.131	
-1	92.5	≦* <	97.5	76	2.68887	0.126	0.126	
-2	87.5	≦* <	92.5	72	2.59880	0.122	0.122	
-3	82.5	≦* <	87.5	68	2.50873	0.118	0.118	
-4	77.5	≦* <	82.5	64	2.41865	0.114	0.114	
-5	72.5	≦* <	77.5	60	2.32858	0.109	0.109	
-6	67.5	≦* <	72.5	56	2.23851	0.105	0.105	
-7	62.5	≦* <	67.5	52	2.14843	0.101	0.101	
-8	57.5	≦* <	62.5	48	2.05836	0.097	0.097	
-9	52.5	≦* <	57.5	44	1.96829	0.093	0.093	
-10	47.5	≦* <	52.5	40	1.87821	0.088	0.088	
-11	42.5	≦* <	47.5	36	1.78814	0.084	0.084	
-12	37.5	≦* <	42.5	32	1.69807	0.080	0.080	
-13	32.5	≦* <	37.5	28	1.60799	0.076	0.076	
-14	27.5	≦* <	32.5	24	1.51792	0.071	0.071	
-15	22.5	≦* <	27.5	20	1.42785	0.067	0.067	
-16	17.5	≦* <	22.5	16	1.33777	0.063	0.063	
-17	12.5	≦* <	17.5	12	1.24770	0.059	0.059	
-18	7.5	≦* <	12.5	8	1.15763	0.054	0.054	
-19	2.5	≦* <	7.5	4	1.06755	0.050	0.050	
-20	0.0	≦* <	2.5	1.00	1.00000	0.047	0.047	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.094 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.204	0.204	
19	192.5	≦* <	197.5	156	4.49034	0.200	0.200	
18	187.5	≦* <	192.5	152	4.40026	0.197	0.197	
17	182.5	≦* <	187.5	148	4.31019	0.193	0.193	
16	177.5	≦* <	182.5	144	4.22012	0.188	0.188	
15	172.5	≦* <	177.5	140	4.13004	0.184	0.184	
14	167.5	≦* <	172.5	136	4.03997	0.181	0.181	
13	162.5	≦* <	167.5	132	3.94990	0.177	0.177	
12	157.5	≦* <	162.5	128	3.85982	0.172	0.172	
11	152.5	≦* <	157.5	124	3.76975	0.168	0.168	
10	147.5	≦* <	152.5	120	3.67968	0.164	0.164	
9	142.5	≦* <	147.5	116	3.58960	0.161	0.161	
8	137.5	≦* <	142.5	112	3.49953	0.156	0.156	
7	132.5	≦* <	137.5	108	3.40946	0.152	0.152	
6	127.5	≦* <	132.5	104	3.31939	0.148	0.148	
5	122.5	≦* <	127.5	100	3.22931	0.144	0.144	
4	117.5	≦* <	122.5	96	3.13924	0.141	0.141	
3	112.5	≦* <	117.5	92	3.04917	0.136	0.136	
2	107.5	≦* <	112.5	88	2.95909	0.132	0.132	
1	102.5	≦* <	107.5	84	2.86902	0.128	0.128	
0	97.5	≦* <	102.5	80	2.77895	0.124	0.124	
-1	92.5	≦* <	97.5	76	2.68887	0.120	0.120	
-2	87.5	≦* <	92.5	72	2.59880	0.116	0.116	
-3	82.5	≦* <	87.5	68	2.50873	0.112	0.112	
-4	77.5	≦* <	82.5	64	2.41865	0.108	0.108	
-5	72.5	≦* <	77.5	60	2.32858	0.104	0.104	
-6	67.5	≦* <	72.5	56	2.23851	0.100	0.100	
-7	62.5	≦* <	67.5	52	2.14843	0.096	0.096	
-8	57.5	≦* <	62.5	48	2.05836	0.092	0.092	
-9	52.5	≦* <	57.5	44	1.96829	0.088	0.088	
-10	47.5	≦* <	52.5	40	1.87821	0.084	0.084	
-11	42.5	≦* <	47.5	36	1.78814	0.080	0.080	
-12	37.5	≦* <	42.5	32	1.69807	0.076	0.076	
-13	32.5	≦* <	37.5	28	1.60799	0.072	0.072	
-14	27.5	≦* <	32.5	24	1.51792	0.067	0.067	
-15	22.5	≦* <	27.5	20	1.42785	0.064	0.064	
-16	17.5	≦* <	22.5	16	1.33777	0.060	0.060	
-17	12.5	≦* <	17.5	12	1.24770	0.056	0.056	
-18	7.5	≦* <	12.5	8	1.15763	0.051	0.051	
-19	2.5	≦* <	7.5	4	1.06755	0.048	0.048	
-20	0.0	≦* <	2.5	1.00	1.00000	0.045	0.045	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 2.626 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	4.525	4.525	
19	192.5	≦* <	197.5	156	3.38446	4.444	4.444	
18	187.5	≦* <	192.5	152	3.32292	4.363	4.363	
17	182.5	≦* <	187.5	148	3.26139	4.282	4.282	
16	177.5	≦* <	182.5	144	3.19985	4.201	4.201	
15	172.5	≦* <	177.5	140	3.13832	4.121	4.121	
14	167.5	≦* <	172.5	136	3.07678	4.040	4.040	
13	162.5	≦* <	167.5	132	3.01525	3.959	3.959	
12	157.5	≦* <	162.5	128	2.95372	3.878	3.878	
11	152.5	≦* <	157.5	124	2.89218	3.797	3.797	
10	147.5	≦* <	152.5	120	2.83065	3.717	3.717	
9	142.5	≦* <	147.5	116	2.76911	3.636	3.636	
8	137.5	≦* <	142.5	112	2.70758	3.555	3.555	
7	132.5	≦* <	137.5	108	2.64604	3.474	3.474	
6	127.5	≦* <	132.5	104	2.58451	3.393	3.393	
5	122.5	≦* <	127.5	100	2.52297	3.313	3.313	
4	117.5	≦* <	122.5	96	2.46144	3.232	3.232	
3	112.5	≦* <	117.5	92	2.39991	3.151	3.151	
2	107.5	≦* <	112.5	88	2.33837	3.070	3.070	
1	102.5	≦* <	107.5	84	2.27684	2.989	2.989	
0	97.5	≦* <	102.5	80	2.21530	2.909	2.909	
-1	92.5	≦* <	97.5	76	2.15377	2.828	2.828	
-2	87.5	≦* <	92.5	72	2.09223	2.747	2.747	
-3	82.5	≦* <	87.5	68	2.03070	2.666	2.666	
-4	77.5	≦* <	82.5	64	1.96917	2.586	2.586	
-5	72.5	≦* <	77.5	60	1.90763	2.505	2.505	
-6	67.5	≦* <	72.5	56	1.84610	2.424	2.424	
-7	62.5	≦* <	67.5	52	1.78456	2.343	2.343	
-8	57.5	≦* <	62.5	48	1.72303	2.262	2.262	
-9	52.5	≦* <	57.5	44	1.66149	2.182	2.182	
-10	47.5	≦* <	52.5	40	1.59996	2.101	2.101	
-11	42.5	≦* <	47.5	36	1.53843	2.020	2.020	
-12	37.5	≦* <	42.5	32	1.47689	1.939	1.939	
-13	32.5	≦* <	37.5	28	1.41536	1.858	1.858	
-14	27.5	≦* <	32.5	24	1.35382	1.778	1.778	
-15	22.5	≦* <	27.5	20	1.29229	1.697	1.697	
-16	17.5	≦* <	22.5	16	1.23075	1.616	1.616	
-17	12.5	≦* <	17.5	12	1.16922	1.535	1.535	
-18	7.5	≦* <	12.5	8	1.10769	1.454	1.454	
-19	2.5	≦* <	7.5	4	1.04615	1.374	1.374	
-20	0.0	≦* <	2.5	1.00	1.00000	1.313	1.313	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 2.626 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	4.299	4.299	
19	192.5	≦* <	197.5	156	3.38446	4.222	4.222	
18	187.5	≦* <	192.5	152	3.32292	4.145	4.145	
17	182.5	≦* <	187.5	148	3.26139	4.068	4.068	
16	177.5	≦* <	182.5	144	3.19985	3.991	3.991	
15	172.5	≦* <	177.5	140	3.13832	3.915	3.915	
14	167.5	≦* <	172.5	136	3.07678	3.838	3.838	
13	162.5	≦* <	167.5	132	3.01525	3.761	3.761	
12	157.5	≦* <	162.5	128	2.95372	3.684	3.684	
11	152.5	≦* <	157.5	124	2.89218	3.607	3.607	
10	147.5	≦* <	152.5	120	2.83065	3.531	3.531	
9	142.5	≦* <	147.5	116	2.76911	3.454	3.454	
8	137.5	≦* <	142.5	112	2.70758	3.377	3.377	
7	132.5	≦* <	137.5	108	2.64604	3.300	3.300	
6	127.5	≦* <	132.5	104	2.58451	3.223	3.223	
5	122.5	≦* <	127.5	100	2.52297	3.147	3.147	
4	117.5	≦* <	122.5	96	2.46144	3.070	3.070	
3	112.5	≦* <	117.5	92	2.39991	2.993	2.993	
2	107.5	≦* <	112.5	88	2.33837	2.917	2.917	
1	102.5	≦* <	107.5	84	2.27684	2.840	2.840	
0	97.5	≦* <	102.5	80	2.21530	2.764	2.764	
-1	92.5	≦* <	97.5	76	2.15377	2.687	2.687	
-2	87.5	≦* <	92.5	72	2.09223	2.610	2.610	
-3	82.5	≦* <	87.5	68	2.03070	2.533	2.533	
-4	77.5	≦* <	82.5	64	1.96917	2.457	2.457	
-5	72.5	≦* <	77.5	60	1.90763	2.380	2.380	
-6	67.5	≦* <	72.5	56	1.84610	2.303	2.303	
-7	62.5	≦* <	67.5	52	1.78456	2.226	2.226	
-8	57.5	≦* <	62.5	48	1.72303	2.149	2.149	
-9	52.5	≦* <	57.5	44	1.66149	2.073	2.073	
-10	47.5	≦* <	52.5	40	1.59996	1.996	1.996	
-11	42.5	≦* <	47.5	36	1.53843	1.919	1.919	
-12	37.5	≦* <	42.5	32	1.47689	1.842	1.842	
-13	32.5	≦* <	37.5	28	1.41536	1.765	1.765	
-14	27.5	≦* <	32.5	24	1.35382	1.689	1.689	
-15	22.5	≦* <	27.5	20	1.29229	1.612	1.612	
-16	17.5	≦* <	22.5	16	1.23075	1.535	1.535	
-17	12.5	≦* <	17.5	12	1.16922	1.458	1.458	
-18	7.5	≦* <	12.5	8	1.10769	1.381	1.381	
-19	2.5	≦* <	7.5	4	1.04615	1.305	1.305	
-20	0.0	≦* <	2.5	1.00	1.00000	1.247	1.247	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.013 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.022	0.022	
19	192.5	≦* <	197.5	156	3.38446	0.022	0.022	
18	187.5	≦* <	192.5	152	3.32292	0.022	0.022	
17	182.5	≦* <	187.5	148	3.26139	0.021	0.021	
16	177.5	≦* <	182.5	144	3.19985	0.021	0.021	
15	172.5	≦* <	177.5	140	3.13832	0.020	0.020	
14	167.5	≦* <	172.5	136	3.07678	0.020	0.020	
13	162.5	≦* <	167.5	132	3.01525	0.020	0.020	
12	157.5	≦* <	162.5	128	2.95372	0.019	0.019	
11	152.5	≦* <	157.5	124	2.89218	0.019	0.019	
10	147.5	≦* <	152.5	120	2.83065	0.018	0.018	
9	142.5	≦* <	147.5	116	2.76911	0.018	0.018	
8	137.5	≦* <	142.5	112	2.70758	0.018	0.018	
7	132.5	≦* <	137.5	108	2.64604	0.017	0.017	
6	127.5	≦* <	132.5	104	2.58451	0.017	0.017	
5	122.5	≦* <	127.5	100	2.52297	0.016	0.016	
4	117.5	≦* <	122.5	96	2.46144	0.016	0.016	
3	112.5	≦* <	117.5	92	2.39991	0.016	0.016	
2	107.5	≦* <	112.5	88	2.33837	0.015	0.015	
1	102.5	≦* <	107.5	84	2.27684	0.015	0.015	
0	97.5	≦* <	102.5	80	2.21530	0.014	0.014	
-1	92.5	≦* <	97.5	76	2.15377	0.014	0.014	
-2	87.5	≦* <	92.5	72	2.09223	0.014	0.014	
-3	82.5	≦* <	87.5	68	2.03070	0.013	0.013	
-4	77.5	≦* <	82.5	64	1.96917	0.013	0.013	
-5	72.5	≦* <	77.5	60	1.90763	0.012	0.012	
-6	67.5	≦* <	72.5	56	1.84610	0.012	0.012	
-7	62.5	≦* <	67.5	52	1.78456	0.012	0.012	
-8	57.5	≦* <	62.5	48	1.72303	0.011	0.011	
-9	52.5	≦* <	57.5	44	1.66149	0.011	0.011	
-10	47.5	≦* <	52.5	40	1.59996	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.53843	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.47689	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.41536	0.009	0.009	
-14	27.5	≦* <	32.5	24	1.35382	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.29229	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.23075	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.16922	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.10769	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.04615	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.013 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.021	0.021	
19	192.5	≦* <	197.5	156	3.38446	0.021	0.021	
18	187.5	≦* <	192.5	152	3.32292	0.021	0.021	
17	182.5	≦* <	187.5	148	3.26139	0.020	0.020	
16	177.5	≦* <	182.5	144	3.19985	0.020	0.020	
15	172.5	≦* <	177.5	140	3.13832	0.019	0.019	
14	167.5	≦* <	172.5	136	3.07678	0.019	0.019	
13	162.5	≦* <	167.5	132	3.01525	0.019	0.019	
12	157.5	≦* <	162.5	128	2.95372	0.018	0.018	
11	152.5	≦* <	157.5	124	2.89218	0.018	0.018	
10	147.5	≦* <	152.5	120	2.83065	0.017	0.017	
9	142.5	≦* <	147.5	116	2.76911	0.017	0.017	
8	137.5	≦* <	142.5	112	2.70758	0.017	0.017	
7	132.5	≦* <	137.5	108	2.64604	0.016	0.016	
6	127.5	≦* <	132.5	104	2.58451	0.016	0.016	
5	122.5	≦* <	127.5	100	2.52297	0.015	0.015	
4	117.5	≦* <	122.5	96	2.46144	0.015	0.015	
3	112.5	≦* <	117.5	92	2.39991	0.015	0.015	
2	107.5	≦* <	112.5	88	2.33837	0.014	0.014	
1	102.5	≦* <	107.5	84	2.27684	0.014	0.014	
0	97.5	≦* <	102.5	80	2.21530	0.013	0.013	
-1	92.5	≦* <	97.5	76	2.15377	0.013	0.013	
-2	87.5	≦* <	92.5	72	2.09223	0.013	0.013	
-3	82.5	≦* <	87.5	68	2.03070	0.012	0.012	
-4	77.5	≦* <	82.5	64	1.96917	0.012	0.012	
-5	72.5	≦* <	77.5	60	1.90763	0.011	0.011	
-6	67.5	≦* <	72.5	56	1.84610	0.011	0.011	
-7	62.5	≦* <	67.5	52	1.78456	0.011	0.011	
-8	57.5	≦* <	62.5	48	1.72303	0.010	0.010	
-9	52.5	≦* <	57.5	44	1.66149	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.59996	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.53843	0.010	0.010	
-12	37.5	≦* <	42.5	32	1.47689	0.010	0.010	
-13	32.5	≦* <	37.5	28	1.41536	0.009	0.009	
-14	27.5	≦* <	32.5	24	1.35382	0.009	0.009	
-15	22.5	≦* <	27.5	20	1.29229	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.23075	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.16922	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.10769	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.04615	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.995 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	3.437	3.437	
19	192.5	≦* <	197.5	156	3.38446	3.376	3.376	
18	187.5	≦* <	192.5	152	3.32292	3.315	3.315	
17	182.5	≦* <	187.5	148	3.26139	3.253	3.253	
16	177.5	≦* <	182.5	144	3.19985	3.192	3.192	
15	172.5	≦* <	177.5	140	3.13832	3.130	3.130	
14	167.5	≦* <	172.5	136	3.07678	3.069	3.069	
13	162.5	≦* <	167.5	132	3.01525	3.008	3.008	
12	157.5	≦* <	162.5	128	2.95372	2.946	2.946	
11	152.5	≦* <	157.5	124	2.89218	2.885	2.885	
10	147.5	≦* <	152.5	120	2.83065	2.824	2.824	
9	142.5	≦* <	147.5	116	2.76911	2.762	2.762	
8	137.5	≦* <	142.5	112	2.70758	2.701	2.701	
7	132.5	≦* <	137.5	108	2.64604	2.639	2.639	
6	127.5	≦* <	132.5	104	2.58451	2.578	2.578	
5	122.5	≦* <	127.5	100	2.52297	2.517	2.517	
4	117.5	≦* <	122.5	96	2.46144	2.455	2.455	
3	112.5	≦* <	117.5	92	2.39991	2.394	2.394	
2	107.5	≦* <	112.5	88	2.33837	2.333	2.333	
1	102.5	≦* <	107.5	84	2.27684	2.271	2.271	
0	97.5	≦* <	102.5	80	2.21530	2.210	2.210	
-1	92.5	≦* <	97.5	76	2.15377	2.148	2.148	
-2	87.5	≦* <	92.5	72	2.09223	2.087	2.087	
-3	82.5	≦* <	87.5	68	2.03070	2.026	2.026	
-4	77.5	≦* <	82.5	64	1.96917	1.964	1.964	
-5	72.5	≦* <	77.5	60	1.90763	1.903	1.903	
-6	67.5	≦* <	72.5	56	1.84610	1.841	1.841	
-7	62.5	≦* <	67.5	52	1.78456	1.780	1.780	
-8	57.5	≦* <	62.5	48	1.72303	1.719	1.719	
-9	52.5	≦* <	57.5	44	1.66149	1.657	1.657	
-10	47.5	≦* <	52.5	40	1.59996	1.596	1.596	
-11	42.5	≦* <	47.5	36	1.53843	1.535	1.535	
-12	37.5	≦* <	42.5	32	1.47689	1.473	1.473	
-13	32.5	≦* <	37.5	28	1.41536	1.412	1.412	
-14	27.5	≦* <	32.5	24	1.35382	1.350	1.350	
-15	22.5	≦* <	27.5	20	1.29229	1.289	1.289	
-16	17.5	≦* <	22.5	16	1.23075	1.228	1.228	
-17	12.5	≦* <	17.5	12	1.16922	1.166	1.166	
-18	7.5	≦* <	12.5	8	1.10769	1.105	1.105	
-19	2.5	≦* <	7.5	4	1.04615	1.044	1.044	
-20	0.0	≦* <	2.5	1.00	1.00000	0.997	0.997	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.995 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	3.265	3.265	
19	192.5	≦* <	197.5	156	3.38446	3.207	3.207	
18	187.5	≦* <	192.5	152	3.32292	3.149	3.149	
17	182.5	≦* <	187.5	148	3.26139	3.090	3.090	
16	177.5	≦* <	182.5	144	3.19985	3.032	3.032	
15	172.5	≦* <	177.5	140	3.13832	2.974	2.974	
14	167.5	≦* <	172.5	136	3.07678	2.916	2.916	
13	162.5	≦* <	167.5	132	3.01525	2.858	2.858	
12	157.5	≦* <	162.5	128	2.95372	2.799	2.799	
11	152.5	≦* <	157.5	124	2.89218	2.741	2.741	
10	147.5	≦* <	152.5	120	2.83065	2.683	2.683	
9	142.5	≦* <	147.5	116	2.76911	2.624	2.624	
8	137.5	≦* <	142.5	112	2.70758	2.566	2.566	
7	132.5	≦* <	137.5	108	2.64604	2.507	2.507	
6	127.5	≦* <	132.5	104	2.58451	2.449	2.449	
5	122.5	≦* <	127.5	100	2.52297	2.391	2.391	
4	117.5	≦* <	122.5	96	2.46144	2.332	2.332	
3	112.5	≦* <	117.5	92	2.39991	2.274	2.274	
2	107.5	≦* <	112.5	88	2.33837	2.216	2.216	
1	102.5	≦* <	107.5	84	2.27684	2.157	2.157	
0	97.5	≦* <	102.5	80	2.21530	2.100	2.100	
-1	92.5	≦* <	97.5	76	2.15377	2.041	2.041	
-2	87.5	≦* <	92.5	72	2.09223	1.983	1.983	
-3	82.5	≦* <	87.5	68	2.03070	1.925	1.925	
-4	77.5	≦* <	82.5	64	1.96917	1.866	1.866	
-5	72.5	≦* <	77.5	60	1.90763	1.808	1.808	
-6	67.5	≦* <	72.5	56	1.84610	1.749	1.749	
-7	62.5	≦* <	67.5	52	1.78456	1.691	1.691	
-8	57.5	≦* <	62.5	48	1.72303	1.633	1.633	
-9	52.5	≦* <	57.5	44	1.66149	1.574	1.574	
-10	47.5	≦* <	52.5	40	1.59996	1.516	1.516	
-11	42.5	≦* <	47.5	36	1.53843	1.458	1.458	
-12	37.5	≦* <	42.5	32	1.47689	1.399	1.399	
-13	32.5	≦* <	37.5	28	1.41536	1.341	1.341	
-14	27.5	≦* <	32.5	24	1.35382	1.283	1.283	
-15	22.5	≦* <	27.5	20	1.29229	1.225	1.225	
-16	17.5	≦* <	22.5	16	1.23075	1.167	1.167	
-17	12.5	≦* <	17.5	12	1.16922	1.108	1.108	
-18	7.5	≦* <	12.5	8	1.10769	1.050	1.050	
-19	2.5	≦* <	7.5	4	1.04615	0.992	0.992	
-20	0.0	≦* <	2.5	1.00	1.00000	0.947	0.947	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.012 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.021	0.021	
19	192.5	≦* <	197.5	156	3.38446	0.020	0.020	
18	187.5	≦* <	192.5	152	3.32292	0.020	0.020	
17	182.5	≦* <	187.5	148	3.26139	0.020	0.020	
16	177.5	≦* <	182.5	144	3.19985	0.019	0.019	
15	172.5	≦* <	177.5	140	3.13832	0.019	0.019	
14	167.5	≦* <	172.5	136	3.07678	0.018	0.018	
13	162.5	≦* <	167.5	132	3.01525	0.018	0.018	
12	157.5	≦* <	162.5	128	2.95372	0.018	0.018	
11	152.5	≦* <	157.5	124	2.89218	0.017	0.017	
10	147.5	≦* <	152.5	120	2.83065	0.017	0.017	
9	142.5	≦* <	147.5	116	2.76911	0.017	0.017	
8	137.5	≦* <	142.5	112	2.70758	0.016	0.016	
7	132.5	≦* <	137.5	108	2.64604	0.016	0.016	
6	127.5	≦* <	132.5	104	2.58451	0.016	0.016	
5	122.5	≦* <	127.5	100	2.52297	0.015	0.015	
4	117.5	≦* <	122.5	96	2.46144	0.015	0.015	
3	112.5	≦* <	117.5	92	2.39991	0.014	0.014	
2	107.5	≦* <	112.5	88	2.33837	0.014	0.014	
1	102.5	≦* <	107.5	84	2.27684	0.014	0.014	
0	97.5	≦* <	102.5	80	2.21530	0.013	0.013	
-1	92.5	≦* <	97.5	76	2.15377	0.013	0.013	
-2	87.5	≦* <	92.5	72	2.09223	0.013	0.013	
-3	82.5	≦* <	87.5	68	2.03070	0.012	0.012	
-4	77.5	≦* <	82.5	64	1.96917	0.012	0.012	
-5	72.5	≦* <	77.5	60	1.90763	0.011	0.011	
-6	67.5	≦* <	72.5	56	1.84610	0.011	0.011	
-7	62.5	≦* <	67.5	52	1.78456	0.011	0.011	
-8	57.5	≦* <	62.5	48	1.72303	0.010	0.010	
-9	52.5	≦* <	57.5	44	1.66149	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.59996	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.53843	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.47689	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.41536	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.35382	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.29229	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.23075	0.007	0.007	
-17	12.5	≦* <	17.5	12	1.16922	0.007	0.007	
-18	7.5	≦* <	12.5	8	1.10769	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.04615	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.012 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.020	0.020	
19	192.5	≦* <	197.5	156	3.38446	0.019	0.019	
18	187.5	≦* <	192.5	152	3.32292	0.019	0.019	
17	182.5	≦* <	187.5	148	3.26139	0.019	0.019	
16	177.5	≦* <	182.5	144	3.19985	0.018	0.018	
15	172.5	≦* <	177.5	140	3.13832	0.018	0.018	
14	167.5	≦* <	172.5	136	3.07678	0.017	0.017	
13	162.5	≦* <	167.5	132	3.01525	0.017	0.017	
12	157.5	≦* <	162.5	128	2.95372	0.017	0.017	
11	152.5	≦* <	157.5	124	2.89218	0.016	0.016	
10	147.5	≦* <	152.5	120	2.83065	0.016	0.016	
9	142.5	≦* <	147.5	116	2.76911	0.016	0.016	
8	137.5	≦* <	142.5	112	2.70758	0.015	0.015	
7	132.5	≦* <	137.5	108	2.64604	0.015	0.015	
6	127.5	≦* <	132.5	104	2.58451	0.015	0.015	
5	122.5	≦* <	127.5	100	2.52297	0.014	0.014	
4	117.5	≦* <	122.5	96	2.46144	0.014	0.014	
3	112.5	≦* <	117.5	92	2.39991	0.013	0.013	
2	107.5	≦* <	112.5	88	2.33837	0.013	0.013	
1	102.5	≦* <	107.5	84	2.27684	0.013	0.013	
0	97.5	≦* <	102.5	80	2.21530	0.012	0.012	
-1	92.5	≦* <	97.5	76	2.15377	0.012	0.012	
-2	87.5	≦* <	92.5	72	2.09223	0.012	0.012	
-3	82.5	≦* <	87.5	68	2.03070	0.011	0.011	
-4	77.5	≦* <	82.5	64	1.96917	0.011	0.011	
-5	72.5	≦* <	77.5	60	1.90763	0.010	0.010	
-6	67.5	≦* <	72.5	56	1.84610	0.010	0.010	
-7	62.5	≦* <	67.5	52	1.78456	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.72303	0.010	0.010	
-9	52.5	≦* <	57.5	44	1.66149	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.59996	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.53843	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.47689	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.41536	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.35382	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.29229	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.23075	0.007	0.007	
-17	12.5	≦* <	17.5	12	1.16922	0.007	0.007	
-18	7.5	≦* <	12.5	8	1.10769	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.04615	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.717 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	2.958	2.958	
19	192.5	≦* <	197.5	156	3.38446	2.906	2.906	
18	187.5	≦* <	192.5	152	3.32292	2.853	2.853	
17	182.5	≦* <	187.5	148	3.26139	2.800	2.800	
16	177.5	≦* <	182.5	144	3.19985	2.747	2.747	
15	172.5	≦* <	177.5	140	3.13832	2.694	2.694	
14	167.5	≦* <	172.5	136	3.07678	2.641	2.641	
13	162.5	≦* <	167.5	132	3.01525	2.589	2.589	
12	157.5	≦* <	162.5	128	2.95372	2.536	2.536	
11	152.5	≦* <	157.5	124	2.89218	2.483	2.483	
10	147.5	≦* <	152.5	120	2.83065	2.430	2.430	
9	142.5	≦* <	147.5	116	2.76911	2.377	2.377	
8	137.5	≦* <	142.5	112	2.70758	2.324	2.324	
7	132.5	≦* <	137.5	108	2.64604	2.272	2.272	
6	127.5	≦* <	132.5	104	2.58451	2.219	2.219	
5	122.5	≦* <	127.5	100	2.52297	2.166	2.166	
4	117.5	≦* <	122.5	96	2.46144	2.113	2.113	
3	112.5	≦* <	117.5	92	2.39991	2.060	2.060	
2	107.5	≦* <	112.5	88	2.33837	2.007	2.007	
1	102.5	≦* <	107.5	84	2.27684	1.955	1.955	
0	97.5	≦* <	102.5	80	2.21530	1.902	1.902	
-1	92.5	≦* <	97.5	76	2.15377	1.849	1.849	
-2	87.5	≦* <	92.5	72	2.09223	1.796	1.796	
-3	82.5	≦* <	87.5	68	2.03070	1.743	1.743	
-4	77.5	≦* <	82.5	64	1.96917	1.691	1.691	
-5	72.5	≦* <	77.5	60	1.90763	1.638	1.638	
-6	67.5	≦* <	72.5	56	1.84610	1.585	1.585	
-7	62.5	≦* <	67.5	52	1.78456	1.532	1.532	
-8	57.5	≦* <	62.5	48	1.72303	1.479	1.479	
-9	52.5	≦* <	57.5	44	1.66149	1.426	1.426	
-10	47.5	≦* <	52.5	40	1.59996	1.374	1.374	
-11	42.5	≦* <	47.5	36	1.53843	1.321	1.321	
-12	37.5	≦* <	42.5	32	1.47689	1.268	1.268	
-13	32.5	≦* <	37.5	28	1.41536	1.215	1.215	
-14	27.5	≦* <	32.5	24	1.35382	1.162	1.162	
-15	22.5	≦* <	27.5	20	1.29229	1.109	1.109	
-16	17.5	≦* <	22.5	16	1.23075	1.057	1.057	
-17	12.5	≦* <	17.5	12	1.16922	1.004	1.004	
-18	7.5	≦* <	12.5	8	1.10769	0.951	0.951	
-19	2.5	≦* <	7.5	4	1.04615	0.898	0.898	
-20	0.0	≦* <	2.5	1.00	1.00000	0.858	0.858	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.717 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	2.810	2.810	
19	192.5	≦* <	197.5	156	3.38446	2.761	2.761	
18	187.5	≦* <	192.5	152	3.32292	2.710	2.710	
17	182.5	≦* <	187.5	148	3.26139	2.660	2.660	
16	177.5	≦* <	182.5	144	3.19985	2.610	2.610	
15	172.5	≦* <	177.5	140	3.13832	2.559	2.559	
14	167.5	≦* <	172.5	136	3.07678	2.509	2.509	
13	162.5	≦* <	167.5	132	3.01525	2.460	2.460	
12	157.5	≦* <	162.5	128	2.95372	2.409	2.409	
11	152.5	≦* <	157.5	124	2.89218	2.359	2.359	
10	147.5	≦* <	152.5	120	2.83065	2.309	2.309	
9	142.5	≦* <	147.5	116	2.76911	2.258	2.258	
8	137.5	≦* <	142.5	112	2.70758	2.208	2.208	
7	132.5	≦* <	137.5	108	2.64604	2.158	2.158	
6	127.5	≦* <	132.5	104	2.58451	2.108	2.108	
5	122.5	≦* <	127.5	100	2.52297	2.058	2.058	
4	117.5	≦* <	122.5	96	2.46144	2.007	2.007	
3	112.5	≦* <	117.5	92	2.39991	1.957	1.957	
2	107.5	≦* <	112.5	88	2.33837	1.907	1.907	
1	102.5	≦* <	107.5	84	2.27684	1.857	1.857	
0	97.5	≦* <	102.5	80	2.21530	1.807	1.807	
-1	92.5	≦* <	97.5	76	2.15377	1.757	1.757	
-2	87.5	≦* <	92.5	72	2.09223	1.706	1.706	
-3	82.5	≦* <	87.5	68	2.03070	1.656	1.656	
-4	77.5	≦* <	82.5	64	1.96917	1.606	1.606	
-5	72.5	≦* <	77.5	60	1.90763	1.556	1.556	
-6	67.5	≦* <	72.5	56	1.84610	1.506	1.506	
-7	62.5	≦* <	67.5	52	1.78456	1.455	1.455	
-8	57.5	≦* <	62.5	48	1.72303	1.405	1.405	
-9	52.5	≦* <	57.5	44	1.66149	1.355	1.355	
-10	47.5	≦* <	52.5	40	1.59996	1.305	1.305	
-11	42.5	≦* <	47.5	36	1.53843	1.255	1.255	
-12	37.5	≦* <	42.5	32	1.47689	1.205	1.205	
-13	32.5	≦* <	37.5	28	1.41536	1.154	1.154	
-14	27.5	≦* <	32.5	24	1.35382	1.104	1.104	
-15	22.5	≦* <	27.5	20	1.29229	1.054	1.054	
-16	17.5	≦* <	22.5	16	1.23075	1.004	1.004	
-17	12.5	≦* <	17.5	12	1.16922	0.954	0.954	
-18	7.5	≦* <	12.5	8	1.10769	0.903	0.903	
-19	2.5	≦* <	7.5	4	1.04615	0.853	0.853	
-20	0.0	≦* <	2.5	1.00	1.00000	0.815	0.815	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.011 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.019	0.019	
19	192.5	≦* <	197.5	156	3.38446	0.019	0.019	
18	187.5	≦* <	192.5	152	3.32292	0.018	0.018	
17	182.5	≦* <	187.5	148	3.26139	0.018	0.018	
16	177.5	≦* <	182.5	144	3.19985	0.018	0.018	
15	172.5	≦* <	177.5	140	3.13832	0.017	0.017	
14	167.5	≦* <	172.5	136	3.07678	0.017	0.017	
13	162.5	≦* <	167.5	132	3.01525	0.017	0.017	
12	157.5	≦* <	162.5	128	2.95372	0.016	0.016	
11	152.5	≦* <	157.5	124	2.89218	0.016	0.016	
10	147.5	≦* <	152.5	120	2.83065	0.016	0.016	
9	142.5	≦* <	147.5	116	2.76911	0.015	0.015	
8	137.5	≦* <	142.5	112	2.70758	0.015	0.015	
7	132.5	≦* <	137.5	108	2.64604	0.015	0.015	
6	127.5	≦* <	132.5	104	2.58451	0.014	0.014	
5	122.5	≦* <	127.5	100	2.52297	0.014	0.014	
4	117.5	≦* <	122.5	96	2.46144	0.014	0.014	
3	112.5	≦* <	117.5	92	2.39991	0.013	0.013	
2	107.5	≦* <	112.5	88	2.33837	0.013	0.013	
1	102.5	≦* <	107.5	84	2.27684	0.013	0.013	
0	97.5	≦* <	102.5	80	2.21530	0.012	0.012	
-1	92.5	≦* <	97.5	76	2.15377	0.012	0.012	
-2	87.5	≦* <	92.5	72	2.09223	0.012	0.012	
-3	82.5	≦* <	87.5	68	2.03070	0.011	0.011	
-4	77.5	≦* <	82.5	64	1.96917	0.011	0.011	
-5	72.5	≦* <	77.5	60	1.90763	0.010	0.010	
-6	67.5	≦* <	72.5	56	1.84610	0.010	0.010	
-7	62.5	≦* <	67.5	52	1.78456	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.72303	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.66149	0.009	0.009	
-10	47.5	≦* <	52.5	40	1.59996	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.53843	0.008	0.008	
-12	37.5	≦* <	42.5	32	1.47689	0.008	0.008	
-13	32.5	≦* <	37.5	28	1.41536	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.35382	0.007	0.007	
-15	22.5	≦* <	27.5	20	1.29229	0.007	0.007	
-16	17.5	≦* <	22.5	16	1.23075	0.007	0.007	
-17	12.5	≦* <	17.5	12	1.16922	0.006	0.006	
-18	7.5	≦* <	12.5	8	1.10769	0.006	0.006	
-19	2.5	≦* <	7.5	4	1.04615	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.011 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.018	0.018	
19	192.5	≦* <	197.5	156	3.38446	0.018	0.018	
18	187.5	≦* <	192.5	152	3.32292	0.017	0.017	
17	182.5	≦* <	187.5	148	3.26139	0.017	0.017	
16	177.5	≦* <	182.5	144	3.19985	0.017	0.017	
15	172.5	≦* <	177.5	140	3.13832	0.016	0.016	
14	167.5	≦* <	172.5	136	3.07678	0.016	0.016	
13	162.5	≦* <	167.5	132	3.01525	0.016	0.016	
12	157.5	≦* <	162.5	128	2.95372	0.015	0.015	
11	152.5	≦* <	157.5	124	2.89218	0.015	0.015	
10	147.5	≦* <	152.5	120	2.83065	0.015	0.015	
9	142.5	≦* <	147.5	116	2.76911	0.014	0.014	
8	137.5	≦* <	142.5	112	2.70758	0.014	0.014	
7	132.5	≦* <	137.5	108	2.64604	0.014	0.014	
6	127.5	≦* <	132.5	104	2.58451	0.013	0.013	
5	122.5	≦* <	127.5	100	2.52297	0.013	0.013	
4	117.5	≦* <	122.5	96	2.46144	0.013	0.013	
3	112.5	≦* <	117.5	92	2.39991	0.012	0.012	
2	107.5	≦* <	112.5	88	2.33837	0.012	0.012	
1	102.5	≦* <	107.5	84	2.27684	0.012	0.012	
0	97.5	≦* <	102.5	80	2.21530	0.011	0.011	
-1	92.5	≦* <	97.5	76	2.15377	0.011	0.011	
-2	87.5	≦* <	92.5	72	2.09223	0.011	0.011	
-3	82.5	≦* <	87.5	68	2.03070	0.010	0.010	
-4	77.5	≦* <	82.5	64	1.96917	0.010	0.010	
-5	72.5	≦* <	77.5	60	1.90763	0.010	0.010	
-6	67.5	≦* <	72.5	56	1.84610	0.010	0.010	
-7	62.5	≦* <	67.5	52	1.78456	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.72303	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.66149	0.009	0.009	
-10	47.5	≦* <	52.5	40	1.59996	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.53843	0.008	0.008	
-12	37.5	≦* <	42.5	32	1.47689	0.008	0.008	
-13	32.5	≦* <	37.5	28	1.41536	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.35382	0.007	0.007	
-15	22.5	≦* <	27.5	20	1.29229	0.007	0.007	
-16	17.5	≦* <	22.5	16	1.23075	0.007	0.007	
-17	12.5	≦* <	17.5	12	1.16922	0.006	0.006	
-18	7.5	≦* <	12.5	8	1.10769	0.006	0.006	
-19	2.5	≦* <	7.5	4	1.04615	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.309 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	2.255	2.255	
19	192.5	≦* <	197.5	156	3.38446	2.215	2.215	
18	187.5	≦* <	192.5	152	3.32292	2.175	2.175	
17	182.5	≦* <	187.5	148	3.26139	2.135	2.135	
16	177.5	≦* <	182.5	144	3.19985	2.094	2.094	
15	172.5	≦* <	177.5	140	3.13832	2.054	2.054	
14	167.5	≦* <	172.5	136	3.07678	2.014	2.014	
13	162.5	≦* <	167.5	132	3.01525	1.973	1.973	
12	157.5	≦* <	162.5	128	2.95372	1.933	1.933	
11	152.5	≦* <	157.5	124	2.89218	1.893	1.893	
10	147.5	≦* <	152.5	120	2.83065	1.853	1.853	
9	142.5	≦* <	147.5	116	2.76911	1.812	1.812	
8	137.5	≦* <	142.5	112	2.70758	1.772	1.772	
7	132.5	≦* <	137.5	108	2.64604	1.732	1.732	
6	127.5	≦* <	132.5	104	2.58451	1.692	1.692	
5	122.5	≦* <	127.5	100	2.52297	1.651	1.651	
4	117.5	≦* <	122.5	96	2.46144	1.611	1.611	
3	112.5	≦* <	117.5	92	2.39991	1.571	1.571	
2	107.5	≦* <	112.5	88	2.33837	1.530	1.530	
1	102.5	≦* <	107.5	84	2.27684	1.490	1.490	
0	97.5	≦* <	102.5	80	2.21530	1.450	1.450	
-1	92.5	≦* <	97.5	76	2.15377	1.410	1.410	
-2	87.5	≦* <	92.5	72	2.09223	1.369	1.369	
-3	82.5	≦* <	87.5	68	2.03070	1.329	1.329	
-4	77.5	≦* <	82.5	64	1.96917	1.289	1.289	
-5	72.5	≦* <	77.5	60	1.90763	1.249	1.249	
-6	67.5	≦* <	72.5	56	1.84610	1.208	1.208	
-7	62.5	≦* <	67.5	52	1.78456	1.168	1.168	
-8	57.5	≦* <	62.5	48	1.72303	1.128	1.128	
-9	52.5	≦* <	57.5	44	1.66149	1.087	1.087	
-10	47.5	≦* <	52.5	40	1.59996	1.047	1.047	
-11	42.5	≦* <	47.5	36	1.53843	1.007	1.007	
-12	37.5	≦* <	42.5	32	1.47689	0.967	0.967	
-13	32.5	≦* <	37.5	28	1.41536	0.926	0.926	
-14	27.5	≦* <	32.5	24	1.35382	0.886	0.886	
-15	22.5	≦* <	27.5	20	1.29229	0.846	0.846	
-16	17.5	≦* <	22.5	16	1.23075	0.806	0.806	
-17	12.5	≦* <	17.5	12	1.16922	0.765	0.765	
-18	7.5	≦* <	12.5	8	1.10769	0.725	0.725	
-19	2.5	≦* <	7.5	4	1.04615	0.685	0.685	
-20	0.0	≦* <	2.5	1.00	1.00000	0.654	0.654	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.309 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	2.142	2.142	
19	192.5	≦* <	197.5	156	3.38446	2.104	2.104	
18	187.5	≦* <	192.5	152	3.32292	2.066	2.066	
17	182.5	≦* <	187.5	148	3.26139	2.028	2.028	
16	177.5	≦* <	182.5	144	3.19985	1.989	1.989	
15	172.5	≦* <	177.5	140	3.13832	1.951	1.951	
14	167.5	≦* <	172.5	136	3.07678	1.913	1.913	
13	162.5	≦* <	167.5	132	3.01525	1.874	1.874	
12	157.5	≦* <	162.5	128	2.95372	1.836	1.836	
11	152.5	≦* <	157.5	124	2.89218	1.798	1.798	
10	147.5	≦* <	152.5	120	2.83065	1.760	1.760	
9	142.5	≦* <	147.5	116	2.76911	1.721	1.721	
8	137.5	≦* <	142.5	112	2.70758	1.683	1.683	
7	132.5	≦* <	137.5	108	2.64604	1.645	1.645	
6	127.5	≦* <	132.5	104	2.58451	1.607	1.607	
5	122.5	≦* <	127.5	100	2.52297	1.568	1.568	
4	117.5	≦* <	122.5	96	2.46144	1.530	1.530	
3	112.5	≦* <	117.5	92	2.39991	1.492	1.492	
2	107.5	≦* <	112.5	88	2.33837	1.454	1.454	
1	102.5	≦* <	107.5	84	2.27684	1.416	1.416	
0	97.5	≦* <	102.5	80	2.21530	1.378	1.378	
-1	92.5	≦* <	97.5	76	2.15377	1.340	1.340	
-2	87.5	≦* <	92.5	72	2.09223	1.301	1.301	
-3	82.5	≦* <	87.5	68	2.03070	1.263	1.263	
-4	77.5	≦* <	82.5	64	1.96917	1.225	1.225	
-5	72.5	≦* <	77.5	60	1.90763	1.187	1.187	
-6	67.5	≦* <	72.5	56	1.84610	1.148	1.148	
-7	62.5	≦* <	67.5	52	1.78456	1.110	1.110	
-8	57.5	≦* <	62.5	48	1.72303	1.072	1.072	
-9	52.5	≦* <	57.5	44	1.66149	1.033	1.033	
-10	47.5	≦* <	52.5	40	1.59996	0.995	0.995	
-11	42.5	≦* <	47.5	36	1.53843	0.957	0.957	
-12	37.5	≦* <	42.5	32	1.47689	0.919	0.919	
-13	32.5	≦* <	37.5	28	1.41536	0.880	0.880	
-14	27.5	≦* <	32.5	24	1.35382	0.842	0.842	
-15	22.5	≦* <	27.5	20	1.29229	0.804	0.804	
-16	17.5	≦* <	22.5	16	1.23075	0.766	0.766	
-17	12.5	≦* <	17.5	12	1.16922	0.727	0.727	
-18	7.5	≦* <	12.5	8	1.10769	0.689	0.689	
-19	2.5	≦* <	7.5	4	1.04615	0.651	0.651	
-20	0.0	≦* <	2.5	1.00	1.00000	0.621	0.621	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.007	0.007	
19	192.5	≦* <	197.5	156	3.38446	0.007	0.007	
18	187.5	≦* <	192.5	152	3.32292	0.007	0.007	
17	182.5	≦* <	187.5	148	3.26139	0.007	0.007	
16	177.5	≦* <	182.5	144	3.19985	0.006	0.006	
15	172.5	≦* <	177.5	140	3.13832	0.006	0.006	
14	167.5	≦* <	172.5	136	3.07678	0.006	0.006	
13	162.5	≦* <	167.5	132	3.01525	0.006	0.006	
12	157.5	≦* <	162.5	128	2.95372	0.006	0.006	
11	152.5	≦* <	157.5	124	2.89218	0.006	0.006	
10	147.5	≦* <	152.5	120	2.83065	0.006	0.006	
9	142.5	≦* <	147.5	116	2.76911	0.006	0.006	
8	137.5	≦* <	142.5	112	2.70758	0.005	0.005	
7	132.5	≦* <	137.5	108	2.64604	0.005	0.005	
6	127.5	≦* <	132.5	104	2.58451	0.005	0.005	
5	122.5	≦* <	127.5	100	2.52297	0.005	0.005	
4	117.5	≦* <	122.5	96	2.46144	0.005	0.005	
3	112.5	≦* <	117.5	92	2.39991	0.005	0.005	
2	107.5	≦* <	112.5	88	2.33837	0.005	0.005	
1	102.5	≦* <	107.5	84	2.27684	0.005	0.005	
0	97.5	≦* <	102.5	80	2.21530	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.15377	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.09223	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.03070	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.96917	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.90763	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.84610	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.78456	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.72303	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.66149	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.59996	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.53843	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.47689	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.41536	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.35382	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29229	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23075	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.16922	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10769	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04615	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.007	0.007	
19	192.5	≦* <	197.5	156	3.38446	0.007	0.007	
18	187.5	≦* <	192.5	152	3.32292	0.007	0.007	
17	182.5	≦* <	187.5	148	3.26139	0.007	0.007	
16	177.5	≦* <	182.5	144	3.19985	0.006	0.006	
15	172.5	≦* <	177.5	140	3.13832	0.006	0.006	
14	167.5	≦* <	172.5	136	3.07678	0.006	0.006	
13	162.5	≦* <	167.5	132	3.01525	0.006	0.006	
12	157.5	≦* <	162.5	128	2.95372	0.006	0.006	
11	152.5	≦* <	157.5	124	2.89218	0.006	0.006	
10	147.5	≦* <	152.5	120	2.83065	0.006	0.006	
9	142.5	≦* <	147.5	116	2.76911	0.006	0.006	
8	137.5	≦* <	142.5	112	2.70758	0.005	0.005	
7	132.5	≦* <	137.5	108	2.64604	0.005	0.005	
6	127.5	≦* <	132.5	104	2.58451	0.005	0.005	
5	122.5	≦* <	127.5	100	2.52297	0.005	0.005	
4	117.5	≦* <	122.5	96	2.46144	0.005	0.005	
3	112.5	≦* <	117.5	92	2.39991	0.005	0.005	
2	107.5	≦* <	112.5	88	2.33837	0.005	0.005	
1	102.5	≦* <	107.5	84	2.27684	0.005	0.005	
0	97.5	≦* <	102.5	80	2.21530	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.15377	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.09223	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.03070	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.96917	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.90763	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.84610	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.78456	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.72303	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.66149	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.59996	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.53843	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.47689	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.41536	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.35382	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29229	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23075	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.16922	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10769	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04615	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.487 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.839	0.839	
19	192.5	≦* <	197.5	156	3.38446	0.824	0.824	
18	187.5	≦* <	192.5	152	3.32292	0.809	0.809	
17	182.5	≦* <	187.5	148	3.26139	0.794	0.794	
16	177.5	≦* <	182.5	144	3.19985	0.779	0.779	
15	172.5	≦* <	177.5	140	3.13832	0.764	0.764	
14	167.5	≦* <	172.5	136	3.07678	0.749	0.749	
13	162.5	≦* <	167.5	132	3.01525	0.734	0.734	
12	157.5	≦* <	162.5	128	2.95372	0.719	0.719	
11	152.5	≦* <	157.5	124	2.89218	0.704	0.704	
10	147.5	≦* <	152.5	120	2.83065	0.689	0.689	
9	142.5	≦* <	147.5	116	2.76911	0.674	0.674	
8	137.5	≦* <	142.5	112	2.70758	0.659	0.659	
7	132.5	≦* <	137.5	108	2.64604	0.644	0.644	
6	127.5	≦* <	132.5	104	2.58451	0.629	0.629	
5	122.5	≦* <	127.5	100	2.52297	0.614	0.614	
4	117.5	≦* <	122.5	96	2.46144	0.599	0.599	
3	112.5	≦* <	117.5	92	2.39991	0.584	0.584	
2	107.5	≦* <	112.5	88	2.33837	0.569	0.569	
1	102.5	≦* <	107.5	84	2.27684	0.554	0.554	
0	97.5	≦* <	102.5	80	2.21530	0.539	0.539	
-1	92.5	≦* <	97.5	76	2.15377	0.524	0.524	
-2	87.5	≦* <	92.5	72	2.09223	0.509	0.509	
-3	82.5	≦* <	87.5	68	2.03070	0.494	0.494	
-4	77.5	≦* <	82.5	64	1.96917	0.479	0.479	
-5	72.5	≦* <	77.5	60	1.90763	0.465	0.465	
-6	67.5	≦* <	72.5	56	1.84610	0.450	0.450	
-7	62.5	≦* <	67.5	52	1.78456	0.435	0.435	
-8	57.5	≦* <	62.5	48	1.72303	0.420	0.420	
-9	52.5	≦* <	57.5	44	1.66149	0.405	0.405	
-10	47.5	≦* <	52.5	40	1.59996	0.390	0.390	
-11	42.5	≦* <	47.5	36	1.53843	0.375	0.375	
-12	37.5	≦* <	42.5	32	1.47689	0.360	0.360	
-13	32.5	≦* <	37.5	28	1.41536	0.345	0.345	
-14	27.5	≦* <	32.5	24	1.35382	0.330	0.330	
-15	22.5	≦* <	27.5	20	1.29229	0.315	0.315	
-16	17.5	≦* <	22.5	16	1.23075	0.300	0.300	
-17	12.5	≦* <	17.5	12	1.16922	0.285	0.285	
-18	7.5	≦* <	12.5	8	1.10769	0.270	0.270	
-19	2.5	≦* <	7.5	4	1.04615	0.255	0.255	
-20	0.0	≦* <	2.5	1.00	1.00000	0.243	0.243	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.487 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.797	0.797	
19	192.5	≦* <	197.5	156	3.38446	0.783	0.783	
18	187.5	≦* <	192.5	152	3.32292	0.769	0.769	
17	182.5	≦* <	187.5	148	3.26139	0.754	0.754	
16	177.5	≦* <	182.5	144	3.19985	0.740	0.740	
15	172.5	≦* <	177.5	140	3.13832	0.726	0.726	
14	167.5	≦* <	172.5	136	3.07678	0.712	0.712	
13	162.5	≦* <	167.5	132	3.01525	0.697	0.697	
12	157.5	≦* <	162.5	128	2.95372	0.683	0.683	
11	152.5	≦* <	157.5	124	2.89218	0.669	0.669	
10	147.5	≦* <	152.5	120	2.83065	0.655	0.655	
9	142.5	≦* <	147.5	116	2.76911	0.640	0.640	
8	137.5	≦* <	142.5	112	2.70758	0.626	0.626	
7	132.5	≦* <	137.5	108	2.64604	0.612	0.612	
6	127.5	≦* <	132.5	104	2.58451	0.598	0.598	
5	122.5	≦* <	127.5	100	2.52297	0.583	0.583	
4	117.5	≦* <	122.5	96	2.46144	0.569	0.569	
3	112.5	≦* <	117.5	92	2.39991	0.555	0.555	
2	107.5	≦* <	112.5	88	2.33837	0.541	0.541	
1	102.5	≦* <	107.5	84	2.27684	0.526	0.526	
0	97.5	≦* <	102.5	80	2.21530	0.512	0.512	
-1	92.5	≦* <	97.5	76	2.15377	0.498	0.498	
-2	87.5	≦* <	92.5	72	2.09223	0.484	0.484	
-3	82.5	≦* <	87.5	68	2.03070	0.469	0.469	
-4	77.5	≦* <	82.5	64	1.96917	0.455	0.455	
-5	72.5	≦* <	77.5	60	1.90763	0.442	0.442	
-6	67.5	≦* <	72.5	56	1.84610	0.428	0.428	
-7	62.5	≦* <	67.5	52	1.78456	0.413	0.413	
-8	57.5	≦* <	62.5	48	1.72303	0.399	0.399	
-9	52.5	≦* <	57.5	44	1.66149	0.385	0.385	
-10	47.5	≦* <	52.5	40	1.59996	0.371	0.371	
-11	42.5	≦* <	47.5	36	1.53843	0.356	0.356	
-12	37.5	≦* <	42.5	32	1.47689	0.342	0.342	
-13	32.5	≦* <	37.5	28	1.41536	0.328	0.328	
-14	27.5	≦* <	32.5	24	1.35382	0.314	0.314	
-15	22.5	≦* <	27.5	20	1.29229	0.299	0.299	
-16	17.5	≦* <	22.5	16	1.23075	0.285	0.285	
-17	12.5	≦* <	17.5	12	1.16922	0.271	0.271	
-18	7.5	≦* <	12.5	8	1.10769	0.257	0.257	
-19	2.5	≦* <	7.5	4	1.04615	0.242	0.242	
-20	0.0	≦* <	2.5	1.00	1.00000	0.231	0.231	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.005	0.005	
19	192.5	≦* <	197.5	156	3.38446	0.005	0.005	
18	187.5	≦* <	192.5	152	3.32292	0.005	0.005	
17	182.5	≦* <	187.5	148	3.26139	0.005	0.005	
16	177.5	≦* <	182.5	144	3.19985	0.005	0.005	
15	172.5	≦* <	177.5	140	3.13832	0.005	0.005	
14	167.5	≦* <	172.5	136	3.07678	0.005	0.005	
13	162.5	≦* <	167.5	132	3.01525	0.005	0.005	
12	157.5	≦* <	162.5	128	2.95372	0.004	0.004	
11	152.5	≦* <	157.5	124	2.89218	0.004	0.004	
10	147.5	≦* <	152.5	120	2.83065	0.004	0.004	
9	142.5	≦* <	147.5	116	2.76911	0.004	0.004	
8	137.5	≦* <	142.5	112	2.70758	0.004	0.004	
7	132.5	≦* <	137.5	108	2.64604	0.004	0.004	
6	127.5	≦* <	132.5	104	2.58451	0.004	0.004	
5	122.5	≦* <	127.5	100	2.52297	0.004	0.004	
4	117.5	≦* <	122.5	96	2.46144	0.004	0.004	
3	112.5	≦* <	117.5	92	2.39991	0.004	0.004	
2	107.5	≦* <	112.5	88	2.33837	0.004	0.004	
1	102.5	≦* <	107.5	84	2.27684	0.003	0.003	
0	97.5	≦* <	102.5	80	2.21530	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.15377	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.09223	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.03070	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.96917	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.90763	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.84610	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.78456	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.72303	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.66149	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.59996	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.53843	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.47689	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.41536	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.35382	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29229	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23075	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.16922	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10769	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04615	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.005	0.005	
19	192.5	≦* <	197.5	156	3.38446	0.005	0.005	
18	187.5	≦* <	192.5	152	3.32292	0.005	0.005	
17	182.5	≦* <	187.5	148	3.26139	0.005	0.005	
16	177.5	≦* <	182.5	144	3.19985	0.005	0.005	
15	172.5	≦* <	177.5	140	3.13832	0.005	0.005	
14	167.5	≦* <	172.5	136	3.07678	0.005	0.005	
13	162.5	≦* <	167.5	132	3.01525	0.005	0.005	
12	157.5	≦* <	162.5	128	2.95372	0.004	0.004	
11	152.5	≦* <	157.5	124	2.89218	0.004	0.004	
10	147.5	≦* <	152.5	120	2.83065	0.004	0.004	
9	142.5	≦* <	147.5	116	2.76911	0.004	0.004	
8	137.5	≦* <	142.5	112	2.70758	0.004	0.004	
7	132.5	≦* <	137.5	108	2.64604	0.004	0.004	
6	127.5	≦* <	132.5	104	2.58451	0.004	0.004	
5	122.5	≦* <	127.5	100	2.52297	0.004	0.004	
4	117.5	≦* <	122.5	96	2.46144	0.004	0.004	
3	112.5	≦* <	117.5	92	2.39991	0.004	0.004	
2	107.5	≦* <	112.5	88	2.33837	0.004	0.004	
1	102.5	≦* <	107.5	84	2.27684	0.003	0.003	
0	97.5	≦* <	102.5	80	2.21530	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.15377	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.09223	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.03070	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.96917	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.90763	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.84610	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.78456	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.72303	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.66149	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.59996	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.53843	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.47689	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.41536	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.35382	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29229	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23075	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.16922	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10769	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04615	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 1.620 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	2.440	2.440	
19	192.5	≦* <	197.5	156	2.96142	2.399	2.399	
18	187.5	≦* <	192.5	152	2.91081	2.358	2.358	
17	182.5	≦* <	187.5	148	2.86019	2.317	2.317	
16	177.5	≦* <	182.5	144	2.80957	2.276	2.276	
15	172.5	≦* <	177.5	140	2.75895	2.235	2.235	
14	167.5	≦* <	172.5	136	2.70834	2.194	2.194	
13	162.5	≦* <	167.5	132	2.65772	2.153	2.153	
12	157.5	≦* <	162.5	128	2.60710	2.112	2.112	
11	152.5	≦* <	157.5	124	2.55648	2.071	2.071	
10	147.5	≦* <	152.5	120	2.50587	2.030	2.030	
9	142.5	≦* <	147.5	116	2.45525	1.989	1.989	
8	137.5	≦* <	142.5	112	2.40463	1.948	1.948	
7	132.5	≦* <	137.5	108	2.35401	1.907	1.907	
6	127.5	≦* <	132.5	104	2.30340	1.866	1.866	
5	122.5	≦* <	127.5	100	2.25278	1.825	1.825	
4	117.5	≦* <	122.5	96	2.20216	1.784	1.784	
3	112.5	≦* <	117.5	92	2.15154	1.743	1.743	
2	107.5	≦* <	112.5	88	2.10093	1.702	1.702	
1	102.5	≦* <	107.5	84	2.05031	1.661	1.661	
0	97.5	≦* <	102.5	80	1.99969	1.620	1.620	
-1	92.5	≦* <	97.5	76	1.94908	1.579	1.579	
-2	87.5	≦* <	92.5	72	1.89846	1.538	1.538	
-3	82.5	≦* <	87.5	68	1.84784	1.497	1.497	
-4	77.5	≦* <	82.5	64	1.79722	1.456	1.456	
-5	72.5	≦* <	77.5	60	1.74661	1.415	1.415	
-6	67.5	≦* <	72.5	56	1.69599	1.374	1.374	
-7	62.5	≦* <	67.5	52	1.64537	1.333	1.333	
-8	57.5	≦* <	62.5	48	1.59475	1.292	1.292	
-9	52.5	≦* <	57.5	44	1.54414	1.251	1.251	
-10	47.5	≦* <	52.5	40	1.49352	1.210	1.210	
-11	42.5	≦* <	47.5	36	1.44290	1.169	1.169	
-12	37.5	≦* <	42.5	32	1.39228	1.128	1.128	
-13	32.5	≦* <	37.5	28	1.34167	1.087	1.087	
-14	27.5	≦* <	32.5	24	1.29105	1.046	1.046	
-15	22.5	≦* <	27.5	20	1.24043	1.005	1.005	
-16	17.5	≦* <	22.5	16	1.18982	0.964	0.964	
-17	12.5	≦* <	17.5	12	1.13920	0.923	0.923	
-18	7.5	≦* <	12.5	8	1.08858	0.882	0.882	
-19	2.5	≦* <	7.5	4	1.03796	0.841	0.841	
-20	0.0	≦* <	2.5	1.00	1.00000	0.810	0.810	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 1.620 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	2.318	2.318	
19	192.5	≦* <	197.5	156	2.96142	2.279	2.279	
18	187.5	≦* <	192.5	152	2.91081	2.240	2.240	
17	182.5	≦* <	187.5	148	2.86019	2.201	2.201	
16	177.5	≦* <	182.5	144	2.80957	2.162	2.162	
15	172.5	≦* <	177.5	140	2.75895	2.123	2.123	
14	167.5	≦* <	172.5	136	2.70834	2.084	2.084	
13	162.5	≦* <	167.5	132	2.65772	2.045	2.045	
12	157.5	≦* <	162.5	128	2.60710	2.006	2.006	
11	152.5	≦* <	157.5	124	2.55648	1.967	1.967	
10	147.5	≦* <	152.5	120	2.50587	1.929	1.929	
9	142.5	≦* <	147.5	116	2.45525	1.890	1.890	
8	137.5	≦* <	142.5	112	2.40463	1.851	1.851	
7	132.5	≦* <	137.5	108	2.35401	1.812	1.812	
6	127.5	≦* <	132.5	104	2.30340	1.773	1.773	
5	122.5	≦* <	127.5	100	2.25278	1.734	1.734	
4	117.5	≦* <	122.5	96	2.20216	1.695	1.695	
3	112.5	≦* <	117.5	92	2.15154	1.656	1.656	
2	107.5	≦* <	112.5	88	2.10093	1.617	1.617	
1	102.5	≦* <	107.5	84	2.05031	1.578	1.578	
0	97.5	≦* <	102.5	80	1.99969	1.539	1.539	
-1	92.5	≦* <	97.5	76	1.94908	1.500	1.500	
-2	87.5	≦* <	92.5	72	1.89846	1.461	1.461	
-3	82.5	≦* <	87.5	68	1.84784	1.422	1.422	
-4	77.5	≦* <	82.5	64	1.79722	1.383	1.383	
-5	72.5	≦* <	77.5	60	1.74661	1.344	1.344	
-6	67.5	≦* <	72.5	56	1.69599	1.305	1.305	
-7	62.5	≦* <	67.5	52	1.64537	1.266	1.266	
-8	57.5	≦* <	62.5	48	1.59475	1.227	1.227	
-9	52.5	≦* <	57.5	44	1.54414	1.188	1.188	
-10	47.5	≦* <	52.5	40	1.49352	1.150	1.150	
-11	42.5	≦* <	47.5	36	1.44290	1.111	1.111	
-12	37.5	≦* <	42.5	32	1.39228	1.072	1.072	
-13	32.5	≦* <	37.5	28	1.34167	1.033	1.033	
-14	27.5	≦* <	32.5	24	1.29105	0.994	0.994	
-15	22.5	≦* <	27.5	20	1.24043	0.955	0.955	
-16	17.5	≦* <	22.5	16	1.18982	0.916	0.916	
-17	12.5	≦* <	17.5	12	1.13920	0.877	0.877	
-18	7.5	≦* <	12.5	8	1.08858	0.838	0.838	
-19	2.5	≦* <	7.5	4	1.03796	0.799	0.799	
-20	0.0	≦* <	2.5	1.00	1.00000	0.770	0.770	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.021 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.032	0.032	
19	192.5	≦* <	197.5	156	2.96142	0.031	0.031	
18	187.5	≦* <	192.5	152	2.91081	0.031	0.031	
17	182.5	≦* <	187.5	148	2.86019	0.030	0.030	
16	177.5	≦* <	182.5	144	2.80957	0.030	0.030	
15	172.5	≦* <	177.5	140	2.75895	0.029	0.029	
14	167.5	≦* <	172.5	136	2.70834	0.028	0.028	
13	162.5	≦* <	167.5	132	2.65772	0.028	0.028	
12	157.5	≦* <	162.5	128	2.60710	0.027	0.027	
11	152.5	≦* <	157.5	124	2.55648	0.027	0.027	
10	147.5	≦* <	152.5	120	2.50587	0.026	0.026	
9	142.5	≦* <	147.5	116	2.45525	0.026	0.026	
8	137.5	≦* <	142.5	112	2.40463	0.025	0.025	
7	132.5	≦* <	137.5	108	2.35401	0.025	0.025	
6	127.5	≦* <	132.5	104	2.30340	0.024	0.024	
5	122.5	≦* <	127.5	100	2.25278	0.024	0.024	
4	117.5	≦* <	122.5	96	2.20216	0.023	0.023	
3	112.5	≦* <	117.5	92	2.15154	0.023	0.023	
2	107.5	≦* <	112.5	88	2.10093	0.022	0.022	
1	102.5	≦* <	107.5	84	2.05031	0.022	0.022	
0	97.5	≦* <	102.5	80	1.99969	0.021	0.021	
-1	92.5	≦* <	97.5	76	1.94908	0.020	0.020	
-2	87.5	≦* <	92.5	72	1.89846	0.020	0.020	
-3	82.5	≦* <	87.5	68	1.84784	0.019	0.019	
-4	77.5	≦* <	82.5	64	1.79722	0.019	0.019	
-5	72.5	≦* <	77.5	60	1.74661	0.018	0.018	
-6	67.5	≦* <	72.5	56	1.69599	0.018	0.018	
-7	62.5	≦* <	67.5	52	1.64537	0.017	0.017	
-8	57.5	≦* <	62.5	48	1.59475	0.017	0.017	
-9	52.5	≦* <	57.5	44	1.54414	0.016	0.016	
-10	47.5	≦* <	52.5	40	1.49352	0.016	0.016	
-11	42.5	≦* <	47.5	36	1.44290	0.015	0.015	
-12	37.5	≦* <	42.5	32	1.39228	0.015	0.015	
-13	32.5	≦* <	37.5	28	1.34167	0.014	0.014	
-14	27.5	≦* <	32.5	24	1.29105	0.014	0.014	
-15	22.5	≦* <	27.5	20	1.24043	0.013	0.013	
-16	17.5	≦* <	22.5	16	1.18982	0.012	0.012	
-17	12.5	≦* <	17.5	12	1.13920	0.012	0.012	
-18	7.5	≦* <	12.5	8	1.08858	0.011	0.011	
-19	2.5	≦* <	7.5	4	1.03796	0.011	0.011	
-20	0.0	≦* <	2.5	1.00	1.00000	0.010	0.010	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.021 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.030	0.030	
19	192.5	≦* <	197.5	156	2.96142	0.029	0.029	
18	187.5	≦* <	192.5	152	2.91081	0.029	0.029	
17	182.5	≦* <	187.5	148	2.86019	0.029	0.029	
16	177.5	≦* <	182.5	144	2.80957	0.029	0.029	
15	172.5	≦* <	177.5	140	2.75895	0.028	0.028	
14	167.5	≦* <	172.5	136	2.70834	0.027	0.027	
13	162.5	≦* <	167.5	132	2.65772	0.027	0.027	
12	157.5	≦* <	162.5	128	2.60710	0.026	0.026	
11	152.5	≦* <	157.5	124	2.55648	0.026	0.026	
10	147.5	≦* <	152.5	120	2.50587	0.025	0.025	
9	142.5	≦* <	147.5	116	2.45525	0.025	0.025	
8	137.5	≦* <	142.5	112	2.40463	0.024	0.024	
7	132.5	≦* <	137.5	108	2.35401	0.024	0.024	
6	127.5	≦* <	132.5	104	2.30340	0.023	0.023	
5	122.5	≦* <	127.5	100	2.25278	0.023	0.023	
4	117.5	≦* <	122.5	96	2.20216	0.022	0.022	
3	112.5	≦* <	117.5	92	2.15154	0.022	0.022	
2	107.5	≦* <	112.5	88	2.10093	0.021	0.021	
1	102.5	≦* <	107.5	84	2.05031	0.021	0.021	
0	97.5	≦* <	102.5	80	1.99969	0.020	0.020	
-1	92.5	≦* <	97.5	76	1.94908	0.019	0.019	
-2	87.5	≦* <	92.5	72	1.89846	0.019	0.019	
-3	82.5	≦* <	87.5	68	1.84784	0.018	0.018	
-4	77.5	≦* <	82.5	64	1.79722	0.018	0.018	
-5	72.5	≦* <	77.5	60	1.74661	0.017	0.017	
-6	67.5	≦* <	72.5	56	1.69599	0.017	0.017	
-7	62.5	≦* <	67.5	52	1.64537	0.016	0.016	
-8	57.5	≦* <	62.5	48	1.59475	0.016	0.016	
-9	52.5	≦* <	57.5	44	1.54414	0.015	0.015	
-10	47.5	≦* <	52.5	40	1.49352	0.015	0.015	
-11	42.5	≦* <	47.5	36	1.44290	0.014	0.014	
-12	37.5	≦* <	42.5	32	1.39228	0.014	0.014	
-13	32.5	≦* <	37.5	28	1.34167	0.013	0.013	
-14	27.5	≦* <	32.5	24	1.29105	0.013	0.013	
-15	22.5	≦* <	27.5	20	1.24043	0.012	0.012	
-16	17.5	≦* <	22.5	16	1.18982	0.011	0.011	
-17	12.5	≦* <	17.5	12	1.13920	0.011	0.011	
-18	7.5	≦* <	12.5	8	1.08858	0.010	0.010	
-19	2.5	≦* <	7.5	4	1.03796	0.010	0.010	
-20	0.0	≦* <	2.5	1.00	1.00000	0.010	0.010	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 1.015 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.529	1.529	
19	192.5	≦* <	197.5	156	2.96142	1.503	1.503	
18	187.5	≦* <	192.5	152	2.91081	1.477	1.477	
17	182.5	≦* <	187.5	148	2.86019	1.452	1.452	
16	177.5	≦* <	182.5	144	2.80957	1.426	1.426	
15	172.5	≦* <	177.5	140	2.75895	1.400	1.400	
14	167.5	≦* <	172.5	136	2.70834	1.374	1.374	
13	162.5	≦* <	167.5	132	2.65772	1.349	1.349	
12	157.5	≦* <	162.5	128	2.60710	1.323	1.323	
11	152.5	≦* <	157.5	124	2.55648	1.297	1.297	
10	147.5	≦* <	152.5	120	2.50587	1.272	1.272	
9	142.5	≦* <	147.5	116	2.45525	1.246	1.246	
8	137.5	≦* <	142.5	112	2.40463	1.220	1.220	
7	132.5	≦* <	137.5	108	2.35401	1.195	1.195	
6	127.5	≦* <	132.5	104	2.30340	1.169	1.169	
5	122.5	≦* <	127.5	100	2.25278	1.143	1.143	
4	117.5	≦* <	122.5	96	2.20216	1.118	1.118	
3	112.5	≦* <	117.5	92	2.15154	1.092	1.092	
2	107.5	≦* <	112.5	88	2.10093	1.066	1.066	
1	102.5	≦* <	107.5	84	2.05031	1.041	1.041	
0	97.5	≦* <	102.5	80	1.99969	1.015	1.015	
-1	92.5	≦* <	97.5	76	1.94908	0.989	0.989	
-2	87.5	≦* <	92.5	72	1.89846	0.963	0.963	
-3	82.5	≦* <	87.5	68	1.84784	0.938	0.938	
-4	77.5	≦* <	82.5	64	1.79722	0.912	0.912	
-5	72.5	≦* <	77.5	60	1.74661	0.886	0.886	
-6	67.5	≦* <	72.5	56	1.69599	0.861	0.861	
-7	62.5	≦* <	67.5	52	1.64537	0.835	0.835	
-8	57.5	≦* <	62.5	48	1.59475	0.809	0.809	
-9	52.5	≦* <	57.5	44	1.54414	0.784	0.784	
-10	47.5	≦* <	52.5	40	1.49352	0.758	0.758	
-11	42.5	≦* <	47.5	36	1.44290	0.732	0.732	
-12	37.5	≦* <	42.5	32	1.39228	0.707	0.707	
-13	32.5	≦* <	37.5	28	1.34167	0.681	0.681	
-14	27.5	≦* <	32.5	24	1.29105	0.655	0.655	
-15	22.5	≦* <	27.5	20	1.24043	0.630	0.630	
-16	17.5	≦* <	22.5	16	1.18982	0.604	0.604	
-17	12.5	≦* <	17.5	12	1.13920	0.578	0.578	
-18	7.5	≦* <	12.5	8	1.08858	0.552	0.552	
-19	2.5	≦* <	7.5	4	1.03796	0.527	0.527	
-20	0.0	≦* <	2.5	1.00	1.00000	0.507	0.507	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 1.015 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.453	1.453	
19	192.5	≦* <	197.5	156	2.96142	1.428	1.428	
18	187.5	≦* <	192.5	152	2.91081	1.403	1.403	
17	182.5	≦* <	187.5	148	2.86019	1.379	1.379	
16	177.5	≦* <	182.5	144	2.80957	1.355	1.355	
15	172.5	≦* <	177.5	140	2.75895	1.330	1.330	
14	167.5	≦* <	172.5	136	2.70834	1.305	1.305	
13	162.5	≦* <	167.5	132	2.65772	1.282	1.282	
12	157.5	≦* <	162.5	128	2.60710	1.257	1.257	
11	152.5	≦* <	157.5	124	2.55648	1.232	1.232	
10	147.5	≦* <	152.5	120	2.50587	1.208	1.208	
9	142.5	≦* <	147.5	116	2.45525	1.184	1.184	
8	137.5	≦* <	142.5	112	2.40463	1.159	1.159	
7	132.5	≦* <	137.5	108	2.35401	1.135	1.135	
6	127.5	≦* <	132.5	104	2.30340	1.111	1.111	
5	122.5	≦* <	127.5	100	2.25278	1.086	1.086	
4	117.5	≦* <	122.5	96	2.20216	1.062	1.062	
3	112.5	≦* <	117.5	92	2.15154	1.037	1.037	
2	107.5	≦* <	112.5	88	2.10093	1.013	1.013	
1	102.5	≦* <	107.5	84	2.05031	0.989	0.989	
0	97.5	≦* <	102.5	80	1.99969	0.964	0.964	
-1	92.5	≦* <	97.5	76	1.94908	0.940	0.940	
-2	87.5	≦* <	92.5	72	1.89846	0.915	0.915	
-3	82.5	≦* <	87.5	68	1.84784	0.891	0.891	
-4	77.5	≦* <	82.5	64	1.79722	0.866	0.866	
-5	72.5	≦* <	77.5	60	1.74661	0.842	0.842	
-6	67.5	≦* <	72.5	56	1.69599	0.818	0.818	
-7	62.5	≦* <	67.5	52	1.64537	0.793	0.793	
-8	57.5	≦* <	62.5	48	1.59475	0.769	0.769	
-9	52.5	≦* <	57.5	44	1.54414	0.745	0.745	
-10	47.5	≦* <	52.5	40	1.49352	0.720	0.720	
-11	42.5	≦* <	47.5	36	1.44290	0.695	0.695	
-12	37.5	≦* <	42.5	32	1.39228	0.672	0.672	
-13	32.5	≦* <	37.5	28	1.34167	0.647	0.647	
-14	27.5	≦* <	32.5	24	1.29105	0.622	0.622	
-15	22.5	≦* <	27.5	20	1.24043	0.599	0.599	
-16	17.5	≦* <	22.5	16	1.18982	0.574	0.574	
-17	12.5	≦* <	17.5	12	1.13920	0.549	0.549	
-18	7.5	≦* <	12.5	8	1.08858	0.524	0.524	
-19	2.5	≦* <	7.5	4	1.03796	0.501	0.501	
-20	0.0	≦* <	2.5	1.00	1.00000	0.482	0.482	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.020 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.030	0.030	
19	192.5	≦* <	197.5	156	2.96142	0.030	0.030	
18	187.5	≦* <	192.5	152	2.91081	0.029	0.029	
17	182.5	≦* <	187.5	148	2.86019	0.029	0.029	
16	177.5	≦* <	182.5	144	2.80957	0.028	0.028	
15	172.5	≦* <	177.5	140	2.75895	0.028	0.028	
14	167.5	≦* <	172.5	136	2.70834	0.027	0.027	
13	162.5	≦* <	167.5	132	2.65772	0.027	0.027	
12	157.5	≦* <	162.5	128	2.60710	0.026	0.026	
11	152.5	≦* <	157.5	124	2.55648	0.026	0.026	
10	147.5	≦* <	152.5	120	2.50587	0.025	0.025	
9	142.5	≦* <	147.5	116	2.45525	0.025	0.025	
8	137.5	≦* <	142.5	112	2.40463	0.024	0.024	
7	132.5	≦* <	137.5	108	2.35401	0.024	0.024	
6	127.5	≦* <	132.5	104	2.30340	0.023	0.023	
5	122.5	≦* <	127.5	100	2.25278	0.023	0.023	
4	117.5	≦* <	122.5	96	2.20216	0.022	0.022	
3	112.5	≦* <	117.5	92	2.15154	0.022	0.022	
2	107.5	≦* <	112.5	88	2.10093	0.021	0.021	
1	102.5	≦* <	107.5	84	2.05031	0.021	0.021	
0	97.5	≦* <	102.5	80	1.99969	0.020	0.020	
-1	92.5	≦* <	97.5	76	1.94908	0.019	0.019	
-2	87.5	≦* <	92.5	72	1.89846	0.019	0.019	
-3	82.5	≦* <	87.5	68	1.84784	0.018	0.018	
-4	77.5	≦* <	82.5	64	1.79722	0.018	0.018	
-5	72.5	≦* <	77.5	60	1.74661	0.017	0.017	
-6	67.5	≦* <	72.5	56	1.69599	0.017	0.017	
-7	62.5	≦* <	67.5	52	1.64537	0.016	0.016	
-8	57.5	≦* <	62.5	48	1.59475	0.016	0.016	
-9	52.5	≦* <	57.5	44	1.54414	0.015	0.015	
-10	47.5	≦* <	52.5	40	1.49352	0.015	0.015	
-11	42.5	≦* <	47.5	36	1.44290	0.014	0.014	
-12	37.5	≦* <	42.5	32	1.39228	0.014	0.014	
-13	32.5	≦* <	37.5	28	1.34167	0.013	0.013	
-14	27.5	≦* <	32.5	24	1.29105	0.013	0.013	
-15	22.5	≦* <	27.5	20	1.24043	0.012	0.012	
-16	17.5	≦* <	22.5	16	1.18982	0.012	0.012	
-17	12.5	≦* <	17.5	12	1.13920	0.011	0.011	
-18	7.5	≦* <	12.5	8	1.08858	0.011	0.011	
-19	2.5	≦* <	7.5	4	1.03796	0.010	0.010	
-20	0.0	≦* <	2.5	1.00	1.00000	0.010	0.010	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.020 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.029	0.029	
19	192.5	≦* <	197.5	156	2.96142	0.029	0.029	
18	187.5	≦* <	192.5	152	2.91081	0.028	0.028	
17	182.5	≦* <	187.5	148	2.86019	0.028	0.028	
16	177.5	≦* <	182.5	144	2.80957	0.027	0.027	
15	172.5	≦* <	177.5	140	2.75895	0.027	0.027	
14	167.5	≦* <	172.5	136	2.70834	0.026	0.026	
13	162.5	≦* <	167.5	132	2.65772	0.026	0.026	
12	157.5	≦* <	162.5	128	2.60710	0.025	0.025	
11	152.5	≦* <	157.5	124	2.55648	0.025	0.025	
10	147.5	≦* <	152.5	120	2.50587	0.024	0.024	
9	142.5	≦* <	147.5	116	2.45525	0.024	0.024	
8	137.5	≦* <	142.5	112	2.40463	0.023	0.023	
7	132.5	≦* <	137.5	108	2.35401	0.023	0.023	
6	127.5	≦* <	132.5	104	2.30340	0.022	0.022	
5	122.5	≦* <	127.5	100	2.25278	0.022	0.022	
4	117.5	≦* <	122.5	96	2.20216	0.021	0.021	
3	112.5	≦* <	117.5	92	2.15154	0.021	0.021	
2	107.5	≦* <	112.5	88	2.10093	0.020	0.020	
1	102.5	≦* <	107.5	84	2.05031	0.020	0.020	
0	97.5	≦* <	102.5	80	1.99969	0.019	0.019	
-1	92.5	≦* <	97.5	76	1.94908	0.018	0.018	
-2	87.5	≦* <	92.5	72	1.89846	0.018	0.018	
-3	82.5	≦* <	87.5	68	1.84784	0.017	0.017	
-4	77.5	≦* <	82.5	64	1.79722	0.017	0.017	
-5	72.5	≦* <	77.5	60	1.74661	0.016	0.016	
-6	67.5	≦* <	72.5	56	1.69599	0.016	0.016	
-7	62.5	≦* <	67.5	52	1.64537	0.015	0.015	
-8	57.5	≦* <	62.5	48	1.59475	0.015	0.015	
-9	52.5	≦* <	57.5	44	1.54414	0.014	0.014	
-10	47.5	≦* <	52.5	40	1.49352	0.014	0.014	
-11	42.5	≦* <	47.5	36	1.44290	0.013	0.013	
-12	37.5	≦* <	42.5	32	1.39228	0.013	0.013	
-13	32.5	≦* <	37.5	28	1.34167	0.012	0.012	
-14	27.5	≦* <	32.5	24	1.29105	0.012	0.012	
-15	22.5	≦* <	27.5	20	1.24043	0.011	0.011	
-16	17.5	≦* <	22.5	16	1.18982	0.011	0.011	
-17	12.5	≦* <	17.5	12	1.13920	0.010	0.010	
-18	7.5	≦* <	12.5	8	1.08858	0.010	0.010	
-19	2.5	≦* <	7.5	4	1.03796	0.010	0.010	
-20	0.0	≦* <	2.5	1.00	1.00000	0.010	0.010	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.720 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.084	1.084	
19	192.5	≦* <	197.5	156	2.96142	1.066	1.066	
18	187.5	≦* <	192.5	152	2.91081	1.048	1.048	
17	182.5	≦* <	187.5	148	2.86019	1.030	1.030	
16	177.5	≦* <	182.5	144	2.80957	1.011	1.011	
15	172.5	≦* <	177.5	140	2.75895	0.993	0.993	
14	167.5	≦* <	172.5	136	2.70834	0.975	0.975	
13	162.5	≦* <	167.5	132	2.65772	0.957	0.957	
12	157.5	≦* <	162.5	128	2.60710	0.939	0.939	
11	152.5	≦* <	157.5	124	2.55648	0.920	0.920	
10	147.5	≦* <	152.5	120	2.50587	0.902	0.902	
9	142.5	≦* <	147.5	116	2.45525	0.884	0.884	
8	137.5	≦* <	142.5	112	2.40463	0.866	0.866	
7	132.5	≦* <	137.5	108	2.35401	0.847	0.847	
6	127.5	≦* <	132.5	104	2.30340	0.829	0.829	
5	122.5	≦* <	127.5	100	2.25278	0.811	0.811	
4	117.5	≦* <	122.5	96	2.20216	0.793	0.793	
3	112.5	≦* <	117.5	92	2.15154	0.775	0.775	
2	107.5	≦* <	112.5	88	2.10093	0.756	0.756	
1	102.5	≦* <	107.5	84	2.05031	0.738	0.738	
0	97.5	≦* <	102.5	80	1.99969	0.720	0.720	
-1	92.5	≦* <	97.5	76	1.94908	0.702	0.702	
-2	87.5	≦* <	92.5	72	1.89846	0.683	0.683	
-3	82.5	≦* <	87.5	68	1.84784	0.665	0.665	
-4	77.5	≦* <	82.5	64	1.79722	0.647	0.647	
-5	72.5	≦* <	77.5	60	1.74661	0.629	0.629	
-6	67.5	≦* <	72.5	56	1.69599	0.611	0.611	
-7	62.5	≦* <	67.5	52	1.64537	0.592	0.592	
-8	57.5	≦* <	62.5	48	1.59475	0.574	0.574	
-9	52.5	≦* <	57.5	44	1.54414	0.556	0.556	
-10	47.5	≦* <	52.5	40	1.49352	0.538	0.538	
-11	42.5	≦* <	47.5	36	1.44290	0.519	0.519	
-12	37.5	≦* <	42.5	32	1.39228	0.501	0.501	
-13	32.5	≦* <	37.5	28	1.34167	0.483	0.483	
-14	27.5	≦* <	32.5	24	1.29105	0.465	0.465	
-15	22.5	≦* <	27.5	20	1.24043	0.447	0.447	
-16	17.5	≦* <	22.5	16	1.18982	0.428	0.428	
-17	12.5	≦* <	17.5	12	1.13920	0.410	0.410	
-18	7.5	≦* <	12.5	8	1.08858	0.392	0.392	
-19	2.5	≦* <	7.5	4	1.03796	0.374	0.374	
-20	0.0	≦* <	2.5	1.00	1.00000	0.360	0.360	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.720 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.030	1.030	
19	192.5	≦* <	197.5	156	2.96142	1.013	1.013	
18	187.5	≦* <	192.5	152	2.91081	0.996	0.996	
17	182.5	≦* <	187.5	148	2.86019	0.979	0.979	
16	177.5	≦* <	182.5	144	2.80957	0.960	0.960	
15	172.5	≦* <	177.5	140	2.75895	0.943	0.943	
14	167.5	≦* <	172.5	136	2.70834	0.926	0.926	
13	162.5	≦* <	167.5	132	2.65772	0.909	0.909	
12	157.5	≦* <	162.5	128	2.60710	0.892	0.892	
11	152.5	≦* <	157.5	124	2.55648	0.874	0.874	
10	147.5	≦* <	152.5	120	2.50587	0.857	0.857	
9	142.5	≦* <	147.5	116	2.45525	0.840	0.840	
8	137.5	≦* <	142.5	112	2.40463	0.823	0.823	
7	132.5	≦* <	137.5	108	2.35401	0.805	0.805	
6	127.5	≦* <	132.5	104	2.30340	0.788	0.788	
5	122.5	≦* <	127.5	100	2.25278	0.770	0.770	
4	117.5	≦* <	122.5	96	2.20216	0.753	0.753	
3	112.5	≦* <	117.5	92	2.15154	0.736	0.736	
2	107.5	≦* <	112.5	88	2.10093	0.718	0.718	
1	102.5	≦* <	107.5	84	2.05031	0.701	0.701	
0	97.5	≦* <	102.5	80	1.99969	0.684	0.684	
-1	92.5	≦* <	97.5	76	1.94908	0.667	0.667	
-2	87.5	≦* <	92.5	72	1.89846	0.649	0.649	
-3	82.5	≦* <	87.5	68	1.84784	0.632	0.632	
-4	77.5	≦* <	82.5	64	1.79722	0.615	0.615	
-5	72.5	≦* <	77.5	60	1.74661	0.598	0.598	
-6	67.5	≦* <	72.5	56	1.69599	0.580	0.580	
-7	62.5	≦* <	67.5	52	1.64537	0.562	0.562	
-8	57.5	≦* <	62.5	48	1.59475	0.545	0.545	
-9	52.5	≦* <	57.5	44	1.54414	0.528	0.528	
-10	47.5	≦* <	52.5	40	1.49352	0.511	0.511	
-11	42.5	≦* <	47.5	36	1.44290	0.493	0.493	
-12	37.5	≦* <	42.5	32	1.39228	0.476	0.476	
-13	32.5	≦* <	37.5	28	1.34167	0.459	0.459	
-14	27.5	≦* <	32.5	24	1.29105	0.442	0.442	
-15	22.5	≦* <	27.5	20	1.24043	0.425	0.425	
-16	17.5	≦* <	22.5	16	1.18982	0.407	0.407	
-17	12.5	≦* <	17.5	12	1.13920	0.390	0.390	
-18	7.5	≦* <	12.5	8	1.08858	0.372	0.372	
-19	2.5	≦* <	7.5	4	1.03796	0.355	0.355	
-20	0.0	≦* <	2.5	1.00	1.00000	0.342	0.342	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.019 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.029	0.029	
19	192.5	≦* <	197.5	156	2.96142	0.028	0.028	
18	187.5	≦* <	192.5	152	2.91081	0.028	0.028	
17	182.5	≦* <	187.5	148	2.86019	0.027	0.027	
16	177.5	≦* <	182.5	144	2.80957	0.027	0.027	
15	172.5	≦* <	177.5	140	2.75895	0.026	0.026	
14	167.5	≦* <	172.5	136	2.70834	0.026	0.026	
13	162.5	≦* <	167.5	132	2.65772	0.025	0.025	
12	157.5	≦* <	162.5	128	2.60710	0.025	0.025	
11	152.5	≦* <	157.5	124	2.55648	0.024	0.024	
10	147.5	≦* <	152.5	120	2.50587	0.024	0.024	
9	142.5	≦* <	147.5	116	2.45525	0.023	0.023	
8	137.5	≦* <	142.5	112	2.40463	0.023	0.023	
7	132.5	≦* <	137.5	108	2.35401	0.022	0.022	
6	127.5	≦* <	132.5	104	2.30340	0.022	0.022	
5	122.5	≦* <	127.5	100	2.25278	0.021	0.021	
4	117.5	≦* <	122.5	96	2.20216	0.021	0.021	
3	112.5	≦* <	117.5	92	2.15154	0.020	0.020	
2	107.5	≦* <	112.5	88	2.10093	0.020	0.020	
1	102.5	≦* <	107.5	84	2.05031	0.019	0.019	
0	97.5	≦* <	102.5	80	1.99969	0.019	0.019	
-1	92.5	≦* <	97.5	76	1.94908	0.019	0.019	
-2	87.5	≦* <	92.5	72	1.89846	0.018	0.018	
-3	82.5	≦* <	87.5	68	1.84784	0.018	0.018	
-4	77.5	≦* <	82.5	64	1.79722	0.017	0.017	
-5	72.5	≦* <	77.5	60	1.74661	0.017	0.017	
-6	67.5	≦* <	72.5	56	1.69599	0.016	0.016	
-7	62.5	≦* <	67.5	52	1.64537	0.016	0.016	
-8	57.5	≦* <	62.5	48	1.59475	0.015	0.015	
-9	52.5	≦* <	57.5	44	1.54414	0.015	0.015	
-10	47.5	≦* <	52.5	40	1.49352	0.014	0.014	
-11	42.5	≦* <	47.5	36	1.44290	0.014	0.014	
-12	37.5	≦* <	42.5	32	1.39228	0.013	0.013	
-13	32.5	≦* <	37.5	28	1.34167	0.013	0.013	
-14	27.5	≦* <	32.5	24	1.29105	0.012	0.012	
-15	22.5	≦* <	27.5	20	1.24043	0.012	0.012	
-16	17.5	≦* <	22.5	16	1.18982	0.011	0.011	
-17	12.5	≦* <	17.5	12	1.13920	0.011	0.011	
-18	7.5	≦* <	12.5	8	1.08858	0.010	0.010	
-19	2.5	≦* <	7.5	4	1.03796	0.010	0.010	
-20	0.0	≦* <	2.5	1.00	1.00000	0.009	0.009	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.019 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.028	0.028	
19	192.5	≦* <	197.5	156	2.96142	0.027	0.027	
18	187.5	≦* <	192.5	152	2.91081	0.027	0.027	
17	182.5	≦* <	187.5	148	2.86019	0.026	0.026	
16	177.5	≦* <	182.5	144	2.80957	0.026	0.026	
15	172.5	≦* <	177.5	140	2.75895	0.025	0.025	
14	167.5	≦* <	172.5	136	2.70834	0.025	0.025	
13	162.5	≦* <	167.5	132	2.65772	0.024	0.024	
12	157.5	≦* <	162.5	128	2.60710	0.024	0.024	
11	152.5	≦* <	157.5	124	2.55648	0.023	0.023	
10	147.5	≦* <	152.5	120	2.50587	0.023	0.023	
9	142.5	≦* <	147.5	116	2.45525	0.022	0.022	
8	137.5	≦* <	142.5	112	2.40463	0.022	0.022	
7	132.5	≦* <	137.5	108	2.35401	0.021	0.021	
6	127.5	≦* <	132.5	104	2.30340	0.021	0.021	
5	122.5	≦* <	127.5	100	2.25278	0.020	0.020	
4	117.5	≦* <	122.5	96	2.20216	0.020	0.020	
3	112.5	≦* <	117.5	92	2.15154	0.019	0.019	
2	107.5	≦* <	112.5	88	2.10093	0.019	0.019	
1	102.5	≦* <	107.5	84	2.05031	0.018	0.018	
0	97.5	≦* <	102.5	80	1.99969	0.018	0.018	
-1	92.5	≦* <	97.5	76	1.94908	0.018	0.018	
-2	87.5	≦* <	92.5	72	1.89846	0.017	0.017	
-3	82.5	≦* <	87.5	68	1.84784	0.017	0.017	
-4	77.5	≦* <	82.5	64	1.79722	0.016	0.016	
-5	72.5	≦* <	77.5	60	1.74661	0.016	0.016	
-6	67.5	≦* <	72.5	56	1.69599	0.015	0.015	
-7	62.5	≦* <	67.5	52	1.64537	0.015	0.015	
-8	57.5	≦* <	62.5	48	1.59475	0.014	0.014	
-9	52.5	≦* <	57.5	44	1.54414	0.014	0.014	
-10	47.5	≦* <	52.5	40	1.49352	0.013	0.013	
-11	42.5	≦* <	47.5	36	1.44290	0.013	0.013	
-12	37.5	≦* <	42.5	32	1.39228	0.012	0.012	
-13	32.5	≦* <	37.5	28	1.34167	0.012	0.012	
-14	27.5	≦* <	32.5	24	1.29105	0.011	0.011	
-15	22.5	≦* <	27.5	20	1.24043	0.011	0.011	
-16	17.5	≦* <	22.5	16	1.18982	0.010	0.010	
-17	12.5	≦* <	17.5	12	1.13920	0.010	0.010	
-18	7.5	≦* <	12.5	8	1.08858	0.010	0.010	
-19	2.5	≦* <	7.5	4	1.03796	0.010	0.010	
-20	0.0	≦* <	2.5	1.00	1.00000	0.009	0.009	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.650 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.979	0.979	
19	192.5	≦* <	197.5	156	2.96142	0.962	0.962	
18	187.5	≦* <	192.5	152	2.91081	0.946	0.946	
17	182.5	≦* <	187.5	148	2.86019	0.930	0.930	
16	177.5	≦* <	182.5	144	2.80957	0.913	0.913	
15	172.5	≦* <	177.5	140	2.75895	0.897	0.897	
14	167.5	≦* <	172.5	136	2.70834	0.880	0.880	
13	162.5	≦* <	167.5	132	2.65772	0.864	0.864	
12	157.5	≦* <	162.5	128	2.60710	0.847	0.847	
11	152.5	≦* <	157.5	124	2.55648	0.831	0.831	
10	147.5	≦* <	152.5	120	2.50587	0.814	0.814	
9	142.5	≦* <	147.5	116	2.45525	0.798	0.798	
8	137.5	≦* <	142.5	112	2.40463	0.782	0.782	
7	132.5	≦* <	137.5	108	2.35401	0.765	0.765	
6	127.5	≦* <	132.5	104	2.30340	0.749	0.749	
5	122.5	≦* <	127.5	100	2.25278	0.732	0.732	
4	117.5	≦* <	122.5	96	2.20216	0.716	0.716	
3	112.5	≦* <	117.5	92	2.15154	0.699	0.699	
2	107.5	≦* <	112.5	88	2.10093	0.683	0.683	
1	102.5	≦* <	107.5	84	2.05031	0.666	0.666	
0	97.5	≦* <	102.5	80	1.99969	0.650	0.650	
-1	92.5	≦* <	97.5	76	1.94908	0.633	0.633	
-2	87.5	≦* <	92.5	72	1.89846	0.617	0.617	
-3	82.5	≦* <	87.5	68	1.84784	0.601	0.601	
-4	77.5	≦* <	82.5	64	1.79722	0.584	0.584	
-5	72.5	≦* <	77.5	60	1.74661	0.568	0.568	
-6	67.5	≦* <	72.5	56	1.69599	0.551	0.551	
-7	62.5	≦* <	67.5	52	1.64537	0.535	0.535	
-8	57.5	≦* <	62.5	48	1.59475	0.518	0.518	
-9	52.5	≦* <	57.5	44	1.54414	0.502	0.502	
-10	47.5	≦* <	52.5	40	1.49352	0.485	0.485	
-11	42.5	≦* <	47.5	36	1.44290	0.469	0.469	
-12	37.5	≦* <	42.5	32	1.39228	0.452	0.452	
-13	32.5	≦* <	37.5	28	1.34167	0.436	0.436	
-14	27.5	≦* <	32.5	24	1.29105	0.420	0.420	
-15	22.5	≦* <	27.5	20	1.24043	0.403	0.403	
-16	17.5	≦* <	22.5	16	1.18982	0.387	0.387	
-17	12.5	≦* <	17.5	12	1.13920	0.370	0.370	
-18	7.5	≦* <	12.5	8	1.08858	0.354	0.354	
-19	2.5	≦* <	7.5	4	1.03796	0.337	0.337	
-20	0.0	≦* <	2.5	1.00	1.00000	0.325	0.325	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.650 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.930	0.930	
19	192.5	≦* <	197.5	156	2.96142	0.914	0.914	
18	187.5	≦* <	192.5	152	2.91081	0.899	0.899	
17	182.5	≦* <	187.5	148	2.86019	0.884	0.884	
16	177.5	≦* <	182.5	144	2.80957	0.867	0.867	
15	172.5	≦* <	177.5	140	2.75895	0.852	0.852	
14	167.5	≦* <	172.5	136	2.70834	0.836	0.836	
13	162.5	≦* <	167.5	132	2.65772	0.821	0.821	
12	157.5	≦* <	162.5	128	2.60710	0.805	0.805	
11	152.5	≦* <	157.5	124	2.55648	0.789	0.789	
10	147.5	≦* <	152.5	120	2.50587	0.773	0.773	
9	142.5	≦* <	147.5	116	2.45525	0.758	0.758	
8	137.5	≦* <	142.5	112	2.40463	0.743	0.743	
7	132.5	≦* <	137.5	108	2.35401	0.727	0.727	
6	127.5	≦* <	132.5	104	2.30340	0.712	0.712	
5	122.5	≦* <	127.5	100	2.25278	0.695	0.695	
4	117.5	≦* <	122.5	96	2.20216	0.680	0.680	
3	112.5	≦* <	117.5	92	2.15154	0.664	0.664	
2	107.5	≦* <	112.5	88	2.10093	0.649	0.649	
1	102.5	≦* <	107.5	84	2.05031	0.633	0.633	
0	97.5	≦* <	102.5	80	1.99969	0.618	0.618	
-1	92.5	≦* <	97.5	76	1.94908	0.601	0.601	
-2	87.5	≦* <	92.5	72	1.89846	0.586	0.586	
-3	82.5	≦* <	87.5	68	1.84784	0.571	0.571	
-4	77.5	≦* <	82.5	64	1.79722	0.555	0.555	
-5	72.5	≦* <	77.5	60	1.74661	0.540	0.540	
-6	67.5	≦* <	72.5	56	1.69599	0.523	0.523	
-7	62.5	≦* <	67.5	52	1.64537	0.508	0.508	
-8	57.5	≦* <	62.5	48	1.59475	0.492	0.492	
-9	52.5	≦* <	57.5	44	1.54414	0.477	0.477	
-10	47.5	≦* <	52.5	40	1.49352	0.461	0.461	
-11	42.5	≦* <	47.5	36	1.44290	0.446	0.446	
-12	37.5	≦* <	42.5	32	1.39228	0.429	0.429	
-13	32.5	≦* <	37.5	28	1.34167	0.414	0.414	
-14	27.5	≦* <	32.5	24	1.29105	0.399	0.399	
-15	22.5	≦* <	27.5	20	1.24043	0.383	0.383	
-16	17.5	≦* <	22.5	16	1.18982	0.368	0.368	
-17	12.5	≦* <	17.5	12	1.13920	0.352	0.352	
-18	7.5	≦* <	12.5	8	1.08858	0.336	0.336	
-19	2.5	≦* <	7.5	4	1.03796	0.320	0.320	
-20	0.0	≦* <	2.5	1.00	1.00000	0.309	0.309	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.018 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.027	0.027	
19	192.5	≦* <	197.5	156	2.96142	0.027	0.027	
18	187.5	≦* <	192.5	152	2.91081	0.026	0.026	
17	182.5	≦* <	187.5	148	2.86019	0.026	0.026	
16	177.5	≦* <	182.5	144	2.80957	0.025	0.025	
15	172.5	≦* <	177.5	140	2.75895	0.025	0.025	
14	167.5	≦* <	172.5	136	2.70834	0.024	0.024	
13	162.5	≦* <	167.5	132	2.65772	0.024	0.024	
12	157.5	≦* <	162.5	128	2.60710	0.023	0.023	
11	152.5	≦* <	157.5	124	2.55648	0.023	0.023	
10	147.5	≦* <	152.5	120	2.50587	0.023	0.023	
9	142.5	≦* <	147.5	116	2.45525	0.022	0.022	
8	137.5	≦* <	142.5	112	2.40463	0.022	0.022	
7	132.5	≦* <	137.5	108	2.35401	0.021	0.021	
6	127.5	≦* <	132.5	104	2.30340	0.021	0.021	
5	122.5	≦* <	127.5	100	2.25278	0.020	0.020	
4	117.5	≦* <	122.5	96	2.20216	0.020	0.020	
3	112.5	≦* <	117.5	92	2.15154	0.019	0.019	
2	107.5	≦* <	112.5	88	2.10093	0.019	0.019	
1	102.5	≦* <	107.5	84	2.05031	0.018	0.018	
0	97.5	≦* <	102.5	80	1.99969	0.018	0.018	
-1	92.5	≦* <	97.5	76	1.94908	0.018	0.018	
-2	87.5	≦* <	92.5	72	1.89846	0.017	0.017	
-3	82.5	≦* <	87.5	68	1.84784	0.017	0.017	
-4	77.5	≦* <	82.5	64	1.79722	0.016	0.016	
-5	72.5	≦* <	77.5	60	1.74661	0.016	0.016	
-6	67.5	≦* <	72.5	56	1.69599	0.015	0.015	
-7	62.5	≦* <	67.5	52	1.64537	0.015	0.015	
-8	57.5	≦* <	62.5	48	1.59475	0.014	0.014	
-9	52.5	≦* <	57.5	44	1.54414	0.014	0.014	
-10	47.5	≦* <	52.5	40	1.49352	0.013	0.013	
-11	42.5	≦* <	47.5	36	1.44290	0.013	0.013	
-12	37.5	≦* <	42.5	32	1.39228	0.013	0.013	
-13	32.5	≦* <	37.5	28	1.34167	0.012	0.012	
-14	27.5	≦* <	32.5	24	1.29105	0.012	0.012	
-15	22.5	≦* <	27.5	20	1.24043	0.011	0.011	
-16	17.5	≦* <	22.5	16	1.18982	0.011	0.011	
-17	12.5	≦* <	17.5	12	1.13920	0.010	0.010	
-18	7.5	≦* <	12.5	8	1.08858	0.010	0.010	
-19	2.5	≦* <	7.5	4	1.03796	0.009	0.009	
-20	0.0	≦* <	2.5	1.00	1.00000	0.009	0.009	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.018 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.026	0.026	
19	192.5	≦* <	197.5	156	2.96142	0.026	0.026	
18	187.5	≦* <	192.5	152	2.91081	0.025	0.025	
17	182.5	≦* <	187.5	148	2.86019	0.025	0.025	
16	177.5	≦* <	182.5	144	2.80957	0.024	0.024	
15	172.5	≦* <	177.5	140	2.75895	0.024	0.024	
14	167.5	≦* <	172.5	136	2.70834	0.023	0.023	
13	162.5	≦* <	167.5	132	2.65772	0.023	0.023	
12	157.5	≦* <	162.5	128	2.60710	0.022	0.022	
11	152.5	≦* <	157.5	124	2.55648	0.022	0.022	
10	147.5	≦* <	152.5	120	2.50587	0.022	0.022	
9	142.5	≦* <	147.5	116	2.45525	0.021	0.021	
8	137.5	≦* <	142.5	112	2.40463	0.021	0.021	
7	132.5	≦* <	137.5	108	2.35401	0.020	0.020	
6	127.5	≦* <	132.5	104	2.30340	0.020	0.020	
5	122.5	≦* <	127.5	100	2.25278	0.019	0.019	
4	117.5	≦* <	122.5	96	2.20216	0.019	0.019	
3	112.5	≦* <	117.5	92	2.15154	0.018	0.018	
2	107.5	≦* <	112.5	88	2.10093	0.018	0.018	
1	102.5	≦* <	107.5	84	2.05031	0.017	0.017	
0	97.5	≦* <	102.5	80	1.99969	0.017	0.017	
-1	92.5	≦* <	97.5	76	1.94908	0.017	0.017	
-2	87.5	≦* <	92.5	72	1.89846	0.016	0.016	
-3	82.5	≦* <	87.5	68	1.84784	0.016	0.016	
-4	77.5	≦* <	82.5	64	1.79722	0.015	0.015	
-5	72.5	≦* <	77.5	60	1.74661	0.015	0.015	
-6	67.5	≦* <	72.5	56	1.69599	0.014	0.014	
-7	62.5	≦* <	67.5	52	1.64537	0.014	0.014	
-8	57.5	≦* <	62.5	48	1.59475	0.013	0.013	
-9	52.5	≦* <	57.5	44	1.54414	0.013	0.013	
-10	47.5	≦* <	52.5	40	1.49352	0.012	0.012	
-11	42.5	≦* <	47.5	36	1.44290	0.012	0.012	
-12	37.5	≦* <	42.5	32	1.39228	0.012	0.012	
-13	32.5	≦* <	37.5	28	1.34167	0.011	0.011	
-14	27.5	≦* <	32.5	24	1.29105	0.011	0.011	
-15	22.5	≦* <	27.5	20	1.24043	0.010	0.010	
-16	17.5	≦* <	22.5	16	1.18982	0.010	0.010	
-17	12.5	≦* <	17.5	12	1.13920	0.010	0.010	
-18	7.5	≦* <	12.5	8	1.08858	0.010	0.010	
-19	2.5	≦* <	7.5	4	1.03796	0.009	0.009	
-20	0.0	≦* <	2.5	1.00	1.00000	0.009	0.009	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.649 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.977	0.977	
19	192.5	≦* <	197.5	156	2.96142	0.961	0.961	
18	187.5	≦* <	192.5	152	2.91081	0.945	0.945	
17	182.5	≦* <	187.5	148	2.86019	0.928	0.928	
16	177.5	≦* <	182.5	144	2.80957	0.912	0.912	
15	172.5	≦* <	177.5	140	2.75895	0.895	0.895	
14	167.5	≦* <	172.5	136	2.70834	0.879	0.879	
13	162.5	≦* <	167.5	132	2.65772	0.862	0.862	
12	157.5	≦* <	162.5	128	2.60710	0.846	0.846	
11	152.5	≦* <	157.5	124	2.55648	0.830	0.830	
10	147.5	≦* <	152.5	120	2.50587	0.813	0.813	
9	142.5	≦* <	147.5	116	2.45525	0.797	0.797	
8	137.5	≦* <	142.5	112	2.40463	0.780	0.780	
7	132.5	≦* <	137.5	108	2.35401	0.764	0.764	
6	127.5	≦* <	132.5	104	2.30340	0.747	0.747	
5	122.5	≦* <	127.5	100	2.25278	0.731	0.731	
4	117.5	≦* <	122.5	96	2.20216	0.715	0.715	
3	112.5	≦* <	117.5	92	2.15154	0.698	0.698	
2	107.5	≦* <	112.5	88	2.10093	0.682	0.682	
1	102.5	≦* <	107.5	84	2.05031	0.665	0.665	
0	97.5	≦* <	102.5	80	1.99969	0.649	0.649	
-1	92.5	≦* <	97.5	76	1.94908	0.632	0.632	
-2	87.5	≦* <	92.5	72	1.89846	0.616	0.616	
-3	82.5	≦* <	87.5	68	1.84784	0.600	0.600	
-4	77.5	≦* <	82.5	64	1.79722	0.583	0.583	
-5	72.5	≦* <	77.5	60	1.74661	0.567	0.567	
-6	67.5	≦* <	72.5	56	1.69599	0.550	0.550	
-7	62.5	≦* <	67.5	52	1.64537	0.534	0.534	
-8	57.5	≦* <	62.5	48	1.59475	0.517	0.517	
-9	52.5	≦* <	57.5	44	1.54414	0.501	0.501	
-10	47.5	≦* <	52.5	40	1.49352	0.485	0.485	
-11	42.5	≦* <	47.5	36	1.44290	0.468	0.468	
-12	37.5	≦* <	42.5	32	1.39228	0.452	0.452	
-13	32.5	≦* <	37.5	28	1.34167	0.435	0.435	
-14	27.5	≦* <	32.5	24	1.29105	0.419	0.419	
-15	22.5	≦* <	27.5	20	1.24043	0.403	0.403	
-16	17.5	≦* <	22.5	16	1.18982	0.386	0.386	
-17	12.5	≦* <	17.5	12	1.13920	0.370	0.370	
-18	7.5	≦* <	12.5	8	1.08858	0.353	0.353	
-19	2.5	≦* <	7.5	4	1.03796	0.337	0.337	
-20	0.0	≦* <	2.5	1.00	1.00000	0.324	0.324	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.649 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.928	0.928	
19	192.5	≦* <	197.5	156	2.96142	0.913	0.913	
18	187.5	≦* <	192.5	152	2.91081	0.898	0.898	
17	182.5	≦* <	187.5	148	2.86019	0.882	0.882	
16	177.5	≦* <	182.5	144	2.80957	0.866	0.866	
15	172.5	≦* <	177.5	140	2.75895	0.850	0.850	
14	167.5	≦* <	172.5	136	2.70834	0.835	0.835	
13	162.5	≦* <	167.5	132	2.65772	0.819	0.819	
12	157.5	≦* <	162.5	128	2.60710	0.804	0.804	
11	152.5	≦* <	157.5	124	2.55648	0.789	0.789	
10	147.5	≦* <	152.5	120	2.50587	0.772	0.772	
9	142.5	≦* <	147.5	116	2.45525	0.757	0.757	
8	137.5	≦* <	142.5	112	2.40463	0.741	0.741	
7	132.5	≦* <	137.5	108	2.35401	0.726	0.726	
6	127.5	≦* <	132.5	104	2.30340	0.710	0.710	
5	122.5	≦* <	127.5	100	2.25278	0.694	0.694	
4	117.5	≦* <	122.5	96	2.20216	0.679	0.679	
3	112.5	≦* <	117.5	92	2.15154	0.663	0.663	
2	107.5	≦* <	112.5	88	2.10093	0.648	0.648	
1	102.5	≦* <	107.5	84	2.05031	0.632	0.632	
0	97.5	≦* <	102.5	80	1.99969	0.617	0.617	
-1	92.5	≦* <	97.5	76	1.94908	0.600	0.600	
-2	87.5	≦* <	92.5	72	1.89846	0.585	0.585	
-3	82.5	≦* <	87.5	68	1.84784	0.570	0.570	
-4	77.5	≦* <	82.5	64	1.79722	0.554	0.554	
-5	72.5	≦* <	77.5	60	1.74661	0.539	0.539	
-6	67.5	≦* <	72.5	56	1.69599	0.523	0.523	
-7	62.5	≦* <	67.5	52	1.64537	0.507	0.507	
-8	57.5	≦* <	62.5	48	1.59475	0.491	0.491	
-9	52.5	≦* <	57.5	44	1.54414	0.476	0.476	
-10	47.5	≦* <	52.5	40	1.49352	0.461	0.461	
-11	42.5	≦* <	47.5	36	1.44290	0.445	0.445	
-12	37.5	≦* <	42.5	32	1.39228	0.429	0.429	
-13	32.5	≦* <	37.5	28	1.34167	0.413	0.413	
-14	27.5	≦* <	32.5	24	1.29105	0.398	0.398	
-15	22.5	≦* <	27.5	20	1.24043	0.383	0.383	
-16	17.5	≦* <	22.5	16	1.18982	0.367	0.367	
-17	12.5	≦* <	17.5	12	1.13920	0.352	0.352	
-18	7.5	≦* <	12.5	8	1.08858	0.335	0.335	
-19	2.5	≦* <	7.5	4	1.03796	0.320	0.320	
-20	0.0	≦* <	2.5	1.00	1.00000	0.308	0.308	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.017 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.026	0.026	
19	192.5	≦* <	197.5	156	2.96142	0.025	0.025	
18	187.5	≦* <	192.5	152	2.91081	0.025	0.025	
17	182.5	≦* <	187.5	148	2.86019	0.024	0.024	
16	177.5	≦* <	182.5	144	2.80957	0.024	0.024	
15	172.5	≦* <	177.5	140	2.75895	0.023	0.023	
14	167.5	≦* <	172.5	136	2.70834	0.023	0.023	
13	162.5	≦* <	167.5	132	2.65772	0.023	0.023	
12	157.5	≦* <	162.5	128	2.60710	0.022	0.022	
11	152.5	≦* <	157.5	124	2.55648	0.022	0.022	
10	147.5	≦* <	152.5	120	2.50587	0.021	0.021	
9	142.5	≦* <	147.5	116	2.45525	0.021	0.021	
8	137.5	≦* <	142.5	112	2.40463	0.020	0.020	
7	132.5	≦* <	137.5	108	2.35401	0.020	0.020	
6	127.5	≦* <	132.5	104	2.30340	0.020	0.020	
5	122.5	≦* <	127.5	100	2.25278	0.019	0.019	
4	117.5	≦* <	122.5	96	2.20216	0.019	0.019	
3	112.5	≦* <	117.5	92	2.15154	0.018	0.018	
2	107.5	≦* <	112.5	88	2.10093	0.018	0.018	
1	102.5	≦* <	107.5	84	2.05031	0.017	0.017	
0	97.5	≦* <	102.5	80	1.99969	0.017	0.017	
-1	92.5	≦* <	97.5	76	1.94908	0.017	0.017	
-2	87.5	≦* <	92.5	72	1.89846	0.016	0.016	
-3	82.5	≦* <	87.5	68	1.84784	0.016	0.016	
-4	77.5	≦* <	82.5	64	1.79722	0.015	0.015	
-5	72.5	≦* <	77.5	60	1.74661	0.015	0.015	
-6	67.5	≦* <	72.5	56	1.69599	0.014	0.014	
-7	62.5	≦* <	67.5	52	1.64537	0.014	0.014	
-8	57.5	≦* <	62.5	48	1.59475	0.014	0.014	
-9	52.5	≦* <	57.5	44	1.54414	0.013	0.013	
-10	47.5	≦* <	52.5	40	1.49352	0.013	0.013	
-11	42.5	≦* <	47.5	36	1.44290	0.012	0.012	
-12	37.5	≦* <	42.5	32	1.39228	0.012	0.012	
-13	32.5	≦* <	37.5	28	1.34167	0.011	0.011	
-14	27.5	≦* <	32.5	24	1.29105	0.011	0.011	
-15	22.5	≦* <	27.5	20	1.24043	0.011	0.011	
-16	17.5	≦* <	22.5	16	1.18982	0.010	0.010	
-17	12.5	≦* <	17.5	12	1.13920	0.010	0.010	
-18	7.5	≦* <	12.5	8	1.08858	0.009	0.009	
-19	2.5	≦* <	7.5	4	1.03796	0.009	0.009	
-20	0.0	≦* <	2.5	1.00	1.00000	0.008	0.008	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.017 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.025	0.025	
19	192.5	≦* <	197.5	156	2.96142	0.024	0.024	
18	187.5	≦* <	192.5	152	2.91081	0.024	0.024	
17	182.5	≦* <	187.5	148	2.86019	0.023	0.023	
16	177.5	≦* <	182.5	144	2.80957	0.023	0.023	
15	172.5	≦* <	177.5	140	2.75895	0.022	0.022	
14	167.5	≦* <	172.5	136	2.70834	0.022	0.022	
13	162.5	≦* <	167.5	132	2.65772	0.022	0.022	
12	157.5	≦* <	162.5	128	2.60710	0.021	0.021	
11	152.5	≦* <	157.5	124	2.55648	0.021	0.021	
10	147.5	≦* <	152.5	120	2.50587	0.020	0.020	
9	142.5	≦* <	147.5	116	2.45525	0.020	0.020	
8	137.5	≦* <	142.5	112	2.40463	0.019	0.019	
7	132.5	≦* <	137.5	108	2.35401	0.019	0.019	
6	127.5	≦* <	132.5	104	2.30340	0.019	0.019	
5	122.5	≦* <	127.5	100	2.25278	0.018	0.018	
4	117.5	≦* <	122.5	96	2.20216	0.018	0.018	
3	112.5	≦* <	117.5	92	2.15154	0.017	0.017	
2	107.5	≦* <	112.5	88	2.10093	0.017	0.017	
1	102.5	≦* <	107.5	84	2.05031	0.016	0.016	
0	97.5	≦* <	102.5	80	1.99969	0.016	0.016	
-1	92.5	≦* <	97.5	76	1.94908	0.016	0.016	
-2	87.5	≦* <	92.5	72	1.89846	0.015	0.015	
-3	82.5	≦* <	87.5	68	1.84784	0.015	0.015	
-4	77.5	≦* <	82.5	64	1.79722	0.014	0.014	
-5	72.5	≦* <	77.5	60	1.74661	0.014	0.014	
-6	67.5	≦* <	72.5	56	1.69599	0.013	0.013	
-7	62.5	≦* <	67.5	52	1.64537	0.013	0.013	
-8	57.5	≦* <	62.5	48	1.59475	0.013	0.013	
-9	52.5	≦* <	57.5	44	1.54414	0.012	0.012	
-10	47.5	≦* <	52.5	40	1.49352	0.012	0.012	
-11	42.5	≦* <	47.5	36	1.44290	0.011	0.011	
-12	37.5	≦* <	42.5	32	1.39228	0.011	0.011	
-13	32.5	≦* <	37.5	28	1.34167	0.010	0.010	
-14	27.5	≦* <	32.5	24	1.29105	0.010	0.010	
-15	22.5	≦* <	27.5	20	1.24043	0.010	0.010	
-16	17.5	≦* <	22.5	16	1.18982	0.010	0.010	
-17	12.5	≦* <	17.5	12	1.13920	0.010	0.010	
-18	7.5	≦* <	12.5	8	1.08858	0.009	0.009	
-19	2.5	≦* <	7.5	4	1.03796	0.009	0.009	
-20	0.0	≦* <	2.5	1.00	1.00000	0.008	0.008	
計	平均			80.02439	2.00000			