

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.293 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.441	0.441	
19	192.5	≦* <	197.5	156	2.96142	0.434	0.434	
18	187.5	≦* <	192.5	152	2.91081	0.426	0.426	
17	182.5	≦* <	187.5	148	2.86019	0.419	0.419	
16	177.5	≦* <	182.5	144	2.80957	0.412	0.412	
15	172.5	≦* <	177.5	140	2.75895	0.404	0.404	
14	167.5	≦* <	172.5	136	2.70834	0.397	0.397	
13	162.5	≦* <	167.5	132	2.65772	0.389	0.389	
12	157.5	≦* <	162.5	128	2.60710	0.382	0.382	
11	152.5	≦* <	157.5	124	2.55648	0.375	0.375	
10	147.5	≦* <	152.5	120	2.50587	0.367	0.367	
9	142.5	≦* <	147.5	116	2.45525	0.360	0.360	
8	137.5	≦* <	142.5	112	2.40463	0.352	0.352	
7	132.5	≦* <	137.5	108	2.35401	0.345	0.345	
6	127.5	≦* <	132.5	104	2.30340	0.337	0.337	
5	122.5	≦* <	127.5	100	2.25278	0.330	0.330	
4	117.5	≦* <	122.5	96	2.20216	0.323	0.323	
3	112.5	≦* <	117.5	92	2.15154	0.315	0.315	
2	107.5	≦* <	112.5	88	2.10093	0.308	0.308	
1	102.5	≦* <	107.5	84	2.05031	0.300	0.300	
0	97.5	≦* <	102.5	80	1.99969	0.293	0.293	
-1	92.5	≦* <	97.5	76	1.94908	0.286	0.286	
-2	87.5	≦* <	92.5	72	1.89846	0.278	0.278	
-3	82.5	≦* <	87.5	68	1.84784	0.271	0.271	
-4	77.5	≦* <	82.5	64	1.79722	0.263	0.263	
-5	72.5	≦* <	77.5	60	1.74661	0.256	0.256	
-6	67.5	≦* <	72.5	56	1.69599	0.248	0.248	
-7	62.5	≦* <	67.5	52	1.64537	0.241	0.241	
-8	57.5	≦* <	62.5	48	1.59475	0.234	0.234	
-9	52.5	≦* <	57.5	44	1.54414	0.226	0.226	
-10	47.5	≦* <	52.5	40	1.49352	0.219	0.219	
-11	42.5	≦* <	47.5	36	1.44290	0.211	0.211	
-12	37.5	≦* <	42.5	32	1.39228	0.204	0.204	
-13	32.5	≦* <	37.5	28	1.34167	0.197	0.197	
-14	27.5	≦* <	32.5	24	1.29105	0.189	0.189	
-15	22.5	≦* <	27.5	20	1.24043	0.182	0.182	
-16	17.5	≦* <	22.5	16	1.18982	0.174	0.174	
-17	12.5	≦* <	17.5	12	1.13920	0.167	0.167	
-18	7.5	≦* <	12.5	8	1.08858	0.159	0.159	
-19	2.5	≦* <	7.5	4	1.03796	0.152	0.152	
-20	0.0	≦* <	2.5	1.00	1.00000	0.146	0.146	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.293 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.419	0.419	
19	192.5	≦* <	197.5	156	2.96142	0.412	0.412	
18	187.5	≦* <	192.5	152	2.91081	0.405	0.405	
17	182.5	≦* <	187.5	148	2.86019	0.398	0.398	
16	177.5	≦* <	182.5	144	2.80957	0.391	0.391	
15	172.5	≦* <	177.5	140	2.75895	0.384	0.384	
14	167.5	≦* <	172.5	136	2.70834	0.377	0.377	
13	162.5	≦* <	167.5	132	2.65772	0.370	0.370	
12	157.5	≦* <	162.5	128	2.60710	0.363	0.363	
11	152.5	≦* <	157.5	124	2.55648	0.356	0.356	
10	147.5	≦* <	152.5	120	2.50587	0.349	0.349	
9	142.5	≦* <	147.5	116	2.45525	0.342	0.342	
8	137.5	≦* <	142.5	112	2.40463	0.334	0.334	
7	132.5	≦* <	137.5	108	2.35401	0.328	0.328	
6	127.5	≦* <	132.5	104	2.30340	0.320	0.320	
5	122.5	≦* <	127.5	100	2.25278	0.314	0.314	
4	117.5	≦* <	122.5	96	2.20216	0.307	0.307	
3	112.5	≦* <	117.5	92	2.15154	0.299	0.299	
2	107.5	≦* <	112.5	88	2.10093	0.293	0.293	
1	102.5	≦* <	107.5	84	2.05031	0.285	0.285	
0	97.5	≦* <	102.5	80	1.99969	0.278	0.278	
-1	92.5	≦* <	97.5	76	1.94908	0.272	0.272	
-2	87.5	≦* <	92.5	72	1.89846	0.264	0.264	
-3	82.5	≦* <	87.5	68	1.84784	0.257	0.257	
-4	77.5	≦* <	82.5	64	1.79722	0.250	0.250	
-5	72.5	≦* <	77.5	60	1.74661	0.243	0.243	
-6	67.5	≦* <	72.5	56	1.69599	0.236	0.236	
-7	62.5	≦* <	67.5	52	1.64537	0.229	0.229	
-8	57.5	≦* <	62.5	48	1.59475	0.222	0.222	
-9	52.5	≦* <	57.5	44	1.54414	0.215	0.215	
-10	47.5	≦* <	52.5	40	1.49352	0.208	0.208	
-11	42.5	≦* <	47.5	36	1.44290	0.200	0.200	
-12	37.5	≦* <	42.5	32	1.39228	0.194	0.194	
-13	32.5	≦* <	37.5	28	1.34167	0.187	0.187	
-14	27.5	≦* <	32.5	24	1.29105	0.180	0.180	
-15	22.5	≦* <	27.5	20	1.24043	0.173	0.173	
-16	17.5	≦* <	22.5	16	1.18982	0.165	0.165	
-17	12.5	≦* <	17.5	12	1.13920	0.159	0.159	
-18	7.5	≦* <	12.5	8	1.08858	0.151	0.151	
-19	2.5	≦* <	7.5	4	1.03796	0.144	0.144	
-20	0.0	≦* <	2.5	1.00	1.00000	0.139	0.139	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.201 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.303	0.303	
19	192.5	≦* <	197.5	156	2.96142	0.298	0.298	
18	187.5	≦* <	192.5	152	2.91081	0.293	0.293	
17	182.5	≦* <	187.5	148	2.86019	0.287	0.287	
16	177.5	≦* <	182.5	144	2.80957	0.282	0.282	
15	172.5	≦* <	177.5	140	2.75895	0.277	0.277	
14	167.5	≦* <	172.5	136	2.70834	0.272	0.272	
13	162.5	≦* <	167.5	132	2.65772	0.267	0.267	
12	157.5	≦* <	162.5	128	2.60710	0.262	0.262	
11	152.5	≦* <	157.5	124	2.55648	0.257	0.257	
10	147.5	≦* <	152.5	120	2.50587	0.252	0.252	
9	142.5	≦* <	147.5	116	2.45525	0.247	0.247	
8	137.5	≦* <	142.5	112	2.40463	0.242	0.242	
7	132.5	≦* <	137.5	108	2.35401	0.237	0.237	
6	127.5	≦* <	132.5	104	2.30340	0.231	0.231	
5	122.5	≦* <	127.5	100	2.25278	0.226	0.226	
4	117.5	≦* <	122.5	96	2.20216	0.221	0.221	
3	112.5	≦* <	117.5	92	2.15154	0.216	0.216	
2	107.5	≦* <	112.5	88	2.10093	0.211	0.211	
1	102.5	≦* <	107.5	84	2.05031	0.206	0.206	
0	97.5	≦* <	102.5	80	1.99969	0.201	0.201	
-1	92.5	≦* <	97.5	76	1.94908	0.196	0.196	
-2	87.5	≦* <	92.5	72	1.89846	0.191	0.191	
-3	82.5	≦* <	87.5	68	1.84784	0.186	0.186	
-4	77.5	≦* <	82.5	64	1.79722	0.181	0.181	
-5	72.5	≦* <	77.5	60	1.74661	0.176	0.176	
-6	67.5	≦* <	72.5	56	1.69599	0.170	0.170	
-7	62.5	≦* <	67.5	52	1.64537	0.165	0.165	
-8	57.5	≦* <	62.5	48	1.59475	0.160	0.160	
-9	52.5	≦* <	57.5	44	1.54414	0.155	0.155	
-10	47.5	≦* <	52.5	40	1.49352	0.150	0.150	
-11	42.5	≦* <	47.5	36	1.44290	0.145	0.145	
-12	37.5	≦* <	42.5	32	1.39228	0.140	0.140	
-13	32.5	≦* <	37.5	28	1.34167	0.135	0.135	
-14	27.5	≦* <	32.5	24	1.29105	0.130	0.130	
-15	22.5	≦* <	27.5	20	1.24043	0.125	0.125	
-16	17.5	≦* <	22.5	16	1.18982	0.120	0.120	
-17	12.5	≦* <	17.5	12	1.13920	0.114	0.114	
-18	7.5	≦* <	12.5	8	1.08858	0.109	0.109	
-19	2.5	≦* <	7.5	4	1.03796	0.104	0.104	
-20	0.0	≦* <	2.5	1.00	1.00000	0.100	0.100	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.201 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.288	0.288	
19	192.5	≦* <	197.5	156	2.96142	0.283	0.283	
18	187.5	≦* <	192.5	152	2.91081	0.278	0.278	
17	182.5	≦* <	187.5	148	2.86019	0.273	0.273	
16	177.5	≦* <	182.5	144	2.80957	0.268	0.268	
15	172.5	≦* <	177.5	140	2.75895	0.263	0.263	
14	167.5	≦* <	172.5	136	2.70834	0.258	0.258	
13	162.5	≦* <	167.5	132	2.65772	0.254	0.254	
12	157.5	≦* <	162.5	128	2.60710	0.249	0.249	
11	152.5	≦* <	157.5	124	2.55648	0.244	0.244	
10	147.5	≦* <	152.5	120	2.50587	0.239	0.239	
9	142.5	≦* <	147.5	116	2.45525	0.235	0.235	
8	137.5	≦* <	142.5	112	2.40463	0.230	0.230	
7	132.5	≦* <	137.5	108	2.35401	0.225	0.225	
6	127.5	≦* <	132.5	104	2.30340	0.219	0.219	
5	122.5	≦* <	127.5	100	2.25278	0.215	0.215	
4	117.5	≦* <	122.5	96	2.20216	0.210	0.210	
3	112.5	≦* <	117.5	92	2.15154	0.205	0.205	
2	107.5	≦* <	112.5	88	2.10093	0.200	0.200	
1	102.5	≦* <	107.5	84	2.05031	0.196	0.196	
0	97.5	≦* <	102.5	80	1.99969	0.191	0.191	
-1	92.5	≦* <	97.5	76	1.94908	0.186	0.186	
-2	87.5	≦* <	92.5	72	1.89846	0.181	0.181	
-3	82.5	≦* <	87.5	68	1.84784	0.177	0.177	
-4	77.5	≦* <	82.5	64	1.79722	0.172	0.172	
-5	72.5	≦* <	77.5	60	1.74661	0.167	0.167	
-6	67.5	≦* <	72.5	56	1.69599	0.162	0.162	
-7	62.5	≦* <	67.5	52	1.64537	0.157	0.157	
-8	57.5	≦* <	62.5	48	1.59475	0.152	0.152	
-9	52.5	≦* <	57.5	44	1.54414	0.147	0.147	
-10	47.5	≦* <	52.5	40	1.49352	0.143	0.143	
-11	42.5	≦* <	47.5	36	1.44290	0.138	0.138	
-12	37.5	≦* <	42.5	32	1.39228	0.133	0.133	
-13	32.5	≦* <	37.5	28	1.34167	0.128	0.128	
-14	27.5	≦* <	32.5	24	1.29105	0.124	0.124	
-15	22.5	≦* <	27.5	20	1.24043	0.119	0.119	
-16	17.5	≦* <	22.5	16	1.18982	0.114	0.114	
-17	12.5	≦* <	17.5	12	1.13920	0.108	0.108	
-18	7.5	≦* <	12.5	8	1.08858	0.104	0.104	
-19	2.5	≦* <	7.5	4	1.03796	0.099	0.099	
-20	0.0	≦* <	2.5	1.00	1.00000	0.095	0.095	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.143 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.215	0.215	
19	192.5	≦* <	197.5	156	2.96142	0.212	0.212	
18	187.5	≦* <	192.5	152	2.91081	0.208	0.208	
17	182.5	≦* <	187.5	148	2.86019	0.205	0.205	
16	177.5	≦* <	182.5	144	2.80957	0.201	0.201	
15	172.5	≦* <	177.5	140	2.75895	0.197	0.197	
14	167.5	≦* <	172.5	136	2.70834	0.194	0.194	
13	162.5	≦* <	167.5	132	2.65772	0.190	0.190	
12	157.5	≦* <	162.5	128	2.60710	0.186	0.186	
11	152.5	≦* <	157.5	124	2.55648	0.183	0.183	
10	147.5	≦* <	152.5	120	2.50587	0.179	0.179	
9	142.5	≦* <	147.5	116	2.45525	0.176	0.176	
8	137.5	≦* <	142.5	112	2.40463	0.172	0.172	
7	132.5	≦* <	137.5	108	2.35401	0.168	0.168	
6	127.5	≦* <	132.5	104	2.30340	0.165	0.165	
5	122.5	≦* <	127.5	100	2.25278	0.161	0.161	
4	117.5	≦* <	122.5	96	2.20216	0.157	0.157	
3	112.5	≦* <	117.5	92	2.15154	0.154	0.154	
2	107.5	≦* <	112.5	88	2.10093	0.150	0.150	
1	102.5	≦* <	107.5	84	2.05031	0.147	0.147	
0	97.5	≦* <	102.5	80	1.99969	0.143	0.143	
-1	92.5	≦* <	97.5	76	1.94908	0.139	0.139	
-2	87.5	≦* <	92.5	72	1.89846	0.136	0.136	
-3	82.5	≦* <	87.5	68	1.84784	0.132	0.132	
-4	77.5	≦* <	82.5	64	1.79722	0.129	0.129	
-5	72.5	≦* <	77.5	60	1.74661	0.125	0.125	
-6	67.5	≦* <	72.5	56	1.69599	0.121	0.121	
-7	62.5	≦* <	67.5	52	1.64537	0.118	0.118	
-8	57.5	≦* <	62.5	48	1.59475	0.114	0.114	
-9	52.5	≦* <	57.5	44	1.54414	0.110	0.110	
-10	47.5	≦* <	52.5	40	1.49352	0.107	0.107	
-11	42.5	≦* <	47.5	36	1.44290	0.103	0.103	
-12	37.5	≦* <	42.5	32	1.39228	0.100	0.100	
-13	32.5	≦* <	37.5	28	1.34167	0.096	0.096	
-14	27.5	≦* <	32.5	24	1.29105	0.092	0.092	
-15	22.5	≦* <	27.5	20	1.24043	0.089	0.089	
-16	17.5	≦* <	22.5	16	1.18982	0.085	0.085	
-17	12.5	≦* <	17.5	12	1.13920	0.081	0.081	
-18	7.5	≦* <	12.5	8	1.08858	0.078	0.078	
-19	2.5	≦* <	7.5	4	1.03796	0.074	0.074	
-20	0.0	≦* <	2.5	1.00	1.00000	0.071	0.071	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.143 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.204	0.204	
19	192.5	≦* <	197.5	156	2.96142	0.201	0.201	
18	187.5	≦* <	192.5	152	2.91081	0.198	0.198	
17	182.5	≦* <	187.5	148	2.86019	0.195	0.195	
16	177.5	≦* <	182.5	144	2.80957	0.191	0.191	
15	172.5	≦* <	177.5	140	2.75895	0.187	0.187	
14	167.5	≦* <	172.5	136	2.70834	0.184	0.184	
13	162.5	≦* <	167.5	132	2.65772	0.181	0.181	
12	157.5	≦* <	162.5	128	2.60710	0.177	0.177	
11	152.5	≦* <	157.5	124	2.55648	0.174	0.174	
10	147.5	≦* <	152.5	120	2.50587	0.170	0.170	
9	142.5	≦* <	147.5	116	2.45525	0.167	0.167	
8	137.5	≦* <	142.5	112	2.40463	0.163	0.163	
7	132.5	≦* <	137.5	108	2.35401	0.160	0.160	
6	127.5	≦* <	132.5	104	2.30340	0.157	0.157	
5	122.5	≦* <	127.5	100	2.25278	0.153	0.153	
4	117.5	≦* <	122.5	96	2.20216	0.149	0.149	
3	112.5	≦* <	117.5	92	2.15154	0.146	0.146	
2	107.5	≦* <	112.5	88	2.10093	0.143	0.143	
1	102.5	≦* <	107.5	84	2.05031	0.140	0.140	
0	97.5	≦* <	102.5	80	1.99969	0.136	0.136	
-1	92.5	≦* <	97.5	76	1.94908	0.132	0.132	
-2	87.5	≦* <	92.5	72	1.89846	0.129	0.129	
-3	82.5	≦* <	87.5	68	1.84784	0.125	0.125	
-4	77.5	≦* <	82.5	64	1.79722	0.123	0.123	
-5	72.5	≦* <	77.5	60	1.74661	0.119	0.119	
-6	67.5	≦* <	72.5	56	1.69599	0.115	0.115	
-7	62.5	≦* <	67.5	52	1.64537	0.112	0.112	
-8	57.5	≦* <	62.5	48	1.59475	0.108	0.108	
-9	52.5	≦* <	57.5	44	1.54414	0.105	0.105	
-10	47.5	≦* <	52.5	40	1.49352	0.102	0.102	
-11	42.5	≦* <	47.5	36	1.44290	0.098	0.098	
-12	37.5	≦* <	42.5	32	1.39228	0.095	0.095	
-13	32.5	≦* <	37.5	28	1.34167	0.091	0.091	
-14	27.5	≦* <	32.5	24	1.29105	0.087	0.087	
-15	22.5	≦* <	27.5	20	1.24043	0.085	0.085	
-16	17.5	≦* <	22.5	16	1.18982	0.081	0.081	
-17	12.5	≦* <	17.5	12	1.13920	0.077	0.077	
-18	7.5	≦* <	12.5	8	1.08858	0.074	0.074	
-19	2.5	≦* <	7.5	4	1.03796	0.070	0.070	
-20	0.0	≦* <	2.5	1.00	1.00000	0.067	0.067	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.070 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.105	0.105	
19	192.5	≦* <	197.5	156	2.96142	0.104	0.104	
18	187.5	≦* <	192.5	152	2.91081	0.102	0.102	
17	182.5	≦* <	187.5	148	2.86019	0.100	0.100	
16	177.5	≦* <	182.5	144	2.80957	0.098	0.098	
15	172.5	≦* <	177.5	140	2.75895	0.097	0.097	
14	167.5	≦* <	172.5	136	2.70834	0.095	0.095	
13	162.5	≦* <	167.5	132	2.65772	0.093	0.093	
12	157.5	≦* <	162.5	128	2.60710	0.091	0.091	
11	152.5	≦* <	157.5	124	2.55648	0.089	0.089	
10	147.5	≦* <	152.5	120	2.50587	0.088	0.088	
9	142.5	≦* <	147.5	116	2.45525	0.086	0.086	
8	137.5	≦* <	142.5	112	2.40463	0.084	0.084	
7	132.5	≦* <	137.5	108	2.35401	0.082	0.082	
6	127.5	≦* <	132.5	104	2.30340	0.081	0.081	
5	122.5	≦* <	127.5	100	2.25278	0.079	0.079	
4	117.5	≦* <	122.5	96	2.20216	0.077	0.077	
3	112.5	≦* <	117.5	92	2.15154	0.075	0.075	
2	107.5	≦* <	112.5	88	2.10093	0.074	0.074	
1	102.5	≦* <	107.5	84	2.05031	0.072	0.072	
0	97.5	≦* <	102.5	80	1.99969	0.070	0.070	
-1	92.5	≦* <	97.5	76	1.94908	0.068	0.068	
-2	87.5	≦* <	92.5	72	1.89846	0.066	0.066	
-3	82.5	≦* <	87.5	68	1.84784	0.065	0.065	
-4	77.5	≦* <	82.5	64	1.79722	0.063	0.063	
-5	72.5	≦* <	77.5	60	1.74661	0.061	0.061	
-6	67.5	≦* <	72.5	56	1.69599	0.059	0.059	
-7	62.5	≦* <	67.5	52	1.64537	0.058	0.058	
-8	57.5	≦* <	62.5	48	1.59475	0.056	0.056	
-9	52.5	≦* <	57.5	44	1.54414	0.054	0.054	
-10	47.5	≦* <	52.5	40	1.49352	0.052	0.052	
-11	42.5	≦* <	47.5	36	1.44290	0.051	0.051	
-12	37.5	≦* <	42.5	32	1.39228	0.049	0.049	
-13	32.5	≦* <	37.5	28	1.34167	0.047	0.047	
-14	27.5	≦* <	32.5	24	1.29105	0.045	0.045	
-15	22.5	≦* <	27.5	20	1.24043	0.043	0.043	
-16	17.5	≦* <	22.5	16	1.18982	0.042	0.042	
-17	12.5	≦* <	17.5	12	1.13920	0.040	0.040	
-18	7.5	≦* <	12.5	8	1.08858	0.038	0.038	
-19	2.5	≦* <	7.5	4	1.03796	0.036	0.036	
-20	0.0	≦* <	2.5	1.00	1.00000	0.035	0.035	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.070 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.100	0.100	
19	192.5	≦* <	197.5	156	2.96142	0.099	0.099	
18	187.5	≦* <	192.5	152	2.91081	0.097	0.097	
17	182.5	≦* <	187.5	148	2.86019	0.095	0.095	
16	177.5	≦* <	182.5	144	2.80957	0.093	0.093	
15	172.5	≦* <	177.5	140	2.75895	0.092	0.092	
14	167.5	≦* <	172.5	136	2.70834	0.090	0.090	
13	162.5	≦* <	167.5	132	2.65772	0.088	0.088	
12	157.5	≦* <	162.5	128	2.60710	0.086	0.086	
11	152.5	≦* <	157.5	124	2.55648	0.085	0.085	
10	147.5	≦* <	152.5	120	2.50587	0.084	0.084	
9	142.5	≦* <	147.5	116	2.45525	0.082	0.082	
8	137.5	≦* <	142.5	112	2.40463	0.080	0.080	
7	132.5	≦* <	137.5	108	2.35401	0.078	0.078	
6	127.5	≦* <	132.5	104	2.30340	0.077	0.077	
5	122.5	≦* <	127.5	100	2.25278	0.075	0.075	
4	117.5	≦* <	122.5	96	2.20216	0.073	0.073	
3	112.5	≦* <	117.5	92	2.15154	0.071	0.071	
2	107.5	≦* <	112.5	88	2.10093	0.070	0.070	
1	102.5	≦* <	107.5	84	2.05031	0.068	0.068	
0	97.5	≦* <	102.5	80	1.99969	0.067	0.067	
-1	92.5	≦* <	97.5	76	1.94908	0.065	0.065	
-2	87.5	≦* <	92.5	72	1.89846	0.063	0.063	
-3	82.5	≦* <	87.5	68	1.84784	0.062	0.062	
-4	77.5	≦* <	82.5	64	1.79722	0.060	0.060	
-5	72.5	≦* <	77.5	60	1.74661	0.058	0.058	
-6	67.5	≦* <	72.5	56	1.69599	0.056	0.056	
-7	62.5	≦* <	67.5	52	1.64537	0.055	0.055	
-8	57.5	≦* <	62.5	48	1.59475	0.053	0.053	
-9	52.5	≦* <	57.5	44	1.54414	0.051	0.051	
-10	47.5	≦* <	52.5	40	1.49352	0.049	0.049	
-11	42.5	≦* <	47.5	36	1.44290	0.048	0.048	
-12	37.5	≦* <	42.5	32	1.39228	0.047	0.047	
-13	32.5	≦* <	37.5	28	1.34167	0.045	0.045	
-14	27.5	≦* <	32.5	24	1.29105	0.043	0.043	
-15	22.5	≦* <	27.5	20	1.24043	0.041	0.041	
-16	17.5	≦* <	22.5	16	1.18982	0.040	0.040	
-17	12.5	≦* <	17.5	12	1.13920	0.038	0.038	
-18	7.5	≦* <	12.5	8	1.08858	0.036	0.036	
-19	2.5	≦* <	7.5	4	1.03796	0.034	0.034	
-20	0.0	≦* <	2.5	1.00	1.00000	0.033	0.033	
計	平均			80.02439	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.042 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.063	0.063	
19	192.5	≦* <	197.5	156	2.96142	0.062	0.062	
18	187.5	≦* <	192.5	152	2.91081	0.061	0.061	
17	182.5	≦* <	187.5	148	2.86019	0.060	0.060	
16	177.5	≦* <	182.5	144	2.80957	0.059	0.059	
15	172.5	≦* <	177.5	140	2.75895	0.058	0.058	
14	167.5	≦* <	172.5	136	2.70834	0.057	0.057	
13	162.5	≦* <	167.5	132	2.65772	0.056	0.056	
12	157.5	≦* <	162.5	128	2.60710	0.055	0.055	
11	152.5	≦* <	157.5	124	2.55648	0.054	0.054	
10	147.5	≦* <	152.5	120	2.50587	0.053	0.053	
9	142.5	≦* <	147.5	116	2.45525	0.052	0.052	
8	137.5	≦* <	142.5	112	2.40463	0.050	0.050	
7	132.5	≦* <	137.5	108	2.35401	0.049	0.049	
6	127.5	≦* <	132.5	104	2.30340	0.048	0.048	
5	122.5	≦* <	127.5	100	2.25278	0.047	0.047	
4	117.5	≦* <	122.5	96	2.20216	0.046	0.046	
3	112.5	≦* <	117.5	92	2.15154	0.045	0.045	
2	107.5	≦* <	112.5	88	2.10093	0.044	0.044	
1	102.5	≦* <	107.5	84	2.05031	0.043	0.043	
0	97.5	≦* <	102.5	80	1.99969	0.042	0.042	
-1	92.5	≦* <	97.5	76	1.94908	0.041	0.041	
-2	87.5	≦* <	92.5	72	1.89846	0.040	0.040	
-3	82.5	≦* <	87.5	68	1.84784	0.039	0.039	
-4	77.5	≦* <	82.5	64	1.79722	0.038	0.038	
-5	72.5	≦* <	77.5	60	1.74661	0.037	0.037	
-6	67.5	≦* <	72.5	56	1.69599	0.036	0.036	
-7	62.5	≦* <	67.5	52	1.64537	0.035	0.035	
-8	57.5	≦* <	62.5	48	1.59475	0.033	0.033	
-9	52.5	≦* <	57.5	44	1.54414	0.032	0.032	
-10	47.5	≦* <	52.5	40	1.49352	0.031	0.031	
-11	42.5	≦* <	47.5	36	1.44290	0.030	0.030	
-12	37.5	≦* <	42.5	32	1.39228	0.029	0.029	
-13	32.5	≦* <	37.5	28	1.34167	0.028	0.028	
-14	27.5	≦* <	32.5	24	1.29105	0.027	0.027	
-15	22.5	≦* <	27.5	20	1.24043	0.026	0.026	
-16	17.5	≦* <	22.5	16	1.18982	0.025	0.025	
-17	12.5	≦* <	17.5	12	1.13920	0.024	0.024	
-18	7.5	≦* <	12.5	8	1.08858	0.023	0.023	
-19	2.5	≦* <	7.5	4	1.03796	0.022	0.022	
-20	0.0	≦* <	2.5	1.00	1.00000	0.021	0.021	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.042 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.060	0.060	
19	192.5	≦* <	197.5	156	2.96142	0.059	0.059	
18	187.5	≦* <	192.5	152	2.91081	0.058	0.058	
17	182.5	≦* <	187.5	148	2.86019	0.057	0.057	
16	177.5	≦* <	182.5	144	2.80957	0.056	0.056	
15	172.5	≦* <	177.5	140	2.75895	0.055	0.055	
14	167.5	≦* <	172.5	136	2.70834	0.054	0.054	
13	162.5	≦* <	167.5	132	2.65772	0.053	0.053	
12	157.5	≦* <	162.5	128	2.60710	0.052	0.052	
11	152.5	≦* <	157.5	124	2.55648	0.051	0.051	
10	147.5	≦* <	152.5	120	2.50587	0.050	0.050	
9	142.5	≦* <	147.5	116	2.45525	0.049	0.049	
8	137.5	≦* <	142.5	112	2.40463	0.048	0.048	
7	132.5	≦* <	137.5	108	2.35401	0.047	0.047	
6	127.5	≦* <	132.5	104	2.30340	0.046	0.046	
5	122.5	≦* <	127.5	100	2.25278	0.045	0.045	
4	117.5	≦* <	122.5	96	2.20216	0.044	0.044	
3	112.5	≦* <	117.5	92	2.15154	0.043	0.043	
2	107.5	≦* <	112.5	88	2.10093	0.042	0.042	
1	102.5	≦* <	107.5	84	2.05031	0.041	0.041	
0	97.5	≦* <	102.5	80	1.99969	0.040	0.040	
-1	92.5	≦* <	97.5	76	1.94908	0.039	0.039	
-2	87.5	≦* <	92.5	72	1.89846	0.038	0.038	
-3	82.5	≦* <	87.5	68	1.84784	0.037	0.037	
-4	77.5	≦* <	82.5	64	1.79722	0.036	0.036	
-5	72.5	≦* <	77.5	60	1.74661	0.035	0.035	
-6	67.5	≦* <	72.5	56	1.69599	0.034	0.034	
-7	62.5	≦* <	67.5	52	1.64537	0.033	0.033	
-8	57.5	≦* <	62.5	48	1.59475	0.031	0.031	
-9	52.5	≦* <	57.5	44	1.54414	0.030	0.030	
-10	47.5	≦* <	52.5	40	1.49352	0.029	0.029	
-11	42.5	≦* <	47.5	36	1.44290	0.029	0.029	
-12	37.5	≦* <	42.5	32	1.39228	0.028	0.028	
-13	32.5	≦* <	37.5	28	1.34167	0.027	0.027	
-14	27.5	≦* <	32.5	24	1.29105	0.026	0.026	
-15	22.5	≦* <	27.5	20	1.24043	0.025	0.025	
-16	17.5	≦* <	22.5	16	1.18982	0.024	0.024	
-17	12.5	≦* <	17.5	12	1.13920	0.023	0.023	
-18	7.5	≦* <	12.5	8	1.08858	0.022	0.022	
-19	2.5	≦* <	7.5	4	1.03796	0.021	0.021	
-20	0.0	≦* <	2.5	1.00	1.00000	0.020	0.020	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.076 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.126	0.126	
19	192.5	≦* <	197.5	156	2.15198	0.082	0.082	
18	187.5	≦* <	192.5	152	2.12226	0.081	0.081	
17	182.5	≦* <	187.5	148	2.09253	0.080	0.080	
16	177.5	≦* <	182.5	144	2.06280	0.078	0.078	
15	172.5	≦* <	177.5	140	2.03307	0.077	0.077	
14	167.5	≦* <	172.5	136	2.00334	0.076	0.076	
13	162.5	≦* <	167.5	132	1.97361	0.075	0.075	
12	157.5	≦* <	162.5	128	1.94388	0.074	0.074	
11	152.5	≦* <	157.5	124	1.91416	0.073	0.073	
10	147.5	≦* <	152.5	120	1.88443	0.072	0.072	
9	142.5	≦* <	147.5	116	1.85470	0.070	0.070	
8	137.5	≦* <	142.5	112	1.82497	0.069	0.069	
7	132.5	≦* <	137.5	108	1.79524	0.068	0.068	
6	127.5	≦* <	132.5	104	1.76551	0.067	0.067	
5	122.5	≦* <	127.5	100	1.73578	0.066	0.066	
4	117.5	≦* <	122.5	96	1.70605	0.065	0.065	
3	112.5	≦* <	117.5	92	1.67633	0.064	0.064	
2	107.5	≦* <	112.5	88	1.64660	0.063	0.063	
1	102.5	≦* <	107.5	84	1.61687	0.061	0.061	
0	97.5	≦* <	102.5	80	1.58714	0.060	0.060	
-1	92.5	≦* <	97.5	76	1.55741	0.059	0.059	
-2	87.5	≦* <	92.5	72	1.52768	0.058	0.058	
-3	82.5	≦* <	87.5	68	1.49795	0.057	0.057	
-4	77.5	≦* <	82.5	64	1.46823	0.056	0.056	
-5	72.5	≦* <	77.5	60	1.43850	0.055	0.055	
-6	67.5	≦* <	72.5	56	1.40877	0.054	0.054	
-7	62.5	≦* <	67.5	52	1.37904	0.052	0.052	
-8	57.5	≦* <	62.5	48	1.34931	0.051	0.051	
-9	52.5	≦* <	57.5	44	1.31958	0.050	0.050	
-10	47.5	≦* <	52.5	40	1.28985	0.049	0.049	
-11	42.5	≦* <	47.5	36	1.26013	0.048	0.048	
-12	37.5	≦* <	42.5	32	1.23040	0.047	0.047	
-13	32.5	≦* <	37.5	28	1.20067	0.046	0.046	
-14	27.5	≦* <	32.5	24	1.17094	0.044	0.044	
-15	22.5	≦* <	27.5	20	1.14121	0.043	0.043	
-16	17.5	≦* <	22.5	16	1.11148	0.042	0.042	
-17	12.5	≦* <	17.5	12	1.08175	0.041	0.041	
-18	7.5	≦* <	12.5	8	1.05203	0.040	0.040	
-19	2.5	≦* <	7.5	4	1.02230	0.039	0.039	
-20	0.0	≦* <	2.5	1.00	1.00000	0.038	0.038	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.076 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.120	0.120	
19	192.5	≧* <	197.5	156	2.15198	0.078	0.078	
18	187.5	≧* <	192.5	152	2.12226	0.077	0.077	
17	182.5	≧* <	187.5	148	2.09253	0.076	0.076	
16	177.5	≧* <	182.5	144	2.06280	0.074	0.074	
15	172.5	≧* <	177.5	140	2.03307	0.073	0.073	
14	167.5	≧* <	172.5	136	2.00334	0.072	0.072	
13	162.5	≧* <	167.5	132	1.97361	0.071	0.071	
12	157.5	≧* <	162.5	128	1.94388	0.070	0.070	
11	152.5	≧* <	157.5	124	1.91416	0.069	0.069	
10	147.5	≧* <	152.5	120	1.88443	0.068	0.068	
9	142.5	≧* <	147.5	116	1.85470	0.067	0.067	
8	137.5	≧* <	142.5	112	1.82497	0.066	0.066	
7	132.5	≧* <	137.5	108	1.79524	0.065	0.065	
6	127.5	≧* <	132.5	104	1.76551	0.064	0.064	
5	122.5	≧* <	127.5	100	1.73578	0.063	0.063	
4	117.5	≧* <	122.5	96	1.70605	0.062	0.062	
3	112.5	≧* <	117.5	92	1.67633	0.061	0.061	
2	107.5	≧* <	112.5	88	1.64660	0.060	0.060	
1	102.5	≧* <	107.5	84	1.61687	0.058	0.058	
0	97.5	≧* <	102.5	80	1.58714	0.057	0.057	
-1	92.5	≧* <	97.5	76	1.55741	0.056	0.056	
-2	87.5	≧* <	92.5	72	1.52768	0.055	0.055	
-3	82.5	≧* <	87.5	68	1.49795	0.054	0.054	
-4	77.5	≧* <	82.5	64	1.46823	0.053	0.053	
-5	72.5	≧* <	77.5	60	1.43850	0.052	0.052	
-6	67.5	≧* <	72.5	56	1.40877	0.051	0.051	
-7	62.5	≧* <	67.5	52	1.37904	0.049	0.049	
-8	57.5	≧* <	62.5	48	1.34931	0.048	0.048	
-9	52.5	≧* <	57.5	44	1.31958	0.048	0.048	
-10	47.5	≧* <	52.5	40	1.28985	0.047	0.047	
-11	42.5	≧* <	47.5	36	1.26013	0.046	0.046	
-12	37.5	≧* <	42.5	32	1.23040	0.045	0.045	
-13	32.5	≧* <	37.5	28	1.20067	0.044	0.044	
-14	27.5	≧* <	32.5	24	1.17094	0.042	0.042	
-15	22.5	≧* <	27.5	20	1.14121	0.041	0.041	
-16	17.5	≧* <	22.5	16	1.11148	0.040	0.040	
-17	12.5	≧* <	17.5	12	1.08175	0.039	0.039	
-18	7.5	≧* <	12.5	8	1.05203	0.038	0.038	
-19	2.5	≧* <	7.5	4	1.02230	0.037	0.037	
-20	0.0	≧* <	2.5	1.00	1.00000	0.036	0.036	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.064 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.106	0.106	
19	192.5	≦* <	197.5	156	2.15198	0.069	0.069	
18	187.5	≦* <	192.5	152	2.12226	0.068	0.068	
17	182.5	≦* <	187.5	148	2.09253	0.067	0.067	
16	177.5	≦* <	182.5	144	2.06280	0.066	0.066	
15	172.5	≦* <	177.5	140	2.03307	0.065	0.065	
14	167.5	≦* <	172.5	136	2.00334	0.064	0.064	
13	162.5	≦* <	167.5	132	1.97361	0.063	0.063	
12	157.5	≦* <	162.5	128	1.94388	0.062	0.062	
11	152.5	≦* <	157.5	124	1.91416	0.061	0.061	
10	147.5	≦* <	152.5	120	1.88443	0.060	0.060	
9	142.5	≦* <	147.5	116	1.85470	0.059	0.059	
8	137.5	≦* <	142.5	112	1.82497	0.058	0.058	
7	132.5	≦* <	137.5	108	1.79524	0.057	0.057	
6	127.5	≦* <	132.5	104	1.76551	0.056	0.056	
5	122.5	≦* <	127.5	100	1.73578	0.056	0.056	
4	117.5	≦* <	122.5	96	1.70605	0.055	0.055	
3	112.5	≦* <	117.5	92	1.67633	0.054	0.054	
2	107.5	≦* <	112.5	88	1.64660	0.053	0.053	
1	102.5	≦* <	107.5	84	1.61687	0.052	0.052	
0	97.5	≦* <	102.5	80	1.58714	0.051	0.051	
-1	92.5	≦* <	97.5	76	1.55741	0.050	0.050	
-2	87.5	≦* <	92.5	72	1.52768	0.049	0.049	
-3	82.5	≦* <	87.5	68	1.49795	0.048	0.048	
-4	77.5	≦* <	82.5	64	1.46823	0.047	0.047	
-5	72.5	≦* <	77.5	60	1.43850	0.046	0.046	
-6	67.5	≦* <	72.5	56	1.40877	0.045	0.045	
-7	62.5	≦* <	67.5	52	1.37904	0.044	0.044	
-8	57.5	≦* <	62.5	48	1.34931	0.043	0.043	
-9	52.5	≦* <	57.5	44	1.31958	0.042	0.042	
-10	47.5	≦* <	52.5	40	1.28985	0.041	0.041	
-11	42.5	≦* <	47.5	36	1.26013	0.040	0.040	
-12	37.5	≦* <	42.5	32	1.23040	0.039	0.039	
-13	32.5	≦* <	37.5	28	1.20067	0.038	0.038	
-14	27.5	≦* <	32.5	24	1.17094	0.037	0.037	
-15	22.5	≦* <	27.5	20	1.14121	0.037	0.037	
-16	17.5	≦* <	22.5	16	1.11148	0.036	0.036	
-17	12.5	≦* <	17.5	12	1.08175	0.035	0.035	
-18	7.5	≦* <	12.5	8	1.05203	0.034	0.034	
-19	2.5	≦* <	7.5	4	1.02230	0.033	0.033	
-20	0.0	≦* <	2.5	1.00	1.00000	0.032	0.032	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.064 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.101	0.101	
19	192.5	≦* <	197.5	156	2.15198	0.066	0.066	
18	187.5	≦* <	192.5	152	2.12226	0.065	0.065	
17	182.5	≦* <	187.5	148	2.09253	0.064	0.064	
16	177.5	≦* <	182.5	144	2.06280	0.063	0.063	
15	172.5	≦* <	177.5	140	2.03307	0.062	0.062	
14	167.5	≦* <	172.5	136	2.00334	0.061	0.061	
13	162.5	≦* <	167.5	132	1.97361	0.060	0.060	
12	157.5	≦* <	162.5	128	1.94388	0.059	0.059	
11	152.5	≦* <	157.5	124	1.91416	0.058	0.058	
10	147.5	≦* <	152.5	120	1.88443	0.057	0.057	
9	142.5	≦* <	147.5	116	1.85470	0.056	0.056	
8	137.5	≦* <	142.5	112	1.82497	0.055	0.055	
7	132.5	≦* <	137.5	108	1.79524	0.054	0.054	
6	127.5	≦* <	132.5	104	1.76551	0.053	0.053	
5	122.5	≦* <	127.5	100	1.73578	0.053	0.053	
4	117.5	≦* <	122.5	96	1.70605	0.052	0.052	
3	112.5	≦* <	117.5	92	1.67633	0.051	0.051	
2	107.5	≦* <	112.5	88	1.64660	0.050	0.050	
1	102.5	≦* <	107.5	84	1.61687	0.049	0.049	
0	97.5	≦* <	102.5	80	1.58714	0.048	0.048	
-1	92.5	≦* <	97.5	76	1.55741	0.048	0.048	
-2	87.5	≦* <	92.5	72	1.52768	0.047	0.047	
-3	82.5	≦* <	87.5	68	1.49795	0.046	0.046	
-4	77.5	≦* <	82.5	64	1.46823	0.045	0.045	
-5	72.5	≦* <	77.5	60	1.43850	0.044	0.044	
-6	67.5	≦* <	72.5	56	1.40877	0.043	0.043	
-7	62.5	≦* <	67.5	52	1.37904	0.042	0.042	
-8	57.5	≦* <	62.5	48	1.34931	0.041	0.041	
-9	52.5	≦* <	57.5	44	1.31958	0.040	0.040	
-10	47.5	≦* <	52.5	40	1.28985	0.039	0.039	
-11	42.5	≦* <	47.5	36	1.26013	0.038	0.038	
-12	37.5	≦* <	42.5	32	1.23040	0.037	0.037	
-13	32.5	≦* <	37.5	28	1.20067	0.036	0.036	
-14	27.5	≦* <	32.5	24	1.17094	0.035	0.035	
-15	22.5	≦* <	27.5	20	1.14121	0.035	0.035	
-16	17.5	≦* <	22.5	16	1.11148	0.034	0.034	
-17	12.5	≦* <	17.5	12	1.08175	0.033	0.033	
-18	7.5	≦* <	12.5	8	1.05203	0.032	0.032	
-19	2.5	≦* <	7.5	4	1.02230	0.031	0.031	
-20	0.0	≦* <	2.5	1.00	1.00000	0.030	0.030	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.054 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.089	0.089	
19	192.5	≧* <	197.5	156	2.15198	0.058	0.058	
18	187.5	≧* <	192.5	152	2.12226	0.057	0.057	
17	182.5	≧* <	187.5	148	2.09253	0.056	0.056	
16	177.5	≧* <	182.5	144	2.06280	0.056	0.056	
15	172.5	≧* <	177.5	140	2.03307	0.055	0.055	
14	167.5	≧* <	172.5	136	2.00334	0.054	0.054	
13	162.5	≧* <	167.5	132	1.97361	0.053	0.053	
12	157.5	≧* <	162.5	128	1.94388	0.052	0.052	
11	152.5	≧* <	157.5	124	1.91416	0.052	0.052	
10	147.5	≧* <	152.5	120	1.88443	0.051	0.051	
9	142.5	≧* <	147.5	116	1.85470	0.050	0.050	
8	137.5	≧* <	142.5	112	1.82497	0.049	0.049	
7	132.5	≧* <	137.5	108	1.79524	0.048	0.048	
6	127.5	≧* <	132.5	104	1.76551	0.048	0.048	
5	122.5	≧* <	127.5	100	1.73578	0.047	0.047	
4	117.5	≧* <	122.5	96	1.70605	0.046	0.046	
3	112.5	≧* <	117.5	92	1.67633	0.045	0.045	
2	107.5	≧* <	112.5	88	1.64660	0.044	0.044	
1	102.5	≧* <	107.5	84	1.61687	0.044	0.044	
0	97.5	≧* <	102.5	80	1.58714	0.043	0.043	
-1	92.5	≧* <	97.5	76	1.55741	0.042	0.042	
-2	87.5	≧* <	92.5	72	1.52768	0.041	0.041	
-3	82.5	≧* <	87.5	68	1.49795	0.040	0.040	
-4	77.5	≧* <	82.5	64	1.46823	0.040	0.040	
-5	72.5	≧* <	77.5	60	1.43850	0.039	0.039	
-6	67.5	≧* <	72.5	56	1.40877	0.038	0.038	
-7	62.5	≧* <	67.5	52	1.37904	0.037	0.037	
-8	57.5	≧* <	62.5	48	1.34931	0.036	0.036	
-9	52.5	≧* <	57.5	44	1.31958	0.036	0.036	
-10	47.5	≧* <	52.5	40	1.28985	0.035	0.035	
-11	42.5	≧* <	47.5	36	1.26013	0.034	0.034	
-12	37.5	≧* <	42.5	32	1.23040	0.033	0.033	
-13	32.5	≧* <	37.5	28	1.20067	0.032	0.032	
-14	27.5	≧* <	32.5	24	1.17094	0.032	0.032	
-15	22.5	≧* <	27.5	20	1.14121	0.031	0.031	
-16	17.5	≧* <	22.5	16	1.11148	0.030	0.030	
-17	12.5	≧* <	17.5	12	1.08175	0.029	0.029	
-18	7.5	≧* <	12.5	8	1.05203	0.028	0.028	
-19	2.5	≧* <	7.5	4	1.02230	0.028	0.028	
-20	0.0	≧* <	2.5	1.00	1.00000	0.027	0.027	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.054 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.085	0.085	
19	192.5	≦* <	197.5	156	2.15198	0.055	0.055	
18	187.5	≦* <	192.5	152	2.12226	0.054	0.054	
17	182.5	≦* <	187.5	148	2.09253	0.053	0.053	
16	177.5	≦* <	182.5	144	2.06280	0.053	0.053	
15	172.5	≦* <	177.5	140	2.03307	0.052	0.052	
14	167.5	≦* <	172.5	136	2.00334	0.051	0.051	
13	162.5	≦* <	167.5	132	1.97361	0.050	0.050	
12	157.5	≦* <	162.5	128	1.94388	0.049	0.049	
11	152.5	≦* <	157.5	124	1.91416	0.049	0.049	
10	147.5	≦* <	152.5	120	1.88443	0.048	0.048	
9	142.5	≦* <	147.5	116	1.85470	0.048	0.048	
8	137.5	≦* <	142.5	112	1.82497	0.047	0.047	
7	132.5	≦* <	137.5	108	1.79524	0.046	0.046	
6	127.5	≦* <	132.5	104	1.76551	0.046	0.046	
5	122.5	≦* <	127.5	100	1.73578	0.045	0.045	
4	117.5	≦* <	122.5	96	1.70605	0.044	0.044	
3	112.5	≦* <	117.5	92	1.67633	0.043	0.043	
2	107.5	≦* <	112.5	88	1.64660	0.042	0.042	
1	102.5	≦* <	107.5	84	1.61687	0.042	0.042	
0	97.5	≦* <	102.5	80	1.58714	0.041	0.041	
-1	92.5	≦* <	97.5	76	1.55741	0.040	0.040	
-2	87.5	≦* <	92.5	72	1.52768	0.039	0.039	
-3	82.5	≦* <	87.5	68	1.49795	0.038	0.038	
-4	77.5	≦* <	82.5	64	1.46823	0.038	0.038	
-5	72.5	≦* <	77.5	60	1.43850	0.037	0.037	
-6	67.5	≦* <	72.5	56	1.40877	0.036	0.036	
-7	62.5	≦* <	67.5	52	1.37904	0.035	0.035	
-8	57.5	≦* <	62.5	48	1.34931	0.034	0.034	
-9	52.5	≦* <	57.5	44	1.31958	0.034	0.034	
-10	47.5	≦* <	52.5	40	1.28985	0.033	0.033	
-11	42.5	≦* <	47.5	36	1.26013	0.032	0.032	
-12	37.5	≦* <	42.5	32	1.23040	0.031	0.031	
-13	32.5	≦* <	37.5	28	1.20067	0.030	0.030	
-14	27.5	≦* <	32.5	24	1.17094	0.030	0.030	
-15	22.5	≦* <	27.5	20	1.14121	0.029	0.029	
-16	17.5	≦* <	22.5	16	1.11148	0.029	0.029	
-17	12.5	≦* <	17.5	12	1.08175	0.028	0.028	
-18	7.5	≦* <	12.5	8	1.05203	0.027	0.027	
-19	2.5	≦* <	7.5	4	1.02230	0.027	0.027	
-20	0.0	≦* <	2.5	1.00	1.00000	0.026	0.026	
計	平均			135.55050	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.033 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)			危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考
				圧縮前				
20	197.5	≦*		311.20063	3.30546	0.055	0.055	
19	192.5	≦* <	197.5	156	2.15198	0.036	0.036	
18	187.5	≦* <	192.5	152	2.12226	0.035	0.035	
17	182.5	≦* <	187.5	148	2.09253	0.035	0.035	
16	177.5	≦* <	182.5	144	2.06280	0.034	0.034	
15	172.5	≦* <	177.5	140	2.03307	0.034	0.034	
14	167.5	≦* <	172.5	136	2.00334	0.033	0.033	
13	162.5	≦* <	167.5	132	1.97361	0.033	0.033	
12	157.5	≦* <	162.5	128	1.94388	0.032	0.032	
11	152.5	≦* <	157.5	124	1.91416	0.032	0.032	
10	147.5	≦* <	152.5	120	1.88443	0.031	0.031	
9	142.5	≦* <	147.5	116	1.85470	0.031	0.031	
8	137.5	≦* <	142.5	112	1.82497	0.030	0.030	
7	132.5	≦* <	137.5	108	1.79524	0.030	0.030	
6	127.5	≦* <	132.5	104	1.76551	0.029	0.029	
5	122.5	≦* <	127.5	100	1.73578	0.029	0.029	
4	117.5	≦* <	122.5	96	1.70605	0.028	0.028	
3	112.5	≦* <	117.5	92	1.67633	0.028	0.028	
2	107.5	≦* <	112.5	88	1.64660	0.027	0.027	
1	102.5	≦* <	107.5	84	1.61687	0.027	0.027	
0	97.5	≦* <	102.5	80	1.58714	0.026	0.026	
-1	92.5	≦* <	97.5	76	1.55741	0.026	0.026	
-2	87.5	≦* <	92.5	72	1.52768	0.025	0.025	
-3	82.5	≦* <	87.5	68	1.49795	0.025	0.025	
-4	77.5	≦* <	82.5	64	1.46823	0.024	0.024	
-5	72.5	≦* <	77.5	60	1.43850	0.024	0.024	
-6	67.5	≦* <	72.5	56	1.40877	0.023	0.023	
-7	62.5	≦* <	67.5	52	1.37904	0.023	0.023	
-8	57.5	≦* <	62.5	48	1.34931	0.022	0.022	
-9	52.5	≦* <	57.5	44	1.31958	0.022	0.022	
-10	47.5	≦* <	52.5	40	1.28985	0.021	0.021	
-11	42.5	≦* <	47.5	36	1.26013	0.021	0.021	
-12	37.5	≦* <	42.5	32	1.23040	0.020	0.020	
-13	32.5	≦* <	37.5	28	1.20067	0.020	0.020	
-14	27.5	≦* <	32.5	24	1.17094	0.019	0.019	
-15	22.5	≦* <	27.5	20	1.14121	0.019	0.019	
-16	17.5	≦* <	22.5	16	1.11148	0.018	0.018	
-17	12.5	≦* <	17.5	12	1.08175	0.018	0.018	
-18	7.5	≦* <	12.5	8	1.05203	0.017	0.017	
-19	2.5	≦* <	7.5	4	1.02230	0.017	0.017	
-20	0.0	≦* <	2.5	1.00	1.00000	0.016	0.016	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.033 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.052	0.052	
19	192.5	≦* <	197.5	156	2.15198	0.034	0.034	
18	187.5	≦* <	192.5	152	2.12226	0.033	0.033	
17	182.5	≦* <	187.5	148	2.09253	0.033	0.033	
16	177.5	≦* <	182.5	144	2.06280	0.032	0.032	
15	172.5	≦* <	177.5	140	2.03307	0.032	0.032	
14	167.5	≦* <	172.5	136	2.00334	0.031	0.031	
13	162.5	≦* <	167.5	132	1.97361	0.031	0.031	
12	157.5	≦* <	162.5	128	1.94388	0.030	0.030	
11	152.5	≦* <	157.5	124	1.91416	0.030	0.030	
10	147.5	≦* <	152.5	120	1.88443	0.029	0.029	
9	142.5	≦* <	147.5	116	1.85470	0.029	0.029	
8	137.5	≦* <	142.5	112	1.82497	0.029	0.029	
7	132.5	≦* <	137.5	108	1.79524	0.029	0.029	
6	127.5	≦* <	132.5	104	1.76551	0.028	0.028	
5	122.5	≦* <	127.5	100	1.73578	0.028	0.028	
4	117.5	≦* <	122.5	96	1.70605	0.027	0.027	
3	112.5	≦* <	117.5	92	1.67633	0.027	0.027	
2	107.5	≦* <	112.5	88	1.64660	0.026	0.026	
1	102.5	≦* <	107.5	84	1.61687	0.026	0.026	
0	97.5	≦* <	102.5	80	1.58714	0.025	0.025	
-1	92.5	≦* <	97.5	76	1.55741	0.025	0.025	
-2	87.5	≦* <	92.5	72	1.52768	0.024	0.024	
-3	82.5	≦* <	87.5	68	1.49795	0.024	0.024	
-4	77.5	≦* <	82.5	64	1.46823	0.023	0.023	
-5	72.5	≦* <	77.5	60	1.43850	0.023	0.023	
-6	67.5	≦* <	72.5	56	1.40877	0.022	0.022	
-7	62.5	≦* <	67.5	52	1.37904	0.022	0.022	
-8	57.5	≦* <	62.5	48	1.34931	0.021	0.021	
-9	52.5	≦* <	57.5	44	1.31958	0.021	0.021	
-10	47.5	≦* <	52.5	40	1.28985	0.020	0.020	
-11	42.5	≦* <	47.5	36	1.26013	0.020	0.020	
-12	37.5	≦* <	42.5	32	1.23040	0.019	0.019	
-13	32.5	≦* <	37.5	28	1.20067	0.019	0.019	
-14	27.5	≦* <	32.5	24	1.17094	0.018	0.018	
-15	22.5	≦* <	27.5	20	1.14121	0.018	0.018	
-16	17.5	≦* <	22.5	16	1.11148	0.017	0.017	
-17	12.5	≦* <	17.5	12	1.08175	0.017	0.017	
-18	7.5	≦* <	12.5	8	1.05203	0.016	0.016	
-19	2.5	≦* <	7.5	4	1.02230	0.016	0.016	
-20	0.0	≦* <	2.5	1.00	1.00000	0.015	0.015	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.014 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.023	0.023	
19	192.5	≦* <	197.5	156	2.15198	0.015	0.015	
18	187.5	≦* <	192.5	152	2.12226	0.015	0.015	
17	182.5	≦* <	187.5	148	2.09253	0.015	0.015	
16	177.5	≦* <	182.5	144	2.06280	0.014	0.014	
15	172.5	≦* <	177.5	140	2.03307	0.014	0.014	
14	167.5	≦* <	172.5	136	2.00334	0.014	0.014	
13	162.5	≦* <	167.5	132	1.97361	0.014	0.014	
12	157.5	≦* <	162.5	128	1.94388	0.014	0.014	
11	152.5	≦* <	157.5	124	1.91416	0.013	0.013	
10	147.5	≦* <	152.5	120	1.88443	0.013	0.013	
9	142.5	≦* <	147.5	116	1.85470	0.013	0.013	
8	137.5	≦* <	142.5	112	1.82497	0.013	0.013	
7	132.5	≦* <	137.5	108	1.79524	0.013	0.013	
6	127.5	≦* <	132.5	104	1.76551	0.012	0.012	
5	122.5	≦* <	127.5	100	1.73578	0.012	0.012	
4	117.5	≦* <	122.5	96	1.70605	0.012	0.012	
3	112.5	≦* <	117.5	92	1.67633	0.012	0.012	
2	107.5	≦* <	112.5	88	1.64660	0.012	0.012	
1	102.5	≦* <	107.5	84	1.61687	0.011	0.011	
0	97.5	≦* <	102.5	80	1.58714	0.011	0.011	
-1	92.5	≦* <	97.5	76	1.55741	0.011	0.011	
-2	87.5	≦* <	92.5	72	1.52768	0.011	0.011	
-3	82.5	≦* <	87.5	68	1.49795	0.010	0.010	
-4	77.5	≦* <	82.5	64	1.46823	0.010	0.010	
-5	72.5	≦* <	77.5	60	1.43850	0.010	0.010	
-6	67.5	≦* <	72.5	56	1.40877	0.010	0.010	
-7	62.5	≦* <	67.5	52	1.37904	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.34931	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.31958	0.009	0.009	
-10	47.5	≦* <	52.5	40	1.28985	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.26013	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.23040	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.20067	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.17094	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.14121	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.11148	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.08175	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.05203	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.02230	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.007	0.007	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.014 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.022	0.022	
19	192.5	≦* <	197.5	156	2.15198	0.014	0.014	
18	187.5	≦* <	192.5	152	2.12226	0.014	0.014	
17	182.5	≦* <	187.5	148	2.09253	0.014	0.014	
16	177.5	≦* <	182.5	144	2.06280	0.013	0.013	
15	172.5	≦* <	177.5	140	2.03307	0.013	0.013	
14	167.5	≦* <	172.5	136	2.00334	0.013	0.013	
13	162.5	≦* <	167.5	132	1.97361	0.013	0.013	
12	157.5	≦* <	162.5	128	1.94388	0.013	0.013	
11	152.5	≦* <	157.5	124	1.91416	0.012	0.012	
10	147.5	≦* <	152.5	120	1.88443	0.012	0.012	
9	142.5	≦* <	147.5	116	1.85470	0.012	0.012	
8	137.5	≦* <	142.5	112	1.82497	0.012	0.012	
7	132.5	≦* <	137.5	108	1.79524	0.012	0.012	
6	127.5	≦* <	132.5	104	1.76551	0.011	0.011	
5	122.5	≦* <	127.5	100	1.73578	0.011	0.011	
4	117.5	≦* <	122.5	96	1.70605	0.011	0.011	
3	112.5	≦* <	117.5	92	1.67633	0.011	0.011	
2	107.5	≦* <	112.5	88	1.64660	0.011	0.011	
1	102.5	≦* <	107.5	84	1.61687	0.010	0.010	
0	97.5	≦* <	102.5	80	1.58714	0.010	0.010	
-1	92.5	≦* <	97.5	76	1.55741	0.010	0.010	
-2	87.5	≦* <	92.5	72	1.52768	0.010	0.010	
-3	82.5	≦* <	87.5	68	1.49795	0.010	0.010	
-4	77.5	≦* <	82.5	64	1.46823	0.010	0.010	
-5	72.5	≦* <	77.5	60	1.43850	0.010	0.010	
-6	67.5	≦* <	72.5	56	1.40877	0.010	0.010	
-7	62.5	≦* <	67.5	52	1.37904	0.010	0.010	
-8	57.5	≦* <	62.5	48	1.34931	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.31958	0.009	0.009	
-10	47.5	≦* <	52.5	40	1.28985	0.009	0.009	
-11	42.5	≦* <	47.5	36	1.26013	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.23040	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.20067	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.17094	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.14121	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.11148	0.008	0.008	
-17	12.5	≦* <	17.5	12	1.08175	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.05203	0.007	0.007	
-19	2.5	≦* <	7.5	4	1.02230	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.007	0.007	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.215 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.324	0.324	
19	192.5	≦* <	197.5	156	2.96142	0.318	0.318	
18	187.5	≦* <	192.5	152	2.91081	0.313	0.313	
17	182.5	≦* <	187.5	148	2.86019	0.307	0.307	
16	177.5	≦* <	182.5	144	2.80957	0.302	0.302	
15	172.5	≦* <	177.5	140	2.75895	0.297	0.297	
14	167.5	≦* <	172.5	136	2.70834	0.291	0.291	
13	162.5	≦* <	167.5	132	2.65772	0.286	0.286	
12	157.5	≦* <	162.5	128	2.60710	0.280	0.280	
11	152.5	≦* <	157.5	124	2.55648	0.275	0.275	
10	147.5	≦* <	152.5	120	2.50587	0.269	0.269	
9	142.5	≦* <	147.5	116	2.45525	0.264	0.264	
8	137.5	≦* <	142.5	112	2.40463	0.258	0.258	
7	132.5	≦* <	137.5	108	2.35401	0.253	0.253	
6	127.5	≦* <	132.5	104	2.30340	0.248	0.248	
5	122.5	≦* <	127.5	100	2.25278	0.242	0.242	
4	117.5	≦* <	122.5	96	2.20216	0.237	0.237	
3	112.5	≦* <	117.5	92	2.15154	0.231	0.231	
2	107.5	≦* <	112.5	88	2.10093	0.226	0.226	
1	102.5	≦* <	107.5	84	2.05031	0.220	0.220	
0	97.5	≦* <	102.5	80	1.99969	0.215	0.215	
-1	92.5	≦* <	97.5	76	1.94908	0.210	0.210	
-2	87.5	≦* <	92.5	72	1.89846	0.204	0.204	
-3	82.5	≦* <	87.5	68	1.84784	0.199	0.199	
-4	77.5	≦* <	82.5	64	1.79722	0.193	0.193	
-5	72.5	≦* <	77.5	60	1.74661	0.188	0.188	
-6	67.5	≦* <	72.5	56	1.69599	0.182	0.182	
-7	62.5	≦* <	67.5	52	1.64537	0.177	0.177	
-8	57.5	≦* <	62.5	48	1.59475	0.171	0.171	
-9	52.5	≦* <	57.5	44	1.54414	0.166	0.166	
-10	47.5	≦* <	52.5	40	1.49352	0.161	0.161	
-11	42.5	≦* <	47.5	36	1.44290	0.155	0.155	
-12	37.5	≦* <	42.5	32	1.39228	0.150	0.150	
-13	32.5	≦* <	37.5	28	1.34167	0.144	0.144	
-14	27.5	≦* <	32.5	24	1.29105	0.139	0.139	
-15	22.5	≦* <	27.5	20	1.24043	0.133	0.133	
-16	17.5	≦* <	22.5	16	1.18982	0.128	0.128	
-17	12.5	≦* <	17.5	12	1.13920	0.122	0.122	
-18	7.5	≦* <	12.5	8	1.08858	0.117	0.117	
-19	2.5	≦* <	7.5	4	1.03796	0.112	0.112	
-20	0.0	≦* <	2.5	1.00	1.00000	0.107	0.107	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.215 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.308	0.308	
19	192.5	≦* <	197.5	156	2.96142	0.302	0.302	
18	187.5	≦* <	192.5	152	2.91081	0.297	0.297	
17	182.5	≦* <	187.5	148	2.86019	0.292	0.292	
16	177.5	≦* <	182.5	144	2.80957	0.287	0.287	
15	172.5	≦* <	177.5	140	2.75895	0.282	0.282	
14	167.5	≦* <	172.5	136	2.70834	0.276	0.276	
13	162.5	≦* <	167.5	132	2.65772	0.272	0.272	
12	157.5	≦* <	162.5	128	2.60710	0.266	0.266	
11	152.5	≦* <	157.5	124	2.55648	0.261	0.261	
10	147.5	≦* <	152.5	120	2.50587	0.256	0.256	
9	142.5	≦* <	147.5	116	2.45525	0.251	0.251	
8	137.5	≦* <	142.5	112	2.40463	0.245	0.245	
7	132.5	≦* <	137.5	108	2.35401	0.240	0.240	
6	127.5	≦* <	132.5	104	2.30340	0.236	0.236	
5	122.5	≦* <	127.5	100	2.25278	0.230	0.230	
4	117.5	≦* <	122.5	96	2.20216	0.225	0.225	
3	112.5	≦* <	117.5	92	2.15154	0.219	0.219	
2	107.5	≦* <	112.5	88	2.10093	0.215	0.215	
1	102.5	≦* <	107.5	84	2.05031	0.209	0.209	
0	97.5	≦* <	102.5	80	1.99969	0.204	0.204	
-1	92.5	≦* <	97.5	76	1.94908	0.200	0.200	
-2	87.5	≦* <	92.5	72	1.89846	0.194	0.194	
-3	82.5	≦* <	87.5	68	1.84784	0.189	0.189	
-4	77.5	≦* <	82.5	64	1.79722	0.183	0.183	
-5	72.5	≦* <	77.5	60	1.74661	0.179	0.179	
-6	67.5	≦* <	72.5	56	1.69599	0.173	0.173	
-7	62.5	≦* <	67.5	52	1.64537	0.168	0.168	
-8	57.5	≦* <	62.5	48	1.59475	0.162	0.162	
-9	52.5	≦* <	57.5	44	1.54414	0.158	0.158	
-10	47.5	≦* <	52.5	40	1.49352	0.153	0.153	
-11	42.5	≦* <	47.5	36	1.44290	0.147	0.147	
-12	37.5	≦* <	42.5	32	1.39228	0.143	0.143	
-13	32.5	≦* <	37.5	28	1.34167	0.137	0.137	
-14	27.5	≦* <	32.5	24	1.29105	0.132	0.132	
-15	22.5	≦* <	27.5	20	1.24043	0.126	0.126	
-16	17.5	≦* <	22.5	16	1.18982	0.122	0.122	
-17	12.5	≦* <	17.5	12	1.13920	0.116	0.116	
-18	7.5	≦* <	12.5	8	1.08858	0.111	0.111	
-19	2.5	≦* <	7.5	4	1.03796	0.106	0.106	
-20	0.0	≦* <	2.5	1.00	1.00000	0.102	0.102	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.192 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.289	0.289	
19	192.5	≦* <	197.5	156	2.96142	0.284	0.284	
18	187.5	≦* <	192.5	152	2.91081	0.279	0.279	
17	182.5	≦* <	187.5	148	2.86019	0.275	0.275	
16	177.5	≦* <	182.5	144	2.80957	0.270	0.270	
15	172.5	≦* <	177.5	140	2.75895	0.265	0.265	
14	167.5	≦* <	172.5	136	2.70834	0.260	0.260	
13	162.5	≦* <	167.5	132	2.65772	0.255	0.255	
12	157.5	≦* <	162.5	128	2.60710	0.250	0.250	
11	152.5	≦* <	157.5	124	2.55648	0.245	0.245	
10	147.5	≦* <	152.5	120	2.50587	0.241	0.241	
9	142.5	≦* <	147.5	116	2.45525	0.236	0.236	
8	137.5	≦* <	142.5	112	2.40463	0.231	0.231	
7	132.5	≦* <	137.5	108	2.35401	0.226	0.226	
6	127.5	≦* <	132.5	104	2.30340	0.221	0.221	
5	122.5	≦* <	127.5	100	2.25278	0.216	0.216	
4	117.5	≦* <	122.5	96	2.20216	0.211	0.211	
3	112.5	≦* <	117.5	92	2.15154	0.207	0.207	
2	107.5	≦* <	112.5	88	2.10093	0.202	0.202	
1	102.5	≦* <	107.5	84	2.05031	0.197	0.197	
0	97.5	≦* <	102.5	80	1.99969	0.192	0.192	
-1	92.5	≦* <	97.5	76	1.94908	0.187	0.187	
-2	87.5	≦* <	92.5	72	1.89846	0.182	0.182	
-3	82.5	≦* <	87.5	68	1.84784	0.177	0.177	
-4	77.5	≦* <	82.5	64	1.79722	0.173	0.173	
-5	72.5	≦* <	77.5	60	1.74661	0.168	0.168	
-6	67.5	≦* <	72.5	56	1.69599	0.163	0.163	
-7	62.5	≦* <	67.5	52	1.64537	0.158	0.158	
-8	57.5	≦* <	62.5	48	1.59475	0.153	0.153	
-9	52.5	≦* <	57.5	44	1.54414	0.148	0.148	
-10	47.5	≦* <	52.5	40	1.49352	0.143	0.143	
-11	42.5	≦* <	47.5	36	1.44290	0.139	0.139	
-12	37.5	≦* <	42.5	32	1.39228	0.134	0.134	
-13	32.5	≦* <	37.5	28	1.34167	0.129	0.129	
-14	27.5	≦* <	32.5	24	1.29105	0.124	0.124	
-15	22.5	≦* <	27.5	20	1.24043	0.119	0.119	
-16	17.5	≦* <	22.5	16	1.18982	0.114	0.114	
-17	12.5	≦* <	17.5	12	1.13920	0.109	0.109	
-18	7.5	≦* <	12.5	8	1.08858	0.105	0.105	
-19	2.5	≦* <	7.5	4	1.03796	0.100	0.100	
-20	0.0	≦* <	2.5	1.00	1.00000	0.096	0.096	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.192 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.275	0.275	
19	192.5	≦* <	197.5	156	2.96142	0.270	0.270	
18	187.5	≦* <	192.5	152	2.91081	0.265	0.265	
17	182.5	≦* <	187.5	148	2.86019	0.261	0.261	
16	177.5	≦* <	182.5	144	2.80957	0.257	0.257	
15	172.5	≦* <	177.5	140	2.75895	0.252	0.252	
14	167.5	≦* <	172.5	136	2.70834	0.247	0.247	
13	162.5	≦* <	167.5	132	2.65772	0.242	0.242	
12	157.5	≦* <	162.5	128	2.60710	0.238	0.238	
11	152.5	≦* <	157.5	124	2.55648	0.233	0.233	
10	147.5	≦* <	152.5	120	2.50587	0.229	0.229	
9	142.5	≦* <	147.5	116	2.45525	0.224	0.224	
8	137.5	≦* <	142.5	112	2.40463	0.219	0.219	
7	132.5	≦* <	137.5	108	2.35401	0.215	0.215	
6	127.5	≦* <	132.5	104	2.30340	0.210	0.210	
5	122.5	≦* <	127.5	100	2.25278	0.205	0.205	
4	117.5	≦* <	122.5	96	2.20216	0.200	0.200	
3	112.5	≦* <	117.5	92	2.15154	0.197	0.197	
2	107.5	≦* <	112.5	88	2.10093	0.192	0.192	
1	102.5	≦* <	107.5	84	2.05031	0.187	0.187	
0	97.5	≦* <	102.5	80	1.99969	0.182	0.182	
-1	92.5	≦* <	97.5	76	1.94908	0.178	0.178	
-2	87.5	≦* <	92.5	72	1.89846	0.173	0.173	
-3	82.5	≦* <	87.5	68	1.84784	0.168	0.168	
-4	77.5	≦* <	82.5	64	1.79722	0.164	0.164	
-5	72.5	≦* <	77.5	60	1.74661	0.160	0.160	
-6	67.5	≦* <	72.5	56	1.69599	0.155	0.155	
-7	62.5	≦* <	67.5	52	1.64537	0.150	0.150	
-8	57.5	≦* <	62.5	48	1.59475	0.145	0.145	
-9	52.5	≦* <	57.5	44	1.54414	0.141	0.141	
-10	47.5	≦* <	52.5	40	1.49352	0.136	0.136	
-11	42.5	≦* <	47.5	36	1.44290	0.132	0.132	
-12	37.5	≦* <	42.5	32	1.39228	0.127	0.127	
-13	32.5	≦* <	37.5	28	1.34167	0.123	0.123	
-14	27.5	≦* <	32.5	24	1.29105	0.118	0.118	
-15	22.5	≦* <	27.5	20	1.24043	0.113	0.113	
-16	17.5	≦* <	22.5	16	1.18982	0.108	0.108	
-17	12.5	≦* <	17.5	12	1.13920	0.104	0.104	
-18	7.5	≦* <	12.5	8	1.08858	0.100	0.100	
-19	2.5	≦* <	7.5	4	1.03796	0.095	0.095	
-20	0.0	≦* <	2.5	1.00	1.00000	0.091	0.091	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.142 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.214	0.214	
19	192.5	≦* <	197.5	156	2.96142	0.210	0.210	
18	187.5	≦* <	192.5	152	2.91081	0.207	0.207	
17	182.5	≦* <	187.5	148	2.86019	0.203	0.203	
16	177.5	≦* <	182.5	144	2.80957	0.199	0.199	
15	172.5	≦* <	177.5	140	2.75895	0.196	0.196	
14	167.5	≦* <	172.5	136	2.70834	0.192	0.192	
13	162.5	≦* <	167.5	132	2.65772	0.189	0.189	
12	157.5	≦* <	162.5	128	2.60710	0.185	0.185	
11	152.5	≦* <	157.5	124	2.55648	0.182	0.182	
10	147.5	≦* <	152.5	120	2.50587	0.178	0.178	
9	142.5	≦* <	147.5	116	2.45525	0.174	0.174	
8	137.5	≦* <	142.5	112	2.40463	0.171	0.171	
7	132.5	≦* <	137.5	108	2.35401	0.167	0.167	
6	127.5	≦* <	132.5	104	2.30340	0.164	0.164	
5	122.5	≦* <	127.5	100	2.25278	0.160	0.160	
4	117.5	≦* <	122.5	96	2.20216	0.156	0.156	
3	112.5	≦* <	117.5	92	2.15154	0.153	0.153	
2	107.5	≦* <	112.5	88	2.10093	0.149	0.149	
1	102.5	≦* <	107.5	84	2.05031	0.146	0.146	
0	97.5	≦* <	102.5	80	1.99969	0.142	0.142	
-1	92.5	≦* <	97.5	76	1.94908	0.138	0.138	
-2	87.5	≦* <	92.5	72	1.89846	0.135	0.135	
-3	82.5	≦* <	87.5	68	1.84784	0.131	0.131	
-4	77.5	≦* <	82.5	64	1.79722	0.128	0.128	
-5	72.5	≦* <	77.5	60	1.74661	0.124	0.124	
-6	67.5	≦* <	72.5	56	1.69599	0.120	0.120	
-7	62.5	≦* <	67.5	52	1.64537	0.117	0.117	
-8	57.5	≦* <	62.5	48	1.59475	0.113	0.113	
-9	52.5	≦* <	57.5	44	1.54414	0.110	0.110	
-10	47.5	≦* <	52.5	40	1.49352	0.106	0.106	
-11	42.5	≦* <	47.5	36	1.44290	0.102	0.102	
-12	37.5	≦* <	42.5	32	1.39228	0.099	0.099	
-13	32.5	≦* <	37.5	28	1.34167	0.095	0.095	
-14	27.5	≦* <	32.5	24	1.29105	0.092	0.092	
-15	22.5	≦* <	27.5	20	1.24043	0.088	0.088	
-16	17.5	≦* <	22.5	16	1.18982	0.084	0.084	
-17	12.5	≦* <	17.5	12	1.13920	0.081	0.081	
-18	7.5	≦* <	12.5	8	1.08858	0.077	0.077	
-19	2.5	≦* <	7.5	4	1.03796	0.074	0.074	
-20	0.0	≦* <	2.5	1.00	1.00000	0.071	0.071	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.142 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.203	0.203	
19	192.5	≦* <	197.5	156	2.96142	0.200	0.200	
18	187.5	≦* <	192.5	152	2.91081	0.197	0.197	
17	182.5	≦* <	187.5	148	2.86019	0.193	0.193	
16	177.5	≦* <	182.5	144	2.80957	0.189	0.189	
15	172.5	≦* <	177.5	140	2.75895	0.186	0.186	
14	167.5	≦* <	172.5	136	2.70834	0.182	0.182	
13	162.5	≦* <	167.5	132	2.65772	0.180	0.180	
12	157.5	≦* <	162.5	128	2.60710	0.176	0.176	
11	152.5	≦* <	157.5	124	2.55648	0.173	0.173	
10	147.5	≦* <	152.5	120	2.50587	0.169	0.169	
9	142.5	≦* <	147.5	116	2.45525	0.165	0.165	
8	137.5	≦* <	142.5	112	2.40463	0.162	0.162	
7	132.5	≦* <	137.5	108	2.35401	0.159	0.159	
6	127.5	≦* <	132.5	104	2.30340	0.156	0.156	
5	122.5	≦* <	127.5	100	2.25278	0.152	0.152	
4	117.5	≦* <	122.5	96	2.20216	0.148	0.148	
3	112.5	≦* <	117.5	92	2.15154	0.145	0.145	
2	107.5	≦* <	112.5	88	2.10093	0.142	0.142	
1	102.5	≦* <	107.5	84	2.05031	0.139	0.139	
0	97.5	≦* <	102.5	80	1.99969	0.135	0.135	
-1	92.5	≦* <	97.5	76	1.94908	0.131	0.131	
-2	87.5	≦* <	92.5	72	1.89846	0.128	0.128	
-3	82.5	≦* <	87.5	68	1.84784	0.124	0.124	
-4	77.5	≦* <	82.5	64	1.79722	0.122	0.122	
-5	72.5	≦* <	77.5	60	1.74661	0.118	0.118	
-6	67.5	≦* <	72.5	56	1.69599	0.114	0.114	
-7	62.5	≦* <	67.5	52	1.64537	0.111	0.111	
-8	57.5	≦* <	62.5	48	1.59475	0.107	0.107	
-9	52.5	≦* <	57.5	44	1.54414	0.105	0.105	
-10	47.5	≦* <	52.5	40	1.49352	0.101	0.101	
-11	42.5	≦* <	47.5	36	1.44290	0.097	0.097	
-12	37.5	≦* <	42.5	32	1.39228	0.094	0.094	
-13	32.5	≦* <	37.5	28	1.34167	0.090	0.090	
-14	27.5	≦* <	32.5	24	1.29105	0.087	0.087	
-15	22.5	≦* <	27.5	20	1.24043	0.084	0.084	
-16	17.5	≦* <	22.5	16	1.18982	0.080	0.080	
-17	12.5	≦* <	17.5	12	1.13920	0.077	0.077	
-18	7.5	≦* <	12.5	8	1.08858	0.073	0.073	
-19	2.5	≦* <	7.5	4	1.03796	0.070	0.070	
-20	0.0	≦* <	2.5	1.00	1.00000	0.067	0.067	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.052 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.078	0.078	
19	192.5	≦* <	197.5	156	2.96142	0.077	0.077	
18	187.5	≦* <	192.5	152	2.91081	0.076	0.076	
17	182.5	≦* <	187.5	148	2.86019	0.074	0.074	
16	177.5	≦* <	182.5	144	2.80957	0.073	0.073	
15	172.5	≦* <	177.5	140	2.75895	0.072	0.072	
14	167.5	≦* <	172.5	136	2.70834	0.070	0.070	
13	162.5	≦* <	167.5	132	2.65772	0.069	0.069	
12	157.5	≦* <	162.5	128	2.60710	0.068	0.068	
11	152.5	≦* <	157.5	124	2.55648	0.066	0.066	
10	147.5	≦* <	152.5	120	2.50587	0.065	0.065	
9	142.5	≦* <	147.5	116	2.45525	0.064	0.064	
8	137.5	≦* <	142.5	112	2.40463	0.063	0.063	
7	132.5	≦* <	137.5	108	2.35401	0.061	0.061	
6	127.5	≦* <	132.5	104	2.30340	0.060	0.060	
5	122.5	≦* <	127.5	100	2.25278	0.059	0.059	
4	117.5	≦* <	122.5	96	2.20216	0.057	0.057	
3	112.5	≦* <	117.5	92	2.15154	0.056	0.056	
2	107.5	≦* <	112.5	88	2.10093	0.055	0.055	
1	102.5	≦* <	107.5	84	2.05031	0.053	0.053	
0	97.5	≦* <	102.5	80	1.99969	0.052	0.052	
-1	92.5	≦* <	97.5	76	1.94908	0.051	0.051	
-2	87.5	≦* <	92.5	72	1.89846	0.049	0.049	
-3	82.5	≦* <	87.5	68	1.84784	0.048	0.048	
-4	77.5	≦* <	82.5	64	1.79722	0.047	0.047	
-5	72.5	≦* <	77.5	60	1.74661	0.045	0.045	
-6	67.5	≦* <	72.5	56	1.69599	0.044	0.044	
-7	62.5	≦* <	67.5	52	1.64537	0.043	0.043	
-8	57.5	≦* <	62.5	48	1.59475	0.041	0.041	
-9	52.5	≦* <	57.5	44	1.54414	0.040	0.040	
-10	47.5	≦* <	52.5	40	1.49352	0.039	0.039	
-11	42.5	≦* <	47.5	36	1.44290	0.038	0.038	
-12	37.5	≦* <	42.5	32	1.39228	0.036	0.036	
-13	32.5	≦* <	37.5	28	1.34167	0.035	0.035	
-14	27.5	≦* <	32.5	24	1.29105	0.034	0.034	
-15	22.5	≦* <	27.5	20	1.24043	0.032	0.032	
-16	17.5	≦* <	22.5	16	1.18982	0.031	0.031	
-17	12.5	≦* <	17.5	12	1.13920	0.030	0.030	
-18	7.5	≦* <	12.5	8	1.08858	0.028	0.028	
-19	2.5	≦* <	7.5	4	1.03796	0.027	0.027	
-20	0.0	≦* <	2.5	1.00	1.00000	0.026	0.026	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.052 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.074	0.074	
19	192.5	≦* <	197.5	156	2.96142	0.073	0.073	
18	187.5	≦* <	192.5	152	2.91081	0.072	0.072	
17	182.5	≦* <	187.5	148	2.86019	0.070	0.070	
16	177.5	≦* <	182.5	144	2.80957	0.069	0.069	
15	172.5	≦* <	177.5	140	2.75895	0.068	0.068	
14	167.5	≦* <	172.5	136	2.70834	0.067	0.067	
13	162.5	≦* <	167.5	132	2.65772	0.066	0.066	
12	157.5	≦* <	162.5	128	2.60710	0.065	0.065	
11	152.5	≦* <	157.5	124	2.55648	0.063	0.063	
10	147.5	≦* <	152.5	120	2.50587	0.062	0.062	
9	142.5	≦* <	147.5	116	2.45525	0.061	0.061	
8	137.5	≦* <	142.5	112	2.40463	0.060	0.060	
7	132.5	≦* <	137.5	108	2.35401	0.058	0.058	
6	127.5	≦* <	132.5	104	2.30340	0.057	0.057	
5	122.5	≦* <	127.5	100	2.25278	0.056	0.056	
4	117.5	≦* <	122.5	96	2.20216	0.054	0.054	
3	112.5	≦* <	117.5	92	2.15154	0.053	0.053	
2	107.5	≦* <	112.5	88	2.10093	0.052	0.052	
1	102.5	≦* <	107.5	84	2.05031	0.050	0.050	
0	97.5	≦* <	102.5	80	1.99969	0.049	0.049	
-1	92.5	≦* <	97.5	76	1.94908	0.048	0.048	
-2	87.5	≦* <	92.5	72	1.89846	0.047	0.047	
-3	82.5	≦* <	87.5	68	1.84784	0.046	0.046	
-4	77.5	≦* <	82.5	64	1.79722	0.045	0.045	
-5	72.5	≦* <	77.5	60	1.74661	0.043	0.043	
-6	67.5	≦* <	72.5	56	1.69599	0.042	0.042	
-7	62.5	≦* <	67.5	52	1.64537	0.041	0.041	
-8	57.5	≦* <	62.5	48	1.59475	0.039	0.039	
-9	52.5	≦* <	57.5	44	1.54414	0.038	0.038	
-10	47.5	≦* <	52.5	40	1.49352	0.037	0.037	
-11	42.5	≦* <	47.5	36	1.44290	0.036	0.036	
-12	37.5	≦* <	42.5	32	1.39228	0.034	0.034	
-13	32.5	≦* <	37.5	28	1.34167	0.033	0.033	
-14	27.5	≦* <	32.5	24	1.29105	0.032	0.032	
-15	22.5	≦* <	27.5	20	1.24043	0.030	0.030	
-16	17.5	≦* <	22.5	16	1.18982	0.029	0.029	
-17	12.5	≦* <	17.5	12	1.13920	0.029	0.029	
-18	7.5	≦* <	12.5	8	1.08858	0.027	0.027	
-19	2.5	≦* <	7.5	4	1.03796	0.026	0.026	
-20	0.0	≦* <	2.5	1.00	1.00000	0.025	0.025	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.031 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.047	0.047	
19	192.5	≦* <	197.5	156	2.96142	0.046	0.046	
18	187.5	≦* <	192.5	152	2.91081	0.045	0.045	
17	182.5	≦* <	187.5	148	2.86019	0.044	0.044	
16	177.5	≦* <	182.5	144	2.80957	0.044	0.044	
15	172.5	≦* <	177.5	140	2.75895	0.043	0.043	
14	167.5	≦* <	172.5	136	2.70834	0.042	0.042	
13	162.5	≦* <	167.5	132	2.65772	0.041	0.041	
12	157.5	≦* <	162.5	128	2.60710	0.040	0.040	
11	152.5	≦* <	157.5	124	2.55648	0.040	0.040	
10	147.5	≦* <	152.5	120	2.50587	0.039	0.039	
9	142.5	≦* <	147.5	116	2.45525	0.038	0.038	
8	137.5	≦* <	142.5	112	2.40463	0.037	0.037	
7	132.5	≦* <	137.5	108	2.35401	0.036	0.036	
6	127.5	≦* <	132.5	104	2.30340	0.036	0.036	
5	122.5	≦* <	127.5	100	2.25278	0.035	0.035	
4	117.5	≦* <	122.5	96	2.20216	0.034	0.034	
3	112.5	≦* <	117.5	92	2.15154	0.033	0.033	
2	107.5	≦* <	112.5	88	2.10093	0.033	0.033	
1	102.5	≦* <	107.5	84	2.05031	0.032	0.032	
0	97.5	≦* <	102.5	80	1.99969	0.031	0.031	
-1	92.5	≦* <	97.5	76	1.94908	0.030	0.030	
-2	87.5	≦* <	92.5	72	1.89846	0.029	0.029	
-3	82.5	≦* <	87.5	68	1.84784	0.029	0.029	
-4	77.5	≦* <	82.5	64	1.79722	0.028	0.028	
-5	72.5	≦* <	77.5	60	1.74661	0.027	0.027	
-6	67.5	≦* <	72.5	56	1.69599	0.026	0.026	
-7	62.5	≦* <	67.5	52	1.64537	0.026	0.026	
-8	57.5	≦* <	62.5	48	1.59475	0.025	0.025	
-9	52.5	≦* <	57.5	44	1.54414	0.024	0.024	
-10	47.5	≦* <	52.5	40	1.49352	0.023	0.023	
-11	42.5	≦* <	47.5	36	1.44290	0.022	0.022	
-12	37.5	≦* <	42.5	32	1.39228	0.022	0.022	
-13	32.5	≦* <	37.5	28	1.34167	0.021	0.021	
-14	27.5	≦* <	32.5	24	1.29105	0.020	0.020	
-15	22.5	≦* <	27.5	20	1.24043	0.019	0.019	
-16	17.5	≦* <	22.5	16	1.18982	0.018	0.018	
-17	12.5	≦* <	17.5	12	1.13920	0.018	0.018	
-18	7.5	≦* <	12.5	8	1.08858	0.017	0.017	
-19	2.5	≦* <	7.5	4	1.03796	0.016	0.016	
-20	0.0	≦* <	2.5	1.00	1.00000	0.015	0.015	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.031 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.045	0.045	
19	192.5	≦* <	197.5	156	2.96142	0.044	0.044	
18	187.5	≦* <	192.5	152	2.91081	0.043	0.043	
17	182.5	≦* <	187.5	148	2.86019	0.042	0.042	
16	177.5	≦* <	182.5	144	2.80957	0.042	0.042	
15	172.5	≦* <	177.5	140	2.75895	0.041	0.041	
14	167.5	≦* <	172.5	136	2.70834	0.040	0.040	
13	162.5	≦* <	167.5	132	2.65772	0.039	0.039	
12	157.5	≦* <	162.5	128	2.60710	0.038	0.038	
11	152.5	≦* <	157.5	124	2.55648	0.038	0.038	
10	147.5	≦* <	152.5	120	2.50587	0.037	0.037	
9	142.5	≦* <	147.5	116	2.45525	0.036	0.036	
8	137.5	≦* <	142.5	112	2.40463	0.035	0.035	
7	132.5	≦* <	137.5	108	2.35401	0.034	0.034	
6	127.5	≦* <	132.5	104	2.30340	0.034	0.034	
5	122.5	≦* <	127.5	100	2.25278	0.033	0.033	
4	117.5	≦* <	122.5	96	2.20216	0.032	0.032	
3	112.5	≦* <	117.5	92	2.15154	0.031	0.031	
2	107.5	≦* <	112.5	88	2.10093	0.031	0.031	
1	102.5	≦* <	107.5	84	2.05031	0.030	0.030	
0	97.5	≦* <	102.5	80	1.99969	0.029	0.029	
-1	92.5	≦* <	97.5	76	1.94908	0.029	0.029	
-2	87.5	≦* <	92.5	72	1.89846	0.028	0.028	
-3	82.5	≦* <	87.5	68	1.84784	0.028	0.028	
-4	77.5	≦* <	82.5	64	1.79722	0.027	0.027	
-5	72.5	≦* <	77.5	60	1.74661	0.026	0.026	
-6	67.5	≦* <	72.5	56	1.69599	0.025	0.025	
-7	62.5	≦* <	67.5	52	1.64537	0.025	0.025	
-8	57.5	≦* <	62.5	48	1.59475	0.024	0.024	
-9	52.5	≦* <	57.5	44	1.54414	0.023	0.023	
-10	47.5	≦* <	52.5	40	1.49352	0.022	0.022	
-11	42.5	≦* <	47.5	36	1.44290	0.021	0.021	
-12	37.5	≦* <	42.5	32	1.39228	0.021	0.021	
-13	32.5	≦* <	37.5	28	1.34167	0.020	0.020	
-14	27.5	≦* <	32.5	24	1.29105	0.019	0.019	
-15	22.5	≦* <	27.5	20	1.24043	0.018	0.018	
-16	17.5	≦* <	22.5	16	1.18982	0.017	0.017	
-17	12.5	≦* <	17.5	12	1.13920	0.017	0.017	
-18	7.5	≦* <	12.5	8	1.08858	0.016	0.016	
-19	2.5	≦* <	7.5	4	1.03796	0.015	0.015	
-20	0.0	≦* <	2.5	1.00	1.00000	0.014	0.014	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.510 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.074	1.074	
19	192.5	≧* <	197.5	156	4.04730	1.032	1.032	
18	187.5	≧* <	192.5	152	3.96866	1.012	1.012	
17	182.5	≧* <	187.5	148	3.89002	0.992	0.992	
16	177.5	≧* <	182.5	144	3.81138	0.972	0.972	
15	172.5	≧* <	177.5	140	3.73274	0.952	0.952	
14	167.5	≧* <	172.5	136	3.65410	0.932	0.932	
13	162.5	≧* <	167.5	132	3.57546	0.912	0.912	
12	157.5	≧* <	162.5	128	3.49682	0.892	0.892	
11	152.5	≧* <	157.5	124	3.41818	0.872	0.872	
10	147.5	≧* <	152.5	120	3.33954	0.852	0.852	
9	142.5	≧* <	147.5	116	3.26090	0.832	0.832	
8	137.5	≧* <	142.5	112	3.18226	0.811	0.811	
7	132.5	≧* <	137.5	108	3.10362	0.791	0.791	
6	127.5	≧* <	132.5	104	3.02498	0.771	0.771	
5	122.5	≧* <	127.5	100	2.94634	0.751	0.751	
4	117.5	≧* <	122.5	96	2.86770	0.731	0.731	
3	112.5	≧* <	117.5	92	2.78906	0.711	0.711	
2	107.5	≧* <	112.5	88	2.71042	0.691	0.691	
1	102.5	≧* <	107.5	84	2.63178	0.671	0.671	
0	97.5	≧* <	102.5	80	2.55314	0.651	0.651	
-1	92.5	≧* <	97.5	76	2.47450	0.631	0.631	
-2	87.5	≧* <	92.5	72	2.39586	0.611	0.611	
-3	82.5	≧* <	87.5	68	2.31722	0.591	0.591	
-4	77.5	≧* <	82.5	64	2.23858	0.571	0.571	
-5	72.5	≧* <	77.5	60	2.15994	0.551	0.551	
-6	67.5	≧* <	72.5	56	2.08130	0.531	0.531	
-7	62.5	≧* <	67.5	52	2.00266	0.511	0.511	
-8	57.5	≧* <	62.5	48	1.92402	0.491	0.491	
-9	52.5	≧* <	57.5	44	1.84538	0.471	0.471	
-10	47.5	≧* <	52.5	40	1.76674	0.451	0.451	
-11	42.5	≧* <	47.5	36	1.68810	0.430	0.430	
-12	37.5	≧* <	42.5	32	1.60946	0.410	0.410	
-13	32.5	≧* <	37.5	28	1.53082	0.390	0.390	
-14	27.5	≧* <	32.5	24	1.45218	0.370	0.370	
-15	22.5	≧* <	27.5	20	1.37354	0.350	0.350	
-16	17.5	≧* <	22.5	16	1.29490	0.330	0.330	
-17	12.5	≧* <	17.5	12	1.21626	0.310	0.310	
-18	7.5	≧* <	12.5	8	1.13762	0.290	0.290	
-19	2.5	≧* <	7.5	4	1.05898	0.270	0.270	
-20	0.0	≧* <	2.5	1.00	1.00000	0.255	0.255	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.510 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.913	0.913	
19	192.5	≦* <	197.5	156	4.04730	0.877	0.877	
18	187.5	≦* <	192.5	152	3.96866	0.860	0.860	
17	182.5	≦* <	187.5	148	3.89002	0.843	0.843	
16	177.5	≦* <	182.5	144	3.81138	0.826	0.826	
15	172.5	≦* <	177.5	140	3.73274	0.809	0.809	
14	167.5	≦* <	172.5	136	3.65410	0.792	0.792	
13	162.5	≦* <	167.5	132	3.57546	0.775	0.775	
12	157.5	≦* <	162.5	128	3.49682	0.758	0.758	
11	152.5	≦* <	157.5	124	3.41818	0.741	0.741	
10	147.5	≦* <	152.5	120	3.33954	0.724	0.724	
9	142.5	≦* <	147.5	116	3.26090	0.707	0.707	
8	137.5	≦* <	142.5	112	3.18226	0.689	0.689	
7	132.5	≦* <	137.5	108	3.10362	0.672	0.672	
6	127.5	≦* <	132.5	104	3.02498	0.655	0.655	
5	122.5	≦* <	127.5	100	2.94634	0.638	0.638	
4	117.5	≦* <	122.5	96	2.86770	0.621	0.621	
3	112.5	≦* <	117.5	92	2.78906	0.604	0.604	
2	107.5	≦* <	112.5	88	2.71042	0.587	0.587	
1	102.5	≦* <	107.5	84	2.63178	0.570	0.570	
0	97.5	≦* <	102.5	80	2.55314	0.553	0.553	
-1	92.5	≦* <	97.5	76	2.47450	0.536	0.536	
-2	87.5	≦* <	92.5	72	2.39586	0.519	0.519	
-3	82.5	≦* <	87.5	68	2.31722	0.502	0.502	
-4	77.5	≦* <	82.5	64	2.23858	0.485	0.485	
-5	72.5	≦* <	77.5	60	2.15994	0.468	0.468	
-6	67.5	≦* <	72.5	56	2.08130	0.451	0.451	
-7	62.5	≦* <	67.5	52	2.00266	0.434	0.434	
-8	57.5	≦* <	62.5	48	1.92402	0.417	0.417	
-9	52.5	≦* <	57.5	44	1.84538	0.400	0.400	
-10	47.5	≦* <	52.5	40	1.76674	0.383	0.383	
-11	42.5	≦* <	47.5	36	1.68810	0.366	0.366	
-12	37.5	≦* <	42.5	32	1.60946	0.349	0.349	
-13	32.5	≦* <	37.5	28	1.53082	0.332	0.332	
-14	27.5	≦* <	32.5	24	1.45218	0.315	0.315	
-15	22.5	≦* <	27.5	20	1.37354	0.298	0.298	
-16	17.5	≦* <	22.5	16	1.29490	0.281	0.281	
-17	12.5	≦* <	17.5	12	1.21626	0.264	0.264	
-18	7.5	≦* <	12.5	8	1.13762	0.247	0.247	
-19	2.5	≦* <	7.5	4	1.05898	0.230	0.230	
-20	0.0	≦* <	2.5	1.00	1.00000	0.217	0.217	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.510 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.020	1.020	
19	192.5	≦* <	197.5	156	4.04730	0.980	0.980	
18	187.5	≦* <	192.5	152	3.96866	0.961	0.961	
17	182.5	≦* <	187.5	148	3.89002	0.942	0.942	
16	177.5	≦* <	182.5	144	3.81138	0.923	0.923	
15	172.5	≦* <	177.5	140	3.73274	0.904	0.904	
14	167.5	≦* <	172.5	136	3.65410	0.885	0.885	
13	162.5	≦* <	167.5	132	3.57546	0.866	0.866	
12	157.5	≦* <	162.5	128	3.49682	0.847	0.847	
11	152.5	≦* <	157.5	124	3.41818	0.828	0.828	
10	147.5	≦* <	152.5	120	3.33954	0.809	0.809	
9	142.5	≦* <	147.5	116	3.26090	0.790	0.790	
8	137.5	≦* <	142.5	112	3.18226	0.770	0.770	
7	132.5	≦* <	137.5	108	3.10362	0.751	0.751	
6	127.5	≦* <	132.5	104	3.02498	0.732	0.732	
5	122.5	≦* <	127.5	100	2.94634	0.713	0.713	
4	117.5	≦* <	122.5	96	2.86770	0.694	0.694	
3	112.5	≦* <	117.5	92	2.78906	0.675	0.675	
2	107.5	≦* <	112.5	88	2.71042	0.656	0.656	
1	102.5	≦* <	107.5	84	2.63178	0.637	0.637	
0	97.5	≦* <	102.5	80	2.55314	0.618	0.618	
-1	92.5	≦* <	97.5	76	2.47450	0.599	0.599	
-2	87.5	≦* <	92.5	72	2.39586	0.580	0.580	
-3	82.5	≦* <	87.5	68	2.31722	0.561	0.561	
-4	77.5	≦* <	82.5	64	2.23858	0.542	0.542	
-5	72.5	≦* <	77.5	60	2.15994	0.523	0.523	
-6	67.5	≦* <	72.5	56	2.08130	0.504	0.504	
-7	62.5	≦* <	67.5	52	2.00266	0.485	0.485	
-8	57.5	≦* <	62.5	48	1.92402	0.466	0.466	
-9	52.5	≦* <	57.5	44	1.84538	0.447	0.447	
-10	47.5	≦* <	52.5	40	1.76674	0.428	0.428	
-11	42.5	≦* <	47.5	36	1.68810	0.409	0.409	
-12	37.5	≦* <	42.5	32	1.60946	0.390	0.390	
-13	32.5	≦* <	37.5	28	1.53082	0.371	0.371	
-14	27.5	≦* <	32.5	24	1.45218	0.352	0.352	
-15	22.5	≦* <	27.5	20	1.37354	0.333	0.333	
-16	17.5	≦* <	22.5	16	1.29490	0.314	0.314	
-17	12.5	≦* <	17.5	12	1.21626	0.295	0.295	
-18	7.5	≦* <	12.5	8	1.13762	0.276	0.276	
-19	2.5	≦* <	7.5	4	1.05898	0.257	0.257	
-20	0.0	≦* <	2.5	1.00	1.00000	0.242	0.242	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.510 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.867	0.867	
19	192.5	≦* <	197.5	156	4.04730	0.833	0.833	
18	187.5	≦* <	192.5	152	3.96866	0.817	0.817	
17	182.5	≦* <	187.5	148	3.89002	0.801	0.801	
16	177.5	≦* <	182.5	144	3.81138	0.785	0.785	
15	172.5	≦* <	177.5	140	3.73274	0.769	0.769	
14	167.5	≦* <	172.5	136	3.65410	0.753	0.753	
13	162.5	≦* <	167.5	132	3.57546	0.736	0.736	
12	157.5	≦* <	162.5	128	3.49682	0.720	0.720	
11	152.5	≦* <	157.5	124	3.41818	0.704	0.704	
10	147.5	≦* <	152.5	120	3.33954	0.688	0.688	
9	142.5	≦* <	147.5	116	3.26090	0.672	0.672	
8	137.5	≦* <	142.5	112	3.18226	0.655	0.655	
7	132.5	≦* <	137.5	108	3.10362	0.639	0.639	
6	127.5	≦* <	132.5	104	3.02498	0.623	0.623	
5	122.5	≦* <	127.5	100	2.94634	0.606	0.606	
4	117.5	≦* <	122.5	96	2.86770	0.590	0.590	
3	112.5	≦* <	117.5	92	2.78906	0.574	0.574	
2	107.5	≦* <	112.5	88	2.71042	0.558	0.558	
1	102.5	≦* <	107.5	84	2.63178	0.542	0.542	
0	97.5	≦* <	102.5	80	2.55314	0.526	0.526	
-1	92.5	≦* <	97.5	76	2.47450	0.510	0.510	
-2	87.5	≦* <	92.5	72	2.39586	0.493	0.493	
-3	82.5	≦* <	87.5	68	2.31722	0.477	0.477	
-4	77.5	≦* <	82.5	64	2.23858	0.461	0.461	
-5	72.5	≦* <	77.5	60	2.15994	0.445	0.445	
-6	67.5	≦* <	72.5	56	2.08130	0.429	0.429	
-7	62.5	≦* <	67.5	52	2.00266	0.413	0.413	
-8	57.5	≦* <	62.5	48	1.92402	0.396	0.396	
-9	52.5	≦* <	57.5	44	1.84538	0.380	0.380	
-10	47.5	≦* <	52.5	40	1.76674	0.364	0.364	
-11	42.5	≦* <	47.5	36	1.68810	0.347	0.347	
-12	37.5	≦* <	42.5	32	1.60946	0.331	0.331	
-13	32.5	≦* <	37.5	28	1.53082	0.315	0.315	
-14	27.5	≦* <	32.5	24	1.45218	0.299	0.299	
-15	22.5	≦* <	27.5	20	1.37354	0.283	0.283	
-16	17.5	≦* <	22.5	16	1.29490	0.266	0.266	
-17	12.5	≦* <	17.5	12	1.21626	0.250	0.250	
-18	7.5	≦* <	12.5	8	1.13762	0.234	0.234	
-19	2.5	≦* <	7.5	4	1.05898	0.218	0.218	
-20	0.0	≦* <	2.5	1.00	1.00000	0.206	0.206	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.008 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.017	0.017	
19	192.5	≦* <	197.5	156	4.04730	0.016	0.016	
18	187.5	≦* <	192.5	152	3.96866	0.016	0.016	
17	182.5	≦* <	187.5	148	3.89002	0.016	0.016	
16	177.5	≦* <	182.5	144	3.81138	0.015	0.015	
15	172.5	≦* <	177.5	140	3.73274	0.015	0.015	
14	167.5	≦* <	172.5	136	3.65410	0.015	0.015	
13	162.5	≦* <	167.5	132	3.57546	0.014	0.014	
12	157.5	≦* <	162.5	128	3.49682	0.014	0.014	
11	152.5	≦* <	157.5	124	3.41818	0.014	0.014	
10	147.5	≦* <	152.5	120	3.33954	0.013	0.013	
9	142.5	≦* <	147.5	116	3.26090	0.013	0.013	
8	137.5	≦* <	142.5	112	3.18226	0.013	0.013	
7	132.5	≦* <	137.5	108	3.10362	0.012	0.012	
6	127.5	≦* <	132.5	104	3.02498	0.012	0.012	
5	122.5	≦* <	127.5	100	2.94634	0.012	0.012	
4	117.5	≦* <	122.5	96	2.86770	0.011	0.011	
3	112.5	≦* <	117.5	92	2.78906	0.011	0.011	
2	107.5	≦* <	112.5	88	2.71042	0.011	0.011	
1	102.5	≦* <	107.5	84	2.63178	0.011	0.011	
0	97.5	≦* <	102.5	80	2.55314	0.010	0.010	
-1	92.5	≦* <	97.5	76	2.47450	0.010	0.010	
-2	87.5	≦* <	92.5	72	2.39586	0.010	0.010	
-3	82.5	≦* <	87.5	68	2.31722	0.009	0.009	
-4	77.5	≦* <	82.5	64	2.23858	0.009	0.009	
-5	72.5	≦* <	77.5	60	2.15994	0.009	0.009	
-6	67.5	≦* <	72.5	56	2.08130	0.008	0.008	
-7	62.5	≦* <	67.5	52	2.00266	0.008	0.008	
-8	57.5	≦* <	62.5	48	1.92402	0.008	0.008	
-9	52.5	≦* <	57.5	44	1.84538	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.76674	0.007	0.007	
-11	42.5	≦* <	47.5	36	1.68810	0.007	0.007	
-12	37.5	≦* <	42.5	32	1.60946	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53082	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.45218	0.006	0.006	
-15	22.5	≦* <	27.5	20	1.37354	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29490	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21626	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13762	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05898	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.008 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.014	0.014	
19	192.5	≧* <	197.5	156	4.04730	0.014	0.014	
18	187.5	≧* <	192.5	152	3.96866	0.014	0.014	
17	182.5	≧* <	187.5	148	3.89002	0.014	0.014	
16	177.5	≧* <	182.5	144	3.81138	0.013	0.013	
15	172.5	≧* <	177.5	140	3.73274	0.013	0.013	
14	167.5	≧* <	172.5	136	3.65410	0.013	0.013	
13	162.5	≧* <	167.5	132	3.57546	0.012	0.012	
12	157.5	≧* <	162.5	128	3.49682	0.012	0.012	
11	152.5	≧* <	157.5	124	3.41818	0.012	0.012	
10	147.5	≧* <	152.5	120	3.33954	0.011	0.011	
9	142.5	≧* <	147.5	116	3.26090	0.011	0.011	
8	137.5	≧* <	142.5	112	3.18226	0.011	0.011	
7	132.5	≧* <	137.5	108	3.10362	0.010	0.010	
6	127.5	≧* <	132.5	104	3.02498	0.010	0.010	
5	122.5	≧* <	127.5	100	2.94634	0.010	0.010	
4	117.5	≧* <	122.5	96	2.86770	0.009	0.009	
3	112.5	≧* <	117.5	92	2.78906	0.009	0.009	
2	107.5	≧* <	112.5	88	2.71042	0.009	0.009	
1	102.5	≧* <	107.5	84	2.63178	0.009	0.009	
0	97.5	≧* <	102.5	80	2.55314	0.009	0.009	
-1	92.5	≧* <	97.5	76	2.47450	0.009	0.009	
-2	87.5	≧* <	92.5	72	2.39586	0.009	0.009	
-3	82.5	≧* <	87.5	68	2.31722	0.008	0.008	
-4	77.5	≧* <	82.5	64	2.23858	0.008	0.008	
-5	72.5	≧* <	77.5	60	2.15994	0.008	0.008	
-6	67.5	≧* <	72.5	56	2.08130	0.007	0.007	
-7	62.5	≧* <	67.5	52	2.00266	0.007	0.007	
-8	57.5	≧* <	62.5	48	1.92402	0.007	0.007	
-9	52.5	≧* <	57.5	44	1.84538	0.006	0.006	
-10	47.5	≧* <	52.5	40	1.76674	0.006	0.006	
-11	42.5	≧* <	47.5	36	1.68810	0.006	0.006	
-12	37.5	≧* <	42.5	32	1.60946	0.005	0.005	
-13	32.5	≧* <	37.5	28	1.53082	0.005	0.005	
-14	27.5	≧* <	32.5	24	1.45218	0.005	0.005	
-15	22.5	≧* <	27.5	20	1.37354	0.004	0.004	
-16	17.5	≧* <	22.5	16	1.29490	0.004	0.004	
-17	12.5	≧* <	17.5	12	1.21626	0.004	0.004	
-18	7.5	≧* <	12.5	8	1.13762	0.004	0.004	
-19	2.5	≧* <	7.5	4	1.05898	0.003	0.003	
-20	0.0	≧* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.008 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.016	0.016	
19	192.5	≦* <	197.5	156	4.04730	0.015	0.015	
18	187.5	≦* <	192.5	152	3.96866	0.015	0.015	
17	182.5	≦* <	187.5	148	3.89002	0.015	0.015	
16	177.5	≦* <	182.5	144	3.81138	0.014	0.014	
15	172.5	≦* <	177.5	140	3.73274	0.014	0.014	
14	167.5	≦* <	172.5	136	3.65410	0.014	0.014	
13	162.5	≦* <	167.5	132	3.57546	0.013	0.013	
12	157.5	≦* <	162.5	128	3.49682	0.013	0.013	
11	152.5	≦* <	157.5	124	3.41818	0.013	0.013	
10	147.5	≦* <	152.5	120	3.33954	0.012	0.012	
9	142.5	≦* <	147.5	116	3.26090	0.012	0.012	
8	137.5	≦* <	142.5	112	3.18226	0.012	0.012	
7	132.5	≦* <	137.5	108	3.10362	0.011	0.011	
6	127.5	≦* <	132.5	104	3.02498	0.011	0.011	
5	122.5	≦* <	127.5	100	2.94634	0.011	0.011	
4	117.5	≦* <	122.5	96	2.86770	0.010	0.010	
3	112.5	≦* <	117.5	92	2.78906	0.010	0.010	
2	107.5	≦* <	112.5	88	2.71042	0.010	0.010	
1	102.5	≦* <	107.5	84	2.63178	0.010	0.010	
0	97.5	≦* <	102.5	80	2.55314	0.010	0.010	
-1	92.5	≦* <	97.5	76	2.47450	0.010	0.010	
-2	87.5	≦* <	92.5	72	2.39586	0.010	0.010	
-3	82.5	≦* <	87.5	68	2.31722	0.009	0.009	
-4	77.5	≦* <	82.5	64	2.23858	0.009	0.009	
-5	72.5	≦* <	77.5	60	2.15994	0.009	0.009	
-6	67.5	≦* <	72.5	56	2.08130	0.008	0.008	
-7	62.5	≦* <	67.5	52	2.00266	0.008	0.008	
-8	57.5	≦* <	62.5	48	1.92402	0.008	0.008	
-9	52.5	≦* <	57.5	44	1.84538	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.76674	0.007	0.007	
-11	42.5	≦* <	47.5	36	1.68810	0.007	0.007	
-12	37.5	≦* <	42.5	32	1.60946	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53082	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.45218	0.006	0.006	
-15	22.5	≦* <	27.5	20	1.37354	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29490	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21626	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13762	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05898	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.008 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.014	0.014	
19	192.5	≦* <	197.5	156	4.04730	0.013	0.013	
18	187.5	≦* <	192.5	152	3.96866	0.013	0.013	
17	182.5	≦* <	187.5	148	3.89002	0.013	0.013	
16	177.5	≦* <	182.5	144	3.81138	0.012	0.012	
15	172.5	≦* <	177.5	140	3.73274	0.012	0.012	
14	167.5	≦* <	172.5	136	3.65410	0.012	0.012	
13	162.5	≦* <	167.5	132	3.57546	0.011	0.011	
12	157.5	≦* <	162.5	128	3.49682	0.011	0.011	
11	152.5	≦* <	157.5	124	3.41818	0.011	0.011	
10	147.5	≦* <	152.5	120	3.33954	0.010	0.010	
9	142.5	≦* <	147.5	116	3.26090	0.010	0.010	
8	137.5	≦* <	142.5	112	3.18226	0.010	0.010	
7	132.5	≦* <	137.5	108	3.10362	0.010	0.010	
6	127.5	≦* <	132.5	104	3.02498	0.010	0.010	
5	122.5	≦* <	127.5	100	2.94634	0.010	0.010	
4	117.5	≦* <	122.5	96	2.86770	0.009	0.009	
3	112.5	≦* <	117.5	92	2.78906	0.009	0.009	
2	107.5	≦* <	112.5	88	2.71042	0.009	0.009	
1	102.5	≦* <	107.5	84	2.63178	0.009	0.009	
0	97.5	≦* <	102.5	80	2.55314	0.008	0.008	
-1	92.5	≦* <	97.5	76	2.47450	0.008	0.008	
-2	87.5	≦* <	92.5	72	2.39586	0.008	0.008	
-3	82.5	≦* <	87.5	68	2.31722	0.007	0.007	
-4	77.5	≦* <	82.5	64	2.23858	0.007	0.007	
-5	72.5	≦* <	77.5	60	2.15994	0.007	0.007	
-6	67.5	≦* <	72.5	56	2.08130	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.00266	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.92402	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.84538	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76674	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.68810	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.60946	0.005	0.005	
-13	32.5	≦* <	37.5	28	1.53082	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45218	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.37354	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.29490	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.21626	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13762	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.05898	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.86477	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.246 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.518	0.518	
19	192.5	≦* <	197.5	156	4.04730	0.498	0.498	
18	187.5	≦* <	192.5	152	3.96866	0.488	0.488	
17	182.5	≦* <	187.5	148	3.89002	0.478	0.478	
16	177.5	≦* <	182.5	144	3.81138	0.469	0.469	
15	172.5	≦* <	177.5	140	3.73274	0.459	0.459	
14	167.5	≦* <	172.5	136	3.65410	0.449	0.449	
13	162.5	≦* <	167.5	132	3.57546	0.440	0.440	
12	157.5	≦* <	162.5	128	3.49682	0.430	0.430	
11	152.5	≦* <	157.5	124	3.41818	0.420	0.420	
10	147.5	≦* <	152.5	120	3.33954	0.411	0.411	
9	142.5	≦* <	147.5	116	3.26090	0.401	0.401	
8	137.5	≦* <	142.5	112	3.18226	0.391	0.391	
7	132.5	≦* <	137.5	108	3.10362	0.382	0.382	
6	127.5	≦* <	132.5	104	3.02498	0.372	0.372	
5	122.5	≦* <	127.5	100	2.94634	0.362	0.362	
4	117.5	≦* <	122.5	96	2.86770	0.353	0.353	
3	112.5	≦* <	117.5	92	2.78906	0.343	0.343	
2	107.5	≦* <	112.5	88	2.71042	0.333	0.333	
1	102.5	≦* <	107.5	84	2.63178	0.324	0.324	
0	97.5	≦* <	102.5	80	2.55314	0.314	0.314	
-1	92.5	≦* <	97.5	76	2.47450	0.304	0.304	
-2	87.5	≦* <	92.5	72	2.39586	0.295	0.295	
-3	82.5	≦* <	87.5	68	2.31722	0.285	0.285	
-4	77.5	≦* <	82.5	64	2.23858	0.275	0.275	
-5	72.5	≦* <	77.5	60	2.15994	0.266	0.266	
-6	67.5	≦* <	72.5	56	2.08130	0.256	0.256	
-7	62.5	≦* <	67.5	52	2.00266	0.246	0.246	
-8	57.5	≦* <	62.5	48	1.92402	0.237	0.237	
-9	52.5	≦* <	57.5	44	1.84538	0.227	0.227	
-10	47.5	≦* <	52.5	40	1.76674	0.217	0.217	
-11	42.5	≦* <	47.5	36	1.68810	0.208	0.208	
-12	37.5	≦* <	42.5	32	1.60946	0.198	0.198	
-13	32.5	≦* <	37.5	28	1.53082	0.188	0.188	
-14	27.5	≦* <	32.5	24	1.45218	0.179	0.179	
-15	22.5	≦* <	27.5	20	1.37354	0.169	0.169	
-16	17.5	≦* <	22.5	16	1.29490	0.159	0.159	
-17	12.5	≦* <	17.5	12	1.21626	0.150	0.150	
-18	7.5	≦* <	12.5	8	1.13762	0.140	0.140	
-19	2.5	≦* <	7.5	4	1.05898	0.130	0.130	
-20	0.0	≦* <	2.5	1.00	1.00000	0.123	0.123	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.246 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.440	0.440	
19	192.5	≧* <	197.5	156	4.04730	0.423	0.423	
18	187.5	≧* <	192.5	152	3.96866	0.415	0.415	
17	182.5	≧* <	187.5	148	3.89002	0.406	0.406	
16	177.5	≧* <	182.5	144	3.81138	0.399	0.399	
15	172.5	≧* <	177.5	140	3.73274	0.390	0.390	
14	167.5	≧* <	172.5	136	3.65410	0.382	0.382	
13	162.5	≧* <	167.5	132	3.57546	0.374	0.374	
12	157.5	≧* <	162.5	128	3.49682	0.366	0.366	
11	152.5	≧* <	157.5	124	3.41818	0.357	0.357	
10	147.5	≧* <	152.5	120	3.33954	0.349	0.349	
9	142.5	≧* <	147.5	116	3.26090	0.341	0.341	
8	137.5	≧* <	142.5	112	3.18226	0.332	0.332	
7	132.5	≧* <	137.5	108	3.10362	0.325	0.325	
6	127.5	≧* <	132.5	104	3.02498	0.316	0.316	
5	122.5	≧* <	127.5	100	2.94634	0.308	0.308	
4	117.5	≧* <	122.5	96	2.86770	0.300	0.300	
3	112.5	≧* <	117.5	92	2.78906	0.292	0.292	
2	107.5	≧* <	112.5	88	2.71042	0.283	0.283	
1	102.5	≧* <	107.5	84	2.63178	0.275	0.275	
0	97.5	≧* <	102.5	80	2.55314	0.267	0.267	
-1	92.5	≧* <	97.5	76	2.47450	0.258	0.258	
-2	87.5	≧* <	92.5	72	2.39586	0.251	0.251	
-3	82.5	≧* <	87.5	68	2.31722	0.242	0.242	
-4	77.5	≧* <	82.5	64	2.23858	0.234	0.234	
-5	72.5	≧* <	77.5	60	2.15994	0.226	0.226	
-6	67.5	≧* <	72.5	56	2.08130	0.218	0.218	
-7	62.5	≧* <	67.5	52	2.00266	0.209	0.209	
-8	57.5	≧* <	62.5	48	1.92402	0.201	0.201	
-9	52.5	≧* <	57.5	44	1.84538	0.193	0.193	
-10	47.5	≧* <	52.5	40	1.76674	0.184	0.184	
-11	42.5	≧* <	47.5	36	1.68810	0.177	0.177	
-12	37.5	≧* <	42.5	32	1.60946	0.168	0.168	
-13	32.5	≧* <	37.5	28	1.53082	0.160	0.160	
-14	27.5	≧* <	32.5	24	1.45218	0.152	0.152	
-15	22.5	≧* <	27.5	20	1.37354	0.144	0.144	
-16	17.5	≧* <	22.5	16	1.29490	0.135	0.135	
-17	12.5	≧* <	17.5	12	1.21626	0.128	0.128	
-18	7.5	≧* <	12.5	8	1.13762	0.119	0.119	
-19	2.5	≧* <	7.5	4	1.05898	0.111	0.111	
-20	0.0	≧* <	2.5	1.00	1.00000	0.105	0.105	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.246 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.492	0.492	
19	192.5	≦* <	197.5	156	4.04730	0.473	0.473	
18	187.5	≦* <	192.5	152	3.96866	0.464	0.464	
17	182.5	≦* <	187.5	148	3.89002	0.454	0.454	
16	177.5	≦* <	182.5	144	3.81138	0.446	0.446	
15	172.5	≦* <	177.5	140	3.73274	0.436	0.436	
14	167.5	≦* <	172.5	136	3.65410	0.427	0.427	
13	162.5	≦* <	167.5	132	3.57546	0.418	0.418	
12	157.5	≦* <	162.5	128	3.49682	0.409	0.409	
11	152.5	≦* <	157.5	124	3.41818	0.399	0.399	
10	147.5	≦* <	152.5	120	3.33954	0.390	0.390	
9	142.5	≦* <	147.5	116	3.26090	0.381	0.381	
8	137.5	≦* <	142.5	112	3.18226	0.371	0.371	
7	132.5	≦* <	137.5	108	3.10362	0.363	0.363	
6	127.5	≦* <	132.5	104	3.02498	0.353	0.353	
5	122.5	≦* <	127.5	100	2.94634	0.344	0.344	
4	117.5	≦* <	122.5	96	2.86770	0.335	0.335	
3	112.5	≦* <	117.5	92	2.78906	0.326	0.326	
2	107.5	≦* <	112.5	88	2.71042	0.316	0.316	
1	102.5	≦* <	107.5	84	2.63178	0.308	0.308	
0	97.5	≦* <	102.5	80	2.55314	0.298	0.298	
-1	92.5	≦* <	97.5	76	2.47450	0.289	0.289	
-2	87.5	≦* <	92.5	72	2.39586	0.280	0.280	
-3	82.5	≦* <	87.5	68	2.31722	0.271	0.271	
-4	77.5	≦* <	82.5	64	2.23858	0.261	0.261	
-5	72.5	≦* <	77.5	60	2.15994	0.253	0.253	
-6	67.5	≦* <	72.5	56	2.08130	0.243	0.243	
-7	62.5	≦* <	67.5	52	2.00266	0.234	0.234	
-8	57.5	≦* <	62.5	48	1.92402	0.225	0.225	
-9	52.5	≦* <	57.5	44	1.84538	0.216	0.216	
-10	47.5	≦* <	52.5	40	1.76674	0.206	0.206	
-11	42.5	≦* <	47.5	36	1.68810	0.198	0.198	
-12	37.5	≦* <	42.5	32	1.60946	0.188	0.188	
-13	32.5	≦* <	37.5	28	1.53082	0.179	0.179	
-14	27.5	≦* <	32.5	24	1.45218	0.170	0.170	
-15	22.5	≦* <	27.5	20	1.37354	0.161	0.161	
-16	17.5	≦* <	22.5	16	1.29490	0.151	0.151	
-17	12.5	≦* <	17.5	12	1.21626	0.143	0.143	
-18	7.5	≦* <	12.5	8	1.13762	0.133	0.133	
-19	2.5	≦* <	7.5	4	1.05898	0.124	0.124	
-20	0.0	≦* <	2.5	1.00	1.00000	0.117	0.117	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.246 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.418	0.418	
19	192.5	≦* <	197.5	156	4.04730	0.402	0.402	
18	187.5	≦* <	192.5	152	3.96866	0.394	0.394	
17	182.5	≦* <	187.5	148	3.89002	0.386	0.386	
16	177.5	≦* <	182.5	144	3.81138	0.379	0.379	
15	172.5	≦* <	177.5	140	3.73274	0.371	0.371	
14	167.5	≦* <	172.5	136	3.65410	0.363	0.363	
13	162.5	≦* <	167.5	132	3.57546	0.355	0.355	
12	157.5	≦* <	162.5	128	3.49682	0.347	0.347	
11	152.5	≦* <	157.5	124	3.41818	0.339	0.339	
10	147.5	≦* <	152.5	120	3.33954	0.332	0.332	
9	142.5	≦* <	147.5	116	3.26090	0.324	0.324	
8	137.5	≦* <	142.5	112	3.18226	0.316	0.316	
7	132.5	≦* <	137.5	108	3.10362	0.308	0.308	
6	127.5	≦* <	132.5	104	3.02498	0.300	0.300	
5	122.5	≦* <	127.5	100	2.94634	0.292	0.292	
4	117.5	≦* <	122.5	96	2.86770	0.285	0.285	
3	112.5	≦* <	117.5	92	2.78906	0.277	0.277	
2	107.5	≦* <	112.5	88	2.71042	0.269	0.269	
1	102.5	≦* <	107.5	84	2.63178	0.262	0.262	
0	97.5	≦* <	102.5	80	2.55314	0.254	0.254	
-1	92.5	≦* <	97.5	76	2.47450	0.245	0.245	
-2	87.5	≦* <	92.5	72	2.39586	0.238	0.238	
-3	82.5	≦* <	87.5	68	2.31722	0.230	0.230	
-4	77.5	≦* <	82.5	64	2.23858	0.222	0.222	
-5	72.5	≦* <	77.5	60	2.15994	0.215	0.215	
-6	67.5	≦* <	72.5	56	2.08130	0.207	0.207	
-7	62.5	≦* <	67.5	52	2.00266	0.199	0.199	
-8	57.5	≦* <	62.5	48	1.92402	0.191	0.191	
-9	52.5	≦* <	57.5	44	1.84538	0.183	0.183	
-10	47.5	≦* <	52.5	40	1.76674	0.175	0.175	
-11	42.5	≦* <	47.5	36	1.68810	0.168	0.168	
-12	37.5	≦* <	42.5	32	1.60946	0.160	0.160	
-13	32.5	≦* <	37.5	28	1.53082	0.152	0.152	
-14	27.5	≦* <	32.5	24	1.45218	0.145	0.145	
-15	22.5	≦* <	27.5	20	1.37354	0.136	0.136	
-16	17.5	≦* <	22.5	16	1.29490	0.128	0.128	
-17	12.5	≦* <	17.5	12	1.21626	0.121	0.121	
-18	7.5	≦* <	12.5	8	1.13762	0.113	0.113	
-19	2.5	≦* <	7.5	4	1.05898	0.105	0.105	
-20	0.0	≦* <	2.5	1.00	1.00000	0.099	0.099	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.007 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.015	0.015	
19	192.5	≦* <	197.5	156	4.04730	0.014	0.014	
18	187.5	≦* <	192.5	152	3.96866	0.014	0.014	
17	182.5	≦* <	187.5	148	3.89002	0.014	0.014	
16	177.5	≦* <	182.5	144	3.81138	0.013	0.013	
15	172.5	≦* <	177.5	140	3.73274	0.013	0.013	
14	167.5	≦* <	172.5	136	3.65410	0.013	0.013	
13	162.5	≦* <	167.5	132	3.57546	0.013	0.013	
12	157.5	≦* <	162.5	128	3.49682	0.012	0.012	
11	152.5	≦* <	157.5	124	3.41818	0.012	0.012	
10	147.5	≦* <	152.5	120	3.33954	0.012	0.012	
9	142.5	≦* <	147.5	116	3.26090	0.011	0.011	
8	137.5	≦* <	142.5	112	3.18226	0.011	0.011	
7	132.5	≦* <	137.5	108	3.10362	0.011	0.011	
6	127.5	≦* <	132.5	104	3.02498	0.011	0.011	
5	122.5	≦* <	127.5	100	2.94634	0.010	0.010	
4	117.5	≦* <	122.5	96	2.86770	0.010	0.010	
3	112.5	≦* <	117.5	92	2.78906	0.010	0.010	
2	107.5	≦* <	112.5	88	2.71042	0.009	0.009	
1	102.5	≦* <	107.5	84	2.63178	0.009	0.009	
0	97.5	≦* <	102.5	80	2.55314	0.009	0.009	
-1	92.5	≦* <	97.5	76	2.47450	0.009	0.009	
-2	87.5	≦* <	92.5	72	2.39586	0.008	0.008	
-3	82.5	≦* <	87.5	68	2.31722	0.008	0.008	
-4	77.5	≦* <	82.5	64	2.23858	0.008	0.008	
-5	72.5	≦* <	77.5	60	2.15994	0.008	0.008	
-6	67.5	≦* <	72.5	56	2.08130	0.007	0.007	
-7	62.5	≦* <	67.5	52	2.00266	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.92402	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.84538	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76674	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.68810	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.60946	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53082	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45218	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.37354	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29490	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21626	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13762	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.05898	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.007 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.013	0.013	
19	192.5	≦* <	197.5	156	4.04730	0.012	0.012	
18	187.5	≦* <	192.5	152	3.96866	0.012	0.012	
17	182.5	≦* <	187.5	148	3.89002	0.012	0.012	
16	177.5	≦* <	182.5	144	3.81138	0.011	0.011	
15	172.5	≦* <	177.5	140	3.73274	0.011	0.011	
14	167.5	≦* <	172.5	136	3.65410	0.011	0.011	
13	162.5	≦* <	167.5	132	3.57546	0.011	0.011	
12	157.5	≦* <	162.5	128	3.49682	0.010	0.010	
11	152.5	≦* <	157.5	124	3.41818	0.010	0.010	
10	147.5	≦* <	152.5	120	3.33954	0.010	0.010	
9	142.5	≦* <	147.5	116	3.26090	0.009	0.009	
8	137.5	≦* <	142.5	112	3.18226	0.009	0.009	
7	132.5	≦* <	137.5	108	3.10362	0.009	0.009	
6	127.5	≦* <	132.5	104	3.02498	0.009	0.009	
5	122.5	≦* <	127.5	100	2.94634	0.009	0.009	
4	117.5	≦* <	122.5	96	2.86770	0.009	0.009	
3	112.5	≦* <	117.5	92	2.78906	0.009	0.009	
2	107.5	≦* <	112.5	88	2.71042	0.008	0.008	
1	102.5	≦* <	107.5	84	2.63178	0.008	0.008	
0	97.5	≦* <	102.5	80	2.55314	0.008	0.008	
-1	92.5	≦* <	97.5	76	2.47450	0.008	0.008	
-2	87.5	≦* <	92.5	72	2.39586	0.007	0.007	
-3	82.5	≦* <	87.5	68	2.31722	0.007	0.007	
-4	77.5	≦* <	82.5	64	2.23858	0.007	0.007	
-5	72.5	≦* <	77.5	60	2.15994	0.007	0.007	
-6	67.5	≦* <	72.5	56	2.08130	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.00266	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.92402	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.84538	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.76674	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.68810	0.005	0.005	
-12	37.5	≦* <	42.5	32	1.60946	0.005	0.005	
-13	32.5	≦* <	37.5	28	1.53082	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.45218	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.37354	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.29490	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.21626	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.13762	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.05898	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.007 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.014	0.014	
19	192.5	≦* <	197.5	156	4.04730	0.013	0.013	
18	187.5	≦* <	192.5	152	3.96866	0.013	0.013	
17	182.5	≦* <	187.5	148	3.89002	0.013	0.013	
16	177.5	≦* <	182.5	144	3.81138	0.012	0.012	
15	172.5	≦* <	177.5	140	3.73274	0.012	0.012	
14	167.5	≦* <	172.5	136	3.65410	0.012	0.012	
13	162.5	≦* <	167.5	132	3.57546	0.012	0.012	
12	157.5	≦* <	162.5	128	3.49682	0.011	0.011	
11	152.5	≦* <	157.5	124	3.41818	0.011	0.011	
10	147.5	≦* <	152.5	120	3.33954	0.011	0.011	
9	142.5	≦* <	147.5	116	3.26090	0.010	0.010	
8	137.5	≦* <	142.5	112	3.18226	0.010	0.010	
7	132.5	≦* <	137.5	108	3.10362	0.010	0.010	
6	127.5	≦* <	132.5	104	3.02498	0.010	0.010	
5	122.5	≦* <	127.5	100	2.94634	0.010	0.010	
4	117.5	≦* <	122.5	96	2.86770	0.010	0.010	
3	112.5	≦* <	117.5	92	2.78906	0.010	0.010	
2	107.5	≦* <	112.5	88	2.71042	0.009	0.009	
1	102.5	≦* <	107.5	84	2.63178	0.009	0.009	
0	97.5	≦* <	102.5	80	2.55314	0.009	0.009	
-1	92.5	≦* <	97.5	76	2.47450	0.009	0.009	
-2	87.5	≦* <	92.5	72	2.39586	0.008	0.008	
-3	82.5	≦* <	87.5	68	2.31722	0.008	0.008	
-4	77.5	≦* <	82.5	64	2.23858	0.008	0.008	
-5	72.5	≦* <	77.5	60	2.15994	0.008	0.008	
-6	67.5	≦* <	72.5	56	2.08130	0.007	0.007	
-7	62.5	≦* <	67.5	52	2.00266	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.92402	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.84538	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76674	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.68810	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.60946	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53082	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45218	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.37354	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29490	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21626	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13762	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.05898	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.007 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.012	0.012	
19	192.5	≦* <	197.5	156	4.04730	0.011	0.011	
18	187.5	≦* <	192.5	152	3.96866	0.011	0.011	
17	182.5	≦* <	187.5	148	3.89002	0.011	0.011	
16	177.5	≦* <	182.5	144	3.81138	0.010	0.010	
15	172.5	≦* <	177.5	140	3.73274	0.010	0.010	
14	167.5	≦* <	172.5	136	3.65410	0.010	0.010	
13	162.5	≦* <	167.5	132	3.57546	0.010	0.010	
12	157.5	≦* <	162.5	128	3.49682	0.010	0.010	
11	152.5	≦* <	157.5	124	3.41818	0.010	0.010	
10	147.5	≦* <	152.5	120	3.33954	0.010	0.010	
9	142.5	≦* <	147.5	116	3.26090	0.009	0.009	
8	137.5	≦* <	142.5	112	3.18226	0.009	0.009	
7	132.5	≦* <	137.5	108	3.10362	0.009	0.009	
6	127.5	≦* <	132.5	104	3.02498	0.009	0.009	
5	122.5	≦* <	127.5	100	2.94634	0.008	0.008	
4	117.5	≦* <	122.5	96	2.86770	0.008	0.008	
3	112.5	≦* <	117.5	92	2.78906	0.008	0.008	
2	107.5	≦* <	112.5	88	2.71042	0.007	0.007	
1	102.5	≦* <	107.5	84	2.63178	0.007	0.007	
0	97.5	≦* <	102.5	80	2.55314	0.007	0.007	
-1	92.5	≦* <	97.5	76	2.47450	0.007	0.007	
-2	87.5	≦* <	92.5	72	2.39586	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.31722	0.006	0.006	
-4	77.5	≦* <	82.5	64	2.23858	0.006	0.006	
-5	72.5	≦* <	77.5	60	2.15994	0.006	0.006	
-6	67.5	≦* <	72.5	56	2.08130	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.00266	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.92402	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.84538	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.76674	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.68810	0.005	0.005	
-12	37.5	≦* <	42.5	32	1.60946	0.005	0.005	
-13	32.5	≦* <	37.5	28	1.53082	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.45218	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.37354	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.29490	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.21626	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.13762	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.05898	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.129 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.272	0.272	
19	192.5	≦* <	197.5	156	4.04730	0.261	0.261	
18	187.5	≦* <	192.5	152	3.96866	0.256	0.256	
17	182.5	≦* <	187.5	148	3.89002	0.251	0.251	
16	177.5	≦* <	182.5	144	3.81138	0.246	0.246	
15	172.5	≦* <	177.5	140	3.73274	0.241	0.241	
14	167.5	≦* <	172.5	136	3.65410	0.236	0.236	
13	162.5	≦* <	167.5	132	3.57546	0.231	0.231	
12	157.5	≦* <	162.5	128	3.49682	0.226	0.226	
11	152.5	≦* <	157.5	124	3.41818	0.220	0.220	
10	147.5	≦* <	152.5	120	3.33954	0.215	0.215	
9	142.5	≦* <	147.5	116	3.26090	0.210	0.210	
8	137.5	≦* <	142.5	112	3.18226	0.205	0.205	
7	132.5	≦* <	137.5	108	3.10362	0.200	0.200	
6	127.5	≦* <	132.5	104	3.02498	0.195	0.195	
5	122.5	≦* <	127.5	100	2.94634	0.190	0.190	
4	117.5	≦* <	122.5	96	2.86770	0.185	0.185	
3	112.5	≦* <	117.5	92	2.78906	0.180	0.180	
2	107.5	≦* <	112.5	88	2.71042	0.175	0.175	
1	102.5	≦* <	107.5	84	2.63178	0.170	0.170	
0	97.5	≦* <	102.5	80	2.55314	0.165	0.165	
-1	92.5	≦* <	97.5	76	2.47450	0.160	0.160	
-2	87.5	≦* <	92.5	72	2.39586	0.155	0.155	
-3	82.5	≦* <	87.5	68	2.31722	0.149	0.149	
-4	77.5	≦* <	82.5	64	2.23858	0.144	0.144	
-5	72.5	≦* <	77.5	60	2.15994	0.139	0.139	
-6	67.5	≦* <	72.5	56	2.08130	0.134	0.134	
-7	62.5	≦* <	67.5	52	2.00266	0.129	0.129	
-8	57.5	≦* <	62.5	48	1.92402	0.124	0.124	
-9	52.5	≦* <	57.5	44	1.84538	0.119	0.119	
-10	47.5	≦* <	52.5	40	1.76674	0.114	0.114	
-11	42.5	≦* <	47.5	36	1.68810	0.109	0.109	
-12	37.5	≦* <	42.5	32	1.60946	0.104	0.104	
-13	32.5	≦* <	37.5	28	1.53082	0.099	0.099	
-14	27.5	≦* <	32.5	24	1.45218	0.094	0.094	
-15	22.5	≦* <	27.5	20	1.37354	0.089	0.089	
-16	17.5	≦* <	22.5	16	1.29490	0.084	0.084	
-17	12.5	≦* <	17.5	12	1.21626	0.078	0.078	
-18	7.5	≦* <	12.5	8	1.13762	0.073	0.073	
-19	2.5	≦* <	7.5	4	1.05898	0.068	0.068	
-20	0.0	≦* <	2.5	1.00	1.00000	0.064	0.064	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.129 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.231	0.231	
19	192.5	≦* <	197.5	156	4.04730	0.222	0.222	
18	187.5	≦* <	192.5	152	3.96866	0.218	0.218	
17	182.5	≦* <	187.5	148	3.89002	0.213	0.213	
16	177.5	≦* <	182.5	144	3.81138	0.209	0.209	
15	172.5	≦* <	177.5	140	3.73274	0.205	0.205	
14	167.5	≦* <	172.5	136	3.65410	0.201	0.201	
13	162.5	≦* <	167.5	132	3.57546	0.196	0.196	
12	157.5	≦* <	162.5	128	3.49682	0.192	0.192	
11	152.5	≦* <	157.5	124	3.41818	0.187	0.187	
10	147.5	≦* <	152.5	120	3.33954	0.183	0.183	
9	142.5	≦* <	147.5	116	3.26090	0.179	0.179	
8	137.5	≦* <	142.5	112	3.18226	0.174	0.174	
7	132.5	≦* <	137.5	108	3.10362	0.170	0.170	
6	127.5	≦* <	132.5	104	3.02498	0.166	0.166	
5	122.5	≦* <	127.5	100	2.94634	0.162	0.162	
4	117.5	≦* <	122.5	96	2.86770	0.157	0.157	
3	112.5	≦* <	117.5	92	2.78906	0.153	0.153	
2	107.5	≦* <	112.5	88	2.71042	0.149	0.149	
1	102.5	≦* <	107.5	84	2.63178	0.145	0.145	
0	97.5	≦* <	102.5	80	2.55314	0.140	0.140	
-1	92.5	≦* <	97.5	76	2.47450	0.136	0.136	
-2	87.5	≦* <	92.5	72	2.39586	0.132	0.132	
-3	82.5	≦* <	87.5	68	2.31722	0.127	0.127	
-4	77.5	≦* <	82.5	64	2.23858	0.122	0.122	
-5	72.5	≦* <	77.5	60	2.15994	0.118	0.118	
-6	67.5	≦* <	72.5	56	2.08130	0.114	0.114	
-7	62.5	≦* <	67.5	52	2.00266	0.110	0.110	
-8	57.5	≦* <	62.5	48	1.92402	0.105	0.105	
-9	52.5	≦* <	57.5	44	1.84538	0.101	0.101	
-10	47.5	≦* <	52.5	40	1.76674	0.097	0.097	
-11	42.5	≦* <	47.5	36	1.68810	0.093	0.093	
-12	37.5	≦* <	42.5	32	1.60946	0.088	0.088	
-13	32.5	≦* <	37.5	28	1.53082	0.084	0.084	
-14	27.5	≦* <	32.5	24	1.45218	0.080	0.080	
-15	22.5	≦* <	27.5	20	1.37354	0.076	0.076	
-16	17.5	≦* <	22.5	16	1.29490	0.071	0.071	
-17	12.5	≦* <	17.5	12	1.21626	0.066	0.066	
-18	7.5	≦* <	12.5	8	1.13762	0.062	0.062	
-19	2.5	≦* <	7.5	4	1.05898	0.058	0.058	
-20	0.0	≦* <	2.5	1.00	1.00000	0.054	0.054	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.129 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.258	0.258	
19	192.5	≦* <	197.5	156	4.04730	0.248	0.248	
18	187.5	≦* <	192.5	152	3.96866	0.243	0.243	
17	182.5	≦* <	187.5	148	3.89002	0.238	0.238	
16	177.5	≦* <	182.5	144	3.81138	0.234	0.234	
15	172.5	≦* <	177.5	140	3.73274	0.229	0.229	
14	167.5	≦* <	172.5	136	3.65410	0.224	0.224	
13	162.5	≦* <	167.5	132	3.57546	0.219	0.219	
12	157.5	≦* <	162.5	128	3.49682	0.215	0.215	
11	152.5	≦* <	157.5	124	3.41818	0.209	0.209	
10	147.5	≦* <	152.5	120	3.33954	0.204	0.204	
9	142.5	≦* <	147.5	116	3.26090	0.200	0.200	
8	137.5	≦* <	142.5	112	3.18226	0.195	0.195	
7	132.5	≦* <	137.5	108	3.10362	0.190	0.190	
6	127.5	≦* <	132.5	104	3.02498	0.185	0.185	
5	122.5	≦* <	127.5	100	2.94634	0.181	0.181	
4	117.5	≦* <	122.5	96	2.86770	0.176	0.176	
3	112.5	≦* <	117.5	92	2.78906	0.171	0.171	
2	107.5	≦* <	112.5	88	2.71042	0.166	0.166	
1	102.5	≦* <	107.5	84	2.63178	0.162	0.162	
0	97.5	≦* <	102.5	80	2.55314	0.157	0.157	
-1	92.5	≦* <	97.5	76	2.47450	0.152	0.152	
-2	87.5	≦* <	92.5	72	2.39586	0.147	0.147	
-3	82.5	≦* <	87.5	68	2.31722	0.142	0.142	
-4	77.5	≦* <	82.5	64	2.23858	0.137	0.137	
-5	72.5	≦* <	77.5	60	2.15994	0.132	0.132	
-6	67.5	≦* <	72.5	56	2.08130	0.127	0.127	
-7	62.5	≦* <	67.5	52	2.00266	0.123	0.123	
-8	57.5	≦* <	62.5	48	1.92402	0.118	0.118	
-9	52.5	≦* <	57.5	44	1.84538	0.113	0.113	
-10	47.5	≦* <	52.5	40	1.76674	0.108	0.108	
-11	42.5	≦* <	47.5	36	1.68810	0.104	0.104	
-12	37.5	≦* <	42.5	32	1.60946	0.099	0.099	
-13	32.5	≦* <	37.5	28	1.53082	0.094	0.094	
-14	27.5	≦* <	32.5	24	1.45218	0.089	0.089	
-15	22.5	≦* <	27.5	20	1.37354	0.085	0.085	
-16	17.5	≦* <	22.5	16	1.29490	0.080	0.080	
-17	12.5	≦* <	17.5	12	1.21626	0.074	0.074	
-18	7.5	≦* <	12.5	8	1.13762	0.069	0.069	
-19	2.5	≦* <	7.5	4	1.05898	0.065	0.065	
-20	0.0	≦* <	2.5	1.00	1.00000	0.061	0.061	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.129 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.220	0.220	
19	192.5	≦* <	197.5	156	4.04730	0.211	0.211	
18	187.5	≦* <	192.5	152	3.96866	0.207	0.207	
17	182.5	≦* <	187.5	148	3.89002	0.203	0.203	
16	177.5	≦* <	182.5	144	3.81138	0.199	0.199	
15	172.5	≦* <	177.5	140	3.73274	0.195	0.195	
14	167.5	≦* <	172.5	136	3.65410	0.191	0.191	
13	162.5	≦* <	167.5	132	3.57546	0.187	0.187	
12	157.5	≦* <	162.5	128	3.49682	0.182	0.182	
11	152.5	≦* <	157.5	124	3.41818	0.178	0.178	
10	147.5	≦* <	152.5	120	3.33954	0.174	0.174	
9	142.5	≦* <	147.5	116	3.26090	0.170	0.170	
8	137.5	≦* <	142.5	112	3.18226	0.166	0.166	
7	132.5	≦* <	137.5	108	3.10362	0.162	0.162	
6	127.5	≦* <	132.5	104	3.02498	0.157	0.157	
5	122.5	≦* <	127.5	100	2.94634	0.153	0.153	
4	117.5	≦* <	122.5	96	2.86770	0.149	0.149	
3	112.5	≦* <	117.5	92	2.78906	0.145	0.145	
2	107.5	≦* <	112.5	88	2.71042	0.141	0.141	
1	102.5	≦* <	107.5	84	2.63178	0.137	0.137	
0	97.5	≦* <	102.5	80	2.55314	0.133	0.133	
-1	92.5	≦* <	97.5	76	2.47450	0.129	0.129	
-2	87.5	≦* <	92.5	72	2.39586	0.125	0.125	
-3	82.5	≦* <	87.5	68	2.31722	0.120	0.120	
-4	77.5	≦* <	82.5	64	2.23858	0.116	0.116	
-5	72.5	≦* <	77.5	60	2.15994	0.112	0.112	
-6	67.5	≦* <	72.5	56	2.08130	0.108	0.108	
-7	62.5	≦* <	67.5	52	2.00266	0.104	0.104	
-8	57.5	≦* <	62.5	48	1.92402	0.100	0.100	
-9	52.5	≦* <	57.5	44	1.84538	0.096	0.096	
-10	47.5	≦* <	52.5	40	1.76674	0.092	0.092	
-11	42.5	≦* <	47.5	36	1.68810	0.088	0.088	
-12	37.5	≦* <	42.5	32	1.60946	0.084	0.084	
-13	32.5	≦* <	37.5	28	1.53082	0.080	0.080	
-14	27.5	≦* <	32.5	24	1.45218	0.076	0.076	
-15	22.5	≦* <	27.5	20	1.37354	0.072	0.072	
-16	17.5	≦* <	22.5	16	1.29490	0.068	0.068	
-17	12.5	≦* <	17.5	12	1.21626	0.063	0.063	
-18	7.5	≦* <	12.5	8	1.13762	0.059	0.059	
-19	2.5	≦* <	7.5	4	1.05898	0.055	0.055	
-20	0.0	≦* <	2.5	1.00	1.00000	0.052	0.052	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.006 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.013	0.013	
19	192.5	≦* <	197.5	156	4.04730	0.012	0.012	
18	187.5	≦* <	192.5	152	3.96866	0.012	0.012	
17	182.5	≦* <	187.5	148	3.89002	0.012	0.012	
16	177.5	≦* <	182.5	144	3.81138	0.011	0.011	
15	172.5	≦* <	177.5	140	3.73274	0.011	0.011	
14	167.5	≦* <	172.5	136	3.65410	0.011	0.011	
13	162.5	≦* <	167.5	132	3.57546	0.011	0.011	
12	157.5	≦* <	162.5	128	3.49682	0.010	0.010	
11	152.5	≦* <	157.5	124	3.41818	0.010	0.010	
10	147.5	≦* <	152.5	120	3.33954	0.010	0.010	
9	142.5	≦* <	147.5	116	3.26090	0.010	0.010	
8	137.5	≦* <	142.5	112	3.18226	0.010	0.010	
7	132.5	≦* <	137.5	108	3.10362	0.009	0.009	
6	127.5	≦* <	132.5	104	3.02498	0.009	0.009	
5	122.5	≦* <	127.5	100	2.94634	0.009	0.009	
4	117.5	≦* <	122.5	96	2.86770	0.009	0.009	
3	112.5	≦* <	117.5	92	2.78906	0.008	0.008	
2	107.5	≦* <	112.5	88	2.71042	0.008	0.008	
1	102.5	≦* <	107.5	84	2.63178	0.008	0.008	
0	97.5	≦* <	102.5	80	2.55314	0.008	0.008	
-1	92.5	≦* <	97.5	76	2.47450	0.007	0.007	
-2	87.5	≦* <	92.5	72	2.39586	0.007	0.007	
-3	82.5	≦* <	87.5	68	2.31722	0.007	0.007	
-4	77.5	≦* <	82.5	64	2.23858	0.007	0.007	
-5	72.5	≦* <	77.5	60	2.15994	0.006	0.006	
-6	67.5	≦* <	72.5	56	2.08130	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.00266	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.92402	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.84538	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76674	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.68810	0.005	0.005	
-12	37.5	≦* <	42.5	32	1.60946	0.005	0.005	
-13	32.5	≦* <	37.5	28	1.53082	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45218	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.37354	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.29490	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.21626	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13762	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.05898	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.006 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.011	0.011	
19	192.5	≦* <	197.5	156	4.04730	0.010	0.010	
18	187.5	≦* <	192.5	152	3.96866	0.010	0.010	
17	182.5	≦* <	187.5	148	3.89002	0.010	0.010	
16	177.5	≦* <	182.5	144	3.81138	0.009	0.009	
15	172.5	≦* <	177.5	140	3.73274	0.009	0.009	
14	167.5	≦* <	172.5	136	3.65410	0.009	0.009	
13	162.5	≦* <	167.5	132	3.57546	0.009	0.009	
12	157.5	≦* <	162.5	128	3.49682	0.009	0.009	
11	152.5	≦* <	157.5	124	3.41818	0.009	0.009	
10	147.5	≦* <	152.5	120	3.33954	0.009	0.009	
9	142.5	≦* <	147.5	116	3.26090	0.009	0.009	
8	137.5	≦* <	142.5	112	3.18226	0.009	0.009	
7	132.5	≦* <	137.5	108	3.10362	0.008	0.008	
6	127.5	≦* <	132.5	104	3.02498	0.008	0.008	
5	122.5	≦* <	127.5	100	2.94634	0.008	0.008	
4	117.5	≦* <	122.5	96	2.86770	0.008	0.008	
3	112.5	≦* <	117.5	92	2.78906	0.007	0.007	
2	107.5	≦* <	112.5	88	2.71042	0.007	0.007	
1	102.5	≦* <	107.5	84	2.63178	0.007	0.007	
0	97.5	≦* <	102.5	80	2.55314	0.007	0.007	
-1	92.5	≦* <	97.5	76	2.47450	0.006	0.006	
-2	87.5	≦* <	92.5	72	2.39586	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.31722	0.006	0.006	
-4	77.5	≦* <	82.5	64	2.23858	0.006	0.006	
-5	72.5	≦* <	77.5	60	2.15994	0.005	0.005	
-6	67.5	≦* <	72.5	56	2.08130	0.005	0.005	
-7	62.5	≦* <	67.5	52	2.00266	0.005	0.005	
-8	57.5	≦* <	62.5	48	1.92402	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.84538	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.76674	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.68810	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.60946	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.53082	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.45218	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.37354	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29490	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21626	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.13762	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.05898	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.006 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.012	0.012	
19	192.5	≦* <	197.5	156	4.04730	0.011	0.011	
18	187.5	≦* <	192.5	152	3.96866	0.011	0.011	
17	182.5	≦* <	187.5	148	3.89002	0.011	0.011	
16	177.5	≦* <	182.5	144	3.81138	0.010	0.010	
15	172.5	≦* <	177.5	140	3.73274	0.010	0.010	
14	167.5	≦* <	172.5	136	3.65410	0.010	0.010	
13	162.5	≦* <	167.5	132	3.57546	0.010	0.010	
12	157.5	≦* <	162.5	128	3.49682	0.010	0.010	
11	152.5	≦* <	157.5	124	3.41818	0.010	0.010	
10	147.5	≦* <	152.5	120	3.33954	0.010	0.010	
9	142.5	≦* <	147.5	116	3.26090	0.010	0.010	
8	137.5	≦* <	142.5	112	3.18226	0.010	0.010	
7	132.5	≦* <	137.5	108	3.10362	0.009	0.009	
6	127.5	≦* <	132.5	104	3.02498	0.009	0.009	
5	122.5	≦* <	127.5	100	2.94634	0.009	0.009	
4	117.5	≦* <	122.5	96	2.86770	0.009	0.009	
3	112.5	≦* <	117.5	92	2.78906	0.008	0.008	
2	107.5	≦* <	112.5	88	2.71042	0.008	0.008	
1	102.5	≦* <	107.5	84	2.63178	0.008	0.008	
0	97.5	≦* <	102.5	80	2.55314	0.008	0.008	
-1	92.5	≦* <	97.5	76	2.47450	0.007	0.007	
-2	87.5	≦* <	92.5	72	2.39586	0.007	0.007	
-3	82.5	≦* <	87.5	68	2.31722	0.007	0.007	
-4	77.5	≦* <	82.5	64	2.23858	0.007	0.007	
-5	72.5	≦* <	77.5	60	2.15994	0.006	0.006	
-6	67.5	≦* <	72.5	56	2.08130	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.00266	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.92402	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.84538	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76674	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.68810	0.005	0.005	
-12	37.5	≦* <	42.5	32	1.60946	0.005	0.005	
-13	32.5	≦* <	37.5	28	1.53082	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45218	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.37354	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.29490	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.21626	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13762	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.05898	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.006 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.010	0.010	
19	192.5	≦* <	197.5	156	4.04730	0.010	0.010	
18	187.5	≦* <	192.5	152	3.96866	0.010	0.010	
17	182.5	≦* <	187.5	148	3.89002	0.010	0.010	
16	177.5	≦* <	182.5	144	3.81138	0.009	0.009	
15	172.5	≦* <	177.5	140	3.73274	0.009	0.009	
14	167.5	≦* <	172.5	136	3.65410	0.009	0.009	
13	162.5	≦* <	167.5	132	3.57546	0.009	0.009	
12	157.5	≦* <	162.5	128	3.49682	0.008	0.008	
11	152.5	≦* <	157.5	124	3.41818	0.008	0.008	
10	147.5	≦* <	152.5	120	3.33954	0.008	0.008	
9	142.5	≦* <	147.5	116	3.26090	0.008	0.008	
8	137.5	≦* <	142.5	112	3.18226	0.008	0.008	
7	132.5	≦* <	137.5	108	3.10362	0.007	0.007	
6	127.5	≦* <	132.5	104	3.02498	0.007	0.007	
5	122.5	≦* <	127.5	100	2.94634	0.007	0.007	
4	117.5	≦* <	122.5	96	2.86770	0.007	0.007	
3	112.5	≦* <	117.5	92	2.78906	0.006	0.006	
2	107.5	≦* <	112.5	88	2.71042	0.006	0.006	
1	102.5	≦* <	107.5	84	2.63178	0.006	0.006	
0	97.5	≦* <	102.5	80	2.55314	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.47450	0.006	0.006	
-2	87.5	≦* <	92.5	72	2.39586	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.31722	0.006	0.006	
-4	77.5	≦* <	82.5	64	2.23858	0.006	0.006	
-5	72.5	≦* <	77.5	60	2.15994	0.005	0.005	
-6	67.5	≦* <	72.5	56	2.08130	0.005	0.005	
-7	62.5	≦* <	67.5	52	2.00266	0.005	0.005	
-8	57.5	≦* <	62.5	48	1.92402	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.84538	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.76674	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.68810	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.60946	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.53082	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.45218	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.37354	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29490	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21626	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.041 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.086	0.086	
19	192.5	≦* <	197.5	156	4.04730	0.083	0.083	
18	187.5	≦* <	192.5	152	3.96866	0.081	0.081	
17	182.5	≦* <	187.5	148	3.89002	0.080	0.080	
16	177.5	≦* <	182.5	144	3.81138	0.078	0.078	
15	172.5	≦* <	177.5	140	3.73274	0.077	0.077	
14	167.5	≦* <	172.5	136	3.65410	0.075	0.075	
13	162.5	≦* <	167.5	132	3.57546	0.073	0.073	
12	157.5	≦* <	162.5	128	3.49682	0.072	0.072	
11	152.5	≦* <	157.5	124	3.41818	0.070	0.070	
10	147.5	≦* <	152.5	120	3.33954	0.068	0.068	
9	142.5	≦* <	147.5	116	3.26090	0.067	0.067	
8	137.5	≦* <	142.5	112	3.18226	0.065	0.065	
7	132.5	≦* <	137.5	108	3.10362	0.064	0.064	
6	127.5	≦* <	132.5	104	3.02498	0.062	0.062	
5	122.5	≦* <	127.5	100	2.94634	0.060	0.060	
4	117.5	≦* <	122.5	96	2.86770	0.059	0.059	
3	112.5	≦* <	117.5	92	2.78906	0.057	0.057	
2	107.5	≦* <	112.5	88	2.71042	0.056	0.056	
1	102.5	≦* <	107.5	84	2.63178	0.054	0.054	
0	97.5	≦* <	102.5	80	2.55314	0.052	0.052	
-1	92.5	≦* <	97.5	76	2.47450	0.051	0.051	
-2	87.5	≦* <	92.5	72	2.39586	0.049	0.049	
-3	82.5	≦* <	87.5	68	2.31722	0.048	0.048	
-4	77.5	≦* <	82.5	64	2.23858	0.046	0.046	
-5	72.5	≦* <	77.5	60	2.15994	0.044	0.044	
-6	67.5	≦* <	72.5	56	2.08130	0.043	0.043	
-7	62.5	≦* <	67.5	52	2.00266	0.041	0.041	
-8	57.5	≦* <	62.5	48	1.92402	0.039	0.039	
-9	52.5	≦* <	57.5	44	1.84538	0.038	0.038	
-10	47.5	≦* <	52.5	40	1.76674	0.036	0.036	
-11	42.5	≦* <	47.5	36	1.68810	0.035	0.035	
-12	37.5	≦* <	42.5	32	1.60946	0.033	0.033	
-13	32.5	≦* <	37.5	28	1.53082	0.031	0.031	
-14	27.5	≦* <	32.5	24	1.45218	0.030	0.030	
-15	22.5	≦* <	27.5	20	1.37354	0.028	0.028	
-16	17.5	≦* <	22.5	16	1.29490	0.027	0.027	
-17	12.5	≦* <	17.5	12	1.21626	0.025	0.025	
-18	7.5	≦* <	12.5	8	1.13762	0.023	0.023	
-19	2.5	≦* <	7.5	4	1.05898	0.022	0.022	
-20	0.0	≦* <	2.5	1.00	1.00000	0.020	0.020	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.041 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.073	0.073	
19	192.5	≦* <	197.5	156	4.04730	0.071	0.071	
18	187.5	≦* <	192.5	152	3.96866	0.069	0.069	
17	182.5	≦* <	187.5	148	3.89002	0.068	0.068	
16	177.5	≦* <	182.5	144	3.81138	0.066	0.066	
15	172.5	≦* <	177.5	140	3.73274	0.065	0.065	
14	167.5	≦* <	172.5	136	3.65410	0.064	0.064	
13	162.5	≦* <	167.5	132	3.57546	0.062	0.062	
12	157.5	≦* <	162.5	128	3.49682	0.061	0.061	
11	152.5	≦* <	157.5	124	3.41818	0.060	0.060	
10	147.5	≦* <	152.5	120	3.33954	0.058	0.058	
9	142.5	≦* <	147.5	116	3.26090	0.057	0.057	
8	137.5	≦* <	142.5	112	3.18226	0.055	0.055	
7	132.5	≦* <	137.5	108	3.10362	0.054	0.054	
6	127.5	≦* <	132.5	104	3.02498	0.053	0.053	
5	122.5	≦* <	127.5	100	2.94634	0.051	0.051	
4	117.5	≦* <	122.5	96	2.86770	0.050	0.050	
3	112.5	≦* <	117.5	92	2.78906	0.048	0.048	
2	107.5	≦* <	112.5	88	2.71042	0.048	0.048	
1	102.5	≦* <	107.5	84	2.63178	0.046	0.046	
0	97.5	≦* <	102.5	80	2.55314	0.044	0.044	
-1	92.5	≦* <	97.5	76	2.47450	0.043	0.043	
-2	87.5	≦* <	92.5	72	2.39586	0.042	0.042	
-3	82.5	≦* <	87.5	68	2.31722	0.041	0.041	
-4	77.5	≦* <	82.5	64	2.23858	0.039	0.039	
-5	72.5	≦* <	77.5	60	2.15994	0.037	0.037	
-6	67.5	≦* <	72.5	56	2.08130	0.037	0.037	
-7	62.5	≦* <	67.5	52	2.00266	0.035	0.035	
-8	57.5	≦* <	62.5	48	1.92402	0.033	0.033	
-9	52.5	≦* <	57.5	44	1.84538	0.032	0.032	
-10	47.5	≦* <	52.5	40	1.76674	0.031	0.031	
-11	42.5	≦* <	47.5	36	1.68810	0.030	0.030	
-12	37.5	≦* <	42.5	32	1.60946	0.028	0.028	
-13	32.5	≦* <	37.5	28	1.53082	0.026	0.026	
-14	27.5	≦* <	32.5	24	1.45218	0.026	0.026	
-15	22.5	≦* <	27.5	20	1.37354	0.024	0.024	
-16	17.5	≦* <	22.5	16	1.29490	0.023	0.023	
-17	12.5	≦* <	17.5	12	1.21626	0.021	0.021	
-18	7.5	≦* <	12.5	8	1.13762	0.020	0.020	
-19	2.5	≦* <	7.5	4	1.05898	0.019	0.019	
-20	0.0	≦* <	2.5	1.00	1.00000	0.017	0.017	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.041 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.082	0.082	
19	192.5	≦* <	197.5	156	4.04730	0.079	0.079	
18	187.5	≦* <	192.5	152	3.96866	0.077	0.077	
17	182.5	≦* <	187.5	148	3.89002	0.076	0.076	
16	177.5	≦* <	182.5	144	3.81138	0.074	0.074	
15	172.5	≦* <	177.5	140	3.73274	0.073	0.073	
14	167.5	≦* <	172.5	136	3.65410	0.071	0.071	
13	162.5	≦* <	167.5	132	3.57546	0.069	0.069	
12	157.5	≦* <	162.5	128	3.49682	0.068	0.068	
11	152.5	≦* <	157.5	124	3.41818	0.067	0.067	
10	147.5	≦* <	152.5	120	3.33954	0.065	0.065	
9	142.5	≦* <	147.5	116	3.26090	0.064	0.064	
8	137.5	≦* <	142.5	112	3.18226	0.062	0.062	
7	132.5	≦* <	137.5	108	3.10362	0.061	0.061	
6	127.5	≦* <	132.5	104	3.02498	0.059	0.059	
5	122.5	≦* <	127.5	100	2.94634	0.057	0.057	
4	117.5	≦* <	122.5	96	2.86770	0.056	0.056	
3	112.5	≦* <	117.5	92	2.78906	0.054	0.054	
2	107.5	≦* <	112.5	88	2.71042	0.053	0.053	
1	102.5	≦* <	107.5	84	2.63178	0.051	0.051	
0	97.5	≦* <	102.5	80	2.55314	0.049	0.049	
-1	92.5	≦* <	97.5	76	2.47450	0.048	0.048	
-2	87.5	≦* <	92.5	72	2.39586	0.047	0.047	
-3	82.5	≦* <	87.5	68	2.31722	0.046	0.046	
-4	77.5	≦* <	82.5	64	2.23858	0.044	0.044	
-5	72.5	≦* <	77.5	60	2.15994	0.042	0.042	
-6	67.5	≦* <	72.5	56	2.08130	0.041	0.041	
-7	62.5	≦* <	67.5	52	2.00266	0.039	0.039	
-8	57.5	≦* <	62.5	48	1.92402	0.037	0.037	
-9	52.5	≦* <	57.5	44	1.84538	0.036	0.036	
-10	47.5	≦* <	52.5	40	1.76674	0.034	0.034	
-11	42.5	≦* <	47.5	36	1.68810	0.033	0.033	
-12	37.5	≦* <	42.5	32	1.60946	0.031	0.031	
-13	32.5	≦* <	37.5	28	1.53082	0.029	0.029	
-14	27.5	≦* <	32.5	24	1.45218	0.029	0.029	
-15	22.5	≦* <	27.5	20	1.37354	0.027	0.027	
-16	17.5	≦* <	22.5	16	1.29490	0.026	0.026	
-17	12.5	≦* <	17.5	12	1.21626	0.024	0.024	
-18	7.5	≦* <	12.5	8	1.13762	0.022	0.022	
-19	2.5	≦* <	7.5	4	1.05898	0.021	0.021	
-20	0.0	≦* <	2.5	1.00	1.00000	0.019	0.019	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.041 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.069	0.069	
19	192.5	≦* <	197.5	156	4.04730	0.067	0.067	
18	187.5	≦* <	192.5	152	3.96866	0.065	0.065	
17	182.5	≦* <	187.5	148	3.89002	0.065	0.065	
16	177.5	≦* <	182.5	144	3.81138	0.063	0.063	
15	172.5	≦* <	177.5	140	3.73274	0.062	0.062	
14	167.5	≦* <	172.5	136	3.65410	0.061	0.061	
13	162.5	≦* <	167.5	132	3.57546	0.059	0.059	
12	157.5	≦* <	162.5	128	3.49682	0.058	0.058	
11	152.5	≦* <	157.5	124	3.41818	0.057	0.057	
10	147.5	≦* <	152.5	120	3.33954	0.055	0.055	
9	142.5	≦* <	147.5	116	3.26090	0.054	0.054	
8	137.5	≦* <	142.5	112	3.18226	0.052	0.052	
7	132.5	≦* <	137.5	108	3.10362	0.052	0.052	
6	127.5	≦* <	132.5	104	3.02498	0.050	0.050	
5	122.5	≦* <	127.5	100	2.94634	0.048	0.048	
4	117.5	≦* <	122.5	96	2.86770	0.048	0.048	
3	112.5	≦* <	117.5	92	2.78906	0.046	0.046	
2	107.5	≦* <	112.5	88	2.71042	0.045	0.045	
1	102.5	≦* <	107.5	84	2.63178	0.044	0.044	
0	97.5	≦* <	102.5	80	2.55314	0.042	0.042	
-1	92.5	≦* <	97.5	76	2.47450	0.041	0.041	
-2	87.5	≦* <	92.5	72	2.39586	0.040	0.040	
-3	82.5	≦* <	87.5	68	2.31722	0.039	0.039	
-4	77.5	≦* <	82.5	64	2.23858	0.037	0.037	
-5	72.5	≦* <	77.5	60	2.15994	0.036	0.036	
-6	67.5	≦* <	72.5	56	2.08130	0.035	0.035	
-7	62.5	≦* <	67.5	52	2.00266	0.033	0.033	
-8	57.5	≦* <	62.5	48	1.92402	0.031	0.031	
-9	52.5	≦* <	57.5	44	1.84538	0.031	0.031	
-10	47.5	≦* <	52.5	40	1.76674	0.029	0.029	
-11	42.5	≦* <	47.5	36	1.68810	0.028	0.028	
-12	37.5	≦* <	42.5	32	1.60946	0.027	0.027	
-13	32.5	≦* <	37.5	28	1.53082	0.025	0.025	
-14	27.5	≦* <	32.5	24	1.45218	0.024	0.024	
-15	22.5	≦* <	27.5	20	1.37354	0.023	0.023	
-16	17.5	≦* <	22.5	16	1.29490	0.022	0.022	
-17	12.5	≦* <	17.5	12	1.21626	0.020	0.020	
-18	7.5	≦* <	12.5	8	1.13762	0.019	0.019	
-19	2.5	≦* <	7.5	4	1.05898	0.018	0.018	
-20	0.0	≦* <	2.5	1.00	1.00000	0.016	0.016	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.008	0.008	
19	192.5	≦* <	197.5	156	4.04730	0.008	0.008	
18	187.5	≦* <	192.5	152	3.96866	0.008	0.008	
17	182.5	≦* <	187.5	148	3.89002	0.008	0.008	
16	177.5	≦* <	182.5	144	3.81138	0.008	0.008	
15	172.5	≦* <	177.5	140	3.73274	0.007	0.007	
14	167.5	≦* <	172.5	136	3.65410	0.007	0.007	
13	162.5	≦* <	167.5	132	3.57546	0.007	0.007	
12	157.5	≦* <	162.5	128	3.49682	0.007	0.007	
11	152.5	≦* <	157.5	124	3.41818	0.007	0.007	
10	147.5	≦* <	152.5	120	3.33954	0.007	0.007	
9	142.5	≦* <	147.5	116	3.26090	0.007	0.007	
8	137.5	≦* <	142.5	112	3.18226	0.006	0.006	
7	132.5	≦* <	137.5	108	3.10362	0.006	0.006	
6	127.5	≦* <	132.5	104	3.02498	0.006	0.006	
5	122.5	≦* <	127.5	100	2.94634	0.006	0.006	
4	117.5	≦* <	122.5	96	2.86770	0.006	0.006	
3	112.5	≦* <	117.5	92	2.78906	0.006	0.006	
2	107.5	≦* <	112.5	88	2.71042	0.005	0.005	
1	102.5	≦* <	107.5	84	2.63178	0.005	0.005	
0	97.5	≦* <	102.5	80	2.55314	0.005	0.005	
-1	92.5	≦* <	97.5	76	2.47450	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.39586	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.31722	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.23858	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.15994	0.004	0.004	
-6	67.5	≦* <	72.5	56	2.08130	0.004	0.004	
-7	62.5	≦* <	67.5	52	2.00266	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.92402	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.84538	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.76674	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.53082	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.45218	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.37354	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29490	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.007	0.007	
19	192.5	≦* <	197.5	156	4.04730	0.007	0.007	
18	187.5	≦* <	192.5	152	3.96866	0.007	0.007	
17	182.5	≦* <	187.5	148	3.89002	0.007	0.007	
16	177.5	≦* <	182.5	144	3.81138	0.007	0.007	
15	172.5	≦* <	177.5	140	3.73274	0.006	0.006	
14	167.5	≦* <	172.5	136	3.65410	0.006	0.006	
13	162.5	≦* <	167.5	132	3.57546	0.006	0.006	
12	157.5	≦* <	162.5	128	3.49682	0.006	0.006	
11	152.5	≦* <	157.5	124	3.41818	0.006	0.006	
10	147.5	≦* <	152.5	120	3.33954	0.006	0.006	
9	142.5	≦* <	147.5	116	3.26090	0.006	0.006	
8	137.5	≦* <	142.5	112	3.18226	0.005	0.005	
7	132.5	≦* <	137.5	108	3.10362	0.005	0.005	
6	127.5	≦* <	132.5	104	3.02498	0.005	0.005	
5	122.5	≦* <	127.5	100	2.94634	0.005	0.005	
4	117.5	≦* <	122.5	96	2.86770	0.005	0.005	
3	112.5	≦* <	117.5	92	2.78906	0.005	0.005	
2	107.5	≦* <	112.5	88	2.71042	0.004	0.004	
1	102.5	≦* <	107.5	84	2.63178	0.004	0.004	
0	97.5	≦* <	102.5	80	2.55314	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.47450	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.39586	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.31722	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≦* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.53082	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.45218	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.37354	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29490	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.008	0.008	
19	192.5	≦* <	197.5	156	4.04730	0.008	0.008	
18	187.5	≦* <	192.5	152	3.96866	0.008	0.008	
17	182.5	≦* <	187.5	148	3.89002	0.008	0.008	
16	177.5	≦* <	182.5	144	3.81138	0.008	0.008	
15	172.5	≦* <	177.5	140	3.73274	0.007	0.007	
14	167.5	≦* <	172.5	136	3.65410	0.007	0.007	
13	162.5	≦* <	167.5	132	3.57546	0.007	0.007	
12	157.5	≦* <	162.5	128	3.49682	0.007	0.007	
11	152.5	≦* <	157.5	124	3.41818	0.007	0.007	
10	147.5	≦* <	152.5	120	3.33954	0.007	0.007	
9	142.5	≦* <	147.5	116	3.26090	0.007	0.007	
8	137.5	≦* <	142.5	112	3.18226	0.006	0.006	
7	132.5	≦* <	137.5	108	3.10362	0.006	0.006	
6	127.5	≦* <	132.5	104	3.02498	0.006	0.006	
5	122.5	≦* <	127.5	100	2.94634	0.006	0.006	
4	117.5	≦* <	122.5	96	2.86770	0.006	0.006	
3	112.5	≦* <	117.5	92	2.78906	0.006	0.006	
2	107.5	≦* <	112.5	88	2.71042	0.005	0.005	
1	102.5	≦* <	107.5	84	2.63178	0.005	0.005	
0	97.5	≦* <	102.5	80	2.55314	0.005	0.005	
-1	92.5	≦* <	97.5	76	2.47450	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.39586	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.31722	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.23858	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.15994	0.004	0.004	
-6	67.5	≦* <	72.5	56	2.08130	0.004	0.004	
-7	62.5	≦* <	67.5	52	2.00266	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.92402	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.84538	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.76674	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.53082	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.45218	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.37354	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.29490	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.006	0.006	
19	192.5	≦* <	197.5	156	4.04730	0.006	0.006	
18	187.5	≦* <	192.5	152	3.96866	0.006	0.006	
17	182.5	≦* <	187.5	148	3.89002	0.006	0.006	
16	177.5	≦* <	182.5	144	3.81138	0.006	0.006	
15	172.5	≦* <	177.5	140	3.73274	0.006	0.006	
14	167.5	≦* <	172.5	136	3.65410	0.006	0.006	
13	162.5	≦* <	167.5	132	3.57546	0.006	0.006	
12	157.5	≦* <	162.5	128	3.49682	0.006	0.006	
11	152.5	≦* <	157.5	124	3.41818	0.006	0.006	
10	147.5	≦* <	152.5	120	3.33954	0.006	0.006	
9	142.5	≦* <	147.5	116	3.26090	0.006	0.006	
8	137.5	≦* <	142.5	112	3.18226	0.005	0.005	
7	132.5	≦* <	137.5	108	3.10362	0.005	0.005	
6	127.5	≦* <	132.5	104	3.02498	0.005	0.005	
5	122.5	≦* <	127.5	100	2.94634	0.005	0.005	
4	117.5	≦* <	122.5	96	2.86770	0.005	0.005	
3	112.5	≦* <	117.5	92	2.78906	0.005	0.005	
2	107.5	≦* <	112.5	88	2.71042	0.004	0.004	
1	102.5	≦* <	107.5	84	2.63178	0.004	0.004	
0	97.5	≦* <	102.5	80	2.55314	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.47450	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.39586	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.31722	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≦* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.68810	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			51.86477	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.017 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.036	0.036	
19	192.5	≦* <	197.5	156	4.04730	0.034	0.034	
18	187.5	≦* <	192.5	152	3.96866	0.034	0.034	
17	182.5	≦* <	187.5	148	3.89002	0.033	0.033	
16	177.5	≦* <	182.5	144	3.81138	0.032	0.032	
15	172.5	≦* <	177.5	140	3.73274	0.032	0.032	
14	167.5	≦* <	172.5	136	3.65410	0.031	0.031	
13	162.5	≦* <	167.5	132	3.57546	0.030	0.030	
12	157.5	≦* <	162.5	128	3.49682	0.030	0.030	
11	152.5	≦* <	157.5	124	3.41818	0.029	0.029	
10	147.5	≦* <	152.5	120	3.33954	0.028	0.028	
9	142.5	≦* <	147.5	116	3.26090	0.028	0.028	
8	137.5	≦* <	142.5	112	3.18226	0.027	0.027	
7	132.5	≦* <	137.5	108	3.10362	0.026	0.026	
6	127.5	≦* <	132.5	104	3.02498	0.026	0.026	
5	122.5	≦* <	127.5	100	2.94634	0.025	0.025	
4	117.5	≦* <	122.5	96	2.86770	0.024	0.024	
3	112.5	≦* <	117.5	92	2.78906	0.024	0.024	
2	107.5	≦* <	112.5	88	2.71042	0.023	0.023	
1	102.5	≦* <	107.5	84	2.63178	0.022	0.022	
0	97.5	≦* <	102.5	80	2.55314	0.022	0.022	
-1	92.5	≦* <	97.5	76	2.47450	0.021	0.021	
-2	87.5	≦* <	92.5	72	2.39586	0.020	0.020	
-3	82.5	≦* <	87.5	68	2.31722	0.020	0.020	
-4	77.5	≦* <	82.5	64	2.23858	0.019	0.019	
-5	72.5	≦* <	77.5	60	2.15994	0.018	0.018	
-6	67.5	≦* <	72.5	56	2.08130	0.018	0.018	
-7	62.5	≦* <	67.5	52	2.00266	0.017	0.017	
-8	57.5	≦* <	62.5	48	1.92402	0.016	0.016	
-9	52.5	≦* <	57.5	44	1.84538	0.016	0.016	
-10	47.5	≦* <	52.5	40	1.76674	0.015	0.015	
-11	42.5	≦* <	47.5	36	1.68810	0.014	0.014	
-12	37.5	≦* <	42.5	32	1.60946	0.014	0.014	
-13	32.5	≦* <	37.5	28	1.53082	0.013	0.013	
-14	27.5	≦* <	32.5	24	1.45218	0.012	0.012	
-15	22.5	≦* <	27.5	20	1.37354	0.012	0.012	
-16	17.5	≦* <	22.5	16	1.29490	0.011	0.011	
-17	12.5	≦* <	17.5	12	1.21626	0.010	0.010	
-18	7.5	≦* <	12.5	8	1.13762	0.010	0.010	
-19	2.5	≦* <	7.5	4	1.05898	0.009	0.009	
-20	0.0	≦* <	2.5	1.00	1.00000	0.008	0.008	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.017 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.031	0.031	
19	192.5	≦* <	197.5	156	4.04730	0.029	0.029	
18	187.5	≦* <	192.5	152	3.96866	0.029	0.029	
17	182.5	≦* <	187.5	148	3.89002	0.028	0.028	
16	177.5	≦* <	182.5	144	3.81138	0.027	0.027	
15	172.5	≦* <	177.5	140	3.73274	0.027	0.027	
14	167.5	≦* <	172.5	136	3.65410	0.026	0.026	
13	162.5	≦* <	167.5	132	3.57546	0.026	0.026	
12	157.5	≦* <	162.5	128	3.49682	0.026	0.026	
11	152.5	≦* <	157.5	124	3.41818	0.025	0.025	
10	147.5	≦* <	152.5	120	3.33954	0.024	0.024	
9	142.5	≦* <	147.5	116	3.26090	0.024	0.024	
8	137.5	≦* <	142.5	112	3.18226	0.023	0.023	
7	132.5	≦* <	137.5	108	3.10362	0.022	0.022	
6	127.5	≦* <	132.5	104	3.02498	0.022	0.022	
5	122.5	≦* <	127.5	100	2.94634	0.021	0.021	
4	117.5	≦* <	122.5	96	2.86770	0.020	0.020	
3	112.5	≦* <	117.5	92	2.78906	0.020	0.020	
2	107.5	≦* <	112.5	88	2.71042	0.020	0.020	
1	102.5	≦* <	107.5	84	2.63178	0.019	0.019	
0	97.5	≦* <	102.5	80	2.55314	0.019	0.019	
-1	92.5	≦* <	97.5	76	2.47450	0.018	0.018	
-2	87.5	≦* <	92.5	72	2.39586	0.017	0.017	
-3	82.5	≦* <	87.5	68	2.31722	0.017	0.017	
-4	77.5	≦* <	82.5	64	2.23858	0.016	0.016	
-5	72.5	≦* <	77.5	60	2.15994	0.015	0.015	
-6	67.5	≦* <	72.5	56	2.08130	0.015	0.015	
-7	62.5	≦* <	67.5	52	2.00266	0.014	0.014	
-8	57.5	≦* <	62.5	48	1.92402	0.014	0.014	
-9	52.5	≦* <	57.5	44	1.84538	0.014	0.014	
-10	47.5	≦* <	52.5	40	1.76674	0.013	0.013	
-11	42.5	≦* <	47.5	36	1.68810	0.012	0.012	
-12	37.5	≦* <	42.5	32	1.60946	0.012	0.012	
-13	32.5	≦* <	37.5	28	1.53082	0.011	0.011	
-14	27.5	≦* <	32.5	24	1.45218	0.010	0.010	
-15	22.5	≦* <	27.5	20	1.37354	0.010	0.010	
-16	17.5	≦* <	22.5	16	1.29490	0.009	0.009	
-17	12.5	≦* <	17.5	12	1.21626	0.009	0.009	
-18	7.5	≦* <	12.5	8	1.13762	0.009	0.009	
-19	2.5	≦* <	7.5	4	1.05898	0.008	0.008	
-20	0.0	≦* <	2.5	1.00	1.00000	0.007	0.007	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.017 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.034	0.034	
19	192.5	≦* <	197.5	156	4.04730	0.032	0.032	
18	187.5	≦* <	192.5	152	3.96866	0.032	0.032	
17	182.5	≦* <	187.5	148	3.89002	0.031	0.031	
16	177.5	≦* <	182.5	144	3.81138	0.030	0.030	
15	172.5	≦* <	177.5	140	3.73274	0.030	0.030	
14	167.5	≦* <	172.5	136	3.65410	0.029	0.029	
13	162.5	≦* <	167.5	132	3.57546	0.029	0.029	
12	157.5	≦* <	162.5	128	3.49682	0.029	0.029	
11	152.5	≦* <	157.5	124	3.41818	0.028	0.028	
10	147.5	≦* <	152.5	120	3.33954	0.027	0.027	
9	142.5	≦* <	147.5	116	3.26090	0.027	0.027	
8	137.5	≦* <	142.5	112	3.18226	0.026	0.026	
7	132.5	≦* <	137.5	108	3.10362	0.025	0.025	
6	127.5	≦* <	132.5	104	3.02498	0.025	0.025	
5	122.5	≦* <	127.5	100	2.94634	0.024	0.024	
4	117.5	≦* <	122.5	96	2.86770	0.023	0.023	
3	112.5	≦* <	117.5	92	2.78906	0.023	0.023	
2	107.5	≦* <	112.5	88	2.71042	0.022	0.022	
1	102.5	≦* <	107.5	84	2.63178	0.021	0.021	
0	97.5	≦* <	102.5	80	2.55314	0.021	0.021	
-1	92.5	≦* <	97.5	76	2.47450	0.020	0.020	
-2	87.5	≦* <	92.5	72	2.39586	0.019	0.019	
-3	82.5	≦* <	87.5	68	2.31722	0.019	0.019	
-4	77.5	≦* <	82.5	64	2.23858	0.018	0.018	
-5	72.5	≦* <	77.5	60	2.15994	0.017	0.017	
-6	67.5	≦* <	72.5	56	2.08130	0.017	0.017	
-7	62.5	≦* <	67.5	52	2.00266	0.016	0.016	
-8	57.5	≦* <	62.5	48	1.92402	0.015	0.015	
-9	52.5	≦* <	57.5	44	1.84538	0.015	0.015	
-10	47.5	≦* <	52.5	40	1.76674	0.014	0.014	
-11	42.5	≦* <	47.5	36	1.68810	0.013	0.013	
-12	37.5	≦* <	42.5	32	1.60946	0.013	0.013	
-13	32.5	≦* <	37.5	28	1.53082	0.012	0.012	
-14	27.5	≦* <	32.5	24	1.45218	0.011	0.011	
-15	22.5	≦* <	27.5	20	1.37354	0.011	0.011	
-16	17.5	≦* <	22.5	16	1.29490	0.010	0.010	
-17	12.5	≦* <	17.5	12	1.21626	0.010	0.010	
-18	7.5	≦* <	12.5	8	1.13762	0.010	0.010	
-19	2.5	≦* <	7.5	4	1.05898	0.009	0.009	
-20	0.0	≦* <	2.5	1.00	1.00000	0.008	0.008	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.017 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.029	0.029	
19	192.5	≦* <	197.5	156	4.04730	0.027	0.027	
18	187.5	≦* <	192.5	152	3.96866	0.027	0.027	
17	182.5	≦* <	187.5	148	3.89002	0.027	0.027	
16	177.5	≦* <	182.5	144	3.81138	0.026	0.026	
15	172.5	≦* <	177.5	140	3.73274	0.026	0.026	
14	167.5	≦* <	172.5	136	3.65410	0.025	0.025	
13	162.5	≦* <	167.5	132	3.57546	0.024	0.024	
12	157.5	≦* <	162.5	128	3.49682	0.024	0.024	
11	152.5	≦* <	157.5	124	3.41818	0.023	0.023	
10	147.5	≦* <	152.5	120	3.33954	0.023	0.023	
9	142.5	≦* <	147.5	116	3.26090	0.023	0.023	
8	137.5	≦* <	142.5	112	3.18226	0.022	0.022	
7	132.5	≦* <	137.5	108	3.10362	0.021	0.021	
6	127.5	≦* <	132.5	104	3.02498	0.021	0.021	
5	122.5	≦* <	127.5	100	2.94634	0.020	0.020	
4	117.5	≦* <	122.5	96	2.86770	0.019	0.019	
3	112.5	≦* <	117.5	92	2.78906	0.019	0.019	
2	107.5	≦* <	112.5	88	2.71042	0.019	0.019	
1	102.5	≦* <	107.5	84	2.63178	0.018	0.018	
0	97.5	≦* <	102.5	80	2.55314	0.018	0.018	
-1	92.5	≦* <	97.5	76	2.47450	0.017	0.017	
-2	87.5	≦* <	92.5	72	2.39586	0.016	0.016	
-3	82.5	≦* <	87.5	68	2.31722	0.016	0.016	
-4	77.5	≦* <	82.5	64	2.23858	0.015	0.015	
-5	72.5	≦* <	77.5	60	2.15994	0.015	0.015	
-6	67.5	≦* <	72.5	56	2.08130	0.015	0.015	
-7	62.5	≦* <	67.5	52	2.00266	0.014	0.014	
-8	57.5	≦* <	62.5	48	1.92402	0.013	0.013	
-9	52.5	≦* <	57.5	44	1.84538	0.013	0.013	
-10	47.5	≦* <	52.5	40	1.76674	0.012	0.012	
-11	42.5	≦* <	47.5	36	1.68810	0.011	0.011	
-12	37.5	≦* <	42.5	32	1.60946	0.011	0.011	
-13	32.5	≦* <	37.5	28	1.53082	0.010	0.010	
-14	27.5	≦* <	32.5	24	1.45218	0.010	0.010	
-15	22.5	≦* <	27.5	20	1.37354	0.010	0.010	
-16	17.5	≦* <	22.5	16	1.29490	0.009	0.009	
-17	12.5	≦* <	17.5	12	1.21626	0.008	0.008	
-18	7.5	≦* <	12.5	8	1.13762	0.008	0.008	
-19	2.5	≦* <	7.5	4	1.05898	0.007	0.007	
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.006	0.006	
19	192.5	≦* <	197.5	156	4.04730	0.006	0.006	
18	187.5	≦* <	192.5	152	3.96866	0.006	0.006	
17	182.5	≦* <	187.5	148	3.89002	0.006	0.006	
16	177.5	≦* <	182.5	144	3.81138	0.006	0.006	
15	172.5	≦* <	177.5	140	3.73274	0.006	0.006	
14	167.5	≦* <	172.5	136	3.65410	0.005	0.005	
13	162.5	≦* <	167.5	132	3.57546	0.005	0.005	
12	157.5	≦* <	162.5	128	3.49682	0.005	0.005	
11	152.5	≦* <	157.5	124	3.41818	0.005	0.005	
10	147.5	≦* <	152.5	120	3.33954	0.005	0.005	
9	142.5	≦* <	147.5	116	3.26090	0.005	0.005	
8	137.5	≦* <	142.5	112	3.18226	0.005	0.005	
7	132.5	≦* <	137.5	108	3.10362	0.005	0.005	
6	127.5	≦* <	132.5	104	3.02498	0.005	0.005	
5	122.5	≦* <	127.5	100	2.94634	0.004	0.004	
4	117.5	≦* <	122.5	96	2.86770	0.004	0.004	
3	112.5	≦* <	117.5	92	2.78906	0.004	0.004	
2	107.5	≦* <	112.5	88	2.71042	0.004	0.004	
1	102.5	≦* <	107.5	84	2.63178	0.004	0.004	
0	97.5	≦* <	102.5	80	2.55314	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.47450	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.39586	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.31722	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≦* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.005	0.005	
19	192.5	≦* <	197.5	156	4.04730	0.005	0.005	
18	187.5	≦* <	192.5	152	3.96866	0.005	0.005	
17	182.5	≦* <	187.5	148	3.89002	0.005	0.005	
16	177.5	≦* <	182.5	144	3.81138	0.005	0.005	
15	172.5	≦* <	177.5	140	3.73274	0.005	0.005	
14	167.5	≦* <	172.5	136	3.65410	0.004	0.004	
13	162.5	≦* <	167.5	132	3.57546	0.004	0.004	
12	157.5	≦* <	162.5	128	3.49682	0.004	0.004	
11	152.5	≦* <	157.5	124	3.41818	0.004	0.004	
10	147.5	≦* <	152.5	120	3.33954	0.004	0.004	
9	142.5	≦* <	147.5	116	3.26090	0.004	0.004	
8	137.5	≦* <	142.5	112	3.18226	0.004	0.004	
7	132.5	≦* <	137.5	108	3.10362	0.004	0.004	
6	127.5	≦* <	132.5	104	3.02498	0.004	0.004	
5	122.5	≦* <	127.5	100	2.94634	0.003	0.003	
4	117.5	≦* <	122.5	96	2.86770	0.003	0.003	
3	112.5	≦* <	117.5	92	2.78906	0.003	0.003	
2	107.5	≦* <	112.5	88	2.71042	0.003	0.003	
1	102.5	≦* <	107.5	84	2.63178	0.003	0.003	
0	97.5	≦* <	102.5	80	2.55314	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.47450	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.39586	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.31722	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≦* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.006	0.006	
19	192.5	≦* <	197.5	156	4.04730	0.006	0.006	
18	187.5	≦* <	192.5	152	3.96866	0.006	0.006	
17	182.5	≦* <	187.5	148	3.89002	0.006	0.006	
16	177.5	≦* <	182.5	144	3.81138	0.006	0.006	
15	172.5	≦* <	177.5	140	3.73274	0.006	0.006	
14	167.5	≦* <	172.5	136	3.65410	0.005	0.005	
13	162.5	≦* <	167.5	132	3.57546	0.005	0.005	
12	157.5	≦* <	162.5	128	3.49682	0.005	0.005	
11	152.5	≦* <	157.5	124	3.41818	0.005	0.005	
10	147.5	≦* <	152.5	120	3.33954	0.005	0.005	
9	142.5	≦* <	147.5	116	3.26090	0.005	0.005	
8	137.5	≦* <	142.5	112	3.18226	0.005	0.005	
7	132.5	≦* <	137.5	108	3.10362	0.005	0.005	
6	127.5	≦* <	132.5	104	3.02498	0.005	0.005	
5	122.5	≦* <	127.5	100	2.94634	0.004	0.004	
4	117.5	≦* <	122.5	96	2.86770	0.004	0.004	
3	112.5	≦* <	117.5	92	2.78906	0.004	0.004	
2	107.5	≦* <	112.5	88	2.71042	0.004	0.004	
1	102.5	≦* <	107.5	84	2.63178	0.004	0.004	
0	97.5	≦* <	102.5	80	2.55314	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.47450	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.39586	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.31722	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.23858	0.003	0.003	
-5	72.5	≦* <	77.5	60	2.15994	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.08130	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.00266	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.92402	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.84538	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.76674	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.005	0.005	
19	192.5	≦* <	197.5	156	4.04730	0.005	0.005	
18	187.5	≦* <	192.5	152	3.96866	0.005	0.005	
17	182.5	≦* <	187.5	148	3.89002	0.005	0.005	
16	177.5	≦* <	182.5	144	3.81138	0.005	0.005	
15	172.5	≦* <	177.5	140	3.73274	0.005	0.005	
14	167.5	≦* <	172.5	136	3.65410	0.004	0.004	
13	162.5	≦* <	167.5	132	3.57546	0.004	0.004	
12	157.5	≦* <	162.5	128	3.49682	0.004	0.004	
11	152.5	≦* <	157.5	124	3.41818	0.004	0.004	
10	147.5	≦* <	152.5	120	3.33954	0.004	0.004	
9	142.5	≦* <	147.5	116	3.26090	0.004	0.004	
8	137.5	≦* <	142.5	112	3.18226	0.004	0.004	
7	132.5	≦* <	137.5	108	3.10362	0.004	0.004	
6	127.5	≦* <	132.5	104	3.02498	0.004	0.004	
5	122.5	≦* <	127.5	100	2.94634	0.003	0.003	
4	117.5	≦* <	122.5	96	2.86770	0.003	0.003	
3	112.5	≦* <	117.5	92	2.78906	0.003	0.003	
2	107.5	≦* <	112.5	88	2.71042	0.003	0.003	
1	102.5	≦* <	107.5	84	2.63178	0.003	0.003	
0	97.5	≦* <	102.5	80	2.55314	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.47450	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.39586	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.31722	0.002	0.002	
-4	77.5	≦* <	82.5	64	2.23858	0.002	0.002	
-5	72.5	≦* <	77.5	60	2.15994	0.002	0.002	
-6	67.5	≦* <	72.5	56	2.08130	0.002	0.002	
-7	62.5	≦* <	67.5	52	2.00266	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.92402	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.84538	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.76674	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.68810	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.60946	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.53082	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.45218	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.37354	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.29490	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			51.86477	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.720 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.887	1.887	
19	192.5	≧* <	197.5	156	4.05190	1.459	1.459	
18	187.5	≧* <	192.5	152	3.97314	1.430	1.430	
17	182.5	≧* <	187.5	148	3.89438	1.402	1.402	
16	177.5	≧* <	182.5	144	3.81562	1.374	1.374	
15	172.5	≧* <	177.5	140	3.73686	1.345	1.345	
14	167.5	≧* <	172.5	136	3.65810	1.317	1.317	
13	162.5	≧* <	167.5	132	3.57934	1.289	1.289	
12	157.5	≧* <	162.5	128	3.50059	1.260	1.260	
11	152.5	≧* <	157.5	124	3.42183	1.232	1.232	
10	147.5	≧* <	152.5	120	3.34307	1.204	1.204	
9	142.5	≧* <	147.5	116	3.26431	1.175	1.175	
8	137.5	≧* <	142.5	112	3.18555	1.147	1.147	
7	132.5	≧* <	137.5	108	3.10679	1.118	1.118	
6	127.5	≧* <	132.5	104	3.02803	1.090	1.090	
5	122.5	≧* <	127.5	100	2.94928	1.062	1.062	
4	117.5	≧* <	122.5	96	2.87052	1.033	1.033	
3	112.5	≧* <	117.5	92	2.79176	1.005	1.005	
2	107.5	≧* <	112.5	88	2.71300	0.977	0.977	
1	102.5	≧* <	107.5	84	2.63424	0.948	0.948	
0	97.5	≧* <	102.5	80	2.55548	0.920	0.920	
-1	92.5	≧* <	97.5	76	2.47672	0.892	0.892	
-2	87.5	≧* <	92.5	72	2.39797	0.863	0.863	
-3	82.5	≧* <	87.5	68	2.31921	0.835	0.835	
-4	77.5	≧* <	82.5	64	2.24045	0.807	0.807	
-5	72.5	≧* <	77.5	60	2.16169	0.778	0.778	
-6	67.5	≧* <	72.5	56	2.08293	0.750	0.750	
-7	62.5	≧* <	67.5	52	2.00417	0.722	0.722	
-8	57.5	≧* <	62.5	48	1.92541	0.693	0.693	
-9	52.5	≧* <	57.5	44	1.84666	0.665	0.665	
-10	47.5	≧* <	52.5	40	1.76790	0.636	0.636	
-11	42.5	≧* <	47.5	36	1.68914	0.608	0.608	
-12	37.5	≧* <	42.5	32	1.61038	0.580	0.580	
-13	32.5	≧* <	37.5	28	1.53162	0.551	0.551	
-14	27.5	≧* <	32.5	24	1.45286	0.523	0.523	
-15	22.5	≧* <	27.5	20	1.37410	0.495	0.495	
-16	17.5	≧* <	22.5	16	1.29534	0.466	0.466	
-17	12.5	≧* <	17.5	12	1.21659	0.438	0.438	
-18	7.5	≧* <	12.5	8	1.13783	0.410	0.410	
-19	2.5	≧* <	7.5	4	1.05907	0.381	0.381	
-20	0.0	≧* <	2.5	1.00	1.00000	0.360	0.360	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.720 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.793	1.793	
19	192.5	≧* <	197.5	156	4.05190	1.386	1.386	
18	187.5	≧* <	192.5	152	3.97314	1.359	1.359	
17	182.5	≧* <	187.5	148	3.89438	1.332	1.332	
16	177.5	≧* <	182.5	144	3.81562	1.305	1.305	
15	172.5	≧* <	177.5	140	3.73686	1.278	1.278	
14	167.5	≧* <	172.5	136	3.65810	1.251	1.251	
13	162.5	≧* <	167.5	132	3.57934	1.225	1.225	
12	157.5	≧* <	162.5	128	3.50059	1.197	1.197	
11	152.5	≧* <	157.5	124	3.42183	1.170	1.170	
10	147.5	≧* <	152.5	120	3.34307	1.144	1.144	
9	142.5	≧* <	147.5	116	3.26431	1.116	1.116	
8	137.5	≧* <	142.5	112	3.18555	1.090	1.090	
7	132.5	≧* <	137.5	108	3.10679	1.062	1.062	
6	127.5	≧* <	132.5	104	3.02803	1.036	1.036	
5	122.5	≧* <	127.5	100	2.94928	1.009	1.009	
4	117.5	≧* <	122.5	96	2.87052	0.981	0.981	
3	112.5	≧* <	117.5	92	2.79176	0.955	0.955	
2	107.5	≧* <	112.5	88	2.71300	0.928	0.928	
1	102.5	≧* <	107.5	84	2.63424	0.901	0.901	
0	97.5	≧* <	102.5	80	2.55548	0.874	0.874	
-1	92.5	≧* <	97.5	76	2.47672	0.847	0.847	
-2	87.5	≧* <	92.5	72	2.39797	0.820	0.820	
-3	82.5	≧* <	87.5	68	2.31921	0.793	0.793	
-4	77.5	≧* <	82.5	64	2.24045	0.767	0.767	
-5	72.5	≧* <	77.5	60	2.16169	0.739	0.739	
-6	67.5	≧* <	72.5	56	2.08293	0.713	0.713	
-7	62.5	≧* <	67.5	52	2.00417	0.686	0.686	
-8	57.5	≧* <	62.5	48	1.92541	0.658	0.658	
-9	52.5	≧* <	57.5	44	1.84666	0.632	0.632	
-10	47.5	≧* <	52.5	40	1.76790	0.604	0.604	
-11	42.5	≧* <	47.5	36	1.68914	0.578	0.578	
-12	37.5	≧* <	42.5	32	1.61038	0.551	0.551	
-13	32.5	≧* <	37.5	28	1.53162	0.523	0.523	
-14	27.5	≧* <	32.5	24	1.45286	0.497	0.497	
-15	22.5	≧* <	27.5	20	1.37410	0.470	0.470	
-16	17.5	≧* <	22.5	16	1.29534	0.443	0.443	
-17	12.5	≧* <	17.5	12	1.21659	0.416	0.416	
-18	7.5	≧* <	12.5	8	1.13783	0.390	0.390	
-19	2.5	≧* <	7.5	4	1.05907	0.362	0.362	
-20	0.0	≧* <	2.5	1.00	1.00000	0.342	0.342	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.011 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.029	0.029	
19	192.5	≦* <	197.5	156	4.05190	0.022	0.022	
18	187.5	≦* <	192.5	152	3.97314	0.022	0.022	
17	182.5	≦* <	187.5	148	3.89438	0.021	0.021	
16	177.5	≦* <	182.5	144	3.81562	0.021	0.021	
15	172.5	≦* <	177.5	140	3.73686	0.021	0.021	
14	167.5	≦* <	172.5	136	3.65810	0.020	0.020	
13	162.5	≦* <	167.5	132	3.57934	0.020	0.020	
12	157.5	≦* <	162.5	128	3.50059	0.019	0.019	
11	152.5	≦* <	157.5	124	3.42183	0.019	0.019	
10	147.5	≦* <	152.5	120	3.34307	0.018	0.018	
9	142.5	≦* <	147.5	116	3.26431	0.018	0.018	
8	137.5	≦* <	142.5	112	3.18555	0.018	0.018	
7	132.5	≦* <	137.5	108	3.10679	0.017	0.017	
6	127.5	≦* <	132.5	104	3.02803	0.017	0.017	
5	122.5	≦* <	127.5	100	2.94928	0.016	0.016	
4	117.5	≦* <	122.5	96	2.87052	0.016	0.016	
3	112.5	≦* <	117.5	92	2.79176	0.015	0.015	
2	107.5	≦* <	112.5	88	2.71300	0.015	0.015	
1	102.5	≦* <	107.5	84	2.63424	0.014	0.014	
0	97.5	≦* <	102.5	80	2.55548	0.014	0.014	
-1	92.5	≦* <	97.5	76	2.47672	0.014	0.014	
-2	87.5	≦* <	92.5	72	2.39797	0.013	0.013	
-3	82.5	≦* <	87.5	68	2.31921	0.013	0.013	
-4	77.5	≦* <	82.5	64	2.24045	0.012	0.012	
-5	72.5	≦* <	77.5	60	2.16169	0.012	0.012	
-6	67.5	≦* <	72.5	56	2.08293	0.011	0.011	
-7	62.5	≦* <	67.5	52	2.00417	0.011	0.011	
-8	57.5	≦* <	62.5	48	1.92541	0.011	0.011	
-9	52.5	≦* <	57.5	44	1.84666	0.010	0.010	
-10	47.5	≦* <	52.5	40	1.76790	0.010	0.010	
-11	42.5	≦* <	47.5	36	1.68914	0.009	0.009	
-12	37.5	≦* <	42.5	32	1.61038	0.009	0.009	
-13	32.5	≦* <	37.5	28	1.53162	0.008	0.008	
-14	27.5	≦* <	32.5	24	1.45286	0.008	0.008	
-15	22.5	≦* <	27.5	20	1.37410	0.008	0.008	
-16	17.5	≦* <	22.5	16	1.29534	0.007	0.007	
-17	12.5	≦* <	17.5	12	1.21659	0.007	0.007	
-18	7.5	≦* <	12.5	8	1.13783	0.006	0.006	
-19	2.5	≦* <	7.5	4	1.05907	0.006	0.006	
-20	0.0	≦* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.011 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.028	0.028	
19	192.5	≧* <	197.5	156	4.05190	0.021	0.021	
18	187.5	≧* <	192.5	152	3.97314	0.021	0.021	
17	182.5	≧* <	187.5	148	3.89438	0.020	0.020	
16	177.5	≧* <	182.5	144	3.81562	0.020	0.020	
15	172.5	≧* <	177.5	140	3.73686	0.020	0.020	
14	167.5	≧* <	172.5	136	3.65810	0.019	0.019	
13	162.5	≧* <	167.5	132	3.57934	0.019	0.019	
12	157.5	≧* <	162.5	128	3.50059	0.018	0.018	
11	152.5	≧* <	157.5	124	3.42183	0.018	0.018	
10	147.5	≧* <	152.5	120	3.34307	0.017	0.017	
9	142.5	≧* <	147.5	116	3.26431	0.017	0.017	
8	137.5	≧* <	142.5	112	3.18555	0.017	0.017	
7	132.5	≧* <	137.5	108	3.10679	0.016	0.016	
6	127.5	≧* <	132.5	104	3.02803	0.016	0.016	
5	122.5	≧* <	127.5	100	2.94928	0.015	0.015	
4	117.5	≧* <	122.5	96	2.87052	0.015	0.015	
3	112.5	≧* <	117.5	92	2.79176	0.014	0.014	
2	107.5	≧* <	112.5	88	2.71300	0.014	0.014	
1	102.5	≧* <	107.5	84	2.63424	0.013	0.013	
0	97.5	≧* <	102.5	80	2.55548	0.013	0.013	
-1	92.5	≧* <	97.5	76	2.47672	0.013	0.013	
-2	87.5	≧* <	92.5	72	2.39797	0.012	0.012	
-3	82.5	≧* <	87.5	68	2.31921	0.012	0.012	
-4	77.5	≧* <	82.5	64	2.24045	0.011	0.011	
-5	72.5	≧* <	77.5	60	2.16169	0.011	0.011	
-6	67.5	≧* <	72.5	56	2.08293	0.010	0.010	
-7	62.5	≧* <	67.5	52	2.00417	0.010	0.010	
-8	57.5	≧* <	62.5	48	1.92541	0.010	0.010	
-9	52.5	≧* <	57.5	44	1.84666	0.010	0.010	
-10	47.5	≧* <	52.5	40	1.76790	0.010	0.010	
-11	42.5	≧* <	47.5	36	1.68914	0.009	0.009	
-12	37.5	≧* <	42.5	32	1.61038	0.009	0.009	
-13	32.5	≧* <	37.5	28	1.53162	0.008	0.008	
-14	27.5	≧* <	32.5	24	1.45286	0.008	0.008	
-15	22.5	≧* <	27.5	20	1.37410	0.008	0.008	
-16	17.5	≧* <	22.5	16	1.29534	0.007	0.007	
-17	12.5	≧* <	17.5	12	1.21659	0.007	0.007	
-18	7.5	≧* <	12.5	8	1.13783	0.006	0.006	
-19	2.5	≧* <	7.5	4	1.05907	0.006	0.006	
-20	0.0	≧* <	2.5	1.00	1.00000	0.005	0.005	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.616 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.615	1.615	
19	192.5	≦* <	197.5	156	4.05190	1.248	1.248	
18	187.5	≦* <	192.5	152	3.97314	1.224	1.224	
17	182.5	≦* <	187.5	148	3.89438	1.199	1.199	
16	177.5	≦* <	182.5	144	3.81562	1.175	1.175	
15	172.5	≦* <	177.5	140	3.73686	1.151	1.151	
14	167.5	≦* <	172.5	136	3.65810	1.127	1.127	
13	162.5	≦* <	167.5	132	3.57934	1.102	1.102	
12	157.5	≦* <	162.5	128	3.50059	1.078	1.078	
11	152.5	≦* <	157.5	124	3.42183	1.054	1.054	
10	147.5	≦* <	152.5	120	3.34307	1.030	1.030	
9	142.5	≦* <	147.5	116	3.26431	1.005	1.005	
8	137.5	≦* <	142.5	112	3.18555	0.981	0.981	
7	132.5	≦* <	137.5	108	3.10679	0.957	0.957	
6	127.5	≦* <	132.5	104	3.02803	0.933	0.933	
5	122.5	≦* <	127.5	100	2.94928	0.908	0.908	
4	117.5	≦* <	122.5	96	2.87052	0.884	0.884	
3	112.5	≦* <	117.5	92	2.79176	0.860	0.860	
2	107.5	≦* <	112.5	88	2.71300	0.836	0.836	
1	102.5	≦* <	107.5	84	2.63424	0.811	0.811	
0	97.5	≦* <	102.5	80	2.55548	0.787	0.787	
-1	92.5	≦* <	97.5	76	2.47672	0.763	0.763	
-2	87.5	≦* <	92.5	72	2.39797	0.739	0.739	
-3	82.5	≦* <	87.5	68	2.31921	0.714	0.714	
-4	77.5	≦* <	82.5	64	2.24045	0.690	0.690	
-5	72.5	≦* <	77.5	60	2.16169	0.666	0.666	
-6	67.5	≦* <	72.5	56	2.08293	0.642	0.642	
-7	62.5	≦* <	67.5	52	2.00417	0.617	0.617	
-8	57.5	≦* <	62.5	48	1.92541	0.593	0.593	
-9	52.5	≦* <	57.5	44	1.84666	0.569	0.569	
-10	47.5	≦* <	52.5	40	1.76790	0.545	0.545	
-11	42.5	≦* <	47.5	36	1.68914	0.520	0.520	
-12	37.5	≦* <	42.5	32	1.61038	0.496	0.496	
-13	32.5	≦* <	37.5	28	1.53162	0.472	0.472	
-14	27.5	≦* <	32.5	24	1.45286	0.447	0.447	
-15	22.5	≦* <	27.5	20	1.37410	0.423	0.423	
-16	17.5	≦* <	22.5	16	1.29534	0.399	0.399	
-17	12.5	≦* <	17.5	12	1.21659	0.375	0.375	
-18	7.5	≦* <	12.5	8	1.13783	0.350	0.350	
-19	2.5	≦* <	7.5	4	1.05907	0.326	0.326	
-20	0.0	≦* <	2.5	1.00	1.00000	0.308	0.308	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.616 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.534	1.534	
19	192.5	≦* <	197.5	156	4.05190	1.186	1.186	
18	187.5	≦* <	192.5	152	3.97314	1.163	1.163	
17	182.5	≦* <	187.5	148	3.89438	1.139	1.139	
16	177.5	≦* <	182.5	144	3.81562	1.116	1.116	
15	172.5	≦* <	177.5	140	3.73686	1.093	1.093	
14	167.5	≦* <	172.5	136	3.65810	1.071	1.071	
13	162.5	≦* <	167.5	132	3.57934	1.047	1.047	
12	157.5	≦* <	162.5	128	3.50059	1.024	1.024	
11	152.5	≦* <	157.5	124	3.42183	1.001	1.001	
10	147.5	≦* <	152.5	120	3.34307	0.979	0.979	
9	142.5	≦* <	147.5	116	3.26431	0.955	0.955	
8	137.5	≦* <	142.5	112	3.18555	0.932	0.932	
7	132.5	≦* <	137.5	108	3.10679	0.909	0.909	
6	127.5	≦* <	132.5	104	3.02803	0.886	0.886	
5	122.5	≦* <	127.5	100	2.94928	0.863	0.863	
4	117.5	≦* <	122.5	96	2.87052	0.840	0.840	
3	112.5	≦* <	117.5	92	2.79176	0.817	0.817	
2	107.5	≦* <	112.5	88	2.71300	0.794	0.794	
1	102.5	≦* <	107.5	84	2.63424	0.770	0.770	
0	97.5	≦* <	102.5	80	2.55548	0.748	0.748	
-1	92.5	≦* <	97.5	76	2.47672	0.725	0.725	
-2	87.5	≦* <	92.5	72	2.39797	0.702	0.702	
-3	82.5	≦* <	87.5	68	2.31921	0.678	0.678	
-4	77.5	≦* <	82.5	64	2.24045	0.656	0.656	
-5	72.5	≦* <	77.5	60	2.16169	0.633	0.633	
-6	67.5	≦* <	72.5	56	2.08293	0.610	0.610	
-7	62.5	≦* <	67.5	52	2.00417	0.586	0.586	
-8	57.5	≦* <	62.5	48	1.92541	0.563	0.563	
-9	52.5	≦* <	57.5	44	1.84666	0.541	0.541	
-10	47.5	≦* <	52.5	40	1.76790	0.518	0.518	
-11	42.5	≦* <	47.5	36	1.68914	0.494	0.494	
-12	37.5	≦* <	42.5	32	1.61038	0.471	0.471	
-13	32.5	≦* <	37.5	28	1.53162	0.448	0.448	
-14	27.5	≦* <	32.5	24	1.45286	0.425	0.425	
-15	22.5	≦* <	27.5	20	1.37410	0.402	0.402	
-16	17.5	≦* <	22.5	16	1.29534	0.379	0.379	
-17	12.5	≦* <	17.5	12	1.21659	0.356	0.356	
-18	7.5	≦* <	12.5	8	1.13783	0.333	0.333	
-19	2.5	≦* <	7.5	4	1.05907	0.310	0.310	
-20	0.0	≦* <	2.5	1.00	1.00000	0.293	0.293	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.009 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.024	0.024	
19	192.5	≦* <	197.5	156	4.05190	0.018	0.018	
18	187.5	≦* <	192.5	152	3.97314	0.018	0.018	
17	182.5	≦* <	187.5	148	3.89438	0.018	0.018	
16	177.5	≦* <	182.5	144	3.81562	0.017	0.017	
15	172.5	≦* <	177.5	140	3.73686	0.017	0.017	
14	167.5	≦* <	172.5	136	3.65810	0.016	0.016	
13	162.5	≦* <	167.5	132	3.57934	0.016	0.016	
12	157.5	≦* <	162.5	128	3.50059	0.016	0.016	
11	152.5	≦* <	157.5	124	3.42183	0.015	0.015	
10	147.5	≦* <	152.5	120	3.34307	0.015	0.015	
9	142.5	≦* <	147.5	116	3.26431	0.015	0.015	
8	137.5	≦* <	142.5	112	3.18555	0.014	0.014	
7	132.5	≦* <	137.5	108	3.10679	0.014	0.014	
6	127.5	≦* <	132.5	104	3.02803	0.014	0.014	
5	122.5	≦* <	127.5	100	2.94928	0.013	0.013	
4	117.5	≦* <	122.5	96	2.87052	0.013	0.013	
3	112.5	≦* <	117.5	92	2.79176	0.013	0.013	
2	107.5	≦* <	112.5	88	2.71300	0.012	0.012	
1	102.5	≦* <	107.5	84	2.63424	0.012	0.012	
0	97.5	≦* <	102.5	80	2.55548	0.011	0.011	
-1	92.5	≦* <	97.5	76	2.47672	0.011	0.011	
-2	87.5	≦* <	92.5	72	2.39797	0.011	0.011	
-3	82.5	≦* <	87.5	68	2.31921	0.010	0.010	
-4	77.5	≦* <	82.5	64	2.24045	0.010	0.010	
-5	72.5	≦* <	77.5	60	2.16169	0.010	0.010	
-6	67.5	≦* <	72.5	56	2.08293	0.009	0.009	
-7	62.5	≦* <	67.5	52	2.00417	0.009	0.009	
-8	57.5	≦* <	62.5	48	1.92541	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.84666	0.008	0.008	
-10	47.5	≦* <	52.5	40	1.76790	0.008	0.008	
-11	42.5	≦* <	47.5	36	1.68914	0.008	0.008	
-12	37.5	≦* <	42.5	32	1.61038	0.007	0.007	
-13	32.5	≦* <	37.5	28	1.53162	0.007	0.007	
-14	27.5	≦* <	32.5	24	1.45286	0.007	0.007	
-15	22.5	≦* <	27.5	20	1.37410	0.006	0.006	
-16	17.5	≦* <	22.5	16	1.29534	0.006	0.006	
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05907	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.009 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.023	0.023	
19	192.5	≦* <	197.5	156	4.05190	0.017	0.017	
18	187.5	≦* <	192.5	152	3.97314	0.017	0.017	
17	182.5	≦* <	187.5	148	3.89438	0.017	0.017	
16	177.5	≦* <	182.5	144	3.81562	0.016	0.016	
15	172.5	≦* <	177.5	140	3.73686	0.016	0.016	
14	167.5	≦* <	172.5	136	3.65810	0.015	0.015	
13	162.5	≦* <	167.5	132	3.57934	0.015	0.015	
12	157.5	≦* <	162.5	128	3.50059	0.015	0.015	
11	152.5	≦* <	157.5	124	3.42183	0.014	0.014	
10	147.5	≦* <	152.5	120	3.34307	0.014	0.014	
9	142.5	≦* <	147.5	116	3.26431	0.014	0.014	
8	137.5	≦* <	142.5	112	3.18555	0.013	0.013	
7	132.5	≦* <	137.5	108	3.10679	0.013	0.013	
6	127.5	≦* <	132.5	104	3.02803	0.013	0.013	
5	122.5	≦* <	127.5	100	2.94928	0.012	0.012	
4	117.5	≦* <	122.5	96	2.87052	0.012	0.012	
3	112.5	≦* <	117.5	92	2.79176	0.012	0.012	
2	107.5	≦* <	112.5	88	2.71300	0.011	0.011	
1	102.5	≦* <	107.5	84	2.63424	0.011	0.011	
0	97.5	≦* <	102.5	80	2.55548	0.010	0.010	
-1	92.5	≦* <	97.5	76	2.47672	0.010	0.010	
-2	87.5	≦* <	92.5	72	2.39797	0.010	0.010	
-3	82.5	≦* <	87.5	68	2.31921	0.010	0.010	
-4	77.5	≦* <	82.5	64	2.24045	0.010	0.010	
-5	72.5	≦* <	77.5	60	2.16169	0.010	0.010	
-6	67.5	≦* <	72.5	56	2.08293	0.009	0.009	
-7	62.5	≦* <	67.5	52	2.00417	0.009	0.009	
-8	57.5	≦* <	62.5	48	1.92541	0.009	0.009	
-9	52.5	≦* <	57.5	44	1.84666	0.008	0.008	
-10	47.5	≦* <	52.5	40	1.76790	0.008	0.008	
-11	42.5	≦* <	47.5	36	1.68914	0.008	0.008	
-12	37.5	≦* <	42.5	32	1.61038	0.007	0.007	
-13	32.5	≦* <	37.5	28	1.53162	0.007	0.007	
-14	27.5	≦* <	32.5	24	1.45286	0.007	0.007	
-15	22.5	≦* <	27.5	20	1.37410	0.006	0.006	
-16	17.5	≦* <	22.5	16	1.29534	0.006	0.006	
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05907	0.005	0.005	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.78814	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.529 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.387	1.387	
19	192.5	≧* <	197.5	156	4.05190	1.072	1.072	
18	187.5	≧* <	192.5	152	3.97314	1.051	1.051	
17	182.5	≧* <	187.5	148	3.89438	1.030	1.030	
16	177.5	≧* <	182.5	144	3.81562	1.009	1.009	
15	172.5	≧* <	177.5	140	3.73686	0.988	0.988	
14	167.5	≧* <	172.5	136	3.65810	0.968	0.968	
13	162.5	≧* <	167.5	132	3.57934	0.947	0.947	
12	157.5	≧* <	162.5	128	3.50059	0.926	0.926	
11	152.5	≧* <	157.5	124	3.42183	0.905	0.905	
10	147.5	≧* <	152.5	120	3.34307	0.884	0.884	
9	142.5	≧* <	147.5	116	3.26431	0.863	0.863	
8	137.5	≧* <	142.5	112	3.18555	0.843	0.843	
7	132.5	≧* <	137.5	108	3.10679	0.822	0.822	
6	127.5	≧* <	132.5	104	3.02803	0.801	0.801	
5	122.5	≧* <	127.5	100	2.94928	0.780	0.780	
4	117.5	≧* <	122.5	96	2.87052	0.759	0.759	
3	112.5	≧* <	117.5	92	2.79176	0.738	0.738	
2	107.5	≧* <	112.5	88	2.71300	0.718	0.718	
1	102.5	≧* <	107.5	84	2.63424	0.697	0.697	
0	97.5	≧* <	102.5	80	2.55548	0.676	0.676	
-1	92.5	≧* <	97.5	76	2.47672	0.655	0.655	
-2	87.5	≧* <	92.5	72	2.39797	0.634	0.634	
-3	82.5	≧* <	87.5	68	2.31921	0.613	0.613	
-4	77.5	≧* <	82.5	64	2.24045	0.593	0.593	
-5	72.5	≧* <	77.5	60	2.16169	0.572	0.572	
-6	67.5	≧* <	72.5	56	2.08293	0.551	0.551	
-7	62.5	≧* <	67.5	52	2.00417	0.530	0.530	
-8	57.5	≧* <	62.5	48	1.92541	0.509	0.509	
-9	52.5	≧* <	57.5	44	1.84666	0.488	0.488	
-10	47.5	≧* <	52.5	40	1.76790	0.468	0.468	
-11	42.5	≧* <	47.5	36	1.68914	0.447	0.447	
-12	37.5	≧* <	42.5	32	1.61038	0.426	0.426	
-13	32.5	≧* <	37.5	28	1.53162	0.405	0.405	
-14	27.5	≧* <	32.5	24	1.45286	0.384	0.384	
-15	22.5	≧* <	27.5	20	1.37410	0.363	0.363	
-16	17.5	≧* <	22.5	16	1.29534	0.343	0.343	
-17	12.5	≧* <	17.5	12	1.21659	0.322	0.322	
-18	7.5	≧* <	12.5	8	1.13783	0.301	0.301	
-19	2.5	≧* <	7.5	4	1.05907	0.280	0.280	
-20	0.0	≧* <	2.5	1.00	1.00000	0.264	0.264	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.529 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.318	1.318	
19	192.5	≦* <	197.5	156	4.05190	1.018	1.018	
18	187.5	≦* <	192.5	152	3.97314	0.998	0.998	
17	182.5	≦* <	187.5	148	3.89438	0.979	0.979	
16	177.5	≦* <	182.5	144	3.81562	0.959	0.959	
15	172.5	≦* <	177.5	140	3.73686	0.939	0.939	
14	167.5	≦* <	172.5	136	3.65810	0.920	0.920	
13	162.5	≦* <	167.5	132	3.57934	0.900	0.900	
12	157.5	≦* <	162.5	128	3.50059	0.880	0.880	
11	152.5	≦* <	157.5	124	3.42183	0.860	0.860	
10	147.5	≦* <	152.5	120	3.34307	0.840	0.840	
9	142.5	≦* <	147.5	116	3.26431	0.820	0.820	
8	137.5	≦* <	142.5	112	3.18555	0.801	0.801	
7	132.5	≦* <	137.5	108	3.10679	0.781	0.781	
6	127.5	≦* <	132.5	104	3.02803	0.761	0.761	
5	122.5	≦* <	127.5	100	2.94928	0.741	0.741	
4	117.5	≦* <	122.5	96	2.87052	0.721	0.721	
3	112.5	≦* <	117.5	92	2.79176	0.701	0.701	
2	107.5	≦* <	112.5	88	2.71300	0.682	0.682	
1	102.5	≦* <	107.5	84	2.63424	0.662	0.662	
0	97.5	≦* <	102.5	80	2.55548	0.642	0.642	
-1	92.5	≦* <	97.5	76	2.47672	0.622	0.622	
-2	87.5	≦* <	92.5	72	2.39797	0.602	0.602	
-3	82.5	≦* <	87.5	68	2.31921	0.582	0.582	
-4	77.5	≦* <	82.5	64	2.24045	0.563	0.563	
-5	72.5	≦* <	77.5	60	2.16169	0.543	0.543	
-6	67.5	≦* <	72.5	56	2.08293	0.523	0.523	
-7	62.5	≦* <	67.5	52	2.00417	0.504	0.504	
-8	57.5	≦* <	62.5	48	1.92541	0.484	0.484	
-9	52.5	≦* <	57.5	44	1.84666	0.464	0.464	
-10	47.5	≦* <	52.5	40	1.76790	0.445	0.445	
-11	42.5	≦* <	47.5	36	1.68914	0.425	0.425	
-12	37.5	≦* <	42.5	32	1.61038	0.405	0.405	
-13	32.5	≦* <	37.5	28	1.53162	0.385	0.385	
-14	27.5	≦* <	32.5	24	1.45286	0.365	0.365	
-15	22.5	≦* <	27.5	20	1.37410	0.345	0.345	
-16	17.5	≦* <	22.5	16	1.29534	0.326	0.326	
-17	12.5	≦* <	17.5	12	1.21659	0.306	0.306	
-18	7.5	≦* <	12.5	8	1.13783	0.286	0.286	
-19	2.5	≦* <	7.5	4	1.05907	0.266	0.266	
-20	0.0	≦* <	2.5	1.00	1.00000	0.251	0.251	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.008 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.021	0.021	
19	192.5	≦* <	197.5	156	4.05190	0.016	0.016	
18	187.5	≦* <	192.5	152	3.97314	0.016	0.016	
17	182.5	≦* <	187.5	148	3.89438	0.016	0.016	
16	177.5	≦* <	182.5	144	3.81562	0.015	0.015	
15	172.5	≦* <	177.5	140	3.73686	0.015	0.015	
14	167.5	≦* <	172.5	136	3.65810	0.015	0.015	
13	162.5	≦* <	167.5	132	3.57934	0.014	0.014	
12	157.5	≦* <	162.5	128	3.50059	0.014	0.014	
11	152.5	≦* <	157.5	124	3.42183	0.014	0.014	
10	147.5	≦* <	152.5	120	3.34307	0.013	0.013	
9	142.5	≦* <	147.5	116	3.26431	0.013	0.013	
8	137.5	≦* <	142.5	112	3.18555	0.013	0.013	
7	132.5	≦* <	137.5	108	3.10679	0.012	0.012	
6	127.5	≦* <	132.5	104	3.02803	0.012	0.012	
5	122.5	≦* <	127.5	100	2.94928	0.012	0.012	
4	117.5	≦* <	122.5	96	2.87052	0.011	0.011	
3	112.5	≦* <	117.5	92	2.79176	0.011	0.011	
2	107.5	≦* <	112.5	88	2.71300	0.011	0.011	
1	102.5	≦* <	107.5	84	2.63424	0.011	0.011	
0	97.5	≦* <	102.5	80	2.55548	0.010	0.010	
-1	92.5	≦* <	97.5	76	2.47672	0.010	0.010	
-2	87.5	≦* <	92.5	72	2.39797	0.010	0.010	
-3	82.5	≦* <	87.5	68	2.31921	0.009	0.009	
-4	77.5	≦* <	82.5	64	2.24045	0.009	0.009	
-5	72.5	≦* <	77.5	60	2.16169	0.009	0.009	
-6	67.5	≦* <	72.5	56	2.08293	0.008	0.008	
-7	62.5	≦* <	67.5	52	2.00417	0.008	0.008	
-8	57.5	≦* <	62.5	48	1.92541	0.008	0.008	
-9	52.5	≦* <	57.5	44	1.84666	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.76790	0.007	0.007	
-11	42.5	≦* <	47.5	36	1.68914	0.007	0.007	
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53162	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.45286	0.006	0.006	
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.008 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.020	0.020	
19	192.5	≦* <	197.5	156	4.05190	0.015	0.015	
18	187.5	≦* <	192.5	152	3.97314	0.015	0.015	
17	182.5	≦* <	187.5	148	3.89438	0.015	0.015	
16	177.5	≦* <	182.5	144	3.81562	0.014	0.014	
15	172.5	≦* <	177.5	140	3.73686	0.014	0.014	
14	167.5	≦* <	172.5	136	3.65810	0.014	0.014	
13	162.5	≦* <	167.5	132	3.57934	0.013	0.013	
12	157.5	≦* <	162.5	128	3.50059	0.013	0.013	
11	152.5	≦* <	157.5	124	3.42183	0.013	0.013	
10	147.5	≦* <	152.5	120	3.34307	0.012	0.012	
9	142.5	≦* <	147.5	116	3.26431	0.012	0.012	
8	137.5	≦* <	142.5	112	3.18555	0.012	0.012	
7	132.5	≦* <	137.5	108	3.10679	0.011	0.011	
6	127.5	≦* <	132.5	104	3.02803	0.011	0.011	
5	122.5	≦* <	127.5	100	2.94928	0.011	0.011	
4	117.5	≦* <	122.5	96	2.87052	0.010	0.010	
3	112.5	≦* <	117.5	92	2.79176	0.010	0.010	
2	107.5	≦* <	112.5	88	2.71300	0.010	0.010	
1	102.5	≦* <	107.5	84	2.63424	0.010	0.010	
0	97.5	≦* <	102.5	80	2.55548	0.010	0.010	
-1	92.5	≦* <	97.5	76	2.47672	0.010	0.010	
-2	87.5	≦* <	92.5	72	2.39797	0.010	0.010	
-3	82.5	≦* <	87.5	68	2.31921	0.009	0.009	
-4	77.5	≦* <	82.5	64	2.24045	0.009	0.009	
-5	72.5	≦* <	77.5	60	2.16169	0.009	0.009	
-6	67.5	≦* <	72.5	56	2.08293	0.008	0.008	
-7	62.5	≦* <	67.5	52	2.00417	0.008	0.008	
-8	57.5	≦* <	62.5	48	1.92541	0.008	0.008	
-9	52.5	≦* <	57.5	44	1.84666	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.76790	0.007	0.007	
-11	42.5	≦* <	47.5	36	1.68914	0.007	0.007	
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53162	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.45286	0.006	0.006	
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.472 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.237	1.237	
19	192.5	≧* <	197.5	156	4.05190	0.956	0.956	
18	187.5	≧* <	192.5	152	3.97314	0.938	0.938	
17	182.5	≧* <	187.5	148	3.89438	0.919	0.919	
16	177.5	≧* <	182.5	144	3.81562	0.900	0.900	
15	172.5	≧* <	177.5	140	3.73686	0.882	0.882	
14	167.5	≧* <	172.5	136	3.65810	0.863	0.863	
13	162.5	≧* <	167.5	132	3.57934	0.845	0.845	
12	157.5	≧* <	162.5	128	3.50059	0.826	0.826	
11	152.5	≧* <	157.5	124	3.42183	0.808	0.808	
10	147.5	≧* <	152.5	120	3.34307	0.789	0.789	
9	142.5	≧* <	147.5	116	3.26431	0.770	0.770	
8	137.5	≧* <	142.5	112	3.18555	0.752	0.752	
7	132.5	≧* <	137.5	108	3.10679	0.733	0.733	
6	127.5	≧* <	132.5	104	3.02803	0.715	0.715	
5	122.5	≧* <	127.5	100	2.94928	0.696	0.696	
4	117.5	≧* <	122.5	96	2.87052	0.677	0.677	
3	112.5	≧* <	117.5	92	2.79176	0.659	0.659	
2	107.5	≧* <	112.5	88	2.71300	0.640	0.640	
1	102.5	≧* <	107.5	84	2.63424	0.622	0.622	
0	97.5	≧* <	102.5	80	2.55548	0.603	0.603	
-1	92.5	≧* <	97.5	76	2.47672	0.585	0.585	
-2	87.5	≧* <	92.5	72	2.39797	0.566	0.566	
-3	82.5	≧* <	87.5	68	2.31921	0.547	0.547	
-4	77.5	≧* <	82.5	64	2.24045	0.529	0.529	
-5	72.5	≧* <	77.5	60	2.16169	0.510	0.510	
-6	67.5	≧* <	72.5	56	2.08293	0.492	0.492	
-7	62.5	≧* <	67.5	52	2.00417	0.473	0.473	
-8	57.5	≧* <	62.5	48	1.92541	0.454	0.454	
-9	52.5	≧* <	57.5	44	1.84666	0.436	0.436	
-10	47.5	≧* <	52.5	40	1.76790	0.417	0.417	
-11	42.5	≧* <	47.5	36	1.68914	0.399	0.399	
-12	37.5	≧* <	42.5	32	1.61038	0.380	0.380	
-13	32.5	≧* <	37.5	28	1.53162	0.361	0.361	
-14	27.5	≧* <	32.5	24	1.45286	0.343	0.343	
-15	22.5	≧* <	27.5	20	1.37410	0.324	0.324	
-16	17.5	≧* <	22.5	16	1.29534	0.306	0.306	
-17	12.5	≧* <	17.5	12	1.21659	0.287	0.287	
-18	7.5	≧* <	12.5	8	1.13783	0.269	0.269	
-19	2.5	≧* <	7.5	4	1.05907	0.250	0.250	
-20	0.0	≧* <	2.5	1.00	1.00000	0.236	0.236	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.472 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.175	1.175	
19	192.5	≧* <	197.5	156	4.05190	0.908	0.908	
18	187.5	≧* <	192.5	152	3.97314	0.891	0.891	
17	182.5	≧* <	187.5	148	3.89438	0.873	0.873	
16	177.5	≧* <	182.5	144	3.81562	0.855	0.855	
15	172.5	≧* <	177.5	140	3.73686	0.838	0.838	
14	167.5	≧* <	172.5	136	3.65810	0.820	0.820	
13	162.5	≧* <	167.5	132	3.57934	0.803	0.803	
12	157.5	≧* <	162.5	128	3.50059	0.785	0.785	
11	152.5	≧* <	157.5	124	3.42183	0.768	0.768	
10	147.5	≧* <	152.5	120	3.34307	0.750	0.750	
9	142.5	≧* <	147.5	116	3.26431	0.732	0.732	
8	137.5	≧* <	142.5	112	3.18555	0.714	0.714	
7	132.5	≧* <	137.5	108	3.10679	0.696	0.696	
6	127.5	≧* <	132.5	104	3.02803	0.679	0.679	
5	122.5	≧* <	127.5	100	2.94928	0.661	0.661	
4	117.5	≧* <	122.5	96	2.87052	0.643	0.643	
3	112.5	≧* <	117.5	92	2.79176	0.626	0.626	
2	107.5	≧* <	112.5	88	2.71300	0.608	0.608	
1	102.5	≧* <	107.5	84	2.63424	0.591	0.591	
0	97.5	≧* <	102.5	80	2.55548	0.573	0.573	
-1	92.5	≧* <	97.5	76	2.47672	0.556	0.556	
-2	87.5	≧* <	92.5	72	2.39797	0.538	0.538	
-3	82.5	≧* <	87.5	68	2.31921	0.520	0.520	
-4	77.5	≧* <	82.5	64	2.24045	0.503	0.503	
-5	72.5	≧* <	77.5	60	2.16169	0.485	0.485	
-6	67.5	≧* <	72.5	56	2.08293	0.467	0.467	
-7	62.5	≧* <	67.5	52	2.00417	0.449	0.449	
-8	57.5	≧* <	62.5	48	1.92541	0.431	0.431	
-9	52.5	≧* <	57.5	44	1.84666	0.414	0.414	
-10	47.5	≧* <	52.5	40	1.76790	0.396	0.396	
-11	42.5	≧* <	47.5	36	1.68914	0.379	0.379	
-12	37.5	≧* <	42.5	32	1.61038	0.361	0.361	
-13	32.5	≧* <	37.5	28	1.53162	0.343	0.343	
-14	27.5	≧* <	32.5	24	1.45286	0.326	0.326	
-15	22.5	≧* <	27.5	20	1.37410	0.308	0.308	
-16	17.5	≧* <	22.5	16	1.29534	0.291	0.291	
-17	12.5	≧* <	17.5	12	1.21659	0.273	0.273	
-18	7.5	≧* <	12.5	8	1.13783	0.256	0.256	
-19	2.5	≧* <	7.5	4	1.05907	0.238	0.238	
-20	0.0	≧* <	2.5	1.00	1.00000	0.224	0.224	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.007 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.018	0.018	
19	192.5	≦* <	197.5	156	4.05190	0.014	0.014	
18	187.5	≦* <	192.5	152	3.97314	0.014	0.014	
17	182.5	≦* <	187.5	148	3.89438	0.014	0.014	
16	177.5	≦* <	182.5	144	3.81562	0.013	0.013	
15	172.5	≦* <	177.5	140	3.73686	0.013	0.013	
14	167.5	≦* <	172.5	136	3.65810	0.013	0.013	
13	162.5	≦* <	167.5	132	3.57934	0.013	0.013	
12	157.5	≦* <	162.5	128	3.50059	0.012	0.012	
11	152.5	≦* <	157.5	124	3.42183	0.012	0.012	
10	147.5	≦* <	152.5	120	3.34307	0.012	0.012	
9	142.5	≦* <	147.5	116	3.26431	0.011	0.011	
8	137.5	≦* <	142.5	112	3.18555	0.011	0.011	
7	132.5	≦* <	137.5	108	3.10679	0.011	0.011	
6	127.5	≦* <	132.5	104	3.02803	0.011	0.011	
5	122.5	≦* <	127.5	100	2.94928	0.010	0.010	
4	117.5	≦* <	122.5	96	2.87052	0.010	0.010	
3	112.5	≦* <	117.5	92	2.79176	0.010	0.010	
2	107.5	≦* <	112.5	88	2.71300	0.009	0.009	
1	102.5	≦* <	107.5	84	2.63424	0.009	0.009	
0	97.5	≦* <	102.5	80	2.55548	0.009	0.009	
-1	92.5	≦* <	97.5	76	2.47672	0.009	0.009	
-2	87.5	≦* <	92.5	72	2.39797	0.008	0.008	
-3	82.5	≦* <	87.5	68	2.31921	0.008	0.008	
-4	77.5	≦* <	82.5	64	2.24045	0.008	0.008	
-5	72.5	≦* <	77.5	60	2.16169	0.008	0.008	
-6	67.5	≦* <	72.5	56	2.08293	0.007	0.007	
-7	62.5	≦* <	67.5	52	2.00417	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.92541	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.84666	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76790	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.68914	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53162	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45286	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21659	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13783	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.007 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.017	0.017	
19	192.5	≦* <	197.5	156	4.05190	0.013	0.013	
18	187.5	≦* <	192.5	152	3.97314	0.013	0.013	
17	182.5	≦* <	187.5	148	3.89438	0.013	0.013	
16	177.5	≦* <	182.5	144	3.81562	0.012	0.012	
15	172.5	≦* <	177.5	140	3.73686	0.012	0.012	
14	167.5	≦* <	172.5	136	3.65810	0.012	0.012	
13	162.5	≦* <	167.5	132	3.57934	0.012	0.012	
12	157.5	≦* <	162.5	128	3.50059	0.011	0.011	
11	152.5	≦* <	157.5	124	3.42183	0.011	0.011	
10	147.5	≦* <	152.5	120	3.34307	0.011	0.011	
9	142.5	≦* <	147.5	116	3.26431	0.010	0.010	
8	137.5	≦* <	142.5	112	3.18555	0.010	0.010	
7	132.5	≦* <	137.5	108	3.10679	0.010	0.010	
6	127.5	≦* <	132.5	104	3.02803	0.010	0.010	
5	122.5	≦* <	127.5	100	2.94928	0.010	0.010	
4	117.5	≦* <	122.5	96	2.87052	0.010	0.010	
3	112.5	≦* <	117.5	92	2.79176	0.010	0.010	
2	107.5	≦* <	112.5	88	2.71300	0.009	0.009	
1	102.5	≦* <	107.5	84	2.63424	0.009	0.009	
0	97.5	≦* <	102.5	80	2.55548	0.009	0.009	
-1	92.5	≦* <	97.5	76	2.47672	0.009	0.009	
-2	87.5	≦* <	92.5	72	2.39797	0.008	0.008	
-3	82.5	≦* <	87.5	68	2.31921	0.008	0.008	
-4	77.5	≦* <	82.5	64	2.24045	0.008	0.008	
-5	72.5	≦* <	77.5	60	2.16169	0.008	0.008	
-6	67.5	≦* <	72.5	56	2.08293	0.007	0.007	
-7	62.5	≦* <	67.5	52	2.00417	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.92541	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.84666	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76790	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.68914	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.53162	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45286	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.21659	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13783	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.78814	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.317 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.831	0.831	
19	192.5	≦* <	197.5	156	4.05190	0.642	0.642	
18	187.5	≦* <	192.5	152	3.97314	0.630	0.630	
17	182.5	≦* <	187.5	148	3.89438	0.617	0.617	
16	177.5	≦* <	182.5	144	3.81562	0.605	0.605	
15	172.5	≦* <	177.5	140	3.73686	0.592	0.592	
14	167.5	≦* <	172.5	136	3.65810	0.580	0.580	
13	162.5	≦* <	167.5	132	3.57934	0.567	0.567	
12	157.5	≦* <	162.5	128	3.50059	0.555	0.555	
11	152.5	≦* <	157.5	124	3.42183	0.542	0.542	
10	147.5	≦* <	152.5	120	3.34307	0.530	0.530	
9	142.5	≦* <	147.5	116	3.26431	0.517	0.517	
8	137.5	≦* <	142.5	112	3.18555	0.505	0.505	
7	132.5	≦* <	137.5	108	3.10679	0.492	0.492	
6	127.5	≦* <	132.5	104	3.02803	0.480	0.480	
5	122.5	≦* <	127.5	100	2.94928	0.467	0.467	
4	117.5	≦* <	122.5	96	2.87052	0.455	0.455	
3	112.5	≦* <	117.5	92	2.79176	0.442	0.442	
2	107.5	≦* <	112.5	88	2.71300	0.430	0.430	
1	102.5	≦* <	107.5	84	2.63424	0.418	0.418	
0	97.5	≦* <	102.5	80	2.55548	0.405	0.405	
-1	92.5	≦* <	97.5	76	2.47672	0.393	0.393	
-2	87.5	≦* <	92.5	72	2.39797	0.380	0.380	
-3	82.5	≦* <	87.5	68	2.31921	0.368	0.368	
-4	77.5	≦* <	82.5	64	2.24045	0.355	0.355	
-5	72.5	≦* <	77.5	60	2.16169	0.343	0.343	
-6	67.5	≦* <	72.5	56	2.08293	0.330	0.330	
-7	62.5	≦* <	67.5	52	2.00417	0.318	0.318	
-8	57.5	≦* <	62.5	48	1.92541	0.305	0.305	
-9	52.5	≦* <	57.5	44	1.84666	0.293	0.293	
-10	47.5	≦* <	52.5	40	1.76790	0.280	0.280	
-11	42.5	≦* <	47.5	36	1.68914	0.268	0.268	
-12	37.5	≦* <	42.5	32	1.61038	0.255	0.255	
-13	32.5	≦* <	37.5	28	1.53162	0.243	0.243	
-14	27.5	≦* <	32.5	24	1.45286	0.230	0.230	
-15	22.5	≦* <	27.5	20	1.37410	0.218	0.218	
-16	17.5	≦* <	22.5	16	1.29534	0.205	0.205	
-17	12.5	≦* <	17.5	12	1.21659	0.193	0.193	
-18	7.5	≦* <	12.5	8	1.13783	0.180	0.180	
-19	2.5	≦* <	7.5	4	1.05907	0.168	0.168	
-20	0.0	≦* <	2.5	1.00	1.00000	0.158	0.158	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.317 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.789	0.789	
19	192.5	≦* <	197.5	156	4.05190	0.610	0.610	
18	187.5	≦* <	192.5	152	3.97314	0.599	0.599	
17	182.5	≦* <	187.5	148	3.89438	0.586	0.586	
16	177.5	≦* <	182.5	144	3.81562	0.575	0.575	
15	172.5	≦* <	177.5	140	3.73686	0.562	0.562	
14	167.5	≦* <	172.5	136	3.65810	0.551	0.551	
13	162.5	≦* <	167.5	132	3.57934	0.539	0.539	
12	157.5	≦* <	162.5	128	3.50059	0.527	0.527	
11	152.5	≦* <	157.5	124	3.42183	0.515	0.515	
10	147.5	≦* <	152.5	120	3.34307	0.504	0.504	
9	142.5	≦* <	147.5	116	3.26431	0.491	0.491	
8	137.5	≦* <	142.5	112	3.18555	0.480	0.480	
7	132.5	≦* <	137.5	108	3.10679	0.467	0.467	
6	127.5	≦* <	132.5	104	3.02803	0.456	0.456	
5	122.5	≦* <	127.5	100	2.94928	0.444	0.444	
4	117.5	≦* <	122.5	96	2.87052	0.432	0.432	
3	112.5	≦* <	117.5	92	2.79176	0.420	0.420	
2	107.5	≦* <	112.5	88	2.71300	0.409	0.409	
1	102.5	≦* <	107.5	84	2.63424	0.397	0.397	
0	97.5	≦* <	102.5	80	2.55548	0.385	0.385	
-1	92.5	≦* <	97.5	76	2.47672	0.373	0.373	
-2	87.5	≦* <	92.5	72	2.39797	0.361	0.361	
-3	82.5	≦* <	87.5	68	2.31921	0.350	0.350	
-4	77.5	≦* <	82.5	64	2.24045	0.337	0.337	
-5	72.5	≦* <	77.5	60	2.16169	0.326	0.326	
-6	67.5	≦* <	72.5	56	2.08293	0.314	0.314	
-7	62.5	≦* <	67.5	52	2.00417	0.302	0.302	
-8	57.5	≦* <	62.5	48	1.92541	0.290	0.290	
-9	52.5	≦* <	57.5	44	1.84666	0.278	0.278	
-10	47.5	≦* <	52.5	40	1.76790	0.266	0.266	
-11	42.5	≦* <	47.5	36	1.68914	0.255	0.255	
-12	37.5	≦* <	42.5	32	1.61038	0.242	0.242	
-13	32.5	≦* <	37.5	28	1.53162	0.231	0.231	
-14	27.5	≦* <	32.5	24	1.45286	0.219	0.219	
-15	22.5	≦* <	27.5	20	1.37410	0.207	0.207	
-16	17.5	≦* <	22.5	16	1.29534	0.195	0.195	
-17	12.5	≦* <	17.5	12	1.21659	0.183	0.183	
-18	7.5	≦* <	12.5	8	1.13783	0.171	0.171	
-19	2.5	≦* <	7.5	4	1.05907	0.160	0.160	
-20	0.0	≦* <	2.5	1.00	1.00000	0.150	0.150	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.006 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.016	0.016	
19	192.5	≦* <	197.5	156	4.05190	0.012	0.012	
18	187.5	≦* <	192.5	152	3.97314	0.012	0.012	
17	182.5	≦* <	187.5	148	3.89438	0.012	0.012	
16	177.5	≦* <	182.5	144	3.81562	0.011	0.011	
15	172.5	≦* <	177.5	140	3.73686	0.011	0.011	
14	167.5	≦* <	172.5	136	3.65810	0.011	0.011	
13	162.5	≦* <	167.5	132	3.57934	0.011	0.011	
12	157.5	≦* <	162.5	128	3.50059	0.011	0.011	
11	152.5	≦* <	157.5	124	3.42183	0.010	0.010	
10	147.5	≦* <	152.5	120	3.34307	0.010	0.010	
9	142.5	≦* <	147.5	116	3.26431	0.010	0.010	
8	137.5	≦* <	142.5	112	3.18555	0.010	0.010	
7	132.5	≦* <	137.5	108	3.10679	0.009	0.009	
6	127.5	≦* <	132.5	104	3.02803	0.009	0.009	
5	122.5	≦* <	127.5	100	2.94928	0.009	0.009	
4	117.5	≦* <	122.5	96	2.87052	0.009	0.009	
3	112.5	≦* <	117.5	92	2.79176	0.008	0.008	
2	107.5	≦* <	112.5	88	2.71300	0.008	0.008	
1	102.5	≦* <	107.5	84	2.63424	0.008	0.008	
0	97.5	≦* <	102.5	80	2.55548	0.008	0.008	
-1	92.5	≦* <	97.5	76	2.47672	0.007	0.007	
-2	87.5	≦* <	92.5	72	2.39797	0.007	0.007	
-3	82.5	≦* <	87.5	68	2.31921	0.007	0.007	
-4	77.5	≦* <	82.5	64	2.24045	0.007	0.007	
-5	72.5	≦* <	77.5	60	2.16169	0.006	0.006	
-6	67.5	≦* <	72.5	56	2.08293	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.00417	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.92541	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.84666	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.76790	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.68914	0.005	0.005	
-12	37.5	≦* <	42.5	32	1.61038	0.005	0.005	
-13	32.5	≦* <	37.5	28	1.53162	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.45286	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.37410	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.29534	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.21659	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.13783	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.05907	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.006 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.015	0.015	
19	192.5	≧* <	197.5	156	4.05190	0.011	0.011	
18	187.5	≧* <	192.5	152	3.97314	0.011	0.011	
17	182.5	≧* <	187.5	148	3.89438	0.011	0.011	
16	177.5	≧* <	182.5	144	3.81562	0.010	0.010	
15	172.5	≧* <	177.5	140	3.73686	0.010	0.010	
14	167.5	≧* <	172.5	136	3.65810	0.010	0.010	
13	162.5	≧* <	167.5	132	3.57934	0.010	0.010	
12	157.5	≧* <	162.5	128	3.50059	0.010	0.010	
11	152.5	≧* <	157.5	124	3.42183	0.010	0.010	
10	147.5	≧* <	152.5	120	3.34307	0.010	0.010	
9	142.5	≧* <	147.5	116	3.26431	0.010	0.010	
8	137.5	≧* <	142.5	112	3.18555	0.010	0.010	
7	132.5	≧* <	137.5	108	3.10679	0.009	0.009	
6	127.5	≧* <	132.5	104	3.02803	0.009	0.009	
5	122.5	≧* <	127.5	100	2.94928	0.009	0.009	
4	117.5	≧* <	122.5	96	2.87052	0.009	0.009	
3	112.5	≧* <	117.5	92	2.79176	0.008	0.008	
2	107.5	≧* <	112.5	88	2.71300	0.008	0.008	
1	102.5	≧* <	107.5	84	2.63424	0.008	0.008	
0	97.5	≧* <	102.5	80	2.55548	0.008	0.008	
-1	92.5	≧* <	97.5	76	2.47672	0.007	0.007	
-2	87.5	≧* <	92.5	72	2.39797	0.007	0.007	
-3	82.5	≧* <	87.5	68	2.31921	0.007	0.007	
-4	77.5	≧* <	82.5	64	2.24045	0.007	0.007	
-5	72.5	≧* <	77.5	60	2.16169	0.006	0.006	
-6	67.5	≧* <	72.5	56	2.08293	0.006	0.006	
-7	62.5	≧* <	67.5	52	2.00417	0.006	0.006	
-8	57.5	≧* <	62.5	48	1.92541	0.006	0.006	
-9	52.5	≧* <	57.5	44	1.84666	0.006	0.006	
-10	47.5	≧* <	52.5	40	1.76790	0.005	0.005	
-11	42.5	≧* <	47.5	36	1.68914	0.005	0.005	
-12	37.5	≧* <	42.5	32	1.61038	0.005	0.005	
-13	32.5	≧* <	37.5	28	1.53162	0.005	0.005	
-14	27.5	≧* <	32.5	24	1.45286	0.004	0.004	
-15	22.5	≧* <	27.5	20	1.37410	0.004	0.004	
-16	17.5	≧* <	22.5	16	1.29534	0.004	0.004	
-17	12.5	≧* <	17.5	12	1.21659	0.004	0.004	
-18	7.5	≧* <	12.5	8	1.13783	0.003	0.003	
-19	2.5	≧* <	7.5	4	1.05907	0.003	0.003	
-20	0.0	≧* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.319 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.881	0.881	
19	192.5	≦* <	197.5	156	3.46093	0.552	0.552	
18	187.5	≦* <	192.5	152	3.39742	0.542	0.542	
17	182.5	≦* <	187.5	148	3.33391	0.532	0.532	
16	177.5	≦* <	182.5	144	3.27041	0.522	0.522	
15	172.5	≦* <	177.5	140	3.20690	0.512	0.512	
14	167.5	≦* <	172.5	136	3.14339	0.501	0.501	
13	162.5	≦* <	167.5	132	3.07988	0.491	0.491	
12	157.5	≦* <	162.5	128	3.01637	0.481	0.481	
11	152.5	≦* <	157.5	124	2.95287	0.471	0.471	
10	147.5	≦* <	152.5	120	2.88936	0.461	0.461	
9	142.5	≦* <	147.5	116	2.82585	0.451	0.451	
8	137.5	≦* <	142.5	112	2.76234	0.441	0.441	
7	132.5	≦* <	137.5	108	2.69884	0.430	0.430	
6	127.5	≦* <	132.5	104	2.63533	0.420	0.420	
5	122.5	≦* <	127.5	100	2.57182	0.410	0.410	
4	117.5	≦* <	122.5	96	2.50831	0.400	0.400	
3	112.5	≦* <	117.5	92	2.44480	0.390	0.390	
2	107.5	≦* <	112.5	88	2.38130	0.380	0.380	
1	102.5	≦* <	107.5	84	2.31779	0.370	0.370	
0	97.5	≦* <	102.5	80	2.25428	0.360	0.360	
-1	92.5	≦* <	97.5	76	2.19077	0.349	0.349	
-2	87.5	≦* <	92.5	72	2.12726	0.339	0.339	
-3	82.5	≦* <	87.5	68	2.06376	0.329	0.329	
-4	77.5	≦* <	82.5	64	2.00025	0.319	0.319	
-5	72.5	≦* <	77.5	60	1.93674	0.309	0.309	
-6	67.5	≦* <	72.5	56	1.87323	0.299	0.299	
-7	62.5	≦* <	67.5	52	1.80973	0.289	0.289	
-8	57.5	≦* <	62.5	48	1.74622	0.279	0.279	
-9	52.5	≦* <	57.5	44	1.68271	0.268	0.268	
-10	47.5	≦* <	52.5	40	1.61920	0.258	0.258	
-11	42.5	≦* <	47.5	36	1.55569	0.248	0.248	
-12	37.5	≦* <	42.5	32	1.49219	0.238	0.238	
-13	32.5	≦* <	37.5	28	1.42868	0.228	0.228	
-14	27.5	≦* <	32.5	24	1.36517	0.218	0.218	
-15	22.5	≦* <	27.5	20	1.30166	0.208	0.208	
-16	17.5	≦* <	22.5	16	1.23815	0.197	0.197	
-17	12.5	≦* <	17.5	12	1.17465	0.187	0.187	
-18	7.5	≦* <	12.5	8	1.11114	0.177	0.177	
-19	2.5	≦* <	7.5	4	1.04763	0.167	0.167	
-20	0.0	≦* <	2.5	1.00	1.00000	0.159	0.159	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.319 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.837	0.837	
19	192.5	≦* <	197.5	156	3.46093	0.524	0.524	
18	187.5	≦* <	192.5	152	3.39742	0.515	0.515	
17	182.5	≦* <	187.5	148	3.33391	0.505	0.505	
16	177.5	≦* <	182.5	144	3.27041	0.496	0.496	
15	172.5	≦* <	177.5	140	3.20690	0.486	0.486	
14	167.5	≦* <	172.5	136	3.14339	0.476	0.476	
13	162.5	≦* <	167.5	132	3.07988	0.466	0.466	
12	157.5	≦* <	162.5	128	3.01637	0.457	0.457	
11	152.5	≦* <	157.5	124	2.95287	0.447	0.447	
10	147.5	≦* <	152.5	120	2.88936	0.438	0.438	
9	142.5	≦* <	147.5	116	2.82585	0.428	0.428	
8	137.5	≦* <	142.5	112	2.76234	0.419	0.419	
7	132.5	≦* <	137.5	108	2.69884	0.409	0.409	
6	127.5	≦* <	132.5	104	2.63533	0.399	0.399	
5	122.5	≦* <	127.5	100	2.57182	0.390	0.390	
4	117.5	≦* <	122.5	96	2.50831	0.380	0.380	
3	112.5	≦* <	117.5	92	2.44480	0.371	0.371	
2	107.5	≦* <	112.5	88	2.38130	0.361	0.361	
1	102.5	≦* <	107.5	84	2.31779	0.352	0.352	
0	97.5	≦* <	102.5	80	2.25428	0.342	0.342	
-1	92.5	≦* <	97.5	76	2.19077	0.332	0.332	
-2	87.5	≦* <	92.5	72	2.12726	0.322	0.322	
-3	82.5	≦* <	87.5	68	2.06376	0.313	0.313	
-4	77.5	≦* <	82.5	64	2.00025	0.303	0.303	
-5	72.5	≦* <	77.5	60	1.93674	0.294	0.294	
-6	67.5	≦* <	72.5	56	1.87323	0.284	0.284	
-7	62.5	≦* <	67.5	52	1.80973	0.275	0.275	
-8	57.5	≦* <	62.5	48	1.74622	0.265	0.265	
-9	52.5	≦* <	57.5	44	1.68271	0.255	0.255	
-10	47.5	≦* <	52.5	40	1.61920	0.245	0.245	
-11	42.5	≦* <	47.5	36	1.55569	0.236	0.236	
-12	37.5	≦* <	42.5	32	1.49219	0.226	0.226	
-13	32.5	≦* <	37.5	28	1.42868	0.217	0.217	
-14	27.5	≦* <	32.5	24	1.36517	0.207	0.207	
-15	22.5	≦* <	27.5	20	1.30166	0.198	0.198	
-16	17.5	≦* <	22.5	16	1.23815	0.187	0.187	
-17	12.5	≦* <	17.5	12	1.17465	0.178	0.178	
-18	7.5	≦* <	12.5	8	1.11114	0.168	0.168	
-19	2.5	≦* <	7.5	4	1.04763	0.159	0.159	
-20	0.0	≦* <	2.5	1.00	1.00000	0.151	0.151	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.014	0.014	
19	192.5	≧* <	197.5	156	3.46093	0.009	0.009	
18	187.5	≧* <	192.5	152	3.39742	0.008	0.008	
17	182.5	≧* <	187.5	148	3.33391	0.008	0.008	
16	177.5	≧* <	182.5	144	3.27041	0.008	0.008	
15	172.5	≧* <	177.5	140	3.20690	0.008	0.008	
14	167.5	≧* <	172.5	136	3.14339	0.008	0.008	
13	162.5	≧* <	167.5	132	3.07988	0.008	0.008	
12	157.5	≧* <	162.5	128	3.01637	0.008	0.008	
11	152.5	≧* <	157.5	124	2.95287	0.007	0.007	
10	147.5	≧* <	152.5	120	2.88936	0.007	0.007	
9	142.5	≧* <	147.5	116	2.82585	0.007	0.007	
8	137.5	≧* <	142.5	112	2.76234	0.007	0.007	
7	132.5	≧* <	137.5	108	2.69884	0.007	0.007	
6	127.5	≧* <	132.5	104	2.63533	0.007	0.007	
5	122.5	≧* <	127.5	100	2.57182	0.006	0.006	
4	117.5	≧* <	122.5	96	2.50831	0.006	0.006	
3	112.5	≧* <	117.5	92	2.44480	0.006	0.006	
2	107.5	≧* <	112.5	88	2.38130	0.006	0.006	
1	102.5	≧* <	107.5	84	2.31779	0.006	0.006	
0	97.5	≧* <	102.5	80	2.25428	0.006	0.006	
-1	92.5	≧* <	97.5	76	2.19077	0.005	0.005	
-2	87.5	≧* <	92.5	72	2.12726	0.005	0.005	
-3	82.5	≧* <	87.5	68	2.06376	0.005	0.005	
-4	77.5	≧* <	82.5	64	2.00025	0.005	0.005	
-5	72.5	≧* <	77.5	60	1.93674	0.005	0.005	
-6	67.5	≧* <	72.5	56	1.87323	0.005	0.005	
-7	62.5	≧* <	67.5	52	1.80973	0.005	0.005	
-8	57.5	≧* <	62.5	48	1.74622	0.004	0.004	
-9	52.5	≧* <	57.5	44	1.68271	0.004	0.004	
-10	47.5	≧* <	52.5	40	1.61920	0.004	0.004	
-11	42.5	≧* <	47.5	36	1.55569	0.004	0.004	
-12	37.5	≧* <	42.5	32	1.49219	0.004	0.004	
-13	32.5	≧* <	37.5	28	1.42868	0.004	0.004	
-14	27.5	≧* <	32.5	24	1.36517	0.003	0.003	
-15	22.5	≧* <	27.5	20	1.30166	0.003	0.003	
-16	17.5	≧* <	22.5	16	1.23815	0.003	0.003	
-17	12.5	≧* <	17.5	12	1.17465	0.003	0.003	
-18	7.5	≧* <	12.5	8	1.11114	0.003	0.003	
-19	2.5	≧* <	7.5	4	1.04763	0.003	0.003	
-20	0.0	≧* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.013	0.013	
19	192.5	≧* <	197.5	156	3.46093	0.009	0.009	
18	187.5	≧* <	192.5	152	3.39742	0.008	0.008	
17	182.5	≧* <	187.5	148	3.33391	0.008	0.008	
16	177.5	≧* <	182.5	144	3.27041	0.008	0.008	
15	172.5	≧* <	177.5	140	3.20690	0.008	0.008	
14	167.5	≧* <	172.5	136	3.14339	0.008	0.008	
13	162.5	≧* <	167.5	132	3.07988	0.008	0.008	
12	157.5	≧* <	162.5	128	3.01637	0.008	0.008	
11	152.5	≧* <	157.5	124	2.95287	0.007	0.007	
10	147.5	≧* <	152.5	120	2.88936	0.007	0.007	
9	142.5	≧* <	147.5	116	2.82585	0.007	0.007	
8	137.5	≧* <	142.5	112	2.76234	0.007	0.007	
7	132.5	≧* <	137.5	108	2.69884	0.007	0.007	
6	127.5	≧* <	132.5	104	2.63533	0.007	0.007	
5	122.5	≧* <	127.5	100	2.57182	0.006	0.006	
4	117.5	≧* <	122.5	96	2.50831	0.006	0.006	
3	112.5	≧* <	117.5	92	2.44480	0.006	0.006	
2	107.5	≧* <	112.5	88	2.38130	0.006	0.006	
1	102.5	≧* <	107.5	84	2.31779	0.006	0.006	
0	97.5	≧* <	102.5	80	2.25428	0.006	0.006	
-1	92.5	≧* <	97.5	76	2.19077	0.005	0.005	
-2	87.5	≧* <	92.5	72	2.12726	0.005	0.005	
-3	82.5	≧* <	87.5	68	2.06376	0.005	0.005	
-4	77.5	≧* <	82.5	64	2.00025	0.005	0.005	
-5	72.5	≧* <	77.5	60	1.93674	0.005	0.005	
-6	67.5	≧* <	72.5	56	1.87323	0.005	0.005	
-7	62.5	≧* <	67.5	52	1.80973	0.005	0.005	
-8	57.5	≧* <	62.5	48	1.74622	0.004	0.004	
-9	52.5	≧* <	57.5	44	1.68271	0.004	0.004	
-10	47.5	≧* <	52.5	40	1.61920	0.004	0.004	
-11	42.5	≧* <	47.5	36	1.55569	0.004	0.004	
-12	37.5	≧* <	42.5	32	1.49219	0.004	0.004	
-13	32.5	≧* <	37.5	28	1.42868	0.004	0.004	
-14	27.5	≧* <	32.5	24	1.36517	0.003	0.003	
-15	22.5	≧* <	27.5	20	1.30166	0.003	0.003	
-16	17.5	≧* <	22.5	16	1.23815	0.003	0.003	
-17	12.5	≧* <	17.5	12	1.17465	0.003	0.003	
-18	7.5	≧* <	12.5	8	1.11114	0.003	0.003	
-19	2.5	≧* <	7.5	4	1.04763	0.003	0.003	
-20	0.0	≧* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			63.98438	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.274 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.757	0.757	
19	192.5	≦* <	197.5	156	3.46093	0.474	0.474	
18	187.5	≦* <	192.5	152	3.39742	0.465	0.465	
17	182.5	≦* <	187.5	148	3.33391	0.457	0.457	
16	177.5	≦* <	182.5	144	3.27041	0.448	0.448	
15	172.5	≦* <	177.5	140	3.20690	0.439	0.439	
14	167.5	≦* <	172.5	136	3.14339	0.431	0.431	
13	162.5	≦* <	167.5	132	3.07988	0.422	0.422	
12	157.5	≦* <	162.5	128	3.01637	0.413	0.413	
11	152.5	≦* <	157.5	124	2.95287	0.405	0.405	
10	147.5	≦* <	152.5	120	2.88936	0.396	0.396	
9	142.5	≦* <	147.5	116	2.82585	0.387	0.387	
8	137.5	≦* <	142.5	112	2.76234	0.378	0.378	
7	132.5	≦* <	137.5	108	2.69884	0.370	0.370	
6	127.5	≦* <	132.5	104	2.63533	0.361	0.361	
5	122.5	≦* <	127.5	100	2.57182	0.352	0.352	
4	117.5	≦* <	122.5	96	2.50831	0.344	0.344	
3	112.5	≦* <	117.5	92	2.44480	0.335	0.335	
2	107.5	≦* <	112.5	88	2.38130	0.326	0.326	
1	102.5	≦* <	107.5	84	2.31779	0.318	0.318	
0	97.5	≦* <	102.5	80	2.25428	0.309	0.309	
-1	92.5	≦* <	97.5	76	2.19077	0.300	0.300	
-2	87.5	≦* <	92.5	72	2.12726	0.291	0.291	
-3	82.5	≦* <	87.5	68	2.06376	0.283	0.283	
-4	77.5	≦* <	82.5	64	2.00025	0.274	0.274	
-5	72.5	≦* <	77.5	60	1.93674	0.265	0.265	
-6	67.5	≦* <	72.5	56	1.87323	0.257	0.257	
-7	62.5	≦* <	67.5	52	1.80973	0.248	0.248	
-8	57.5	≦* <	62.5	48	1.74622	0.239	0.239	
-9	52.5	≦* <	57.5	44	1.68271	0.231	0.231	
-10	47.5	≦* <	52.5	40	1.61920	0.222	0.222	
-11	42.5	≦* <	47.5	36	1.55569	0.213	0.213	
-12	37.5	≦* <	42.5	32	1.49219	0.204	0.204	
-13	32.5	≦* <	37.5	28	1.42868	0.196	0.196	
-14	27.5	≦* <	32.5	24	1.36517	0.187	0.187	
-15	22.5	≦* <	27.5	20	1.30166	0.178	0.178	
-16	17.5	≦* <	22.5	16	1.23815	0.170	0.170	
-17	12.5	≦* <	17.5	12	1.17465	0.161	0.161	
-18	7.5	≦* <	12.5	8	1.11114	0.152	0.152	
-19	2.5	≦* <	7.5	4	1.04763	0.144	0.144	
-20	0.0	≦* <	2.5	1.00	1.00000	0.137	0.137	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.274 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.719	0.719	
19	192.5	≦* <	197.5	156	3.46093	0.450	0.450	
18	187.5	≦* <	192.5	152	3.39742	0.442	0.442	
17	182.5	≦* <	187.5	148	3.33391	0.434	0.434	
16	177.5	≦* <	182.5	144	3.27041	0.426	0.426	
15	172.5	≦* <	177.5	140	3.20690	0.417	0.417	
14	167.5	≦* <	172.5	136	3.14339	0.409	0.409	
13	162.5	≦* <	167.5	132	3.07988	0.401	0.401	
12	157.5	≦* <	162.5	128	3.01637	0.392	0.392	
11	152.5	≦* <	157.5	124	2.95287	0.385	0.385	
10	147.5	≦* <	152.5	120	2.88936	0.376	0.376	
9	142.5	≦* <	147.5	116	2.82585	0.368	0.368	
8	137.5	≦* <	142.5	112	2.76234	0.359	0.359	
7	132.5	≦* <	137.5	108	2.69884	0.352	0.352	
6	127.5	≦* <	132.5	104	2.63533	0.343	0.343	
5	122.5	≦* <	127.5	100	2.57182	0.334	0.334	
4	117.5	≦* <	122.5	96	2.50831	0.327	0.327	
3	112.5	≦* <	117.5	92	2.44480	0.318	0.318	
2	107.5	≦* <	112.5	88	2.38130	0.310	0.310	
1	102.5	≦* <	107.5	84	2.31779	0.302	0.302	
0	97.5	≦* <	102.5	80	2.25428	0.294	0.294	
-1	92.5	≦* <	97.5	76	2.19077	0.285	0.285	
-2	87.5	≦* <	92.5	72	2.12726	0.276	0.276	
-3	82.5	≦* <	87.5	68	2.06376	0.269	0.269	
-4	77.5	≦* <	82.5	64	2.00025	0.260	0.260	
-5	72.5	≦* <	77.5	60	1.93674	0.252	0.252	
-6	67.5	≦* <	72.5	56	1.87323	0.244	0.244	
-7	62.5	≦* <	67.5	52	1.80973	0.236	0.236	
-8	57.5	≦* <	62.5	48	1.74622	0.227	0.227	
-9	52.5	≦* <	57.5	44	1.68271	0.219	0.219	
-10	47.5	≦* <	52.5	40	1.61920	0.211	0.211	
-11	42.5	≦* <	47.5	36	1.55569	0.202	0.202	
-12	37.5	≦* <	42.5	32	1.49219	0.194	0.194	
-13	32.5	≦* <	37.5	28	1.42868	0.186	0.186	
-14	27.5	≦* <	32.5	24	1.36517	0.178	0.178	
-15	22.5	≦* <	27.5	20	1.30166	0.169	0.169	
-16	17.5	≦* <	22.5	16	1.23815	0.162	0.162	
-17	12.5	≦* <	17.5	12	1.17465	0.153	0.153	
-18	7.5	≦* <	12.5	8	1.11114	0.144	0.144	
-19	2.5	≦* <	7.5	4	1.04763	0.137	0.137	
-20	0.0	≦* <	2.5	1.00	1.00000	0.130	0.130	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.011	0.011	
19	192.5	≦* <	197.5	156	3.46093	0.007	0.007	
18	187.5	≦* <	192.5	152	3.39742	0.007	0.007	
17	182.5	≦* <	187.5	148	3.33391	0.007	0.007	
16	177.5	≦* <	182.5	144	3.27041	0.007	0.007	
15	172.5	≦* <	177.5	140	3.20690	0.006	0.006	
14	167.5	≦* <	172.5	136	3.14339	0.006	0.006	
13	162.5	≦* <	167.5	132	3.07988	0.006	0.006	
12	157.5	≦* <	162.5	128	3.01637	0.006	0.006	
11	152.5	≦* <	157.5	124	2.95287	0.006	0.006	
10	147.5	≦* <	152.5	120	2.88936	0.006	0.006	
9	142.5	≦* <	147.5	116	2.82585	0.006	0.006	
8	137.5	≦* <	142.5	112	2.76234	0.006	0.006	
7	132.5	≦* <	137.5	108	2.69884	0.005	0.005	
6	127.5	≦* <	132.5	104	2.63533	0.005	0.005	
5	122.5	≦* <	127.5	100	2.57182	0.005	0.005	
4	117.5	≦* <	122.5	96	2.50831	0.005	0.005	
3	112.5	≦* <	117.5	92	2.44480	0.005	0.005	
2	107.5	≦* <	112.5	88	2.38130	0.005	0.005	
1	102.5	≦* <	107.5	84	2.31779	0.005	0.005	
0	97.5	≦* <	102.5	80	2.25428	0.005	0.005	
-1	92.5	≦* <	97.5	76	2.19077	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.12726	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.06376	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.00025	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.93674	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.87323	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.80973	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.55569	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.49219	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.42868	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.010	0.010	
19	192.5	≦* <	197.5	156	3.46093	0.007	0.007	
18	187.5	≦* <	192.5	152	3.39742	0.007	0.007	
17	182.5	≦* <	187.5	148	3.33391	0.007	0.007	
16	177.5	≦* <	182.5	144	3.27041	0.007	0.007	
15	172.5	≦* <	177.5	140	3.20690	0.006	0.006	
14	167.5	≦* <	172.5	136	3.14339	0.006	0.006	
13	162.5	≦* <	167.5	132	3.07988	0.006	0.006	
12	157.5	≦* <	162.5	128	3.01637	0.006	0.006	
11	152.5	≦* <	157.5	124	2.95287	0.006	0.006	
10	147.5	≦* <	152.5	120	2.88936	0.006	0.006	
9	142.5	≦* <	147.5	116	2.82585	0.006	0.006	
8	137.5	≦* <	142.5	112	2.76234	0.006	0.006	
7	132.5	≦* <	137.5	108	2.69884	0.005	0.005	
6	127.5	≦* <	132.5	104	2.63533	0.005	0.005	
5	122.5	≦* <	127.5	100	2.57182	0.005	0.005	
4	117.5	≦* <	122.5	96	2.50831	0.005	0.005	
3	112.5	≦* <	117.5	92	2.44480	0.005	0.005	
2	107.5	≦* <	112.5	88	2.38130	0.005	0.005	
1	102.5	≦* <	107.5	84	2.31779	0.005	0.005	
0	97.5	≦* <	102.5	80	2.25428	0.005	0.005	
-1	92.5	≦* <	97.5	76	2.19077	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.12726	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.06376	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.00025	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.93674	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.87323	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.80973	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.55569	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.49219	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.42868	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.225 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.621	0.621	
19	192.5	≦* <	197.5	156	3.46093	0.389	0.389	
18	187.5	≦* <	192.5	152	3.39742	0.382	0.382	
17	182.5	≦* <	187.5	148	3.33391	0.375	0.375	
16	177.5	≦* <	182.5	144	3.27041	0.368	0.368	
15	172.5	≦* <	177.5	140	3.20690	0.361	0.361	
14	167.5	≦* <	172.5	136	3.14339	0.354	0.354	
13	162.5	≦* <	167.5	132	3.07988	0.346	0.346	
12	157.5	≦* <	162.5	128	3.01637	0.339	0.339	
11	152.5	≦* <	157.5	124	2.95287	0.332	0.332	
10	147.5	≦* <	152.5	120	2.88936	0.325	0.325	
9	142.5	≦* <	147.5	116	2.82585	0.318	0.318	
8	137.5	≦* <	142.5	112	2.76234	0.311	0.311	
7	132.5	≦* <	137.5	108	2.69884	0.304	0.304	
6	127.5	≦* <	132.5	104	2.63533	0.296	0.296	
5	122.5	≦* <	127.5	100	2.57182	0.289	0.289	
4	117.5	≦* <	122.5	96	2.50831	0.282	0.282	
3	112.5	≦* <	117.5	92	2.44480	0.275	0.275	
2	107.5	≦* <	112.5	88	2.38130	0.268	0.268	
1	102.5	≦* <	107.5	84	2.31779	0.261	0.261	
0	97.5	≦* <	102.5	80	2.25428	0.254	0.254	
-1	92.5	≦* <	97.5	76	2.19077	0.246	0.246	
-2	87.5	≦* <	92.5	72	2.12726	0.239	0.239	
-3	82.5	≦* <	87.5	68	2.06376	0.232	0.232	
-4	77.5	≦* <	82.5	64	2.00025	0.225	0.225	
-5	72.5	≦* <	77.5	60	1.93674	0.218	0.218	
-6	67.5	≦* <	72.5	56	1.87323	0.211	0.211	
-7	62.5	≦* <	67.5	52	1.80973	0.204	0.204	
-8	57.5	≦* <	62.5	48	1.74622	0.196	0.196	
-9	52.5	≦* <	57.5	44	1.68271	0.189	0.189	
-10	47.5	≦* <	52.5	40	1.61920	0.182	0.182	
-11	42.5	≦* <	47.5	36	1.55569	0.175	0.175	
-12	37.5	≦* <	42.5	32	1.49219	0.168	0.168	
-13	32.5	≦* <	37.5	28	1.42868	0.161	0.161	
-14	27.5	≦* <	32.5	24	1.36517	0.154	0.154	
-15	22.5	≦* <	27.5	20	1.30166	0.146	0.146	
-16	17.5	≦* <	22.5	16	1.23815	0.139	0.139	
-17	12.5	≦* <	17.5	12	1.17465	0.132	0.132	
-18	7.5	≦* <	12.5	8	1.11114	0.125	0.125	
-19	2.5	≦* <	7.5	4	1.04763	0.118	0.118	
-20	0.0	≦* <	2.5	1.00	1.00000	0.112	0.112	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.225 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.590	0.590	
19	192.5	≦* <	197.5	156	3.46093	0.370	0.370	
18	187.5	≦* <	192.5	152	3.39742	0.363	0.363	
17	182.5	≦* <	187.5	148	3.33391	0.356	0.356	
16	177.5	≦* <	182.5	144	3.27041	0.350	0.350	
15	172.5	≦* <	177.5	140	3.20690	0.343	0.343	
14	167.5	≦* <	172.5	136	3.14339	0.336	0.336	
13	162.5	≦* <	167.5	132	3.07988	0.329	0.329	
12	157.5	≦* <	162.5	128	3.01637	0.322	0.322	
11	152.5	≦* <	157.5	124	2.95287	0.315	0.315	
10	147.5	≦* <	152.5	120	2.88936	0.309	0.309	
9	142.5	≦* <	147.5	116	2.82585	0.302	0.302	
8	137.5	≦* <	142.5	112	2.76234	0.295	0.295	
7	132.5	≦* <	137.5	108	2.69884	0.289	0.289	
6	127.5	≦* <	132.5	104	2.63533	0.281	0.281	
5	122.5	≦* <	127.5	100	2.57182	0.275	0.275	
4	117.5	≦* <	122.5	96	2.50831	0.268	0.268	
3	112.5	≦* <	117.5	92	2.44480	0.261	0.261	
2	107.5	≦* <	112.5	88	2.38130	0.255	0.255	
1	102.5	≦* <	107.5	84	2.31779	0.248	0.248	
0	97.5	≦* <	102.5	80	2.25428	0.241	0.241	
-1	92.5	≦* <	97.5	76	2.19077	0.234	0.234	
-2	87.5	≦* <	92.5	72	2.12726	0.227	0.227	
-3	82.5	≦* <	87.5	68	2.06376	0.220	0.220	
-4	77.5	≦* <	82.5	64	2.00025	0.214	0.214	
-5	72.5	≦* <	77.5	60	1.93674	0.207	0.207	
-6	67.5	≦* <	72.5	56	1.87323	0.200	0.200	
-7	62.5	≦* <	67.5	52	1.80973	0.194	0.194	
-8	57.5	≦* <	62.5	48	1.74622	0.186	0.186	
-9	52.5	≦* <	57.5	44	1.68271	0.180	0.180	
-10	47.5	≦* <	52.5	40	1.61920	0.173	0.173	
-11	42.5	≦* <	47.5	36	1.55569	0.166	0.166	
-12	37.5	≦* <	42.5	32	1.49219	0.160	0.160	
-13	32.5	≦* <	37.5	28	1.42868	0.153	0.153	
-14	27.5	≦* <	32.5	24	1.36517	0.146	0.146	
-15	22.5	≦* <	27.5	20	1.30166	0.139	0.139	
-16	17.5	≦* <	22.5	16	1.23815	0.132	0.132	
-17	12.5	≦* <	17.5	12	1.17465	0.125	0.125	
-18	7.5	≦* <	12.5	8	1.11114	0.119	0.119	
-19	2.5	≦* <	7.5	4	1.04763	0.112	0.112	
-20	0.0	≦* <	2.5	1.00	1.00000	0.106	0.106	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.215 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.594	0.594	
19	192.5	≦* <	197.5	156	3.46093	0.372	0.372	
18	187.5	≦* <	192.5	152	3.39742	0.365	0.365	
17	182.5	≦* <	187.5	148	3.33391	0.358	0.358	
16	177.5	≦* <	182.5	144	3.27041	0.352	0.352	
15	172.5	≦* <	177.5	140	3.20690	0.345	0.345	
14	167.5	≦* <	172.5	136	3.14339	0.338	0.338	
13	162.5	≦* <	167.5	132	3.07988	0.331	0.331	
12	157.5	≦* <	162.5	128	3.01637	0.324	0.324	
11	152.5	≦* <	157.5	124	2.95287	0.317	0.317	
10	147.5	≦* <	152.5	120	2.88936	0.311	0.311	
9	142.5	≦* <	147.5	116	2.82585	0.304	0.304	
8	137.5	≦* <	142.5	112	2.76234	0.297	0.297	
7	132.5	≦* <	137.5	108	2.69884	0.290	0.290	
6	127.5	≦* <	132.5	104	2.63533	0.283	0.283	
5	122.5	≦* <	127.5	100	2.57182	0.276	0.276	
4	117.5	≦* <	122.5	96	2.50831	0.270	0.270	
3	112.5	≦* <	117.5	92	2.44480	0.263	0.263	
2	107.5	≦* <	112.5	88	2.38130	0.256	0.256	
1	102.5	≦* <	107.5	84	2.31779	0.249	0.249	
0	97.5	≦* <	102.5	80	2.25428	0.242	0.242	
-1	92.5	≦* <	97.5	76	2.19077	0.236	0.236	
-2	87.5	≦* <	92.5	72	2.12726	0.229	0.229	
-3	82.5	≦* <	87.5	68	2.06376	0.222	0.222	
-4	77.5	≦* <	82.5	64	2.00025	0.215	0.215	
-5	72.5	≦* <	77.5	60	1.93674	0.208	0.208	
-6	67.5	≦* <	72.5	56	1.87323	0.201	0.201	
-7	62.5	≦* <	67.5	52	1.80973	0.195	0.195	
-8	57.5	≦* <	62.5	48	1.74622	0.188	0.188	
-9	52.5	≦* <	57.5	44	1.68271	0.181	0.181	
-10	47.5	≦* <	52.5	40	1.61920	0.174	0.174	
-11	42.5	≦* <	47.5	36	1.55569	0.167	0.167	
-12	37.5	≦* <	42.5	32	1.49219	0.160	0.160	
-13	32.5	≦* <	37.5	28	1.42868	0.154	0.154	
-14	27.5	≦* <	32.5	24	1.36517	0.147	0.147	
-15	22.5	≦* <	27.5	20	1.30166	0.140	0.140	
-16	17.5	≦* <	22.5	16	1.23815	0.133	0.133	
-17	12.5	≦* <	17.5	12	1.17465	0.126	0.126	
-18	7.5	≦* <	12.5	8	1.11114	0.119	0.119	
-19	2.5	≦* <	7.5	4	1.04763	0.113	0.113	
-20	0.0	≦* <	2.5	1.00	1.00000	0.107	0.107	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.215 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.564	0.564	
19	192.5	≦* <	197.5	156	3.46093	0.353	0.353	
18	187.5	≦* <	192.5	152	3.39742	0.347	0.347	
17	182.5	≦* <	187.5	148	3.33391	0.340	0.340	
16	177.5	≦* <	182.5	144	3.27041	0.334	0.334	
15	172.5	≦* <	177.5	140	3.20690	0.328	0.328	
14	167.5	≦* <	172.5	136	3.14339	0.321	0.321	
13	162.5	≦* <	167.5	132	3.07988	0.314	0.314	
12	157.5	≦* <	162.5	128	3.01637	0.308	0.308	
11	152.5	≦* <	157.5	124	2.95287	0.301	0.301	
10	147.5	≦* <	152.5	120	2.88936	0.295	0.295	
9	142.5	≦* <	147.5	116	2.82585	0.289	0.289	
8	137.5	≦* <	142.5	112	2.76234	0.282	0.282	
7	132.5	≦* <	137.5	108	2.69884	0.276	0.276	
6	127.5	≦* <	132.5	104	2.63533	0.269	0.269	
5	122.5	≦* <	127.5	100	2.57182	0.262	0.262	
4	117.5	≦* <	122.5	96	2.50831	0.257	0.257	
3	112.5	≦* <	117.5	92	2.44480	0.250	0.250	
2	107.5	≦* <	112.5	88	2.38130	0.243	0.243	
1	102.5	≦* <	107.5	84	2.31779	0.237	0.237	
0	97.5	≦* <	102.5	80	2.25428	0.230	0.230	
-1	92.5	≦* <	97.5	76	2.19077	0.224	0.224	
-2	87.5	≦* <	92.5	72	2.12726	0.218	0.218	
-3	82.5	≦* <	87.5	68	2.06376	0.211	0.211	
-4	77.5	≦* <	82.5	64	2.00025	0.204	0.204	
-5	72.5	≦* <	77.5	60	1.93674	0.198	0.198	
-6	67.5	≦* <	72.5	56	1.87323	0.191	0.191	
-7	62.5	≦* <	67.5	52	1.80973	0.185	0.185	
-8	57.5	≦* <	62.5	48	1.74622	0.179	0.179	
-9	52.5	≦* <	57.5	44	1.68271	0.172	0.172	
-10	47.5	≦* <	52.5	40	1.61920	0.165	0.165	
-11	42.5	≦* <	47.5	36	1.55569	0.159	0.159	
-12	37.5	≦* <	42.5	32	1.49219	0.152	0.152	
-13	32.5	≦* <	37.5	28	1.42868	0.146	0.146	
-14	27.5	≦* <	32.5	24	1.36517	0.140	0.140	
-15	22.5	≦* <	27.5	20	1.30166	0.133	0.133	
-16	17.5	≦* <	22.5	16	1.23815	0.126	0.126	
-17	12.5	≦* <	17.5	12	1.17465	0.120	0.120	
-18	7.5	≦* <	12.5	8	1.11114	0.113	0.113	
-19	2.5	≦* <	7.5	4	1.04763	0.107	0.107	
-20	0.0	≦* <	2.5	1.00	1.00000	0.102	0.102	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≧* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≧* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≧* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≧* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≧* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≧* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≧* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≧* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≧* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≧* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≧* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≧* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≧* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≧* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≧* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≧* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≧* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≧* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≧* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≧* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≧* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≧* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≧* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≧* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≧* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≧* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≧* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≧* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≧* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≧* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≧* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≧* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≧* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≧* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≧* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≧* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≧* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≧* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≧* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≧* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.133 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.367	0.367	
19	192.5	≧* <	197.5	156	3.46093	0.230	0.230	
18	187.5	≧* <	192.5	152	3.39742	0.226	0.226	
17	182.5	≧* <	187.5	148	3.33391	0.222	0.222	
16	177.5	≧* <	182.5	144	3.27041	0.217	0.217	
15	172.5	≧* <	177.5	140	3.20690	0.213	0.213	
14	167.5	≧* <	172.5	136	3.14339	0.209	0.209	
13	162.5	≧* <	167.5	132	3.07988	0.205	0.205	
12	157.5	≧* <	162.5	128	3.01637	0.201	0.201	
11	152.5	≧* <	157.5	124	2.95287	0.196	0.196	
10	147.5	≧* <	152.5	120	2.88936	0.192	0.192	
9	142.5	≧* <	147.5	116	2.82585	0.188	0.188	
8	137.5	≧* <	142.5	112	2.76234	0.184	0.184	
7	132.5	≧* <	137.5	108	2.69884	0.179	0.179	
6	127.5	≧* <	132.5	104	2.63533	0.175	0.175	
5	122.5	≧* <	127.5	100	2.57182	0.171	0.171	
4	117.5	≧* <	122.5	96	2.50831	0.167	0.167	
3	112.5	≧* <	117.5	92	2.44480	0.163	0.163	
2	107.5	≧* <	112.5	88	2.38130	0.158	0.158	
1	102.5	≧* <	107.5	84	2.31779	0.154	0.154	
0	97.5	≧* <	102.5	80	2.25428	0.150	0.150	
-1	92.5	≧* <	97.5	76	2.19077	0.146	0.146	
-2	87.5	≧* <	92.5	72	2.12726	0.141	0.141	
-3	82.5	≧* <	87.5	68	2.06376	0.137	0.137	
-4	77.5	≧* <	82.5	64	2.00025	0.133	0.133	
-5	72.5	≧* <	77.5	60	1.93674	0.129	0.129	
-6	67.5	≧* <	72.5	56	1.87323	0.125	0.125	
-7	62.5	≧* <	67.5	52	1.80973	0.120	0.120	
-8	57.5	≧* <	62.5	48	1.74622	0.116	0.116	
-9	52.5	≧* <	57.5	44	1.68271	0.112	0.112	
-10	47.5	≧* <	52.5	40	1.61920	0.108	0.108	
-11	42.5	≧* <	47.5	36	1.55569	0.103	0.103	
-12	37.5	≧* <	42.5	32	1.49219	0.099	0.099	
-13	32.5	≧* <	37.5	28	1.42868	0.095	0.095	
-14	27.5	≧* <	32.5	24	1.36517	0.091	0.091	
-15	22.5	≧* <	27.5	20	1.30166	0.087	0.087	
-16	17.5	≧* <	22.5	16	1.23815	0.082	0.082	
-17	12.5	≧* <	17.5	12	1.17465	0.078	0.078	
-18	7.5	≧* <	12.5	8	1.11114	0.074	0.074	
-19	2.5	≧* <	7.5	4	1.04763	0.070	0.070	
-20	0.0	≧* <	2.5	1.00	1.00000	0.066	0.066	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.133 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.349	0.349	
19	192.5	≦* <	197.5	156	3.46093	0.219	0.219	
18	187.5	≦* <	192.5	152	3.39742	0.215	0.215	
17	182.5	≦* <	187.5	148	3.33391	0.211	0.211	
16	177.5	≦* <	182.5	144	3.27041	0.206	0.206	
15	172.5	≦* <	177.5	140	3.20690	0.202	0.202	
14	167.5	≦* <	172.5	136	3.14339	0.199	0.199	
13	162.5	≦* <	167.5	132	3.07988	0.195	0.195	
12	157.5	≦* <	162.5	128	3.01637	0.191	0.191	
11	152.5	≦* <	157.5	124	2.95287	0.186	0.186	
10	147.5	≦* <	152.5	120	2.88936	0.182	0.182	
9	142.5	≦* <	147.5	116	2.82585	0.179	0.179	
8	137.5	≦* <	142.5	112	2.76234	0.175	0.175	
7	132.5	≦* <	137.5	108	2.69884	0.170	0.170	
6	127.5	≦* <	132.5	104	2.63533	0.166	0.166	
5	122.5	≦* <	127.5	100	2.57182	0.162	0.162	
4	117.5	≦* <	122.5	96	2.50831	0.159	0.159	
3	112.5	≦* <	117.5	92	2.44480	0.155	0.155	
2	107.5	≦* <	112.5	88	2.38130	0.150	0.150	
1	102.5	≦* <	107.5	84	2.31779	0.146	0.146	
0	97.5	≦* <	102.5	80	2.25428	0.143	0.143	
-1	92.5	≦* <	97.5	76	2.19077	0.139	0.139	
-2	87.5	≦* <	92.5	72	2.12726	0.134	0.134	
-3	82.5	≦* <	87.5	68	2.06376	0.130	0.130	
-4	77.5	≦* <	82.5	64	2.00025	0.126	0.126	
-5	72.5	≦* <	77.5	60	1.93674	0.123	0.123	
-6	67.5	≦* <	72.5	56	1.87323	0.119	0.119	
-7	62.5	≦* <	67.5	52	1.80973	0.114	0.114	
-8	57.5	≦* <	62.5	48	1.74622	0.110	0.110	
-9	52.5	≦* <	57.5	44	1.68271	0.106	0.106	
-10	47.5	≦* <	52.5	40	1.61920	0.103	0.103	
-11	42.5	≦* <	47.5	36	1.55569	0.098	0.098	
-12	37.5	≦* <	42.5	32	1.49219	0.094	0.094	
-13	32.5	≦* <	37.5	28	1.42868	0.090	0.090	
-14	27.5	≦* <	32.5	24	1.36517	0.086	0.086	
-15	22.5	≦* <	27.5	20	1.30166	0.083	0.083	
-16	17.5	≦* <	22.5	16	1.23815	0.078	0.078	
-17	12.5	≦* <	17.5	12	1.17465	0.074	0.074	
-18	7.5	≦* <	12.5	8	1.11114	0.070	0.070	
-19	2.5	≦* <	7.5	4	1.04763	0.067	0.067	
-20	0.0	≦* <	2.5	1.00	1.00000	0.063	0.063	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			63.98438	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.174 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.442	0.442	
19	192.5	≦* <	197.5	156	3.42820	0.298	0.298	
18	187.5	≦* <	192.5	152	3.36553	0.293	0.293	
17	182.5	≦* <	187.5	148	3.30287	0.287	0.287	
16	177.5	≦* <	182.5	144	3.24021	0.282	0.282	
15	172.5	≦* <	177.5	140	3.17754	0.276	0.276	
14	167.5	≦* <	172.5	136	3.11488	0.271	0.271	
13	162.5	≦* <	167.5	132	3.05222	0.266	0.266	
12	157.5	≦* <	162.5	128	2.98955	0.260	0.260	
11	152.5	≦* <	157.5	124	2.92689	0.255	0.255	
10	147.5	≦* <	152.5	120	2.86423	0.249	0.249	
9	142.5	≦* <	147.5	116	2.80157	0.244	0.244	
8	137.5	≦* <	142.5	112	2.73890	0.238	0.238	
7	132.5	≦* <	137.5	108	2.67624	0.233	0.233	
6	127.5	≦* <	132.5	104	2.61358	0.227	0.227	
5	122.5	≦* <	127.5	100	2.55091	0.222	0.222	
4	117.5	≦* <	122.5	96	2.48825	0.216	0.216	
3	112.5	≦* <	117.5	92	2.42559	0.211	0.211	
2	107.5	≦* <	112.5	88	2.36292	0.206	0.206	
1	102.5	≦* <	107.5	84	2.30026	0.200	0.200	
0	97.5	≦* <	102.5	80	2.23760	0.195	0.195	
-1	92.5	≦* <	97.5	76	2.17493	0.189	0.189	
-2	87.5	≦* <	92.5	72	2.11227	0.184	0.184	
-3	82.5	≦* <	87.5	68	2.04961	0.178	0.178	
-4	77.5	≦* <	82.5	64	1.98694	0.173	0.173	
-5	72.5	≦* <	77.5	60	1.92428	0.167	0.167	
-6	67.5	≦* <	72.5	56	1.86162	0.162	0.162	
-7	62.5	≦* <	67.5	52	1.79896	0.157	0.157	
-8	57.5	≦* <	62.5	48	1.73629	0.151	0.151	
-9	52.5	≦* <	57.5	44	1.67363	0.146	0.146	
-10	47.5	≦* <	52.5	40	1.61097	0.140	0.140	
-11	42.5	≦* <	47.5	36	1.54830	0.135	0.135	
-12	37.5	≦* <	42.5	32	1.48564	0.129	0.129	
-13	32.5	≦* <	37.5	28	1.42298	0.124	0.124	
-14	27.5	≦* <	32.5	24	1.36031	0.118	0.118	
-15	22.5	≦* <	27.5	20	1.29765	0.113	0.113	
-16	17.5	≦* <	22.5	16	1.23499	0.107	0.107	
-17	12.5	≦* <	17.5	12	1.17232	0.102	0.102	
-18	7.5	≦* <	12.5	8	1.10966	0.097	0.097	
-19	2.5	≦* <	7.5	4	1.04700	0.091	0.091	
-20	0.0	≦* <	2.5	1.00	1.00000	0.087	0.087	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.174 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.420	0.420	
19	192.5	≦* <	197.5	156	3.42820	0.283	0.283	
18	187.5	≦* <	192.5	152	3.36553	0.278	0.278	
17	182.5	≦* <	187.5	148	3.30287	0.273	0.273	
16	177.5	≦* <	182.5	144	3.24021	0.268	0.268	
15	172.5	≦* <	177.5	140	3.17754	0.262	0.262	
14	167.5	≦* <	172.5	136	3.11488	0.257	0.257	
13	162.5	≦* <	167.5	132	3.05222	0.253	0.253	
12	157.5	≦* <	162.5	128	2.98955	0.247	0.247	
11	152.5	≦* <	157.5	124	2.92689	0.242	0.242	
10	147.5	≦* <	152.5	120	2.86423	0.237	0.237	
9	142.5	≦* <	147.5	116	2.80157	0.232	0.232	
8	137.5	≦* <	142.5	112	2.73890	0.226	0.226	
7	132.5	≦* <	137.5	108	2.67624	0.221	0.221	
6	127.5	≦* <	132.5	104	2.61358	0.216	0.216	
5	122.5	≦* <	127.5	100	2.55091	0.211	0.211	
4	117.5	≦* <	122.5	96	2.48825	0.205	0.205	
3	112.5	≦* <	117.5	92	2.42559	0.200	0.200	
2	107.5	≦* <	112.5	88	2.36292	0.196	0.196	
1	102.5	≦* <	107.5	84	2.30026	0.190	0.190	
0	97.5	≦* <	102.5	80	2.23760	0.185	0.185	
-1	92.5	≦* <	97.5	76	2.17493	0.180	0.180	
-2	87.5	≦* <	92.5	72	2.11227	0.175	0.175	
-3	82.5	≦* <	87.5	68	2.04961	0.169	0.169	
-4	77.5	≦* <	82.5	64	1.98694	0.164	0.164	
-5	72.5	≦* <	77.5	60	1.92428	0.159	0.159	
-6	67.5	≦* <	72.5	56	1.86162	0.154	0.154	
-7	62.5	≦* <	67.5	52	1.79896	0.149	0.149	
-8	57.5	≦* <	62.5	48	1.73629	0.143	0.143	
-9	52.5	≦* <	57.5	44	1.67363	0.139	0.139	
-10	47.5	≦* <	52.5	40	1.61097	0.133	0.133	
-11	42.5	≦* <	47.5	36	1.54830	0.128	0.128	
-12	37.5	≦* <	42.5	32	1.48564	0.123	0.123	
-13	32.5	≦* <	37.5	28	1.42298	0.118	0.118	
-14	27.5	≦* <	32.5	24	1.36031	0.112	0.112	
-15	22.5	≦* <	27.5	20	1.29765	0.107	0.107	
-16	17.5	≦* <	22.5	16	1.23499	0.102	0.102	
-17	12.5	≦* <	17.5	12	1.17232	0.097	0.097	
-18	7.5	≦* <	12.5	8	1.10966	0.092	0.092	
-19	2.5	≦* <	7.5	4	1.04700	0.086	0.086	
-20	0.0	≦* <	2.5	1.00	1.00000	0.083	0.083	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.013	0.013	
19	192.5	≦* <	197.5	156	3.42820	0.009	0.009	
18	187.5	≦* <	192.5	152	3.36553	0.008	0.008	
17	182.5	≦* <	187.5	148	3.30287	0.008	0.008	
16	177.5	≦* <	182.5	144	3.24021	0.008	0.008	
15	172.5	≦* <	177.5	140	3.17754	0.008	0.008	
14	167.5	≦* <	172.5	136	3.11488	0.008	0.008	
13	162.5	≦* <	167.5	132	3.05222	0.008	0.008	
12	157.5	≦* <	162.5	128	2.98955	0.007	0.007	
11	152.5	≦* <	157.5	124	2.92689	0.007	0.007	
10	147.5	≦* <	152.5	120	2.86423	0.007	0.007	
9	142.5	≦* <	147.5	116	2.80157	0.007	0.007	
8	137.5	≦* <	142.5	112	2.73890	0.007	0.007	
7	132.5	≦* <	137.5	108	2.67624	0.007	0.007	
6	127.5	≦* <	132.5	104	2.61358	0.007	0.007	
5	122.5	≦* <	127.5	100	2.55091	0.006	0.006	
4	117.5	≦* <	122.5	96	2.48825	0.006	0.006	
3	112.5	≦* <	117.5	92	2.42559	0.006	0.006	
2	107.5	≦* <	112.5	88	2.36292	0.006	0.006	
1	102.5	≦* <	107.5	84	2.30026	0.006	0.006	
0	97.5	≦* <	102.5	80	2.23760	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.17493	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.11227	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.04961	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.98694	0.005	0.005	
-5	72.5	≦* <	77.5	60	1.92428	0.005	0.005	
-6	67.5	≦* <	72.5	56	1.86162	0.005	0.005	
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.73629	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.67363	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.61097	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.54830	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.48564	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.42298	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23499	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.17232	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.10966	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.04700	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.012	0.012	
19	192.5	≦* <	197.5	156	3.42820	0.009	0.009	
18	187.5	≦* <	192.5	152	3.36553	0.008	0.008	
17	182.5	≦* <	187.5	148	3.30287	0.008	0.008	
16	177.5	≦* <	182.5	144	3.24021	0.008	0.008	
15	172.5	≦* <	177.5	140	3.17754	0.008	0.008	
14	167.5	≦* <	172.5	136	3.11488	0.008	0.008	
13	162.5	≦* <	167.5	132	3.05222	0.008	0.008	
12	157.5	≦* <	162.5	128	2.98955	0.007	0.007	
11	152.5	≦* <	157.5	124	2.92689	0.007	0.007	
10	147.5	≦* <	152.5	120	2.86423	0.007	0.007	
9	142.5	≦* <	147.5	116	2.80157	0.007	0.007	
8	137.5	≦* <	142.5	112	2.73890	0.007	0.007	
7	132.5	≦* <	137.5	108	2.67624	0.007	0.007	
6	127.5	≦* <	132.5	104	2.61358	0.007	0.007	
5	122.5	≦* <	127.5	100	2.55091	0.006	0.006	
4	117.5	≦* <	122.5	96	2.48825	0.006	0.006	
3	112.5	≦* <	117.5	92	2.42559	0.006	0.006	
2	107.5	≦* <	112.5	88	2.36292	0.006	0.006	
1	102.5	≦* <	107.5	84	2.30026	0.006	0.006	
0	97.5	≦* <	102.5	80	2.23760	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.17493	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.11227	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.04961	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.98694	0.005	0.005	
-5	72.5	≦* <	77.5	60	1.92428	0.005	0.005	
-6	67.5	≦* <	72.5	56	1.86162	0.005	0.005	
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.73629	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.67363	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.61097	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.54830	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.48564	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.42298	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23499	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.17232	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.10966	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.04700	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.156 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.396	0.396	
19	192.5	≦* <	197.5	156	3.42820	0.267	0.267	
18	187.5	≦* <	192.5	152	3.36553	0.263	0.263	
17	182.5	≦* <	187.5	148	3.30287	0.258	0.258	
16	177.5	≦* <	182.5	144	3.24021	0.253	0.253	
15	172.5	≦* <	177.5	140	3.17754	0.248	0.248	
14	167.5	≦* <	172.5	136	3.11488	0.243	0.243	
13	162.5	≦* <	167.5	132	3.05222	0.238	0.238	
12	157.5	≦* <	162.5	128	2.98955	0.233	0.233	
11	152.5	≦* <	157.5	124	2.92689	0.228	0.228	
10	147.5	≦* <	152.5	120	2.86423	0.223	0.223	
9	142.5	≦* <	147.5	116	2.80157	0.219	0.219	
8	137.5	≦* <	142.5	112	2.73890	0.214	0.214	
7	132.5	≦* <	137.5	108	2.67624	0.209	0.209	
6	127.5	≦* <	132.5	104	2.61358	0.204	0.204	
5	122.5	≦* <	127.5	100	2.55091	0.199	0.199	
4	117.5	≦* <	122.5	96	2.48825	0.194	0.194	
3	112.5	≦* <	117.5	92	2.42559	0.189	0.189	
2	107.5	≦* <	112.5	88	2.36292	0.184	0.184	
1	102.5	≦* <	107.5	84	2.30026	0.179	0.179	
0	97.5	≦* <	102.5	80	2.23760	0.175	0.175	
-1	92.5	≦* <	97.5	76	2.17493	0.170	0.170	
-2	87.5	≦* <	92.5	72	2.11227	0.165	0.165	
-3	82.5	≦* <	87.5	68	2.04961	0.160	0.160	
-4	77.5	≦* <	82.5	64	1.98694	0.155	0.155	
-5	72.5	≦* <	77.5	60	1.92428	0.150	0.150	
-6	67.5	≦* <	72.5	56	1.86162	0.145	0.145	
-7	62.5	≦* <	67.5	52	1.79896	0.140	0.140	
-8	57.5	≦* <	62.5	48	1.73629	0.135	0.135	
-9	52.5	≦* <	57.5	44	1.67363	0.131	0.131	
-10	47.5	≦* <	52.5	40	1.61097	0.126	0.126	
-11	42.5	≦* <	47.5	36	1.54830	0.121	0.121	
-12	37.5	≦* <	42.5	32	1.48564	0.116	0.116	
-13	32.5	≦* <	37.5	28	1.42298	0.111	0.111	
-14	27.5	≦* <	32.5	24	1.36031	0.106	0.106	
-15	22.5	≦* <	27.5	20	1.29765	0.101	0.101	
-16	17.5	≦* <	22.5	16	1.23499	0.096	0.096	
-17	12.5	≦* <	17.5	12	1.17232	0.091	0.091	
-18	7.5	≦* <	12.5	8	1.10966	0.087	0.087	
-19	2.5	≦* <	7.5	4	1.04700	0.082	0.082	
-20	0.0	≦* <	2.5	1.00	1.00000	0.078	0.078	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.156 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.376	0.376	
19	192.5	≦* <	197.5	156	3.42820	0.254	0.254	
18	187.5	≦* <	192.5	152	3.36553	0.250	0.250	
17	182.5	≦* <	187.5	148	3.30287	0.245	0.245	
16	177.5	≦* <	182.5	144	3.24021	0.240	0.240	
15	172.5	≦* <	177.5	140	3.17754	0.236	0.236	
14	167.5	≦* <	172.5	136	3.11488	0.231	0.231	
13	162.5	≦* <	167.5	132	3.05222	0.226	0.226	
12	157.5	≦* <	162.5	128	2.98955	0.221	0.221	
11	152.5	≦* <	157.5	124	2.92689	0.217	0.217	
10	147.5	≦* <	152.5	120	2.86423	0.212	0.212	
9	142.5	≦* <	147.5	116	2.80157	0.208	0.208	
8	137.5	≦* <	142.5	112	2.73890	0.203	0.203	
7	132.5	≦* <	137.5	108	2.67624	0.199	0.199	
6	127.5	≦* <	132.5	104	2.61358	0.194	0.194	
5	122.5	≦* <	127.5	100	2.55091	0.189	0.189	
4	117.5	≦* <	122.5	96	2.48825	0.184	0.184	
3	112.5	≦* <	117.5	92	2.42559	0.180	0.180	
2	107.5	≦* <	112.5	88	2.36292	0.175	0.175	
1	102.5	≦* <	107.5	84	2.30026	0.170	0.170	
0	97.5	≦* <	102.5	80	2.23760	0.166	0.166	
-1	92.5	≦* <	97.5	76	2.17493	0.162	0.162	
-2	87.5	≦* <	92.5	72	2.11227	0.157	0.157	
-3	82.5	≦* <	87.5	68	2.04961	0.152	0.152	
-4	77.5	≦* <	82.5	64	1.98694	0.147	0.147	
-5	72.5	≦* <	77.5	60	1.92428	0.143	0.143	
-6	67.5	≦* <	72.5	56	1.86162	0.138	0.138	
-7	62.5	≦* <	67.5	52	1.79896	0.133	0.133	
-8	57.5	≦* <	62.5	48	1.73629	0.128	0.128	
-9	52.5	≦* <	57.5	44	1.67363	0.124	0.124	
-10	47.5	≦* <	52.5	40	1.61097	0.120	0.120	
-11	42.5	≦* <	47.5	36	1.54830	0.115	0.115	
-12	37.5	≦* <	42.5	32	1.48564	0.110	0.110	
-13	32.5	≦* <	37.5	28	1.42298	0.105	0.105	
-14	27.5	≦* <	32.5	24	1.36031	0.101	0.101	
-15	22.5	≦* <	27.5	20	1.29765	0.096	0.096	
-16	17.5	≦* <	22.5	16	1.23499	0.091	0.091	
-17	12.5	≦* <	17.5	12	1.17232	0.086	0.086	
-18	7.5	≦* <	12.5	8	1.10966	0.083	0.083	
-19	2.5	≦* <	7.5	4	1.04700	0.078	0.078	
-20	0.0	≦* <	2.5	1.00	1.00000	0.074	0.074	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.010	0.010	
19	192.5	≦* <	197.5	156	3.42820	0.007	0.007	
18	187.5	≦* <	192.5	152	3.36553	0.007	0.007	
17	182.5	≦* <	187.5	148	3.30287	0.007	0.007	
16	177.5	≦* <	182.5	144	3.24021	0.006	0.006	
15	172.5	≦* <	177.5	140	3.17754	0.006	0.006	
14	167.5	≦* <	172.5	136	3.11488	0.006	0.006	
13	162.5	≦* <	167.5	132	3.05222	0.006	0.006	
12	157.5	≦* <	162.5	128	2.98955	0.006	0.006	
11	152.5	≦* <	157.5	124	2.92689	0.006	0.006	
10	147.5	≦* <	152.5	120	2.86423	0.006	0.006	
9	142.5	≦* <	147.5	116	2.80157	0.006	0.006	
8	137.5	≦* <	142.5	112	2.73890	0.005	0.005	
7	132.5	≦* <	137.5	108	2.67624	0.005	0.005	
6	127.5	≦* <	132.5	104	2.61358	0.005	0.005	
5	122.5	≦* <	127.5	100	2.55091	0.005	0.005	
4	117.5	≦* <	122.5	96	2.48825	0.005	0.005	
3	112.5	≦* <	117.5	92	2.42559	0.005	0.005	
2	107.5	≦* <	112.5	88	2.36292	0.005	0.005	
1	102.5	≦* <	107.5	84	2.30026	0.005	0.005	
0	97.5	≦* <	102.5	80	2.23760	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.17493	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.11227	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.04961	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.98694	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.92428	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.86162	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.54830	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.48564	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.42298	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.010	0.010	
19	192.5	≦* <	197.5	156	3.42820	0.007	0.007	
18	187.5	≦* <	192.5	152	3.36553	0.007	0.007	
17	182.5	≦* <	187.5	148	3.30287	0.007	0.007	
16	177.5	≦* <	182.5	144	3.24021	0.006	0.006	
15	172.5	≦* <	177.5	140	3.17754	0.006	0.006	
14	167.5	≦* <	172.5	136	3.11488	0.006	0.006	
13	162.5	≦* <	167.5	132	3.05222	0.006	0.006	
12	157.5	≦* <	162.5	128	2.98955	0.006	0.006	
11	152.5	≦* <	157.5	124	2.92689	0.006	0.006	
10	147.5	≦* <	152.5	120	2.86423	0.006	0.006	
9	142.5	≦* <	147.5	116	2.80157	0.006	0.006	
8	137.5	≦* <	142.5	112	2.73890	0.005	0.005	
7	132.5	≦* <	137.5	108	2.67624	0.005	0.005	
6	127.5	≦* <	132.5	104	2.61358	0.005	0.005	
5	122.5	≦* <	127.5	100	2.55091	0.005	0.005	
4	117.5	≦* <	122.5	96	2.48825	0.005	0.005	
3	112.5	≦* <	117.5	92	2.42559	0.005	0.005	
2	107.5	≦* <	112.5	88	2.36292	0.005	0.005	
1	102.5	≦* <	107.5	84	2.30026	0.005	0.005	
0	97.5	≦* <	102.5	80	2.23760	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.17493	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.11227	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.04961	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.98694	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.92428	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.86162	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.54830	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.48564	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.42298	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			64.83341	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.132 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.335	0.335	
19	192.5	≦* <	197.5	156	3.42820	0.226	0.226	
18	187.5	≦* <	192.5	152	3.36553	0.222	0.222	
17	182.5	≦* <	187.5	148	3.30287	0.218	0.218	
16	177.5	≦* <	182.5	144	3.24021	0.214	0.214	
15	172.5	≦* <	177.5	140	3.17754	0.210	0.210	
14	167.5	≦* <	172.5	136	3.11488	0.206	0.206	
13	162.5	≦* <	167.5	132	3.05222	0.201	0.201	
12	157.5	≦* <	162.5	128	2.98955	0.197	0.197	
11	152.5	≦* <	157.5	124	2.92689	0.193	0.193	
10	147.5	≦* <	152.5	120	2.86423	0.189	0.189	
9	142.5	≦* <	147.5	116	2.80157	0.185	0.185	
8	137.5	≦* <	142.5	112	2.73890	0.181	0.181	
7	132.5	≦* <	137.5	108	2.67624	0.177	0.177	
6	127.5	≦* <	132.5	104	2.61358	0.172	0.172	
5	122.5	≦* <	127.5	100	2.55091	0.168	0.168	
4	117.5	≦* <	122.5	96	2.48825	0.164	0.164	
3	112.5	≦* <	117.5	92	2.42559	0.160	0.160	
2	107.5	≦* <	112.5	88	2.36292	0.156	0.156	
1	102.5	≦* <	107.5	84	2.30026	0.152	0.152	
0	97.5	≦* <	102.5	80	2.23760	0.148	0.148	
-1	92.5	≦* <	97.5	76	2.17493	0.144	0.144	
-2	87.5	≦* <	92.5	72	2.11227	0.139	0.139	
-3	82.5	≦* <	87.5	68	2.04961	0.135	0.135	
-4	77.5	≦* <	82.5	64	1.98694	0.131	0.131	
-5	72.5	≦* <	77.5	60	1.92428	0.127	0.127	
-6	67.5	≦* <	72.5	56	1.86162	0.123	0.123	
-7	62.5	≦* <	67.5	52	1.79896	0.119	0.119	
-8	57.5	≦* <	62.5	48	1.73629	0.115	0.115	
-9	52.5	≦* <	57.5	44	1.67363	0.110	0.110	
-10	47.5	≦* <	52.5	40	1.61097	0.106	0.106	
-11	42.5	≦* <	47.5	36	1.54830	0.102	0.102	
-12	37.5	≦* <	42.5	32	1.48564	0.098	0.098	
-13	32.5	≦* <	37.5	28	1.42298	0.094	0.094	
-14	27.5	≦* <	32.5	24	1.36031	0.090	0.090	
-15	22.5	≦* <	27.5	20	1.29765	0.086	0.086	
-16	17.5	≦* <	22.5	16	1.23499	0.082	0.082	
-17	12.5	≦* <	17.5	12	1.17232	0.077	0.077	
-18	7.5	≦* <	12.5	8	1.10966	0.073	0.073	
-19	2.5	≦* <	7.5	4	1.04700	0.069	0.069	
-20	0.0	≦* <	2.5	1.00	1.00000	0.066	0.066	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.132 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.318	0.318	
19	192.5	≦* <	197.5	156	3.42820	0.215	0.215	
18	187.5	≦* <	192.5	152	3.36553	0.211	0.211	
17	182.5	≦* <	187.5	148	3.30287	0.207	0.207	
16	177.5	≦* <	182.5	144	3.24021	0.203	0.203	
15	172.5	≦* <	177.5	140	3.17754	0.200	0.200	
14	167.5	≦* <	172.5	136	3.11488	0.196	0.196	
13	162.5	≦* <	167.5	132	3.05222	0.191	0.191	
12	157.5	≦* <	162.5	128	2.98955	0.187	0.187	
11	152.5	≦* <	157.5	124	2.92689	0.183	0.183	
10	147.5	≦* <	152.5	120	2.86423	0.180	0.180	
9	142.5	≦* <	147.5	116	2.80157	0.176	0.176	
8	137.5	≦* <	142.5	112	2.73890	0.172	0.172	
7	132.5	≦* <	137.5	108	2.67624	0.168	0.168	
6	127.5	≦* <	132.5	104	2.61358	0.163	0.163	
5	122.5	≦* <	127.5	100	2.55091	0.160	0.160	
4	117.5	≦* <	122.5	96	2.48825	0.156	0.156	
3	112.5	≦* <	117.5	92	2.42559	0.152	0.152	
2	107.5	≦* <	112.5	88	2.36292	0.148	0.148	
1	102.5	≦* <	107.5	84	2.30026	0.144	0.144	
0	97.5	≦* <	102.5	80	2.23760	0.141	0.141	
-1	92.5	≦* <	97.5	76	2.17493	0.137	0.137	
-2	87.5	≦* <	92.5	72	2.11227	0.132	0.132	
-3	82.5	≦* <	87.5	68	2.04961	0.128	0.128	
-4	77.5	≦* <	82.5	64	1.98694	0.124	0.124	
-5	72.5	≦* <	77.5	60	1.92428	0.121	0.121	
-6	67.5	≦* <	72.5	56	1.86162	0.117	0.117	
-7	62.5	≦* <	67.5	52	1.79896	0.113	0.113	
-8	57.5	≦* <	62.5	48	1.73629	0.109	0.109	
-9	52.5	≦* <	57.5	44	1.67363	0.105	0.105	
-10	47.5	≦* <	52.5	40	1.61097	0.101	0.101	
-11	42.5	≦* <	47.5	36	1.54830	0.097	0.097	
-12	37.5	≦* <	42.5	32	1.48564	0.093	0.093	
-13	32.5	≦* <	37.5	28	1.42298	0.089	0.089	
-14	27.5	≦* <	32.5	24	1.36031	0.086	0.086	
-15	22.5	≦* <	27.5	20	1.29765	0.082	0.082	
-16	17.5	≦* <	22.5	16	1.23499	0.078	0.078	
-17	12.5	≦* <	17.5	12	1.17232	0.073	0.073	
-18	7.5	≦* <	12.5	8	1.10966	0.069	0.069	
-19	2.5	≦* <	7.5	4	1.04700	0.066	0.066	
-20	0.0	≦* <	2.5	1.00	1.00000	0.063	0.063	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.116 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.294	0.294	
19	192.5	≦* <	197.5	156	3.42820	0.199	0.199	
18	187.5	≦* <	192.5	152	3.36553	0.195	0.195	
17	182.5	≦* <	187.5	148	3.30287	0.192	0.192	
16	177.5	≦* <	182.5	144	3.24021	0.188	0.188	
15	172.5	≦* <	177.5	140	3.17754	0.184	0.184	
14	167.5	≦* <	172.5	136	3.11488	0.181	0.181	
13	162.5	≦* <	167.5	132	3.05222	0.177	0.177	
12	157.5	≦* <	162.5	128	2.98955	0.173	0.173	
11	152.5	≦* <	157.5	124	2.92689	0.170	0.170	
10	147.5	≦* <	152.5	120	2.86423	0.166	0.166	
9	142.5	≦* <	147.5	116	2.80157	0.162	0.162	
8	137.5	≦* <	142.5	112	2.73890	0.159	0.159	
7	132.5	≦* <	137.5	108	2.67624	0.155	0.155	
6	127.5	≦* <	132.5	104	2.61358	0.152	0.152	
5	122.5	≦* <	127.5	100	2.55091	0.148	0.148	
4	117.5	≦* <	122.5	96	2.48825	0.144	0.144	
3	112.5	≦* <	117.5	92	2.42559	0.141	0.141	
2	107.5	≦* <	112.5	88	2.36292	0.137	0.137	
1	102.5	≦* <	107.5	84	2.30026	0.133	0.133	
0	97.5	≦* <	102.5	80	2.23760	0.130	0.130	
-1	92.5	≦* <	97.5	76	2.17493	0.126	0.126	
-2	87.5	≦* <	92.5	72	2.11227	0.123	0.123	
-3	82.5	≦* <	87.5	68	2.04961	0.119	0.119	
-4	77.5	≦* <	82.5	64	1.98694	0.115	0.115	
-5	72.5	≦* <	77.5	60	1.92428	0.112	0.112	
-6	67.5	≦* <	72.5	56	1.86162	0.108	0.108	
-7	62.5	≦* <	67.5	52	1.79896	0.104	0.104	
-8	57.5	≦* <	62.5	48	1.73629	0.101	0.101	
-9	52.5	≦* <	57.5	44	1.67363	0.097	0.097	
-10	47.5	≦* <	52.5	40	1.61097	0.093	0.093	
-11	42.5	≦* <	47.5	36	1.54830	0.090	0.090	
-12	37.5	≦* <	42.5	32	1.48564	0.086	0.086	
-13	32.5	≦* <	37.5	28	1.42298	0.083	0.083	
-14	27.5	≦* <	32.5	24	1.36031	0.079	0.079	
-15	22.5	≦* <	27.5	20	1.29765	0.075	0.075	
-16	17.5	≦* <	22.5	16	1.23499	0.072	0.072	
-17	12.5	≦* <	17.5	12	1.17232	0.068	0.068	
-18	7.5	≦* <	12.5	8	1.10966	0.064	0.064	
-19	2.5	≦* <	7.5	4	1.04700	0.061	0.061	
-20	0.0	≦* <	2.5	1.00	1.00000	0.058	0.058	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.116 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.279	0.279	
19	192.5	≦* <	197.5	156	3.42820	0.189	0.189	
18	187.5	≦* <	192.5	152	3.36553	0.185	0.185	
17	182.5	≦* <	187.5	148	3.30287	0.182	0.182	
16	177.5	≦* <	182.5	144	3.24021	0.179	0.179	
15	172.5	≦* <	177.5	140	3.17754	0.175	0.175	
14	167.5	≦* <	172.5	136	3.11488	0.172	0.172	
13	162.5	≦* <	167.5	132	3.05222	0.168	0.168	
12	157.5	≦* <	162.5	128	2.98955	0.164	0.164	
11	152.5	≦* <	157.5	124	2.92689	0.162	0.162	
10	147.5	≦* <	152.5	120	2.86423	0.158	0.158	
9	142.5	≦* <	147.5	116	2.80157	0.154	0.154	
8	137.5	≦* <	142.5	112	2.73890	0.151	0.151	
7	132.5	≦* <	137.5	108	2.67624	0.147	0.147	
6	127.5	≦* <	132.5	104	2.61358	0.144	0.144	
5	122.5	≦* <	127.5	100	2.55091	0.141	0.141	
4	117.5	≦* <	122.5	96	2.48825	0.137	0.137	
3	112.5	≦* <	117.5	92	2.42559	0.134	0.134	
2	107.5	≦* <	112.5	88	2.36292	0.130	0.130	
1	102.5	≦* <	107.5	84	2.30026	0.126	0.126	
0	97.5	≦* <	102.5	80	2.23760	0.124	0.124	
-1	92.5	≦* <	97.5	76	2.17493	0.120	0.120	
-2	87.5	≦* <	92.5	72	2.11227	0.117	0.117	
-3	82.5	≦* <	87.5	68	2.04961	0.113	0.113	
-4	77.5	≦* <	82.5	64	1.98694	0.109	0.109	
-5	72.5	≦* <	77.5	60	1.92428	0.106	0.106	
-6	67.5	≦* <	72.5	56	1.86162	0.103	0.103	
-7	62.5	≦* <	67.5	52	1.79896	0.099	0.099	
-8	57.5	≦* <	62.5	48	1.73629	0.096	0.096	
-9	52.5	≦* <	57.5	44	1.67363	0.092	0.092	
-10	47.5	≦* <	52.5	40	1.61097	0.088	0.088	
-11	42.5	≦* <	47.5	36	1.54830	0.086	0.086	
-12	37.5	≦* <	42.5	32	1.48564	0.082	0.082	
-13	32.5	≦* <	37.5	28	1.42298	0.079	0.079	
-14	27.5	≦* <	32.5	24	1.36031	0.075	0.075	
-15	22.5	≦* <	27.5	20	1.29765	0.071	0.071	
-16	17.5	≦* <	22.5	16	1.23499	0.068	0.068	
-17	12.5	≦* <	17.5	12	1.17232	0.065	0.065	
-18	7.5	≦* <	12.5	8	1.10966	0.061	0.061	
-19	2.5	≦* <	7.5	4	1.04700	0.058	0.058	
-20	0.0	≦* <	2.5	1.00	1.00000	0.055	0.055	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.068 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.173	0.173	
19	192.5	≦* <	197.5	156	3.42820	0.117	0.117	
18	187.5	≦* <	192.5	152	3.36553	0.114	0.114	
17	182.5	≦* <	187.5	148	3.30287	0.112	0.112	
16	177.5	≦* <	182.5	144	3.24021	0.110	0.110	
15	172.5	≦* <	177.5	140	3.17754	0.108	0.108	
14	167.5	≦* <	172.5	136	3.11488	0.106	0.106	
13	162.5	≦* <	167.5	132	3.05222	0.104	0.104	
12	157.5	≦* <	162.5	128	2.98955	0.102	0.102	
11	152.5	≦* <	157.5	124	2.92689	0.100	0.100	
10	147.5	≦* <	152.5	120	2.86423	0.097	0.097	
9	142.5	≦* <	147.5	116	2.80157	0.095	0.095	
8	137.5	≦* <	142.5	112	2.73890	0.093	0.093	
7	132.5	≦* <	137.5	108	2.67624	0.091	0.091	
6	127.5	≦* <	132.5	104	2.61358	0.089	0.089	
5	122.5	≦* <	127.5	100	2.55091	0.087	0.087	
4	117.5	≦* <	122.5	96	2.48825	0.085	0.085	
3	112.5	≦* <	117.5	92	2.42559	0.082	0.082	
2	107.5	≦* <	112.5	88	2.36292	0.080	0.080	
1	102.5	≦* <	107.5	84	2.30026	0.078	0.078	
0	97.5	≦* <	102.5	80	2.23760	0.076	0.076	
-1	92.5	≦* <	97.5	76	2.17493	0.074	0.074	
-2	87.5	≦* <	92.5	72	2.11227	0.072	0.072	
-3	82.5	≦* <	87.5	68	2.04961	0.070	0.070	
-4	77.5	≦* <	82.5	64	1.98694	0.068	0.068	
-5	72.5	≦* <	77.5	60	1.92428	0.065	0.065	
-6	67.5	≦* <	72.5	56	1.86162	0.063	0.063	
-7	62.5	≦* <	67.5	52	1.79896	0.061	0.061	
-8	57.5	≦* <	62.5	48	1.73629	0.059	0.059	
-9	52.5	≦* <	57.5	44	1.67363	0.057	0.057	
-10	47.5	≦* <	52.5	40	1.61097	0.055	0.055	
-11	42.5	≦* <	47.5	36	1.54830	0.053	0.053	
-12	37.5	≦* <	42.5	32	1.48564	0.051	0.051	
-13	32.5	≦* <	37.5	28	1.42298	0.048	0.048	
-14	27.5	≦* <	32.5	24	1.36031	0.046	0.046	
-15	22.5	≦* <	27.5	20	1.29765	0.044	0.044	
-16	17.5	≦* <	22.5	16	1.23499	0.042	0.042	
-17	12.5	≦* <	17.5	12	1.17232	0.040	0.040	
-18	7.5	≦* <	12.5	8	1.10966	0.038	0.038	
-19	2.5	≦* <	7.5	4	1.04700	0.036	0.036	
-20	0.0	≦* <	2.5	1.00	1.00000	0.034	0.034	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.068 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.164	0.164	
19	192.5	≦* <	197.5	156	3.42820	0.111	0.111	
18	187.5	≦* <	192.5	152	3.36553	0.108	0.108	
17	182.5	≦* <	187.5	148	3.30287	0.106	0.106	
16	177.5	≦* <	182.5	144	3.24021	0.105	0.105	
15	172.5	≦* <	177.5	140	3.17754	0.103	0.103	
14	167.5	≦* <	172.5	136	3.11488	0.101	0.101	
13	162.5	≦* <	167.5	132	3.05222	0.099	0.099	
12	157.5	≦* <	162.5	128	2.98955	0.097	0.097	
11	152.5	≦* <	157.5	124	2.92689	0.095	0.095	
10	147.5	≦* <	152.5	120	2.86423	0.092	0.092	
9	142.5	≦* <	147.5	116	2.80157	0.090	0.090	
8	137.5	≦* <	142.5	112	2.73890	0.088	0.088	
7	132.5	≦* <	137.5	108	2.67624	0.086	0.086	
6	127.5	≦* <	132.5	104	2.61358	0.085	0.085	
5	122.5	≦* <	127.5	100	2.55091	0.083	0.083	
4	117.5	≦* <	122.5	96	2.48825	0.081	0.081	
3	112.5	≦* <	117.5	92	2.42559	0.078	0.078	
2	107.5	≦* <	112.5	88	2.36292	0.076	0.076	
1	102.5	≦* <	107.5	84	2.30026	0.074	0.074	
0	97.5	≦* <	102.5	80	2.23760	0.072	0.072	
-1	92.5	≦* <	97.5	76	2.17493	0.070	0.070	
-2	87.5	≦* <	92.5	72	2.11227	0.068	0.068	
-3	82.5	≦* <	87.5	68	2.04961	0.067	0.067	
-4	77.5	≦* <	82.5	64	1.98694	0.065	0.065	
-5	72.5	≦* <	77.5	60	1.92428	0.062	0.062	
-6	67.5	≦* <	72.5	56	1.86162	0.060	0.060	
-7	62.5	≦* <	67.5	52	1.79896	0.058	0.058	
-8	57.5	≦* <	62.5	48	1.73629	0.056	0.056	
-9	52.5	≦* <	57.5	44	1.67363	0.054	0.054	
-10	47.5	≦* <	52.5	40	1.61097	0.052	0.052	
-11	42.5	≦* <	47.5	36	1.54830	0.050	0.050	
-12	37.5	≦* <	42.5	32	1.48564	0.048	0.048	
-13	32.5	≦* <	37.5	28	1.42298	0.046	0.046	
-14	27.5	≦* <	32.5	24	1.36031	0.044	0.044	
-15	22.5	≦* <	27.5	20	1.29765	0.042	0.042	
-16	17.5	≦* <	22.5	16	1.23499	0.040	0.040	
-17	12.5	≦* <	17.5	12	1.17232	0.038	0.038	
-18	7.5	≦* <	12.5	8	1.10966	0.036	0.036	
-19	2.5	≦* <	7.5	4	1.04700	0.034	0.034	
-20	0.0	≦* <	2.5	1.00	1.00000	0.032	0.032	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.170 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.389	0.389	
19	192.5	≦* <	197.5	156	4.49034	0.382	0.382	
18	187.5	≦* <	192.5	152	4.40026	0.374	0.374	
17	182.5	≦* <	187.5	148	4.31019	0.366	0.366	
16	177.5	≦* <	182.5	144	4.22012	0.359	0.359	
15	172.5	≦* <	177.5	140	4.13004	0.351	0.351	
14	167.5	≦* <	172.5	136	4.03997	0.343	0.343	
13	162.5	≦* <	167.5	132	3.94990	0.336	0.336	
12	157.5	≦* <	162.5	128	3.85982	0.328	0.328	
11	152.5	≦* <	157.5	124	3.76975	0.320	0.320	
10	147.5	≦* <	152.5	120	3.67968	0.313	0.313	
9	142.5	≦* <	147.5	116	3.58960	0.305	0.305	
8	137.5	≦* <	142.5	112	3.49953	0.297	0.297	
7	132.5	≦* <	137.5	108	3.40946	0.290	0.290	
6	127.5	≦* <	132.5	104	3.31939	0.282	0.282	
5	122.5	≦* <	127.5	100	3.22931	0.274	0.274	
4	117.5	≦* <	122.5	96	3.13924	0.267	0.267	
3	112.5	≦* <	117.5	92	3.04917	0.259	0.259	
2	107.5	≦* <	112.5	88	2.95909	0.252	0.252	
1	102.5	≦* <	107.5	84	2.86902	0.244	0.244	
0	97.5	≦* <	102.5	80	2.77895	0.236	0.236	
-1	92.5	≦* <	97.5	76	2.68887	0.229	0.229	
-2	87.5	≦* <	92.5	72	2.59880	0.221	0.221	
-3	82.5	≦* <	87.5	68	2.50873	0.213	0.213	
-4	77.5	≦* <	82.5	64	2.41865	0.206	0.206	
-5	72.5	≦* <	77.5	60	2.32858	0.198	0.198	
-6	67.5	≦* <	72.5	56	2.23851	0.190	0.190	
-7	62.5	≦* <	67.5	52	2.14843	0.183	0.183	
-8	57.5	≦* <	62.5	48	2.05836	0.175	0.175	
-9	52.5	≦* <	57.5	44	1.96829	0.167	0.167	
-10	47.5	≦* <	52.5	40	1.87821	0.160	0.160	
-11	42.5	≦* <	47.5	36	1.78814	0.152	0.152	
-12	37.5	≦* <	42.5	32	1.69807	0.144	0.144	
-13	32.5	≦* <	37.5	28	1.60799	0.137	0.137	
-14	27.5	≦* <	32.5	24	1.51792	0.129	0.129	
-15	22.5	≦* <	27.5	20	1.42785	0.121	0.121	
-16	17.5	≦* <	22.5	16	1.33777	0.114	0.114	
-17	12.5	≦* <	17.5	12	1.24770	0.106	0.106	
-18	7.5	≦* <	12.5	8	1.15763	0.098	0.098	
-19	2.5	≦* <	7.5	4	1.06755	0.091	0.091	
-20	0.0	≦* <	2.5	1.00	1.00000	0.085	0.085	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.170 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.370	0.370	
19	192.5	≦* <	197.5	156	4.49034	0.363	0.363	
18	187.5	≦* <	192.5	152	4.40026	0.355	0.355	
17	182.5	≦* <	187.5	148	4.31019	0.348	0.348	
16	177.5	≦* <	182.5	144	4.22012	0.341	0.341	
15	172.5	≦* <	177.5	140	4.13004	0.333	0.333	
14	167.5	≦* <	172.5	136	4.03997	0.326	0.326	
13	162.5	≦* <	167.5	132	3.94990	0.319	0.319	
12	157.5	≦* <	162.5	128	3.85982	0.312	0.312	
11	152.5	≦* <	157.5	124	3.76975	0.304	0.304	
10	147.5	≦* <	152.5	120	3.67968	0.297	0.297	
9	142.5	≦* <	147.5	116	3.58960	0.290	0.290	
8	137.5	≦* <	142.5	112	3.49953	0.282	0.282	
7	132.5	≦* <	137.5	108	3.40946	0.276	0.276	
6	127.5	≦* <	132.5	104	3.31939	0.268	0.268	
5	122.5	≦* <	127.5	100	3.22931	0.260	0.260	
4	117.5	≦* <	122.5	96	3.13924	0.254	0.254	
3	112.5	≦* <	117.5	92	3.04917	0.246	0.246	
2	107.5	≦* <	112.5	88	2.95909	0.239	0.239	
1	102.5	≦* <	107.5	84	2.86902	0.232	0.232	
0	97.5	≦* <	102.5	80	2.77895	0.224	0.224	
-1	92.5	≦* <	97.5	76	2.68887	0.218	0.218	
-2	87.5	≦* <	92.5	72	2.59880	0.210	0.210	
-3	82.5	≦* <	87.5	68	2.50873	0.202	0.202	
-4	77.5	≦* <	82.5	64	2.41865	0.196	0.196	
-5	72.5	≦* <	77.5	60	2.32858	0.188	0.188	
-6	67.5	≦* <	72.5	56	2.23851	0.181	0.181	
-7	62.5	≦* <	67.5	52	2.14843	0.174	0.174	
-8	57.5	≦* <	62.5	48	2.05836	0.166	0.166	
-9	52.5	≦* <	57.5	44	1.96829	0.159	0.159	
-10	47.5	≦* <	52.5	40	1.87821	0.152	0.152	
-11	42.5	≦* <	47.5	36	1.78814	0.144	0.144	
-12	37.5	≦* <	42.5	32	1.69807	0.137	0.137	
-13	32.5	≦* <	37.5	28	1.60799	0.130	0.130	
-14	27.5	≦* <	32.5	24	1.51792	0.123	0.123	
-15	22.5	≦* <	27.5	20	1.42785	0.115	0.115	
-16	17.5	≦* <	22.5	16	1.33777	0.108	0.108	
-17	12.5	≦* <	17.5	12	1.24770	0.101	0.101	
-18	7.5	≦* <	12.5	8	1.15763	0.093	0.093	
-19	2.5	≦* <	7.5	4	1.06755	0.086	0.086	
-20	0.0	≦* <	2.5	1.00	1.00000	0.081	0.081	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.011	0.011	
19	192.5	≦* <	197.5	156	4.49034	0.011	0.011	
18	187.5	≦* <	192.5	152	4.40026	0.011	0.011	
17	182.5	≦* <	187.5	148	4.31019	0.011	0.011	
16	177.5	≦* <	182.5	144	4.22012	0.011	0.011	
15	172.5	≦* <	177.5	140	4.13004	0.010	0.010	
14	167.5	≦* <	172.5	136	4.03997	0.010	0.010	
13	162.5	≦* <	167.5	132	3.94990	0.010	0.010	
12	157.5	≦* <	162.5	128	3.85982	0.010	0.010	
11	152.5	≦* <	157.5	124	3.76975	0.009	0.009	
10	147.5	≦* <	152.5	120	3.67968	0.009	0.009	
9	142.5	≦* <	147.5	116	3.58960	0.009	0.009	
8	137.5	≦* <	142.5	112	3.49953	0.009	0.009	
7	132.5	≦* <	137.5	108	3.40946	0.009	0.009	
6	127.5	≦* <	132.5	104	3.31939	0.008	0.008	
5	122.5	≦* <	127.5	100	3.22931	0.008	0.008	
4	117.5	≦* <	122.5	96	3.13924	0.008	0.008	
3	112.5	≦* <	117.5	92	3.04917	0.008	0.008	
2	107.5	≦* <	112.5	88	2.95909	0.007	0.007	
1	102.5	≦* <	107.5	84	2.86902	0.007	0.007	
0	97.5	≦* <	102.5	80	2.77895	0.007	0.007	
-1	92.5	≦* <	97.5	76	2.68887	0.007	0.007	
-2	87.5	≦* <	92.5	72	2.59880	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.50873	0.006	0.006	
-4	77.5	≦* <	82.5	64	2.41865	0.006	0.006	
-5	72.5	≦* <	77.5	60	2.32858	0.006	0.006	
-6	67.5	≦* <	72.5	56	2.23851	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.14843	0.005	0.005	
-8	57.5	≦* <	62.5	48	2.05836	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.96829	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.87821	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.69807	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.60799	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.51792	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.42785	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.24770	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.15763	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.06755	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.010	0.010	
19	192.5	≦* <	197.5	156	4.49034	0.010	0.010	
18	187.5	≦* <	192.5	152	4.40026	0.010	0.010	
17	182.5	≦* <	187.5	148	4.31019	0.010	0.010	
16	177.5	≦* <	182.5	144	4.22012	0.010	0.010	
15	172.5	≦* <	177.5	140	4.13004	0.010	0.010	
14	167.5	≦* <	172.5	136	4.03997	0.010	0.010	
13	162.5	≦* <	167.5	132	3.94990	0.010	0.010	
12	157.5	≦* <	162.5	128	3.85982	0.010	0.010	
11	152.5	≦* <	157.5	124	3.76975	0.009	0.009	
10	147.5	≦* <	152.5	120	3.67968	0.009	0.009	
9	142.5	≦* <	147.5	116	3.58960	0.009	0.009	
8	137.5	≦* <	142.5	112	3.49953	0.009	0.009	
7	132.5	≦* <	137.5	108	3.40946	0.009	0.009	
6	127.5	≦* <	132.5	104	3.31939	0.008	0.008	
5	122.5	≦* <	127.5	100	3.22931	0.008	0.008	
4	117.5	≦* <	122.5	96	3.13924	0.008	0.008	
3	112.5	≦* <	117.5	92	3.04917	0.008	0.008	
2	107.5	≦* <	112.5	88	2.95909	0.007	0.007	
1	102.5	≦* <	107.5	84	2.86902	0.007	0.007	
0	97.5	≦* <	102.5	80	2.77895	0.007	0.007	
-1	92.5	≦* <	97.5	76	2.68887	0.007	0.007	
-2	87.5	≦* <	92.5	72	2.59880	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.50873	0.006	0.006	
-4	77.5	≦* <	82.5	64	2.41865	0.006	0.006	
-5	72.5	≦* <	77.5	60	2.32858	0.006	0.006	
-6	67.5	≦* <	72.5	56	2.23851	0.006	0.006	
-7	62.5	≦* <	67.5	52	2.14843	0.005	0.005	
-8	57.5	≦* <	62.5	48	2.05836	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.96829	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.87821	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.69807	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.60799	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.51792	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.42785	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.24770	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.15763	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.06755	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			45.40833	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.153 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.350	0.350	
19	192.5	≦* <	197.5	156	4.49034	0.344	0.344	
18	187.5	≦* <	192.5	152	4.40026	0.337	0.337	
17	182.5	≦* <	187.5	148	4.31019	0.330	0.330	
16	177.5	≦* <	182.5	144	4.22012	0.323	0.323	
15	172.5	≦* <	177.5	140	4.13004	0.316	0.316	
14	167.5	≦* <	172.5	136	4.03997	0.309	0.309	
13	162.5	≦* <	167.5	132	3.94990	0.302	0.302	
12	157.5	≦* <	162.5	128	3.85982	0.295	0.295	
11	152.5	≦* <	157.5	124	3.76975	0.288	0.288	
10	147.5	≦* <	152.5	120	3.67968	0.281	0.281	
9	142.5	≦* <	147.5	116	3.58960	0.275	0.275	
8	137.5	≦* <	142.5	112	3.49953	0.268	0.268	
7	132.5	≦* <	137.5	108	3.40946	0.261	0.261	
6	127.5	≦* <	132.5	104	3.31939	0.254	0.254	
5	122.5	≦* <	127.5	100	3.22931	0.247	0.247	
4	117.5	≦* <	122.5	96	3.13924	0.240	0.240	
3	112.5	≦* <	117.5	92	3.04917	0.233	0.233	
2	107.5	≦* <	112.5	88	2.95909	0.226	0.226	
1	102.5	≦* <	107.5	84	2.86902	0.219	0.219	
0	97.5	≦* <	102.5	80	2.77895	0.213	0.213	
-1	92.5	≦* <	97.5	76	2.68887	0.206	0.206	
-2	87.5	≦* <	92.5	72	2.59880	0.199	0.199	
-3	82.5	≦* <	87.5	68	2.50873	0.192	0.192	
-4	77.5	≦* <	82.5	64	2.41865	0.185	0.185	
-5	72.5	≦* <	77.5	60	2.32858	0.178	0.178	
-6	67.5	≦* <	72.5	56	2.23851	0.171	0.171	
-7	62.5	≦* <	67.5	52	2.14843	0.164	0.164	
-8	57.5	≦* <	62.5	48	2.05836	0.157	0.157	
-9	52.5	≦* <	57.5	44	1.96829	0.151	0.151	
-10	47.5	≦* <	52.5	40	1.87821	0.144	0.144	
-11	42.5	≦* <	47.5	36	1.78814	0.137	0.137	
-12	37.5	≦* <	42.5	32	1.69807	0.130	0.130	
-13	32.5	≦* <	37.5	28	1.60799	0.123	0.123	
-14	27.5	≦* <	32.5	24	1.51792	0.116	0.116	
-15	22.5	≦* <	27.5	20	1.42785	0.109	0.109	
-16	17.5	≦* <	22.5	16	1.33777	0.102	0.102	
-17	12.5	≦* <	17.5	12	1.24770	0.095	0.095	
-18	7.5	≦* <	12.5	8	1.15763	0.089	0.089	
-19	2.5	≦* <	7.5	4	1.06755	0.082	0.082	
-20	0.0	≦* <	2.5	1.00	1.00000	0.076	0.076	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.153 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.333	0.333	
19	192.5	≦* <	197.5	156	4.49034	0.327	0.327	
18	187.5	≦* <	192.5	152	4.40026	0.320	0.320	
17	182.5	≦* <	187.5	148	4.31019	0.314	0.314	
16	177.5	≦* <	182.5	144	4.22012	0.307	0.307	
15	172.5	≦* <	177.5	140	4.13004	0.300	0.300	
14	167.5	≦* <	172.5	136	4.03997	0.294	0.294	
13	162.5	≦* <	167.5	132	3.94990	0.287	0.287	
12	157.5	≦* <	162.5	128	3.85982	0.280	0.280	
11	152.5	≦* <	157.5	124	3.76975	0.274	0.274	
10	147.5	≦* <	152.5	120	3.67968	0.267	0.267	
9	142.5	≦* <	147.5	116	3.58960	0.261	0.261	
8	137.5	≦* <	142.5	112	3.49953	0.255	0.255	
7	132.5	≦* <	137.5	108	3.40946	0.248	0.248	
6	127.5	≦* <	132.5	104	3.31939	0.241	0.241	
5	122.5	≦* <	127.5	100	3.22931	0.235	0.235	
4	117.5	≦* <	122.5	96	3.13924	0.228	0.228	
3	112.5	≦* <	117.5	92	3.04917	0.221	0.221	
2	107.5	≦* <	112.5	88	2.95909	0.215	0.215	
1	102.5	≦* <	107.5	84	2.86902	0.208	0.208	
0	97.5	≦* <	102.5	80	2.77895	0.202	0.202	
-1	92.5	≦* <	97.5	76	2.68887	0.196	0.196	
-2	87.5	≦* <	92.5	72	2.59880	0.189	0.189	
-3	82.5	≦* <	87.5	68	2.50873	0.182	0.182	
-4	77.5	≦* <	82.5	64	2.41865	0.176	0.176	
-5	72.5	≦* <	77.5	60	2.32858	0.169	0.169	
-6	67.5	≦* <	72.5	56	2.23851	0.162	0.162	
-7	62.5	≦* <	67.5	52	2.14843	0.156	0.156	
-8	57.5	≦* <	62.5	48	2.05836	0.149	0.149	
-9	52.5	≦* <	57.5	44	1.96829	0.143	0.143	
-10	47.5	≦* <	52.5	40	1.87821	0.137	0.137	
-11	42.5	≦* <	47.5	36	1.78814	0.130	0.130	
-12	37.5	≦* <	42.5	32	1.69807	0.124	0.124	
-13	32.5	≦* <	37.5	28	1.60799	0.117	0.117	
-14	27.5	≦* <	32.5	24	1.51792	0.110	0.110	
-15	22.5	≦* <	27.5	20	1.42785	0.104	0.104	
-16	17.5	≦* <	22.5	16	1.33777	0.097	0.097	
-17	12.5	≦* <	17.5	12	1.24770	0.090	0.090	
-18	7.5	≦* <	12.5	8	1.15763	0.085	0.085	
-19	2.5	≦* <	7.5	4	1.06755	0.078	0.078	
-20	0.0	≦* <	2.5	1.00	1.00000	0.072	0.072	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.009	0.009	
19	192.5	≦* <	197.5	156	4.49034	0.009	0.009	
18	187.5	≦* <	192.5	152	4.40026	0.009	0.009	
17	182.5	≦* <	187.5	148	4.31019	0.009	0.009	
16	177.5	≦* <	182.5	144	4.22012	0.008	0.008	
15	172.5	≦* <	177.5	140	4.13004	0.008	0.008	
14	167.5	≦* <	172.5	136	4.03997	0.008	0.008	
13	162.5	≦* <	167.5	132	3.94990	0.008	0.008	
12	157.5	≦* <	162.5	128	3.85982	0.008	0.008	
11	152.5	≦* <	157.5	124	3.76975	0.008	0.008	
10	147.5	≦* <	152.5	120	3.67968	0.007	0.007	
9	142.5	≦* <	147.5	116	3.58960	0.007	0.007	
8	137.5	≦* <	142.5	112	3.49953	0.007	0.007	
7	132.5	≦* <	137.5	108	3.40946	0.007	0.007	
6	127.5	≦* <	132.5	104	3.31939	0.007	0.007	
5	122.5	≦* <	127.5	100	3.22931	0.006	0.006	
4	117.5	≦* <	122.5	96	3.13924	0.006	0.006	
3	112.5	≦* <	117.5	92	3.04917	0.006	0.006	
2	107.5	≦* <	112.5	88	2.95909	0.006	0.006	
1	102.5	≦* <	107.5	84	2.86902	0.006	0.006	
0	97.5	≦* <	102.5	80	2.77895	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.68887	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.59880	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.50873	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.41865	0.005	0.005	
-5	72.5	≦* <	77.5	60	2.32858	0.005	0.005	
-6	67.5	≦* <	72.5	56	2.23851	0.004	0.004	
-7	62.5	≦* <	67.5	52	2.14843	0.004	0.004	
-8	57.5	≦* <	62.5	48	2.05836	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.96829	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.87821	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.51792	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.42785	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.009	0.009	
19	192.5	≦* <	197.5	156	4.49034	0.009	0.009	
18	187.5	≦* <	192.5	152	4.40026	0.009	0.009	
17	182.5	≦* <	187.5	148	4.31019	0.009	0.009	
16	177.5	≦* <	182.5	144	4.22012	0.008	0.008	
15	172.5	≦* <	177.5	140	4.13004	0.008	0.008	
14	167.5	≦* <	172.5	136	4.03997	0.008	0.008	
13	162.5	≦* <	167.5	132	3.94990	0.008	0.008	
12	157.5	≦* <	162.5	128	3.85982	0.008	0.008	
11	152.5	≦* <	157.5	124	3.76975	0.008	0.008	
10	147.5	≦* <	152.5	120	3.67968	0.007	0.007	
9	142.5	≦* <	147.5	116	3.58960	0.007	0.007	
8	137.5	≦* <	142.5	112	3.49953	0.007	0.007	
7	132.5	≦* <	137.5	108	3.40946	0.007	0.007	
6	127.5	≦* <	132.5	104	3.31939	0.007	0.007	
5	122.5	≦* <	127.5	100	3.22931	0.006	0.006	
4	117.5	≦* <	122.5	96	3.13924	0.006	0.006	
3	112.5	≦* <	117.5	92	3.04917	0.006	0.006	
2	107.5	≦* <	112.5	88	2.95909	0.006	0.006	
1	102.5	≦* <	107.5	84	2.86902	0.006	0.006	
0	97.5	≦* <	102.5	80	2.77895	0.006	0.006	
-1	92.5	≦* <	97.5	76	2.68887	0.005	0.005	
-2	87.5	≦* <	92.5	72	2.59880	0.005	0.005	
-3	82.5	≦* <	87.5	68	2.50873	0.005	0.005	
-4	77.5	≦* <	82.5	64	2.41865	0.005	0.005	
-5	72.5	≦* <	77.5	60	2.32858	0.005	0.005	
-6	67.5	≦* <	72.5	56	2.23851	0.004	0.004	
-7	62.5	≦* <	67.5	52	2.14843	0.004	0.004	
-8	57.5	≦* <	62.5	48	2.05836	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.96829	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.87821	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.51792	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.42785	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.140 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.321	0.321	
19	192.5	≦* <	197.5	156	4.49034	0.314	0.314	
18	187.5	≦* <	192.5	152	4.40026	0.308	0.308	
17	182.5	≦* <	187.5	148	4.31019	0.302	0.302	
16	177.5	≦* <	182.5	144	4.22012	0.295	0.295	
15	172.5	≦* <	177.5	140	4.13004	0.289	0.289	
14	167.5	≦* <	172.5	136	4.03997	0.283	0.283	
13	162.5	≦* <	167.5	132	3.94990	0.276	0.276	
12	157.5	≦* <	162.5	128	3.85982	0.270	0.270	
11	152.5	≦* <	157.5	124	3.76975	0.264	0.264	
10	147.5	≦* <	152.5	120	3.67968	0.258	0.258	
9	142.5	≦* <	147.5	116	3.58960	0.251	0.251	
8	137.5	≦* <	142.5	112	3.49953	0.245	0.245	
7	132.5	≦* <	137.5	108	3.40946	0.239	0.239	
6	127.5	≦* <	132.5	104	3.31939	0.232	0.232	
5	122.5	≦* <	127.5	100	3.22931	0.226	0.226	
4	117.5	≦* <	122.5	96	3.13924	0.220	0.220	
3	112.5	≦* <	117.5	92	3.04917	0.213	0.213	
2	107.5	≦* <	112.5	88	2.95909	0.207	0.207	
1	102.5	≦* <	107.5	84	2.86902	0.201	0.201	
0	97.5	≦* <	102.5	80	2.77895	0.195	0.195	
-1	92.5	≦* <	97.5	76	2.68887	0.188	0.188	
-2	87.5	≦* <	92.5	72	2.59880	0.182	0.182	
-3	82.5	≦* <	87.5	68	2.50873	0.176	0.176	
-4	77.5	≦* <	82.5	64	2.41865	0.169	0.169	
-5	72.5	≦* <	77.5	60	2.32858	0.163	0.163	
-6	67.5	≦* <	72.5	56	2.23851	0.157	0.157	
-7	62.5	≦* <	67.5	52	2.14843	0.150	0.150	
-8	57.5	≦* <	62.5	48	2.05836	0.144	0.144	
-9	52.5	≦* <	57.5	44	1.96829	0.138	0.138	
-10	47.5	≦* <	52.5	40	1.87821	0.131	0.131	
-11	42.5	≦* <	47.5	36	1.78814	0.125	0.125	
-12	37.5	≦* <	42.5	32	1.69807	0.119	0.119	
-13	32.5	≦* <	37.5	28	1.60799	0.113	0.113	
-14	27.5	≦* <	32.5	24	1.51792	0.106	0.106	
-15	22.5	≦* <	27.5	20	1.42785	0.100	0.100	
-16	17.5	≦* <	22.5	16	1.33777	0.094	0.094	
-17	12.5	≦* <	17.5	12	1.24770	0.087	0.087	
-18	7.5	≦* <	12.5	8	1.15763	0.081	0.081	
-19	2.5	≦* <	7.5	4	1.06755	0.075	0.075	
-20	0.0	≦* <	2.5	1.00	1.00000	0.070	0.070	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.140 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.305	0.305	
19	192.5	≦* <	197.5	156	4.49034	0.298	0.298	
18	187.5	≦* <	192.5	152	4.40026	0.293	0.293	
17	182.5	≦* <	187.5	148	4.31019	0.287	0.287	
16	177.5	≦* <	182.5	144	4.22012	0.280	0.280	
15	172.5	≦* <	177.5	140	4.13004	0.275	0.275	
14	167.5	≦* <	172.5	136	4.03997	0.269	0.269	
13	162.5	≦* <	167.5	132	3.94990	0.262	0.262	
12	157.5	≦* <	162.5	128	3.85982	0.257	0.257	
11	152.5	≦* <	157.5	124	3.76975	0.251	0.251	
10	147.5	≦* <	152.5	120	3.67968	0.245	0.245	
9	142.5	≦* <	147.5	116	3.58960	0.238	0.238	
8	137.5	≦* <	142.5	112	3.49953	0.233	0.233	
7	132.5	≦* <	137.5	108	3.40946	0.227	0.227	
6	127.5	≦* <	132.5	104	3.31939	0.220	0.220	
5	122.5	≦* <	127.5	100	3.22931	0.215	0.215	
4	117.5	≦* <	122.5	96	3.13924	0.209	0.209	
3	112.5	≦* <	117.5	92	3.04917	0.202	0.202	
2	107.5	≦* <	112.5	88	2.95909	0.197	0.197	
1	102.5	≦* <	107.5	84	2.86902	0.191	0.191	
0	97.5	≦* <	102.5	80	2.77895	0.185	0.185	
-1	92.5	≦* <	97.5	76	2.68887	0.179	0.179	
-2	87.5	≦* <	92.5	72	2.59880	0.173	0.173	
-3	82.5	≦* <	87.5	68	2.50873	0.167	0.167	
-4	77.5	≦* <	82.5	64	2.41865	0.161	0.161	
-5	72.5	≦* <	77.5	60	2.32858	0.155	0.155	
-6	67.5	≦* <	72.5	56	2.23851	0.149	0.149	
-7	62.5	≦* <	67.5	52	2.14843	0.143	0.143	
-8	57.5	≦* <	62.5	48	2.05836	0.137	0.137	
-9	52.5	≦* <	57.5	44	1.96829	0.131	0.131	
-10	47.5	≦* <	52.5	40	1.87821	0.124	0.124	
-11	42.5	≦* <	47.5	36	1.78814	0.119	0.119	
-12	37.5	≦* <	42.5	32	1.69807	0.113	0.113	
-13	32.5	≦* <	37.5	28	1.60799	0.107	0.107	
-14	27.5	≦* <	32.5	24	1.51792	0.101	0.101	
-15	22.5	≦* <	27.5	20	1.42785	0.095	0.095	
-16	17.5	≦* <	22.5	16	1.33777	0.089	0.089	
-17	12.5	≦* <	17.5	12	1.24770	0.083	0.083	
-18	7.5	≦* <	12.5	8	1.15763	0.077	0.077	
-19	2.5	≦* <	7.5	4	1.06755	0.071	0.071	
-20	0.0	≦* <	2.5	1.00	1.00000	0.067	0.067	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.138 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.316	0.316	
19	192.5	≦* <	197.5	156	4.49034	0.310	0.310	
18	187.5	≦* <	192.5	152	4.40026	0.304	0.304	
17	182.5	≦* <	187.5	148	4.31019	0.297	0.297	
16	177.5	≦* <	182.5	144	4.22012	0.291	0.291	
15	172.5	≦* <	177.5	140	4.13004	0.285	0.285	
14	167.5	≦* <	172.5	136	4.03997	0.279	0.279	
13	162.5	≦* <	167.5	132	3.94990	0.273	0.273	
12	157.5	≦* <	162.5	128	3.85982	0.266	0.266	
11	152.5	≦* <	157.5	124	3.76975	0.260	0.260	
10	147.5	≦* <	152.5	120	3.67968	0.254	0.254	
9	142.5	≦* <	147.5	116	3.58960	0.248	0.248	
8	137.5	≦* <	142.5	112	3.49953	0.241	0.241	
7	132.5	≦* <	137.5	108	3.40946	0.235	0.235	
6	127.5	≦* <	132.5	104	3.31939	0.229	0.229	
5	122.5	≦* <	127.5	100	3.22931	0.223	0.223	
4	117.5	≦* <	122.5	96	3.13924	0.217	0.217	
3	112.5	≦* <	117.5	92	3.04917	0.210	0.210	
2	107.5	≦* <	112.5	88	2.95909	0.204	0.204	
1	102.5	≦* <	107.5	84	2.86902	0.198	0.198	
0	97.5	≦* <	102.5	80	2.77895	0.192	0.192	
-1	92.5	≦* <	97.5	76	2.68887	0.186	0.186	
-2	87.5	≦* <	92.5	72	2.59880	0.179	0.179	
-3	82.5	≦* <	87.5	68	2.50873	0.173	0.173	
-4	77.5	≦* <	82.5	64	2.41865	0.167	0.167	
-5	72.5	≦* <	77.5	60	2.32858	0.161	0.161	
-6	67.5	≦* <	72.5	56	2.23851	0.154	0.154	
-7	62.5	≦* <	67.5	52	2.14843	0.148	0.148	
-8	57.5	≦* <	62.5	48	2.05836	0.142	0.142	
-9	52.5	≦* <	57.5	44	1.96829	0.136	0.136	
-10	47.5	≦* <	52.5	40	1.87821	0.130	0.130	
-11	42.5	≦* <	47.5	36	1.78814	0.123	0.123	
-12	37.5	≦* <	42.5	32	1.69807	0.117	0.117	
-13	32.5	≦* <	37.5	28	1.60799	0.111	0.111	
-14	27.5	≦* <	32.5	24	1.51792	0.105	0.105	
-15	22.5	≦* <	27.5	20	1.42785	0.099	0.099	
-16	17.5	≦* <	22.5	16	1.33777	0.092	0.092	
-17	12.5	≦* <	17.5	12	1.24770	0.086	0.086	
-18	7.5	≦* <	12.5	8	1.15763	0.080	0.080	
-19	2.5	≦* <	7.5	4	1.06755	0.074	0.074	
-20	0.0	≦* <	2.5	1.00	1.00000	0.069	0.069	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.138 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.300	0.300	
19	192.5	≦* <	197.5	156	4.49034	0.295	0.295	
18	187.5	≦* <	192.5	152	4.40026	0.289	0.289	
17	182.5	≦* <	187.5	148	4.31019	0.282	0.282	
16	177.5	≦* <	182.5	144	4.22012	0.276	0.276	
15	172.5	≦* <	177.5	140	4.13004	0.271	0.271	
14	167.5	≦* <	172.5	136	4.03997	0.265	0.265	
13	162.5	≦* <	167.5	132	3.94990	0.259	0.259	
12	157.5	≦* <	162.5	128	3.85982	0.253	0.253	
11	152.5	≦* <	157.5	124	3.76975	0.247	0.247	
10	147.5	≦* <	152.5	120	3.67968	0.241	0.241	
9	142.5	≦* <	147.5	116	3.58960	0.236	0.236	
8	137.5	≦* <	142.5	112	3.49953	0.229	0.229	
7	132.5	≦* <	137.5	108	3.40946	0.223	0.223	
6	127.5	≦* <	132.5	104	3.31939	0.218	0.218	
5	122.5	≦* <	127.5	100	3.22931	0.212	0.212	
4	117.5	≦* <	122.5	96	3.13924	0.206	0.206	
3	112.5	≦* <	117.5	92	3.04917	0.200	0.200	
2	107.5	≦* <	112.5	88	2.95909	0.194	0.194	
1	102.5	≦* <	107.5	84	2.86902	0.188	0.188	
0	97.5	≦* <	102.5	80	2.77895	0.182	0.182	
-1	92.5	≦* <	97.5	76	2.68887	0.177	0.177	
-2	87.5	≦* <	92.5	72	2.59880	0.170	0.170	
-3	82.5	≦* <	87.5	68	2.50873	0.164	0.164	
-4	77.5	≦* <	82.5	64	2.41865	0.159	0.159	
-5	72.5	≦* <	77.5	60	2.32858	0.153	0.153	
-6	67.5	≦* <	72.5	56	2.23851	0.146	0.146	
-7	62.5	≦* <	67.5	52	2.14843	0.141	0.141	
-8	57.5	≦* <	62.5	48	2.05836	0.135	0.135	
-9	52.5	≦* <	57.5	44	1.96829	0.129	0.129	
-10	47.5	≦* <	52.5	40	1.87821	0.124	0.124	
-11	42.5	≦* <	47.5	36	1.78814	0.117	0.117	
-12	37.5	≦* <	42.5	32	1.69807	0.111	0.111	
-13	32.5	≦* <	37.5	28	1.60799	0.105	0.105	
-14	27.5	≦* <	32.5	24	1.51792	0.100	0.100	
-15	22.5	≦* <	27.5	20	1.42785	0.094	0.094	
-16	17.5	≦* <	22.5	16	1.33777	0.087	0.087	
-17	12.5	≦* <	17.5	12	1.24770	0.082	0.082	
-18	7.5	≦* <	12.5	8	1.15763	0.076	0.076	
-19	2.5	≦* <	7.5	4	1.06755	0.070	0.070	
-20	0.0	≦* <	2.5	1.00	1.00000	0.066	0.066	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.125 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.286	0.286	
19	192.5	≦* <	197.5	156	4.49034	0.281	0.281	
18	187.5	≦* <	192.5	152	4.40026	0.275	0.275	
17	182.5	≦* <	187.5	148	4.31019	0.269	0.269	
16	177.5	≦* <	182.5	144	4.22012	0.264	0.264	
15	172.5	≦* <	177.5	140	4.13004	0.258	0.258	
14	167.5	≦* <	172.5	136	4.03997	0.252	0.252	
13	162.5	≦* <	167.5	132	3.94990	0.247	0.247	
12	157.5	≦* <	162.5	128	3.85982	0.241	0.241	
11	152.5	≦* <	157.5	124	3.76975	0.236	0.236	
10	147.5	≦* <	152.5	120	3.67968	0.230	0.230	
9	142.5	≦* <	147.5	116	3.58960	0.224	0.224	
8	137.5	≦* <	142.5	112	3.49953	0.219	0.219	
7	132.5	≦* <	137.5	108	3.40946	0.213	0.213	
6	127.5	≦* <	132.5	104	3.31939	0.207	0.207	
5	122.5	≦* <	127.5	100	3.22931	0.202	0.202	
4	117.5	≦* <	122.5	96	3.13924	0.196	0.196	
3	112.5	≦* <	117.5	92	3.04917	0.191	0.191	
2	107.5	≦* <	112.5	88	2.95909	0.185	0.185	
1	102.5	≦* <	107.5	84	2.86902	0.179	0.179	
0	97.5	≦* <	102.5	80	2.77895	0.174	0.174	
-1	92.5	≦* <	97.5	76	2.68887	0.168	0.168	
-2	87.5	≦* <	92.5	72	2.59880	0.162	0.162	
-3	82.5	≦* <	87.5	68	2.50873	0.157	0.157	
-4	77.5	≦* <	82.5	64	2.41865	0.151	0.151	
-5	72.5	≦* <	77.5	60	2.32858	0.146	0.146	
-6	67.5	≦* <	72.5	56	2.23851	0.140	0.140	
-7	62.5	≦* <	67.5	52	2.14843	0.134	0.134	
-8	57.5	≦* <	62.5	48	2.05836	0.129	0.129	
-9	52.5	≦* <	57.5	44	1.96829	0.123	0.123	
-10	47.5	≦* <	52.5	40	1.87821	0.117	0.117	
-11	42.5	≦* <	47.5	36	1.78814	0.112	0.112	
-12	37.5	≦* <	42.5	32	1.69807	0.106	0.106	
-13	32.5	≦* <	37.5	28	1.60799	0.100	0.100	
-14	27.5	≦* <	32.5	24	1.51792	0.095	0.095	
-15	22.5	≦* <	27.5	20	1.42785	0.089	0.089	
-16	17.5	≦* <	22.5	16	1.33777	0.084	0.084	
-17	12.5	≦* <	17.5	12	1.24770	0.078	0.078	
-18	7.5	≦* <	12.5	8	1.15763	0.072	0.072	
-19	2.5	≦* <	7.5	4	1.06755	0.067	0.067	
-20	0.0	≦* <	2.5	1.00	1.00000	0.062	0.062	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.125 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.272	0.272	
19	192.5	≦* <	197.5	156	4.49034	0.267	0.267	
18	187.5	≦* <	192.5	152	4.40026	0.261	0.261	
17	182.5	≦* <	187.5	148	4.31019	0.256	0.256	
16	177.5	≦* <	182.5	144	4.22012	0.251	0.251	
15	172.5	≦* <	177.5	140	4.13004	0.245	0.245	
14	167.5	≦* <	172.5	136	4.03997	0.239	0.239	
13	162.5	≦* <	167.5	132	3.94990	0.235	0.235	
12	157.5	≦* <	162.5	128	3.85982	0.229	0.229	
11	152.5	≦* <	157.5	124	3.76975	0.224	0.224	
10	147.5	≦* <	152.5	120	3.67968	0.219	0.219	
9	142.5	≦* <	147.5	116	3.58960	0.213	0.213	
8	137.5	≦* <	142.5	112	3.49953	0.208	0.208	
7	132.5	≦* <	137.5	108	3.40946	0.202	0.202	
6	127.5	≦* <	132.5	104	3.31939	0.197	0.197	
5	122.5	≦* <	127.5	100	3.22931	0.192	0.192	
4	117.5	≦* <	122.5	96	3.13924	0.186	0.186	
3	112.5	≦* <	117.5	92	3.04917	0.181	0.181	
2	107.5	≦* <	112.5	88	2.95909	0.176	0.176	
1	102.5	≦* <	107.5	84	2.86902	0.170	0.170	
0	97.5	≦* <	102.5	80	2.77895	0.165	0.165	
-1	92.5	≦* <	97.5	76	2.68887	0.160	0.160	
-2	87.5	≦* <	92.5	72	2.59880	0.154	0.154	
-3	82.5	≦* <	87.5	68	2.50873	0.149	0.149	
-4	77.5	≦* <	82.5	64	2.41865	0.143	0.143	
-5	72.5	≦* <	77.5	60	2.32858	0.139	0.139	
-6	67.5	≦* <	72.5	56	2.23851	0.133	0.133	
-7	62.5	≦* <	67.5	52	2.14843	0.127	0.127	
-8	57.5	≦* <	62.5	48	2.05836	0.123	0.123	
-9	52.5	≦* <	57.5	44	1.96829	0.117	0.117	
-10	47.5	≦* <	52.5	40	1.87821	0.111	0.111	
-11	42.5	≦* <	47.5	36	1.78814	0.106	0.106	
-12	37.5	≦* <	42.5	32	1.69807	0.101	0.101	
-13	32.5	≦* <	37.5	28	1.60799	0.095	0.095	
-14	27.5	≦* <	32.5	24	1.51792	0.090	0.090	
-15	22.5	≦* <	27.5	20	1.42785	0.085	0.085	
-16	17.5	≦* <	22.5	16	1.33777	0.080	0.080	
-17	12.5	≦* <	17.5	12	1.24770	0.074	0.074	
-18	7.5	≦* <	12.5	8	1.15763	0.068	0.068	
-19	2.5	≦* <	7.5	4	1.06755	0.064	0.064	
-20	0.0	≦* <	2.5	1.00	1.00000	0.059	0.059	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			45.40833	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.886 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	3.250	3.250	
19	192.5	≦* <	197.5	156	3.38446	3.192	3.192	
18	187.5	≦* <	192.5	152	3.32292	3.134	3.134	
17	182.5	≦* <	187.5	148	3.26139	3.075	3.075	
16	177.5	≦* <	182.5	144	3.19985	3.017	3.017	
15	172.5	≦* <	177.5	140	3.13832	2.959	2.959	
14	167.5	≦* <	172.5	136	3.07678	2.901	2.901	
13	162.5	≦* <	167.5	132	3.01525	2.843	2.843	
12	157.5	≦* <	162.5	128	2.95372	2.785	2.785	
11	152.5	≦* <	157.5	124	2.89218	2.727	2.727	
10	147.5	≦* <	152.5	120	2.83065	2.669	2.669	
9	142.5	≦* <	147.5	116	2.76911	2.611	2.611	
8	137.5	≦* <	142.5	112	2.70758	2.553	2.553	
7	132.5	≦* <	137.5	108	2.64604	2.495	2.495	
6	127.5	≦* <	132.5	104	2.58451	2.437	2.437	
5	122.5	≦* <	127.5	100	2.52297	2.379	2.379	
4	117.5	≦* <	122.5	96	2.46144	2.321	2.321	
3	112.5	≦* <	117.5	92	2.39991	2.263	2.263	
2	107.5	≦* <	112.5	88	2.33837	2.205	2.205	
1	102.5	≦* <	107.5	84	2.27684	2.147	2.147	
0	97.5	≦* <	102.5	80	2.21530	2.089	2.089	
-1	92.5	≦* <	97.5	76	2.15377	2.031	2.031	
-2	87.5	≦* <	92.5	72	2.09223	1.973	1.973	
-3	82.5	≦* <	87.5	68	2.03070	1.915	1.915	
-4	77.5	≦* <	82.5	64	1.96917	1.857	1.857	
-5	72.5	≦* <	77.5	60	1.90763	1.799	1.799	
-6	67.5	≦* <	72.5	56	1.84610	1.741	1.741	
-7	62.5	≦* <	67.5	52	1.78456	1.683	1.683	
-8	57.5	≦* <	62.5	48	1.72303	1.625	1.625	
-9	52.5	≦* <	57.5	44	1.66149	1.567	1.567	
-10	47.5	≦* <	52.5	40	1.59996	1.509	1.509	
-11	42.5	≦* <	47.5	36	1.53843	1.451	1.451	
-12	37.5	≦* <	42.5	32	1.47689	1.393	1.393	
-13	32.5	≦* <	37.5	28	1.41536	1.335	1.335	
-14	27.5	≦* <	32.5	24	1.35382	1.277	1.277	
-15	22.5	≦* <	27.5	20	1.29229	1.219	1.219	
-16	17.5	≦* <	22.5	16	1.23075	1.161	1.161	
-17	12.5	≦* <	17.5	12	1.16922	1.103	1.103	
-18	7.5	≦* <	12.5	8	1.10769	1.045	1.045	
-19	2.5	≦* <	7.5	4	1.04615	0.987	0.987	
-20	0.0	≦* <	2.5	1.00	1.00000	0.943	0.943	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.886 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	3.088	3.088	
19	192.5	≦* <	197.5	156	3.38446	3.032	3.032	
18	187.5	≦* <	192.5	152	3.32292	2.977	2.977	
17	182.5	≦* <	187.5	148	3.26139	2.921	2.921	
16	177.5	≦* <	182.5	144	3.19985	2.866	2.866	
15	172.5	≦* <	177.5	140	3.13832	2.811	2.811	
14	167.5	≦* <	172.5	136	3.07678	2.756	2.756	
13	162.5	≦* <	167.5	132	3.01525	2.701	2.701	
12	157.5	≦* <	162.5	128	2.95372	2.646	2.646	
11	152.5	≦* <	157.5	124	2.89218	2.591	2.591	
10	147.5	≦* <	152.5	120	2.83065	2.536	2.536	
9	142.5	≦* <	147.5	116	2.76911	2.480	2.480	
8	137.5	≦* <	142.5	112	2.70758	2.425	2.425	
7	132.5	≦* <	137.5	108	2.64604	2.370	2.370	
6	127.5	≦* <	132.5	104	2.58451	2.315	2.315	
5	122.5	≦* <	127.5	100	2.52297	2.260	2.260	
4	117.5	≦* <	122.5	96	2.46144	2.205	2.205	
3	112.5	≦* <	117.5	92	2.39991	2.150	2.150	
2	107.5	≦* <	112.5	88	2.33837	2.095	2.095	
1	102.5	≦* <	107.5	84	2.27684	2.040	2.040	
0	97.5	≦* <	102.5	80	2.21530	1.985	1.985	
-1	92.5	≦* <	97.5	76	2.15377	1.929	1.929	
-2	87.5	≦* <	92.5	72	2.09223	1.874	1.874	
-3	82.5	≦* <	87.5	68	2.03070	1.819	1.819	
-4	77.5	≦* <	82.5	64	1.96917	1.764	1.764	
-5	72.5	≦* <	77.5	60	1.90763	1.709	1.709	
-6	67.5	≦* <	72.5	56	1.84610	1.654	1.654	
-7	62.5	≦* <	67.5	52	1.78456	1.599	1.599	
-8	57.5	≦* <	62.5	48	1.72303	1.544	1.544	
-9	52.5	≦* <	57.5	44	1.66149	1.489	1.489	
-10	47.5	≦* <	52.5	40	1.59996	1.434	1.434	
-11	42.5	≦* <	47.5	36	1.53843	1.378	1.378	
-12	37.5	≦* <	42.5	32	1.47689	1.323	1.323	
-13	32.5	≦* <	37.5	28	1.41536	1.268	1.268	
-14	27.5	≦* <	32.5	24	1.35382	1.213	1.213	
-15	22.5	≦* <	27.5	20	1.29229	1.158	1.158	
-16	17.5	≦* <	22.5	16	1.23075	1.103	1.103	
-17	12.5	≦* <	17.5	12	1.16922	1.048	1.048	
-18	7.5	≦* <	12.5	8	1.10769	0.993	0.993	
-19	2.5	≦* <	7.5	4	1.04615	0.938	0.938	
-20	0.0	≦* <	2.5	1.00	1.00000	0.896	0.896	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.008 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.014	0.014	
19	192.5	≦* <	197.5	156	3.38446	0.014	0.014	
18	187.5	≦* <	192.5	152	3.32292	0.013	0.013	
17	182.5	≦* <	187.5	148	3.26139	0.013	0.013	
16	177.5	≦* <	182.5	144	3.19985	0.013	0.013	
15	172.5	≦* <	177.5	140	3.13832	0.013	0.013	
14	167.5	≦* <	172.5	136	3.07678	0.012	0.012	
13	162.5	≦* <	167.5	132	3.01525	0.012	0.012	
12	157.5	≦* <	162.5	128	2.95372	0.012	0.012	
11	152.5	≦* <	157.5	124	2.89218	0.012	0.012	
10	147.5	≦* <	152.5	120	2.83065	0.011	0.011	
9	142.5	≦* <	147.5	116	2.76911	0.011	0.011	
8	137.5	≦* <	142.5	112	2.70758	0.011	0.011	
7	132.5	≦* <	137.5	108	2.64604	0.011	0.011	
6	127.5	≦* <	132.5	104	2.58451	0.010	0.010	
5	122.5	≦* <	127.5	100	2.52297	0.010	0.010	
4	117.5	≦* <	122.5	96	2.46144	0.010	0.010	
3	112.5	≦* <	117.5	92	2.39991	0.010	0.010	
2	107.5	≦* <	112.5	88	2.33837	0.009	0.009	
1	102.5	≦* <	107.5	84	2.27684	0.009	0.009	
0	97.5	≦* <	102.5	80	2.21530	0.009	0.009	
-1	92.5	≦* <	97.5	76	2.15377	0.009	0.009	
-2	87.5	≦* <	92.5	72	2.09223	0.008	0.008	
-3	82.5	≦* <	87.5	68	2.03070	0.008	0.008	
-4	77.5	≦* <	82.5	64	1.96917	0.008	0.008	
-5	72.5	≦* <	77.5	60	1.90763	0.008	0.008	
-6	67.5	≦* <	72.5	56	1.84610	0.007	0.007	
-7	62.5	≦* <	67.5	52	1.78456	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.72303	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.66149	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.59996	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.53843	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.47689	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.41536	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.35382	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.29229	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.23075	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.16922	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.10769	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.04615	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.008 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.013	0.013	
19	192.5	≦* <	197.5	156	3.38446	0.013	0.013	
18	187.5	≦* <	192.5	152	3.32292	0.012	0.012	
17	182.5	≦* <	187.5	148	3.26139	0.012	0.012	
16	177.5	≦* <	182.5	144	3.19985	0.012	0.012	
15	172.5	≦* <	177.5	140	3.13832	0.012	0.012	
14	167.5	≦* <	172.5	136	3.07678	0.011	0.011	
13	162.5	≦* <	167.5	132	3.01525	0.011	0.011	
12	157.5	≦* <	162.5	128	2.95372	0.011	0.011	
11	152.5	≦* <	157.5	124	2.89218	0.011	0.011	
10	147.5	≦* <	152.5	120	2.83065	0.010	0.010	
9	142.5	≦* <	147.5	116	2.76911	0.010	0.010	
8	137.5	≦* <	142.5	112	2.70758	0.010	0.010	
7	132.5	≦* <	137.5	108	2.64604	0.010	0.010	
6	127.5	≦* <	132.5	104	2.58451	0.010	0.010	
5	122.5	≦* <	127.5	100	2.52297	0.010	0.010	
4	117.5	≦* <	122.5	96	2.46144	0.010	0.010	
3	112.5	≦* <	117.5	92	2.39991	0.010	0.010	
2	107.5	≦* <	112.5	88	2.33837	0.009	0.009	
1	102.5	≦* <	107.5	84	2.27684	0.009	0.009	
0	97.5	≦* <	102.5	80	2.21530	0.009	0.009	
-1	92.5	≦* <	97.5	76	2.15377	0.009	0.009	
-2	87.5	≦* <	92.5	72	2.09223	0.008	0.008	
-3	82.5	≦* <	87.5	68	2.03070	0.008	0.008	
-4	77.5	≦* <	82.5	64	1.96917	0.008	0.008	
-5	72.5	≦* <	77.5	60	1.90763	0.008	0.008	
-6	67.5	≦* <	72.5	56	1.84610	0.007	0.007	
-7	62.5	≦* <	67.5	52	1.78456	0.007	0.007	
-8	57.5	≦* <	62.5	48	1.72303	0.007	0.007	
-9	52.5	≦* <	57.5	44	1.66149	0.007	0.007	
-10	47.5	≦* <	52.5	40	1.59996	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.53843	0.006	0.006	
-12	37.5	≦* <	42.5	32	1.47689	0.006	0.006	
-13	32.5	≦* <	37.5	28	1.41536	0.006	0.006	
-14	27.5	≦* <	32.5	24	1.35382	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.29229	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.23075	0.005	0.005	
-17	12.5	≦* <	17.5	12	1.16922	0.005	0.005	
-18	7.5	≦* <	12.5	8	1.10769	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.04615	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.432 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	2.467	2.467	
19	192.5	≦* <	197.5	156	3.38446	2.423	2.423	
18	187.5	≦* <	192.5	152	3.32292	2.379	2.379	
17	182.5	≦* <	187.5	148	3.26139	2.335	2.335	
16	177.5	≦* <	182.5	144	3.19985	2.291	2.291	
15	172.5	≦* <	177.5	140	3.13832	2.247	2.247	
14	167.5	≦* <	172.5	136	3.07678	2.203	2.203	
13	162.5	≦* <	167.5	132	3.01525	2.159	2.159	
12	157.5	≦* <	162.5	128	2.95372	2.115	2.115	
11	152.5	≦* <	157.5	124	2.89218	2.071	2.071	
10	147.5	≦* <	152.5	120	2.83065	2.027	2.027	
9	142.5	≦* <	147.5	116	2.76911	1.983	1.983	
8	137.5	≦* <	142.5	112	2.70758	1.939	1.939	
7	132.5	≦* <	137.5	108	2.64604	1.895	1.895	
6	127.5	≦* <	132.5	104	2.58451	1.851	1.851	
5	122.5	≦* <	127.5	100	2.52297	1.806	1.806	
4	117.5	≦* <	122.5	96	2.46144	1.762	1.762	
3	112.5	≦* <	117.5	92	2.39991	1.718	1.718	
2	107.5	≦* <	112.5	88	2.33837	1.674	1.674	
1	102.5	≦* <	107.5	84	2.27684	1.630	1.630	
0	97.5	≦* <	102.5	80	2.21530	1.586	1.586	
-1	92.5	≦* <	97.5	76	2.15377	1.542	1.542	
-2	87.5	≦* <	92.5	72	2.09223	1.498	1.498	
-3	82.5	≦* <	87.5	68	2.03070	1.454	1.454	
-4	77.5	≦* <	82.5	64	1.96917	1.410	1.410	
-5	72.5	≦* <	77.5	60	1.90763	1.366	1.366	
-6	67.5	≦* <	72.5	56	1.84610	1.322	1.322	
-7	62.5	≦* <	67.5	52	1.78456	1.278	1.278	
-8	57.5	≦* <	62.5	48	1.72303	1.234	1.234	
-9	52.5	≦* <	57.5	44	1.66149	1.190	1.190	
-10	47.5	≦* <	52.5	40	1.59996	1.146	1.146	
-11	42.5	≦* <	47.5	36	1.53843	1.102	1.102	
-12	37.5	≦* <	42.5	32	1.47689	1.057	1.057	
-13	32.5	≦* <	37.5	28	1.41536	1.013	1.013	
-14	27.5	≦* <	32.5	24	1.35382	0.969	0.969	
-15	22.5	≦* <	27.5	20	1.29229	0.925	0.925	
-16	17.5	≦* <	22.5	16	1.23075	0.881	0.881	
-17	12.5	≦* <	17.5	12	1.16922	0.837	0.837	
-18	7.5	≦* <	12.5	8	1.10769	0.793	0.793	
-19	2.5	≦* <	7.5	4	1.04615	0.749	0.749	
-20	0.0	≦* <	2.5	1.00	1.00000	0.716	0.716	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.432 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	2.344	2.344	
19	192.5	≦* <	197.5	156	3.38446	2.302	2.302	
18	187.5	≦* <	192.5	152	3.32292	2.260	2.260	
17	182.5	≦* <	187.5	148	3.26139	2.218	2.218	
16	177.5	≦* <	182.5	144	3.19985	2.176	2.176	
15	172.5	≦* <	177.5	140	3.13832	2.135	2.135	
14	167.5	≦* <	172.5	136	3.07678	2.093	2.093	
13	162.5	≦* <	167.5	132	3.01525	2.051	2.051	
12	157.5	≦* <	162.5	128	2.95372	2.009	2.009	
11	152.5	≦* <	157.5	124	2.89218	1.967	1.967	
10	147.5	≦* <	152.5	120	2.83065	1.926	1.926	
9	142.5	≦* <	147.5	116	2.76911	1.884	1.884	
8	137.5	≦* <	142.5	112	2.70758	1.842	1.842	
7	132.5	≦* <	137.5	108	2.64604	1.800	1.800	
6	127.5	≦* <	132.5	104	2.58451	1.758	1.758	
5	122.5	≦* <	127.5	100	2.52297	1.716	1.716	
4	117.5	≦* <	122.5	96	2.46144	1.674	1.674	
3	112.5	≦* <	117.5	92	2.39991	1.632	1.632	
2	107.5	≦* <	112.5	88	2.33837	1.590	1.590	
1	102.5	≦* <	107.5	84	2.27684	1.549	1.549	
0	97.5	≦* <	102.5	80	2.21530	1.507	1.507	
-1	92.5	≦* <	97.5	76	2.15377	1.465	1.465	
-2	87.5	≦* <	92.5	72	2.09223	1.423	1.423	
-3	82.5	≦* <	87.5	68	2.03070	1.381	1.381	
-4	77.5	≦* <	82.5	64	1.96917	1.340	1.340	
-5	72.5	≦* <	77.5	60	1.90763	1.298	1.298	
-6	67.5	≦* <	72.5	56	1.84610	1.256	1.256	
-7	62.5	≦* <	67.5	52	1.78456	1.214	1.214	
-8	57.5	≦* <	62.5	48	1.72303	1.172	1.172	
-9	52.5	≦* <	57.5	44	1.66149	1.131	1.131	
-10	47.5	≦* <	52.5	40	1.59996	1.089	1.089	
-11	42.5	≦* <	47.5	36	1.53843	1.047	1.047	
-12	37.5	≦* <	42.5	32	1.47689	1.004	1.004	
-13	32.5	≦* <	37.5	28	1.41536	0.962	0.962	
-14	27.5	≦* <	32.5	24	1.35382	0.921	0.921	
-15	22.5	≦* <	27.5	20	1.29229	0.879	0.879	
-16	17.5	≦* <	22.5	16	1.23075	0.837	0.837	
-17	12.5	≦* <	17.5	12	1.16922	0.795	0.795	
-18	7.5	≦* <	12.5	8	1.10769	0.753	0.753	
-19	2.5	≦* <	7.5	4	1.04615	0.712	0.712	
-20	0.0	≦* <	2.5	1.00	1.00000	0.680	0.680	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.007 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.012	0.012	
19	192.5	≦* <	197.5	156	3.38446	0.012	0.012	
18	187.5	≦* <	192.5	152	3.32292	0.012	0.012	
17	182.5	≦* <	187.5	148	3.26139	0.011	0.011	
16	177.5	≦* <	182.5	144	3.19985	0.011	0.011	
15	172.5	≦* <	177.5	140	3.13832	0.011	0.011	
14	167.5	≦* <	172.5	136	3.07678	0.011	0.011	
13	162.5	≦* <	167.5	132	3.01525	0.011	0.011	
12	157.5	≦* <	162.5	128	2.95372	0.010	0.010	
11	152.5	≦* <	157.5	124	2.89218	0.010	0.010	
10	147.5	≦* <	152.5	120	2.83065	0.010	0.010	
9	142.5	≦* <	147.5	116	2.76911	0.010	0.010	
8	137.5	≦* <	142.5	112	2.70758	0.009	0.009	
7	132.5	≦* <	137.5	108	2.64604	0.009	0.009	
6	127.5	≦* <	132.5	104	2.58451	0.009	0.009	
5	122.5	≦* <	127.5	100	2.52297	0.009	0.009	
4	117.5	≦* <	122.5	96	2.46144	0.009	0.009	
3	112.5	≦* <	117.5	92	2.39991	0.008	0.008	
2	107.5	≦* <	112.5	88	2.33837	0.008	0.008	
1	102.5	≦* <	107.5	84	2.27684	0.008	0.008	
0	97.5	≦* <	102.5	80	2.21530	0.008	0.008	
-1	92.5	≦* <	97.5	76	2.15377	0.008	0.008	
-2	87.5	≦* <	92.5	72	2.09223	0.007	0.007	
-3	82.5	≦* <	87.5	68	2.03070	0.007	0.007	
-4	77.5	≦* <	82.5	64	1.96917	0.007	0.007	
-5	72.5	≦* <	77.5	60	1.90763	0.007	0.007	
-6	67.5	≦* <	72.5	56	1.84610	0.006	0.006	
-7	62.5	≦* <	67.5	52	1.78456	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.72303	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.66149	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.59996	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.53843	0.005	0.005	
-12	37.5	≦* <	42.5	32	1.47689	0.005	0.005	
-13	32.5	≦* <	37.5	28	1.41536	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.35382	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.29229	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.23075	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.16922	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.10769	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.04615	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.007 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.011	0.011	
19	192.5	≦* <	197.5	156	3.38446	0.011	0.011	
18	187.5	≦* <	192.5	152	3.32292	0.011	0.011	
17	182.5	≦* <	187.5	148	3.26139	0.010	0.010	
16	177.5	≦* <	182.5	144	3.19985	0.010	0.010	
15	172.5	≦* <	177.5	140	3.13832	0.010	0.010	
14	167.5	≦* <	172.5	136	3.07678	0.010	0.010	
13	162.5	≦* <	167.5	132	3.01525	0.010	0.010	
12	157.5	≦* <	162.5	128	2.95372	0.010	0.010	
11	152.5	≦* <	157.5	124	2.89218	0.010	0.010	
10	147.5	≦* <	152.5	120	2.83065	0.010	0.010	
9	142.5	≦* <	147.5	116	2.76911	0.010	0.010	
8	137.5	≦* <	142.5	112	2.70758	0.009	0.009	
7	132.5	≦* <	137.5	108	2.64604	0.009	0.009	
6	127.5	≦* <	132.5	104	2.58451	0.009	0.009	
5	122.5	≦* <	127.5	100	2.52297	0.009	0.009	
4	117.5	≦* <	122.5	96	2.46144	0.009	0.009	
3	112.5	≦* <	117.5	92	2.39991	0.008	0.008	
2	107.5	≦* <	112.5	88	2.33837	0.008	0.008	
1	102.5	≦* <	107.5	84	2.27684	0.008	0.008	
0	97.5	≦* <	102.5	80	2.21530	0.008	0.008	
-1	92.5	≦* <	97.5	76	2.15377	0.008	0.008	
-2	87.5	≦* <	92.5	72	2.09223	0.007	0.007	
-3	82.5	≦* <	87.5	68	2.03070	0.007	0.007	
-4	77.5	≦* <	82.5	64	1.96917	0.007	0.007	
-5	72.5	≦* <	77.5	60	1.90763	0.007	0.007	
-6	67.5	≦* <	72.5	56	1.84610	0.006	0.006	
-7	62.5	≦* <	67.5	52	1.78456	0.006	0.006	
-8	57.5	≦* <	62.5	48	1.72303	0.006	0.006	
-9	52.5	≦* <	57.5	44	1.66149	0.006	0.006	
-10	47.5	≦* <	52.5	40	1.59996	0.006	0.006	
-11	42.5	≦* <	47.5	36	1.53843	0.005	0.005	
-12	37.5	≦* <	42.5	32	1.47689	0.005	0.005	
-13	32.5	≦* <	37.5	28	1.41536	0.005	0.005	
-14	27.5	≦* <	32.5	24	1.35382	0.005	0.005	
-15	22.5	≦* <	27.5	20	1.29229	0.005	0.005	
-16	17.5	≦* <	22.5	16	1.23075	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.16922	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.10769	0.004	0.004	
-19	2.5	≦* <	7.5	4	1.04615	0.004	0.004	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			66.00436	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.233 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	2.124	2.124	
19	192.5	≦* <	197.5	156	3.38446	2.087	2.087	
18	187.5	≦* <	192.5	152	3.32292	2.049	2.049	
17	182.5	≦* <	187.5	148	3.26139	2.011	2.011	
16	177.5	≦* <	182.5	144	3.19985	1.973	1.973	
15	172.5	≦* <	177.5	140	3.13832	1.935	1.935	
14	167.5	≦* <	172.5	136	3.07678	1.897	1.897	
13	162.5	≦* <	167.5	132	3.01525	1.859	1.859	
12	157.5	≦* <	162.5	128	2.95372	1.821	1.821	
11	152.5	≦* <	157.5	124	2.89218	1.783	1.783	
10	147.5	≦* <	152.5	120	2.83065	1.745	1.745	
9	142.5	≦* <	147.5	116	2.76911	1.707	1.707	
8	137.5	≦* <	142.5	112	2.70758	1.669	1.669	
7	132.5	≦* <	137.5	108	2.64604	1.631	1.631	
6	127.5	≦* <	132.5	104	2.58451	1.593	1.593	
5	122.5	≦* <	127.5	100	2.52297	1.555	1.555	
4	117.5	≦* <	122.5	96	2.46144	1.517	1.517	
3	112.5	≦* <	117.5	92	2.39991	1.480	1.480	
2	107.5	≦* <	112.5	88	2.33837	1.442	1.442	
1	102.5	≦* <	107.5	84	2.27684	1.404	1.404	
0	97.5	≦* <	102.5	80	2.21530	1.366	1.366	
-1	92.5	≦* <	97.5	76	2.15377	1.328	1.328	
-2	87.5	≦* <	92.5	72	2.09223	1.290	1.290	
-3	82.5	≦* <	87.5	68	2.03070	1.252	1.252	
-4	77.5	≦* <	82.5	64	1.96917	1.214	1.214	
-5	72.5	≦* <	77.5	60	1.90763	1.176	1.176	
-6	67.5	≦* <	72.5	56	1.84610	1.138	1.138	
-7	62.5	≦* <	67.5	52	1.78456	1.100	1.100	
-8	57.5	≦* <	62.5	48	1.72303	1.062	1.062	
-9	52.5	≦* <	57.5	44	1.66149	1.024	1.024	
-10	47.5	≦* <	52.5	40	1.59996	0.986	0.986	
-11	42.5	≦* <	47.5	36	1.53843	0.948	0.948	
-12	37.5	≦* <	42.5	32	1.47689	0.911	0.911	
-13	32.5	≦* <	37.5	28	1.41536	0.873	0.873	
-14	27.5	≦* <	32.5	24	1.35382	0.835	0.835	
-15	22.5	≦* <	27.5	20	1.29229	0.797	0.797	
-16	17.5	≦* <	22.5	16	1.23075	0.759	0.759	
-17	12.5	≦* <	17.5	12	1.16922	0.721	0.721	
-18	7.5	≦* <	12.5	8	1.10769	0.683	0.683	
-19	2.5	≦* <	7.5	4	1.04615	0.645	0.645	
-20	0.0	≦* <	2.5	1.00	1.00000	0.616	0.616	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.233 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	2.018	2.018	
19	192.5	≦* <	197.5	156	3.38446	1.983	1.983	
18	187.5	≦* <	192.5	152	3.32292	1.947	1.947	
17	182.5	≦* <	187.5	148	3.26139	1.910	1.910	
16	177.5	≦* <	182.5	144	3.19985	1.874	1.874	
15	172.5	≦* <	177.5	140	3.13832	1.838	1.838	
14	167.5	≦* <	172.5	136	3.07678	1.802	1.802	
13	162.5	≦* <	167.5	132	3.01525	1.766	1.766	
12	157.5	≦* <	162.5	128	2.95372	1.730	1.730	
11	152.5	≦* <	157.5	124	2.89218	1.694	1.694	
10	147.5	≦* <	152.5	120	2.83065	1.658	1.658	
9	142.5	≦* <	147.5	116	2.76911	1.622	1.622	
8	137.5	≦* <	142.5	112	2.70758	1.586	1.586	
7	132.5	≦* <	137.5	108	2.64604	1.549	1.549	
6	127.5	≦* <	132.5	104	2.58451	1.513	1.513	
5	122.5	≦* <	127.5	100	2.52297	1.477	1.477	
4	117.5	≦* <	122.5	96	2.46144	1.441	1.441	
3	112.5	≦* <	117.5	92	2.39991	1.406	1.406	
2	107.5	≦* <	112.5	88	2.33837	1.370	1.370	
1	102.5	≦* <	107.5	84	2.27684	1.334	1.334	
0	97.5	≦* <	102.5	80	2.21530	1.298	1.298	
-1	92.5	≦* <	97.5	76	2.15377	1.262	1.262	
-2	87.5	≦* <	92.5	72	2.09223	1.226	1.226	
-3	82.5	≦* <	87.5	68	2.03070	1.189	1.189	
-4	77.5	≦* <	82.5	64	1.96917	1.153	1.153	
-5	72.5	≦* <	77.5	60	1.90763	1.117	1.117	
-6	67.5	≦* <	72.5	56	1.84610	1.081	1.081	
-7	62.5	≦* <	67.5	52	1.78456	1.045	1.045	
-8	57.5	≦* <	62.5	48	1.72303	1.009	1.009	
-9	52.5	≦* <	57.5	44	1.66149	0.973	0.973	
-10	47.5	≦* <	52.5	40	1.59996	0.937	0.937	
-11	42.5	≦* <	47.5	36	1.53843	0.901	0.901	
-12	37.5	≦* <	42.5	32	1.47689	0.865	0.865	
-13	32.5	≦* <	37.5	28	1.41536	0.829	0.829	
-14	27.5	≦* <	32.5	24	1.35382	0.793	0.793	
-15	22.5	≦* <	27.5	20	1.29229	0.757	0.757	
-16	17.5	≦* <	22.5	16	1.23075	0.721	0.721	
-17	12.5	≦* <	17.5	12	1.16922	0.685	0.685	
-18	7.5	≦* <	12.5	8	1.10769	0.649	0.649	
-19	2.5	≦* <	7.5	4	1.04615	0.613	0.613	
-20	0.0	≦* <	2.5	1.00	1.00000	0.585	0.585	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.006 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.010	0.010	
19	192.5	≦* <	197.5	156	3.38446	0.010	0.010	
18	187.5	≦* <	192.5	152	3.32292	0.010	0.010	
17	182.5	≦* <	187.5	148	3.26139	0.010	0.010	
16	177.5	≦* <	182.5	144	3.19985	0.010	0.010	
15	172.5	≦* <	177.5	140	3.13832	0.009	0.009	
14	167.5	≦* <	172.5	136	3.07678	0.009	0.009	
13	162.5	≦* <	167.5	132	3.01525	0.009	0.009	
12	157.5	≦* <	162.5	128	2.95372	0.009	0.009	
11	152.5	≦* <	157.5	124	2.89218	0.009	0.009	
10	147.5	≦* <	152.5	120	2.83065	0.008	0.008	
9	142.5	≦* <	147.5	116	2.76911	0.008	0.008	
8	137.5	≦* <	142.5	112	2.70758	0.008	0.008	
7	132.5	≦* <	137.5	108	2.64604	0.008	0.008	
6	127.5	≦* <	132.5	104	2.58451	0.008	0.008	
5	122.5	≦* <	127.5	100	2.52297	0.008	0.008	
4	117.5	≦* <	122.5	96	2.46144	0.007	0.007	
3	112.5	≦* <	117.5	92	2.39991	0.007	0.007	
2	107.5	≦* <	112.5	88	2.33837	0.007	0.007	
1	102.5	≦* <	107.5	84	2.27684	0.007	0.007	
0	97.5	≦* <	102.5	80	2.21530	0.007	0.007	
-1	92.5	≦* <	97.5	76	2.15377	0.006	0.006	
-2	87.5	≦* <	92.5	72	2.09223	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.03070	0.006	0.006	
-4	77.5	≦* <	82.5	64	1.96917	0.006	0.006	
-5	72.5	≦* <	77.5	60	1.90763	0.006	0.006	
-6	67.5	≦* <	72.5	56	1.84610	0.006	0.006	
-7	62.5	≦* <	67.5	52	1.78456	0.005	0.005	
-8	57.5	≦* <	62.5	48	1.72303	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.66149	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.59996	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.53843	0.005	0.005	
-12	37.5	≦* <	42.5	32	1.47689	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.41536	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.35382	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.29229	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.23075	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.16922	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.10769	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.04615	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.006 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.010	0.010	
19	192.5	≦* <	197.5	156	3.38446	0.010	0.010	
18	187.5	≦* <	192.5	152	3.32292	0.010	0.010	
17	182.5	≦* <	187.5	148	3.26139	0.010	0.010	
16	177.5	≦* <	182.5	144	3.19985	0.010	0.010	
15	172.5	≦* <	177.5	140	3.13832	0.009	0.009	
14	167.5	≦* <	172.5	136	3.07678	0.009	0.009	
13	162.5	≦* <	167.5	132	3.01525	0.009	0.009	
12	157.5	≦* <	162.5	128	2.95372	0.009	0.009	
11	152.5	≦* <	157.5	124	2.89218	0.009	0.009	
10	147.5	≦* <	152.5	120	2.83065	0.008	0.008	
9	142.5	≦* <	147.5	116	2.76911	0.008	0.008	
8	137.5	≦* <	142.5	112	2.70758	0.008	0.008	
7	132.5	≦* <	137.5	108	2.64604	0.008	0.008	
6	127.5	≦* <	132.5	104	2.58451	0.008	0.008	
5	122.5	≦* <	127.5	100	2.52297	0.008	0.008	
4	117.5	≦* <	122.5	96	2.46144	0.007	0.007	
3	112.5	≦* <	117.5	92	2.39991	0.007	0.007	
2	107.5	≦* <	112.5	88	2.33837	0.007	0.007	
1	102.5	≦* <	107.5	84	2.27684	0.007	0.007	
0	97.5	≦* <	102.5	80	2.21530	0.007	0.007	
-1	92.5	≦* <	97.5	76	2.15377	0.006	0.006	
-2	87.5	≦* <	92.5	72	2.09223	0.006	0.006	
-3	82.5	≦* <	87.5	68	2.03070	0.006	0.006	
-4	77.5	≦* <	82.5	64	1.96917	0.006	0.006	
-5	72.5	≦* <	77.5	60	1.90763	0.006	0.006	
-6	67.5	≦* <	72.5	56	1.84610	0.006	0.006	
-7	62.5	≦* <	67.5	52	1.78456	0.005	0.005	
-8	57.5	≦* <	62.5	48	1.72303	0.005	0.005	
-9	52.5	≦* <	57.5	44	1.66149	0.005	0.005	
-10	47.5	≦* <	52.5	40	1.59996	0.005	0.005	
-11	42.5	≦* <	47.5	36	1.53843	0.005	0.005	
-12	37.5	≦* <	42.5	32	1.47689	0.004	0.004	
-13	32.5	≦* <	37.5	28	1.41536	0.004	0.004	
-14	27.5	≦* <	32.5	24	1.35382	0.004	0.004	
-15	22.5	≦* <	27.5	20	1.29229	0.004	0.004	
-16	17.5	≦* <	22.5	16	1.23075	0.004	0.004	
-17	12.5	≦* <	17.5	12	1.16922	0.004	0.004	
-18	7.5	≦* <	12.5	8	1.10769	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.04615	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.940 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	1.620	1.620	
19	192.5	≦* <	197.5	156	3.38446	1.591	1.591	
18	187.5	≦* <	192.5	152	3.32292	1.562	1.562	
17	182.5	≦* <	187.5	148	3.26139	1.533	1.533	
16	177.5	≦* <	182.5	144	3.19985	1.504	1.504	
15	172.5	≦* <	177.5	140	3.13832	1.475	1.475	
14	167.5	≦* <	172.5	136	3.07678	1.446	1.446	
13	162.5	≦* <	167.5	132	3.01525	1.417	1.417	
12	157.5	≦* <	162.5	128	2.95372	1.388	1.388	
11	152.5	≦* <	157.5	124	2.89218	1.359	1.359	
10	147.5	≦* <	152.5	120	2.83065	1.330	1.330	
9	142.5	≦* <	147.5	116	2.76911	1.301	1.301	
8	137.5	≦* <	142.5	112	2.70758	1.273	1.273	
7	132.5	≦* <	137.5	108	2.64604	1.244	1.244	
6	127.5	≦* <	132.5	104	2.58451	1.215	1.215	
5	122.5	≦* <	127.5	100	2.52297	1.186	1.186	
4	117.5	≦* <	122.5	96	2.46144	1.157	1.157	
3	112.5	≦* <	117.5	92	2.39991	1.128	1.128	
2	107.5	≦* <	112.5	88	2.33837	1.099	1.099	
1	102.5	≦* <	107.5	84	2.27684	1.070	1.070	
0	97.5	≦* <	102.5	80	2.21530	1.041	1.041	
-1	92.5	≦* <	97.5	76	2.15377	1.012	1.012	
-2	87.5	≦* <	92.5	72	2.09223	0.983	0.983	
-3	82.5	≦* <	87.5	68	2.03070	0.954	0.954	
-4	77.5	≦* <	82.5	64	1.96917	0.926	0.926	
-5	72.5	≦* <	77.5	60	1.90763	0.897	0.897	
-6	67.5	≦* <	72.5	56	1.84610	0.868	0.868	
-7	62.5	≦* <	67.5	52	1.78456	0.839	0.839	
-8	57.5	≦* <	62.5	48	1.72303	0.810	0.810	
-9	52.5	≦* <	57.5	44	1.66149	0.781	0.781	
-10	47.5	≦* <	52.5	40	1.59996	0.752	0.752	
-11	42.5	≦* <	47.5	36	1.53843	0.723	0.723	
-12	37.5	≦* <	42.5	32	1.47689	0.694	0.694	
-13	32.5	≦* <	37.5	28	1.41536	0.665	0.665	
-14	27.5	≦* <	32.5	24	1.35382	0.636	0.636	
-15	22.5	≦* <	27.5	20	1.29229	0.607	0.607	
-16	17.5	≦* <	22.5	16	1.23075	0.578	0.578	
-17	12.5	≦* <	17.5	12	1.16922	0.550	0.550	
-18	7.5	≦* <	12.5	8	1.10769	0.521	0.521	
-19	2.5	≦* <	7.5	4	1.04615	0.492	0.492	
-20	0.0	≦* <	2.5	1.00	1.00000	0.470	0.470	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.940 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	1.539	1.539	
19	192.5	≦* <	197.5	156	3.38446	1.511	1.511	
18	187.5	≦* <	192.5	152	3.32292	1.484	1.484	
17	182.5	≦* <	187.5	148	3.26139	1.456	1.456	
16	177.5	≦* <	182.5	144	3.19985	1.429	1.429	
15	172.5	≦* <	177.5	140	3.13832	1.401	1.401	
14	167.5	≦* <	172.5	136	3.07678	1.374	1.374	
13	162.5	≦* <	167.5	132	3.01525	1.346	1.346	
12	157.5	≦* <	162.5	128	2.95372	1.319	1.319	
11	152.5	≦* <	157.5	124	2.89218	1.291	1.291	
10	147.5	≦* <	152.5	120	2.83065	1.264	1.264	
9	142.5	≦* <	147.5	116	2.76911	1.236	1.236	
8	137.5	≦* <	142.5	112	2.70758	1.209	1.209	
7	132.5	≦* <	137.5	108	2.64604	1.182	1.182	
6	127.5	≦* <	132.5	104	2.58451	1.154	1.154	
5	122.5	≦* <	127.5	100	2.52297	1.127	1.127	
4	117.5	≦* <	122.5	96	2.46144	1.099	1.099	
3	112.5	≦* <	117.5	92	2.39991	1.072	1.072	
2	107.5	≦* <	112.5	88	2.33837	1.044	1.044	
1	102.5	≦* <	107.5	84	2.27684	1.017	1.017	
0	97.5	≦* <	102.5	80	2.21530	0.989	0.989	
-1	92.5	≦* <	97.5	76	2.15377	0.961	0.961	
-2	87.5	≦* <	92.5	72	2.09223	0.934	0.934	
-3	82.5	≦* <	87.5	68	2.03070	0.906	0.906	
-4	77.5	≦* <	82.5	64	1.96917	0.880	0.880	
-5	72.5	≦* <	77.5	60	1.90763	0.852	0.852	
-6	67.5	≦* <	72.5	56	1.84610	0.825	0.825	
-7	62.5	≦* <	67.5	52	1.78456	0.797	0.797	
-8	57.5	≦* <	62.5	48	1.72303	0.770	0.770	
-9	52.5	≦* <	57.5	44	1.66149	0.742	0.742	
-10	47.5	≦* <	52.5	40	1.59996	0.714	0.714	
-11	42.5	≦* <	47.5	36	1.53843	0.687	0.687	
-12	37.5	≦* <	42.5	32	1.47689	0.659	0.659	
-13	32.5	≦* <	37.5	28	1.41536	0.632	0.632	
-14	27.5	≦* <	32.5	24	1.35382	0.604	0.604	
-15	22.5	≦* <	27.5	20	1.29229	0.577	0.577	
-16	17.5	≦* <	22.5	16	1.23075	0.549	0.549	
-17	12.5	≦* <	17.5	12	1.16922	0.523	0.523	
-18	7.5	≦* <	12.5	8	1.10769	0.495	0.495	
-19	2.5	≦* <	7.5	4	1.04615	0.467	0.467	
-20	0.0	≦* <	2.5	1.00	1.00000	0.447	0.447	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.007	0.007	
19	192.5	≦* <	197.5	156	3.38446	0.007	0.007	
18	187.5	≦* <	192.5	152	3.32292	0.007	0.007	
17	182.5	≦* <	187.5	148	3.26139	0.007	0.007	
16	177.5	≦* <	182.5	144	3.19985	0.006	0.006	
15	172.5	≦* <	177.5	140	3.13832	0.006	0.006	
14	167.5	≦* <	172.5	136	3.07678	0.006	0.006	
13	162.5	≦* <	167.5	132	3.01525	0.006	0.006	
12	157.5	≦* <	162.5	128	2.95372	0.006	0.006	
11	152.5	≦* <	157.5	124	2.89218	0.006	0.006	
10	147.5	≦* <	152.5	120	2.83065	0.006	0.006	
9	142.5	≦* <	147.5	116	2.76911	0.006	0.006	
8	137.5	≦* <	142.5	112	2.70758	0.005	0.005	
7	132.5	≦* <	137.5	108	2.64604	0.005	0.005	
6	127.5	≦* <	132.5	104	2.58451	0.005	0.005	
5	122.5	≦* <	127.5	100	2.52297	0.005	0.005	
4	117.5	≦* <	122.5	96	2.46144	0.005	0.005	
3	112.5	≦* <	117.5	92	2.39991	0.005	0.005	
2	107.5	≦* <	112.5	88	2.33837	0.005	0.005	
1	102.5	≦* <	107.5	84	2.27684	0.005	0.005	
0	97.5	≦* <	102.5	80	2.21530	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.15377	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.09223	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.03070	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.96917	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.90763	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.84610	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.78456	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.72303	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.66149	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.59996	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.53843	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.47689	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.41536	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.35382	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29229	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23075	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.16922	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10769	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04615	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.004 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.007	0.007	
19	192.5	≦* <	197.5	156	3.38446	0.007	0.007	
18	187.5	≦* <	192.5	152	3.32292	0.007	0.007	
17	182.5	≦* <	187.5	148	3.26139	0.007	0.007	
16	177.5	≦* <	182.5	144	3.19985	0.006	0.006	
15	172.5	≦* <	177.5	140	3.13832	0.006	0.006	
14	167.5	≦* <	172.5	136	3.07678	0.006	0.006	
13	162.5	≦* <	167.5	132	3.01525	0.006	0.006	
12	157.5	≦* <	162.5	128	2.95372	0.006	0.006	
11	152.5	≦* <	157.5	124	2.89218	0.006	0.006	
10	147.5	≦* <	152.5	120	2.83065	0.006	0.006	
9	142.5	≦* <	147.5	116	2.76911	0.006	0.006	
8	137.5	≦* <	142.5	112	2.70758	0.005	0.005	
7	132.5	≦* <	137.5	108	2.64604	0.005	0.005	
6	127.5	≦* <	132.5	104	2.58451	0.005	0.005	
5	122.5	≦* <	127.5	100	2.52297	0.005	0.005	
4	117.5	≦* <	122.5	96	2.46144	0.005	0.005	
3	112.5	≦* <	117.5	92	2.39991	0.005	0.005	
2	107.5	≦* <	112.5	88	2.33837	0.005	0.005	
1	102.5	≦* <	107.5	84	2.27684	0.005	0.005	
0	97.5	≦* <	102.5	80	2.21530	0.004	0.004	
-1	92.5	≦* <	97.5	76	2.15377	0.004	0.004	
-2	87.5	≦* <	92.5	72	2.09223	0.004	0.004	
-3	82.5	≦* <	87.5	68	2.03070	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.96917	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.90763	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.84610	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.78456	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.72303	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.66149	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.59996	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.53843	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.47689	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.41536	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.35382	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.29229	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.23075	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.16922	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10769	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04615	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			66.00436	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.349 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.601	0.601	
19	192.5	≦* <	197.5	156	3.38446	0.591	0.591	
18	187.5	≦* <	192.5	152	3.32292	0.580	0.580	
17	182.5	≦* <	187.5	148	3.26139	0.569	0.569	
16	177.5	≦* <	182.5	144	3.19985	0.558	0.558	
15	172.5	≦* <	177.5	140	3.13832	0.548	0.548	
14	167.5	≦* <	172.5	136	3.07678	0.537	0.537	
13	162.5	≦* <	167.5	132	3.01525	0.526	0.526	
12	157.5	≦* <	162.5	128	2.95372	0.515	0.515	
11	152.5	≦* <	157.5	124	2.89218	0.505	0.505	
10	147.5	≦* <	152.5	120	2.83065	0.494	0.494	
9	142.5	≦* <	147.5	116	2.76911	0.483	0.483	
8	137.5	≦* <	142.5	112	2.70758	0.472	0.472	
7	132.5	≦* <	137.5	108	2.64604	0.462	0.462	
6	127.5	≦* <	132.5	104	2.58451	0.451	0.451	
5	122.5	≦* <	127.5	100	2.52297	0.440	0.440	
4	117.5	≦* <	122.5	96	2.46144	0.430	0.430	
3	112.5	≦* <	117.5	92	2.39991	0.419	0.419	
2	107.5	≦* <	112.5	88	2.33837	0.408	0.408	
1	102.5	≦* <	107.5	84	2.27684	0.397	0.397	
0	97.5	≦* <	102.5	80	2.21530	0.387	0.387	
-1	92.5	≦* <	97.5	76	2.15377	0.376	0.376	
-2	87.5	≦* <	92.5	72	2.09223	0.365	0.365	
-3	82.5	≦* <	87.5	68	2.03070	0.354	0.354	
-4	77.5	≦* <	82.5	64	1.96917	0.344	0.344	
-5	72.5	≦* <	77.5	60	1.90763	0.333	0.333	
-6	67.5	≦* <	72.5	56	1.84610	0.322	0.322	
-7	62.5	≦* <	67.5	52	1.78456	0.311	0.311	
-8	57.5	≦* <	62.5	48	1.72303	0.301	0.301	
-9	52.5	≦* <	57.5	44	1.66149	0.290	0.290	
-10	47.5	≦* <	52.5	40	1.59996	0.279	0.279	
-11	42.5	≦* <	47.5	36	1.53843	0.268	0.268	
-12	37.5	≦* <	42.5	32	1.47689	0.258	0.258	
-13	32.5	≦* <	37.5	28	1.41536	0.247	0.247	
-14	27.5	≦* <	32.5	24	1.35382	0.236	0.236	
-15	22.5	≦* <	27.5	20	1.29229	0.226	0.226	
-16	17.5	≦* <	22.5	16	1.23075	0.215	0.215	
-17	12.5	≦* <	17.5	12	1.16922	0.204	0.204	
-18	7.5	≦* <	12.5	8	1.10769	0.193	0.193	
-19	2.5	≦* <	7.5	4	1.04615	0.183	0.183	
-20	0.0	≦* <	2.5	1.00	1.00000	0.174	0.174	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.349 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.571	0.571	
19	192.5	≦* <	197.5	156	3.38446	0.561	0.561	
18	187.5	≦* <	192.5	152	3.32292	0.551	0.551	
17	182.5	≦* <	187.5	148	3.26139	0.541	0.541	
16	177.5	≦* <	182.5	144	3.19985	0.530	0.530	
15	172.5	≦* <	177.5	140	3.13832	0.521	0.521	
14	167.5	≦* <	172.5	136	3.07678	0.510	0.510	
13	162.5	≦* <	167.5	132	3.01525	0.500	0.500	
12	157.5	≦* <	162.5	128	2.95372	0.489	0.489	
11	152.5	≦* <	157.5	124	2.89218	0.480	0.480	
10	147.5	≦* <	152.5	120	2.83065	0.469	0.469	
9	142.5	≦* <	147.5	116	2.76911	0.459	0.459	
8	137.5	≦* <	142.5	112	2.70758	0.448	0.448	
7	132.5	≦* <	137.5	108	2.64604	0.439	0.439	
6	127.5	≦* <	132.5	104	2.58451	0.428	0.428	
5	122.5	≦* <	127.5	100	2.52297	0.418	0.418	
4	117.5	≦* <	122.5	96	2.46144	0.409	0.409	
3	112.5	≦* <	117.5	92	2.39991	0.398	0.398	
2	107.5	≦* <	112.5	88	2.33837	0.388	0.388	
1	102.5	≦* <	107.5	84	2.27684	0.377	0.377	
0	97.5	≦* <	102.5	80	2.21530	0.368	0.368	
-1	92.5	≦* <	97.5	76	2.15377	0.357	0.357	
-2	87.5	≦* <	92.5	72	2.09223	0.347	0.347	
-3	82.5	≦* <	87.5	68	2.03070	0.336	0.336	
-4	77.5	≦* <	82.5	64	1.96917	0.327	0.327	
-5	72.5	≦* <	77.5	60	1.90763	0.316	0.316	
-6	67.5	≦* <	72.5	56	1.84610	0.306	0.306	
-7	62.5	≦* <	67.5	52	1.78456	0.295	0.295	
-8	57.5	≦* <	62.5	48	1.72303	0.286	0.286	
-9	52.5	≦* <	57.5	44	1.66149	0.276	0.276	
-10	47.5	≦* <	52.5	40	1.59996	0.265	0.265	
-11	42.5	≦* <	47.5	36	1.53843	0.255	0.255	
-12	37.5	≦* <	42.5	32	1.47689	0.245	0.245	
-13	32.5	≦* <	37.5	28	1.41536	0.235	0.235	
-14	27.5	≦* <	32.5	24	1.35382	0.224	0.224	
-15	22.5	≦* <	27.5	20	1.29229	0.215	0.215	
-16	17.5	≦* <	22.5	16	1.23075	0.204	0.204	
-17	12.5	≦* <	17.5	12	1.16922	0.194	0.194	
-18	7.5	≦* <	12.5	8	1.10769	0.183	0.183	
-19	2.5	≦* <	7.5	4	1.04615	0.174	0.174	
-20	0.0	≦* <	2.5	1.00	1.00000	0.165	0.165	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.005	0.005	
19	192.5	≦* <	197.5	156	3.38446	0.005	0.005	
18	187.5	≦* <	192.5	152	3.32292	0.005	0.005	
17	182.5	≦* <	187.5	148	3.26139	0.005	0.005	
16	177.5	≦* <	182.5	144	3.19985	0.005	0.005	
15	172.5	≦* <	177.5	140	3.13832	0.005	0.005	
14	167.5	≦* <	172.5	136	3.07678	0.005	0.005	
13	162.5	≦* <	167.5	132	3.01525	0.005	0.005	
12	157.5	≦* <	162.5	128	2.95372	0.004	0.004	
11	152.5	≦* <	157.5	124	2.89218	0.004	0.004	
10	147.5	≦* <	152.5	120	2.83065	0.004	0.004	
9	142.5	≦* <	147.5	116	2.76911	0.004	0.004	
8	137.5	≦* <	142.5	112	2.70758	0.004	0.004	
7	132.5	≦* <	137.5	108	2.64604	0.004	0.004	
6	127.5	≦* <	132.5	104	2.58451	0.004	0.004	
5	122.5	≦* <	127.5	100	2.52297	0.004	0.004	
4	117.5	≦* <	122.5	96	2.46144	0.004	0.004	
3	112.5	≦* <	117.5	92	2.39991	0.004	0.004	
2	107.5	≦* <	112.5	88	2.33837	0.004	0.004	
1	102.5	≦* <	107.5	84	2.27684	0.003	0.003	
0	97.5	≦* <	102.5	80	2.21530	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.15377	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.09223	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.03070	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.96917	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.90763	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.84610	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.78456	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.72303	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.66149	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.59996	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.53843	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.47689	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.41536	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.35382	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29229	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23075	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.16922	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10769	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04615	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	0.005	0.005	
19	192.5	≦* <	197.5	156	3.38446	0.005	0.005	
18	187.5	≦* <	192.5	152	3.32292	0.005	0.005	
17	182.5	≦* <	187.5	148	3.26139	0.005	0.005	
16	177.5	≦* <	182.5	144	3.19985	0.005	0.005	
15	172.5	≦* <	177.5	140	3.13832	0.005	0.005	
14	167.5	≦* <	172.5	136	3.07678	0.005	0.005	
13	162.5	≦* <	167.5	132	3.01525	0.005	0.005	
12	157.5	≦* <	162.5	128	2.95372	0.004	0.004	
11	152.5	≦* <	157.5	124	2.89218	0.004	0.004	
10	147.5	≦* <	152.5	120	2.83065	0.004	0.004	
9	142.5	≦* <	147.5	116	2.76911	0.004	0.004	
8	137.5	≦* <	142.5	112	2.70758	0.004	0.004	
7	132.5	≦* <	137.5	108	2.64604	0.004	0.004	
6	127.5	≦* <	132.5	104	2.58451	0.004	0.004	
5	122.5	≦* <	127.5	100	2.52297	0.004	0.004	
4	117.5	≦* <	122.5	96	2.46144	0.004	0.004	
3	112.5	≦* <	117.5	92	2.39991	0.004	0.004	
2	107.5	≦* <	112.5	88	2.33837	0.004	0.004	
1	102.5	≦* <	107.5	84	2.27684	0.003	0.003	
0	97.5	≦* <	102.5	80	2.21530	0.003	0.003	
-1	92.5	≦* <	97.5	76	2.15377	0.003	0.003	
-2	87.5	≦* <	92.5	72	2.09223	0.003	0.003	
-3	82.5	≦* <	87.5	68	2.03070	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.96917	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.90763	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.84610	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.78456	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.72303	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.66149	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.59996	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.53843	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.47689	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.41536	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.35382	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.29229	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.23075	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.16922	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.10769	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.04615	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.420 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.633	0.633	
19	192.5	≦* <	197.5	156	2.96142	0.622	0.622	
18	187.5	≦* <	192.5	152	2.91081	0.611	0.611	
17	182.5	≦* <	187.5	148	2.86019	0.601	0.601	
16	177.5	≦* <	182.5	144	2.80957	0.590	0.590	
15	172.5	≦* <	177.5	140	2.75895	0.579	0.579	
14	167.5	≦* <	172.5	136	2.70834	0.569	0.569	
13	162.5	≦* <	167.5	132	2.65772	0.558	0.558	
12	157.5	≦* <	162.5	128	2.60710	0.547	0.547	
11	152.5	≦* <	157.5	124	2.55648	0.537	0.537	
10	147.5	≦* <	152.5	120	2.50587	0.526	0.526	
9	142.5	≦* <	147.5	116	2.45525	0.516	0.516	
8	137.5	≦* <	142.5	112	2.40463	0.505	0.505	
7	132.5	≦* <	137.5	108	2.35401	0.494	0.494	
6	127.5	≦* <	132.5	104	2.30340	0.484	0.484	
5	122.5	≦* <	127.5	100	2.25278	0.473	0.473	
4	117.5	≦* <	122.5	96	2.20216	0.462	0.462	
3	112.5	≦* <	117.5	92	2.15154	0.452	0.452	
2	107.5	≦* <	112.5	88	2.10093	0.441	0.441	
1	102.5	≦* <	107.5	84	2.05031	0.431	0.431	
0	97.5	≦* <	102.5	80	1.99969	0.420	0.420	
-1	92.5	≦* <	97.5	76	1.94908	0.409	0.409	
-2	87.5	≦* <	92.5	72	1.89846	0.399	0.399	
-3	82.5	≦* <	87.5	68	1.84784	0.388	0.388	
-4	77.5	≦* <	82.5	64	1.79722	0.377	0.377	
-5	72.5	≦* <	77.5	60	1.74661	0.367	0.367	
-6	67.5	≦* <	72.5	56	1.69599	0.356	0.356	
-7	62.5	≦* <	67.5	52	1.64537	0.346	0.346	
-8	57.5	≦* <	62.5	48	1.59475	0.335	0.335	
-9	52.5	≦* <	57.5	44	1.54414	0.324	0.324	
-10	47.5	≦* <	52.5	40	1.49352	0.314	0.314	
-11	42.5	≦* <	47.5	36	1.44290	0.303	0.303	
-12	37.5	≦* <	42.5	32	1.39228	0.292	0.292	
-13	32.5	≦* <	37.5	28	1.34167	0.282	0.282	
-14	27.5	≦* <	32.5	24	1.29105	0.271	0.271	
-15	22.5	≦* <	27.5	20	1.24043	0.260	0.260	
-16	17.5	≦* <	22.5	16	1.18982	0.250	0.250	
-17	12.5	≦* <	17.5	12	1.13920	0.239	0.239	
-18	7.5	≦* <	12.5	8	1.08858	0.229	0.229	
-19	2.5	≦* <	7.5	4	1.03796	0.218	0.218	
-20	0.0	≦* <	2.5	1.00	1.00000	0.210	0.210	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.420 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.601	0.601	
19	192.5	≦* <	197.5	156	2.96142	0.591	0.591	
18	187.5	≦* <	192.5	152	2.91081	0.580	0.580	
17	182.5	≦* <	187.5	148	2.86019	0.571	0.571	
16	177.5	≦* <	182.5	144	2.80957	0.561	0.561	
15	172.5	≦* <	177.5	140	2.75895	0.550	0.550	
14	167.5	≦* <	172.5	136	2.70834	0.541	0.541	
13	162.5	≦* <	167.5	132	2.65772	0.530	0.530	
12	157.5	≦* <	162.5	128	2.60710	0.520	0.520	
11	152.5	≦* <	157.5	124	2.55648	0.510	0.510	
10	147.5	≦* <	152.5	120	2.50587	0.500	0.500	
9	142.5	≦* <	147.5	116	2.45525	0.490	0.490	
8	137.5	≦* <	142.5	112	2.40463	0.480	0.480	
7	132.5	≦* <	137.5	108	2.35401	0.469	0.469	
6	127.5	≦* <	132.5	104	2.30340	0.460	0.460	
5	122.5	≦* <	127.5	100	2.25278	0.449	0.449	
4	117.5	≦* <	122.5	96	2.20216	0.439	0.439	
3	112.5	≦* <	117.5	92	2.15154	0.429	0.429	
2	107.5	≦* <	112.5	88	2.10093	0.419	0.419	
1	102.5	≦* <	107.5	84	2.05031	0.409	0.409	
0	97.5	≦* <	102.5	80	1.99969	0.399	0.399	
-1	92.5	≦* <	97.5	76	1.94908	0.389	0.389	
-2	87.5	≦* <	92.5	72	1.89846	0.379	0.379	
-3	82.5	≦* <	87.5	68	1.84784	0.369	0.369	
-4	77.5	≦* <	82.5	64	1.79722	0.358	0.358	
-5	72.5	≦* <	77.5	60	1.74661	0.349	0.349	
-6	67.5	≦* <	72.5	56	1.69599	0.338	0.338	
-7	62.5	≦* <	67.5	52	1.64537	0.329	0.329	
-8	57.5	≦* <	62.5	48	1.59475	0.318	0.318	
-9	52.5	≦* <	57.5	44	1.54414	0.308	0.308	
-10	47.5	≦* <	52.5	40	1.49352	0.298	0.298	
-11	42.5	≦* <	47.5	36	1.44290	0.288	0.288	
-12	37.5	≦* <	42.5	32	1.39228	0.277	0.277	
-13	32.5	≦* <	37.5	28	1.34167	0.268	0.268	
-14	27.5	≦* <	32.5	24	1.29105	0.257	0.257	
-15	22.5	≦* <	27.5	20	1.24043	0.247	0.247	
-16	17.5	≦* <	22.5	16	1.18982	0.238	0.238	
-17	12.5	≦* <	17.5	12	1.13920	0.227	0.227	
-18	7.5	≦* <	12.5	8	1.08858	0.218	0.218	
-19	2.5	≦* <	7.5	4	1.03796	0.207	0.207	
-20	0.0	≦* <	2.5	1.00	1.00000	0.200	0.200	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.005 %

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.263 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.396	0.396	
19	192.5	≦* <	197.5	156	2.96142	0.389	0.389	
18	187.5	≦* <	192.5	152	2.91081	0.383	0.383	
17	182.5	≦* <	187.5	148	2.86019	0.376	0.376	
16	177.5	≦* <	182.5	144	2.80957	0.369	0.369	
15	172.5	≦* <	177.5	140	2.75895	0.363	0.363	
14	167.5	≦* <	172.5	136	2.70834	0.356	0.356	
13	162.5	≦* <	167.5	132	2.65772	0.349	0.349	
12	157.5	≦* <	162.5	128	2.60710	0.343	0.343	
11	152.5	≦* <	157.5	124	2.55648	0.336	0.336	
10	147.5	≦* <	152.5	120	2.50587	0.330	0.330	
9	142.5	≦* <	147.5	116	2.45525	0.323	0.323	
8	137.5	≦* <	142.5	112	2.40463	0.316	0.316	
7	132.5	≦* <	137.5	108	2.35401	0.310	0.310	
6	127.5	≦* <	132.5	104	2.30340	0.303	0.303	
5	122.5	≦* <	127.5	100	2.25278	0.296	0.296	
4	117.5	≦* <	122.5	96	2.20216	0.290	0.290	
3	112.5	≦* <	117.5	92	2.15154	0.283	0.283	
2	107.5	≦* <	112.5	88	2.10093	0.276	0.276	
1	102.5	≦* <	107.5	84	2.05031	0.270	0.270	
0	97.5	≦* <	102.5	80	1.99969	0.263	0.263	
-1	92.5	≦* <	97.5	76	1.94908	0.256	0.256	
-2	87.5	≦* <	92.5	72	1.89846	0.250	0.250	
-3	82.5	≦* <	87.5	68	1.84784	0.243	0.243	
-4	77.5	≦* <	82.5	64	1.79722	0.236	0.236	
-5	72.5	≦* <	77.5	60	1.74661	0.230	0.230	
-6	67.5	≦* <	72.5	56	1.69599	0.223	0.223	
-7	62.5	≦* <	67.5	52	1.64537	0.216	0.216	
-8	57.5	≦* <	62.5	48	1.59475	0.210	0.210	
-9	52.5	≦* <	57.5	44	1.54414	0.203	0.203	
-10	47.5	≦* <	52.5	40	1.49352	0.196	0.196	
-11	42.5	≦* <	47.5	36	1.44290	0.190	0.190	
-12	37.5	≦* <	42.5	32	1.39228	0.183	0.183	
-13	32.5	≦* <	37.5	28	1.34167	0.176	0.176	
-14	27.5	≦* <	32.5	24	1.29105	0.170	0.170	
-15	22.5	≦* <	27.5	20	1.24043	0.163	0.163	
-16	17.5	≦* <	22.5	16	1.18982	0.156	0.156	
-17	12.5	≦* <	17.5	12	1.13920	0.150	0.150	
-18	7.5	≦* <	12.5	8	1.08858	0.143	0.143	
-19	2.5	≦* <	7.5	4	1.03796	0.136	0.136	
-20	0.0	≦* <	2.5	1.00	1.00000	0.131	0.131	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.263 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.376	0.376	
19	192.5	≦* <	197.5	156	2.96142	0.370	0.370	
18	187.5	≦* <	192.5	152	2.91081	0.364	0.364	
17	182.5	≦* <	187.5	148	2.86019	0.357	0.357	
16	177.5	≦* <	182.5	144	2.80957	0.351	0.351	
15	172.5	≦* <	177.5	140	2.75895	0.345	0.345	
14	167.5	≦* <	172.5	136	2.70834	0.338	0.338	
13	162.5	≦* <	167.5	132	2.65772	0.332	0.332	
12	157.5	≦* <	162.5	128	2.60710	0.326	0.326	
11	152.5	≦* <	157.5	124	2.55648	0.319	0.319	
10	147.5	≦* <	152.5	120	2.50587	0.314	0.314	
9	142.5	≦* <	147.5	116	2.45525	0.307	0.307	
8	137.5	≦* <	142.5	112	2.40463	0.300	0.300	
7	132.5	≦* <	137.5	108	2.35401	0.295	0.295	
6	127.5	≦* <	132.5	104	2.30340	0.288	0.288	
5	122.5	≦* <	127.5	100	2.25278	0.281	0.281	
4	117.5	≦* <	122.5	96	2.20216	0.276	0.276	
3	112.5	≦* <	117.5	92	2.15154	0.269	0.269	
2	107.5	≦* <	112.5	88	2.10093	0.262	0.262	
1	102.5	≦* <	107.5	84	2.05031	0.257	0.257	
0	97.5	≦* <	102.5	80	1.99969	0.250	0.250	
-1	92.5	≦* <	97.5	76	1.94908	0.243	0.243	
-2	87.5	≦* <	92.5	72	1.89846	0.238	0.238	
-3	82.5	≦* <	87.5	68	1.84784	0.231	0.231	
-4	77.5	≦* <	82.5	64	1.79722	0.224	0.224	
-5	72.5	≦* <	77.5	60	1.74661	0.219	0.219	
-6	67.5	≦* <	72.5	56	1.69599	0.212	0.212	
-7	62.5	≦* <	67.5	52	1.64537	0.205	0.205	
-8	57.5	≦* <	62.5	48	1.59475	0.200	0.200	
-9	52.5	≦* <	57.5	44	1.54414	0.193	0.193	
-10	47.5	≦* <	52.5	40	1.49352	0.186	0.186	
-11	42.5	≦* <	47.5	36	1.44290	0.181	0.181	
-12	37.5	≦* <	42.5	32	1.39228	0.174	0.174	
-13	32.5	≦* <	37.5	28	1.34167	0.167	0.167	
-14	27.5	≦* <	32.5	24	1.29105	0.162	0.162	
-15	22.5	≦* <	27.5	20	1.24043	0.155	0.155	
-16	17.5	≦* <	22.5	16	1.18982	0.148	0.148	
-17	12.5	≦* <	17.5	12	1.13920	0.143	0.143	
-18	7.5	≦* <	12.5	8	1.08858	0.136	0.136	
-19	2.5	≦* <	7.5	4	1.03796	0.129	0.129	
-20	0.0	≦* <	2.5	1.00	1.00000	0.124	0.124	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.004 %

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.187 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.282	0.282	
19	192.5	≦* <	197.5	156	2.96142	0.277	0.277	
18	187.5	≦* <	192.5	152	2.91081	0.272	0.272	
17	182.5	≦* <	187.5	148	2.86019	0.267	0.267	
16	177.5	≦* <	182.5	144	2.80957	0.263	0.263	
15	172.5	≦* <	177.5	140	2.75895	0.258	0.258	
14	167.5	≦* <	172.5	136	2.70834	0.253	0.253	
13	162.5	≦* <	167.5	132	2.65772	0.248	0.248	
12	157.5	≦* <	162.5	128	2.60710	0.244	0.244	
11	152.5	≦* <	157.5	124	2.55648	0.239	0.239	
10	147.5	≦* <	152.5	120	2.50587	0.234	0.234	
9	142.5	≦* <	147.5	116	2.45525	0.230	0.230	
8	137.5	≦* <	142.5	112	2.40463	0.225	0.225	
7	132.5	≦* <	137.5	108	2.35401	0.220	0.220	
6	127.5	≦* <	132.5	104	2.30340	0.215	0.215	
5	122.5	≦* <	127.5	100	2.25278	0.211	0.211	
4	117.5	≦* <	122.5	96	2.20216	0.206	0.206	
3	112.5	≦* <	117.5	92	2.15154	0.201	0.201	
2	107.5	≦* <	112.5	88	2.10093	0.196	0.196	
1	102.5	≦* <	107.5	84	2.05031	0.192	0.192	
0	97.5	≦* <	102.5	80	1.99969	0.187	0.187	
-1	92.5	≦* <	97.5	76	1.94908	0.182	0.182	
-2	87.5	≦* <	92.5	72	1.89846	0.178	0.178	
-3	82.5	≦* <	87.5	68	1.84784	0.173	0.173	
-4	77.5	≦* <	82.5	64	1.79722	0.168	0.168	
-5	72.5	≦* <	77.5	60	1.74661	0.163	0.163	
-6	67.5	≦* <	72.5	56	1.69599	0.159	0.159	
-7	62.5	≦* <	67.5	52	1.64537	0.154	0.154	
-8	57.5	≦* <	62.5	48	1.59475	0.149	0.149	
-9	52.5	≦* <	57.5	44	1.54414	0.144	0.144	
-10	47.5	≦* <	52.5	40	1.49352	0.140	0.140	
-11	42.5	≦* <	47.5	36	1.44290	0.135	0.135	
-12	37.5	≦* <	42.5	32	1.39228	0.130	0.130	
-13	32.5	≦* <	37.5	28	1.34167	0.125	0.125	
-14	27.5	≦* <	32.5	24	1.29105	0.121	0.121	
-15	22.5	≦* <	27.5	20	1.24043	0.116	0.116	
-16	17.5	≦* <	22.5	16	1.18982	0.111	0.111	
-17	12.5	≦* <	17.5	12	1.13920	0.107	0.107	
-18	7.5	≦* <	12.5	8	1.08858	0.102	0.102	
-19	2.5	≦* <	7.5	4	1.03796	0.097	0.097	
-20	0.0	≦* <	2.5	1.00	1.00000	0.093	0.093	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.187 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.268	0.268	
19	192.5	≦* <	197.5	156	2.96142	0.263	0.263	
18	187.5	≦* <	192.5	152	2.91081	0.258	0.258	
17	182.5	≦* <	187.5	148	2.86019	0.254	0.254	
16	177.5	≦* <	182.5	144	2.80957	0.250	0.250	
15	172.5	≦* <	177.5	140	2.75895	0.245	0.245	
14	167.5	≦* <	172.5	136	2.70834	0.240	0.240	
13	162.5	≦* <	167.5	132	2.65772	0.236	0.236	
12	157.5	≦* <	162.5	128	2.60710	0.232	0.232	
11	152.5	≦* <	157.5	124	2.55648	0.227	0.227	
10	147.5	≦* <	152.5	120	2.50587	0.222	0.222	
9	142.5	≦* <	147.5	116	2.45525	0.219	0.219	
8	137.5	≦* <	142.5	112	2.40463	0.214	0.214	
7	132.5	≦* <	137.5	108	2.35401	0.209	0.209	
6	127.5	≦* <	132.5	104	2.30340	0.204	0.204	
5	122.5	≦* <	127.5	100	2.25278	0.200	0.200	
4	117.5	≦* <	122.5	96	2.20216	0.196	0.196	
3	112.5	≦* <	117.5	92	2.15154	0.191	0.191	
2	107.5	≦* <	112.5	88	2.10093	0.186	0.186	
1	102.5	≦* <	107.5	84	2.05031	0.182	0.182	
0	97.5	≦* <	102.5	80	1.99969	0.178	0.178	
-1	92.5	≦* <	97.5	76	1.94908	0.173	0.173	
-2	87.5	≦* <	92.5	72	1.89846	0.169	0.169	
-3	82.5	≦* <	87.5	68	1.84784	0.164	0.164	
-4	77.5	≦* <	82.5	64	1.79722	0.160	0.160	
-5	72.5	≦* <	77.5	60	1.74661	0.155	0.155	
-6	67.5	≦* <	72.5	56	1.69599	0.151	0.151	
-7	62.5	≦* <	67.5	52	1.64537	0.146	0.146	
-8	57.5	≦* <	62.5	48	1.59475	0.142	0.142	
-9	52.5	≦* <	57.5	44	1.54414	0.137	0.137	
-10	47.5	≦* <	52.5	40	1.49352	0.133	0.133	
-11	42.5	≦* <	47.5	36	1.44290	0.128	0.128	
-12	37.5	≦* <	42.5	32	1.39228	0.124	0.124	
-13	32.5	≦* <	37.5	28	1.34167	0.119	0.119	
-14	27.5	≦* <	32.5	24	1.29105	0.115	0.115	
-15	22.5	≦* <	27.5	20	1.24043	0.110	0.110	
-16	17.5	≦* <	22.5	16	1.18982	0.105	0.105	
-17	12.5	≦* <	17.5	12	1.13920	0.102	0.102	
-18	7.5	≦* <	12.5	8	1.08858	0.097	0.097	
-19	2.5	≦* <	7.5	4	1.03796	0.092	0.092	
-20	0.0	≦* <	2.5	1.00	1.00000	0.088	0.088	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.003 %

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.169 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.255	0.255	
19	192.5	≦* <	197.5	156	2.96142	0.250	0.250	
18	187.5	≦* <	192.5	152	2.91081	0.246	0.246	
17	182.5	≦* <	187.5	148	2.86019	0.242	0.242	
16	177.5	≦* <	182.5	144	2.80957	0.237	0.237	
15	172.5	≦* <	177.5	140	2.75895	0.233	0.233	
14	167.5	≦* <	172.5	136	2.70834	0.229	0.229	
13	162.5	≦* <	167.5	132	2.65772	0.225	0.225	
12	157.5	≦* <	162.5	128	2.60710	0.220	0.220	
11	152.5	≦* <	157.5	124	2.55648	0.216	0.216	
10	147.5	≦* <	152.5	120	2.50587	0.212	0.212	
9	142.5	≦* <	147.5	116	2.45525	0.207	0.207	
8	137.5	≦* <	142.5	112	2.40463	0.203	0.203	
7	132.5	≦* <	137.5	108	2.35401	0.199	0.199	
6	127.5	≦* <	132.5	104	2.30340	0.195	0.195	
5	122.5	≦* <	127.5	100	2.25278	0.190	0.190	
4	117.5	≦* <	122.5	96	2.20216	0.186	0.186	
3	112.5	≦* <	117.5	92	2.15154	0.182	0.182	
2	107.5	≦* <	112.5	88	2.10093	0.178	0.178	
1	102.5	≦* <	107.5	84	2.05031	0.173	0.173	
0	97.5	≦* <	102.5	80	1.99969	0.169	0.169	
-1	92.5	≦* <	97.5	76	1.94908	0.165	0.165	
-2	87.5	≦* <	92.5	72	1.89846	0.160	0.160	
-3	82.5	≦* <	87.5	68	1.84784	0.156	0.156	
-4	77.5	≦* <	82.5	64	1.79722	0.152	0.152	
-5	72.5	≦* <	77.5	60	1.74661	0.148	0.148	
-6	67.5	≦* <	72.5	56	1.69599	0.143	0.143	
-7	62.5	≦* <	67.5	52	1.64537	0.139	0.139	
-8	57.5	≦* <	62.5	48	1.59475	0.135	0.135	
-9	52.5	≦* <	57.5	44	1.54414	0.130	0.130	
-10	47.5	≦* <	52.5	40	1.49352	0.126	0.126	
-11	42.5	≦* <	47.5	36	1.44290	0.122	0.122	
-12	37.5	≦* <	42.5	32	1.39228	0.118	0.118	
-13	32.5	≦* <	37.5	28	1.34167	0.113	0.113	
-14	27.5	≦* <	32.5	24	1.29105	0.109	0.109	
-15	22.5	≦* <	27.5	20	1.24043	0.105	0.105	
-16	17.5	≦* <	22.5	16	1.18982	0.101	0.101	
-17	12.5	≦* <	17.5	12	1.13920	0.096	0.096	
-18	7.5	≦* <	12.5	8	1.08858	0.092	0.092	
-19	2.5	≦* <	7.5	4	1.03796	0.088	0.088	
-20	0.0	≦* <	2.5	1.00	1.00000	0.084	0.084	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.169 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.242	0.242	
19	192.5	≦* <	197.5	156	2.96142	0.238	0.238	
18	187.5	≦* <	192.5	152	2.91081	0.234	0.234	
17	182.5	≦* <	187.5	148	2.86019	0.230	0.230	
16	177.5	≦* <	182.5	144	2.80957	0.225	0.225	
15	172.5	≦* <	177.5	140	2.75895	0.221	0.221	
14	167.5	≦* <	172.5	136	2.70834	0.218	0.218	
13	162.5	≦* <	167.5	132	2.65772	0.214	0.214	
12	157.5	≦* <	162.5	128	2.60710	0.209	0.209	
11	152.5	≦* <	157.5	124	2.55648	0.205	0.205	
10	147.5	≦* <	152.5	120	2.50587	0.201	0.201	
9	142.5	≦* <	147.5	116	2.45525	0.197	0.197	
8	137.5	≦* <	142.5	112	2.40463	0.193	0.193	
7	132.5	≦* <	137.5	108	2.35401	0.189	0.189	
6	127.5	≦* <	132.5	104	2.30340	0.185	0.185	
5	122.5	≦* <	127.5	100	2.25278	0.181	0.181	
4	117.5	≦* <	122.5	96	2.20216	0.177	0.177	
3	112.5	≦* <	117.5	92	2.15154	0.173	0.173	
2	107.5	≦* <	112.5	88	2.10093	0.169	0.169	
1	102.5	≦* <	107.5	84	2.05031	0.164	0.164	
0	97.5	≦* <	102.5	80	1.99969	0.161	0.161	
-1	92.5	≦* <	97.5	76	1.94908	0.157	0.157	
-2	87.5	≦* <	92.5	72	1.89846	0.152	0.152	
-3	82.5	≦* <	87.5	68	1.84784	0.148	0.148	
-4	77.5	≦* <	82.5	64	1.79722	0.144	0.144	
-5	72.5	≦* <	77.5	60	1.74661	0.141	0.141	
-6	67.5	≦* <	72.5	56	1.69599	0.136	0.136	
-7	62.5	≦* <	67.5	52	1.64537	0.132	0.132	
-8	57.5	≦* <	62.5	48	1.59475	0.128	0.128	
-9	52.5	≦* <	57.5	44	1.54414	0.124	0.124	
-10	47.5	≦* <	52.5	40	1.49352	0.120	0.120	
-11	42.5	≦* <	47.5	36	1.44290	0.116	0.116	
-12	37.5	≦* <	42.5	32	1.39228	0.112	0.112	
-13	32.5	≦* <	37.5	28	1.34167	0.107	0.107	
-14	27.5	≦* <	32.5	24	1.29105	0.104	0.104	
-15	22.5	≦* <	27.5	20	1.24043	0.100	0.100	
-16	17.5	≦* <	22.5	16	1.18982	0.096	0.096	
-17	12.5	≦* <	17.5	12	1.13920	0.091	0.091	
-18	7.5	≦* <	12.5	8	1.08858	0.087	0.087	
-19	2.5	≦* <	7.5	4	1.03796	0.084	0.084	
-20	0.0	≦* <	2.5	1.00	1.00000	0.080	0.080	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.003 %

小損害不填補: 3 50万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.168 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.253	0.253	
19	192.5	≦* <	197.5	156	2.96142	0.249	0.249	
18	187.5	≦* <	192.5	152	2.91081	0.245	0.245	
17	182.5	≦* <	187.5	148	2.86019	0.240	0.240	
16	177.5	≦* <	182.5	144	2.80957	0.236	0.236	
15	172.5	≦* <	177.5	140	2.75895	0.232	0.232	
14	167.5	≦* <	172.5	136	2.70834	0.228	0.228	
13	162.5	≦* <	167.5	132	2.65772	0.223	0.223	
12	157.5	≦* <	162.5	128	2.60710	0.219	0.219	
11	152.5	≦* <	157.5	124	2.55648	0.215	0.215	
10	147.5	≦* <	152.5	120	2.50587	0.210	0.210	
9	142.5	≦* <	147.5	116	2.45525	0.206	0.206	
8	137.5	≦* <	142.5	112	2.40463	0.202	0.202	
7	132.5	≦* <	137.5	108	2.35401	0.198	0.198	
6	127.5	≦* <	132.5	104	2.30340	0.193	0.193	
5	122.5	≦* <	127.5	100	2.25278	0.189	0.189	
4	117.5	≦* <	122.5	96	2.20216	0.185	0.185	
3	112.5	≦* <	117.5	92	2.15154	0.181	0.181	
2	107.5	≦* <	112.5	88	2.10093	0.176	0.176	
1	102.5	≦* <	107.5	84	2.05031	0.172	0.172	
0	97.5	≦* <	102.5	80	1.99969	0.168	0.168	
-1	92.5	≦* <	97.5	76	1.94908	0.164	0.164	
-2	87.5	≦* <	92.5	72	1.89846	0.159	0.159	
-3	82.5	≦* <	87.5	68	1.84784	0.155	0.155	
-4	77.5	≦* <	82.5	64	1.79722	0.151	0.151	
-5	72.5	≦* <	77.5	60	1.74661	0.147	0.147	
-6	67.5	≦* <	72.5	56	1.69599	0.142	0.142	
-7	62.5	≦* <	67.5	52	1.64537	0.138	0.138	
-8	57.5	≦* <	62.5	48	1.59475	0.134	0.134	
-9	52.5	≦* <	57.5	44	1.54414	0.130	0.130	
-10	47.5	≦* <	52.5	40	1.49352	0.125	0.125	
-11	42.5	≦* <	47.5	36	1.44290	0.121	0.121	
-12	37.5	≦* <	42.5	32	1.39228	0.117	0.117	
-13	32.5	≦* <	37.5	28	1.34167	0.113	0.113	
-14	27.5	≦* <	32.5	24	1.29105	0.108	0.108	
-15	22.5	≦* <	27.5	20	1.24043	0.104	0.104	
-16	17.5	≦* <	22.5	16	1.18982	0.100	0.100	
-17	12.5	≦* <	17.5	12	1.13920	0.096	0.096	
-18	7.5	≦* <	12.5	8	1.08858	0.091	0.091	
-19	2.5	≦* <	7.5	4	1.03796	0.087	0.087	
-20	0.0	≦* <	2.5	1.00	1.00000	0.084	0.084	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.168 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.240	0.240	
19	192.5	≦* <	197.5	156	2.96142	0.237	0.237	
18	187.5	≦* <	192.5	152	2.91081	0.233	0.233	
17	182.5	≦* <	187.5	148	2.86019	0.228	0.228	
16	177.5	≦* <	182.5	144	2.80957	0.224	0.224	
15	172.5	≦* <	177.5	140	2.75895	0.220	0.220	
14	167.5	≦* <	172.5	136	2.70834	0.217	0.217	
13	162.5	≦* <	167.5	132	2.65772	0.212	0.212	
12	157.5	≦* <	162.5	128	2.60710	0.208	0.208	
11	152.5	≦* <	157.5	124	2.55648	0.204	0.204	
10	147.5	≦* <	152.5	120	2.50587	0.200	0.200	
9	142.5	≦* <	147.5	116	2.45525	0.196	0.196	
8	137.5	≦* <	142.5	112	2.40463	0.192	0.192	
7	132.5	≦* <	137.5	108	2.35401	0.188	0.188	
6	127.5	≦* <	132.5	104	2.30340	0.183	0.183	
5	122.5	≦* <	127.5	100	2.25278	0.180	0.180	
4	117.5	≦* <	122.5	96	2.20216	0.176	0.176	
3	112.5	≦* <	117.5	92	2.15154	0.172	0.172	
2	107.5	≦* <	112.5	88	2.10093	0.167	0.167	
1	102.5	≦* <	107.5	84	2.05031	0.163	0.163	
0	97.5	≦* <	102.5	80	1.99969	0.160	0.160	
-1	92.5	≦* <	97.5	76	1.94908	0.156	0.156	
-2	87.5	≦* <	92.5	72	1.89846	0.151	0.151	
-3	82.5	≦* <	87.5	68	1.84784	0.147	0.147	
-4	77.5	≦* <	82.5	64	1.79722	0.143	0.143	
-5	72.5	≦* <	77.5	60	1.74661	0.140	0.140	
-6	67.5	≦* <	72.5	56	1.69599	0.135	0.135	
-7	62.5	≦* <	67.5	52	1.64537	0.131	0.131	
-8	57.5	≦* <	62.5	48	1.59475	0.127	0.127	
-9	52.5	≦* <	57.5	44	1.54414	0.124	0.124	
-10	47.5	≦* <	52.5	40	1.49352	0.119	0.119	
-11	42.5	≦* <	47.5	36	1.44290	0.115	0.115	
-12	37.5	≦* <	42.5	32	1.39228	0.111	0.111	
-13	32.5	≦* <	37.5	28	1.34167	0.107	0.107	
-14	27.5	≦* <	32.5	24	1.29105	0.103	0.103	
-15	22.5	≦* <	27.5	20	1.24043	0.099	0.099	
-16	17.5	≦* <	22.5	16	1.18982	0.095	0.095	
-17	12.5	≦* <	17.5	12	1.13920	0.091	0.091	
-18	7.5	≦* <	12.5	8	1.08858	0.086	0.086	
-19	2.5	≦* <	7.5	4	1.03796	0.083	0.083	
-20	0.0	≦* <	2.5	1.00	1.00000	0.080	0.080	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 0 なし

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.003 %

小損害不填補: 4 100万円

被覆期間: 0 未被覆期間

集団割引: 1 有

施設補強割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	
-20	0.0	≦* <	2.5	1.00	1.00000	0.001	0.001	
計	平均			80.02439	2.00000			