

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.293 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.441	0.441	0
19	192.5	≦* <	197.5	156	2.96142	0.434	0.434	0
18	187.5	≦* <	192.5	152	2.91081	0.426	0.426	0
17	182.5	≦* <	187.5	148	2.86019	0.419	0.419	0
16	177.5	≦* <	182.5	144	2.80957	0.412	0.412	0
15	172.5	≦* <	177.5	140	2.75895	0.404	0.404	0
14	167.5	≦* <	172.5	136	2.70834	0.397	0.397	0
13	162.5	≦* <	167.5	132	2.65772	0.389	0.389	0
12	157.5	≦* <	162.5	128	2.60710	0.382	0.382	0
11	152.5	≦* <	157.5	124	2.55648	0.375	0.375	0
10	147.5	≦* <	152.5	120	2.50587	0.367	0.367	0
9	142.5	≦* <	147.5	116	2.45525	0.360	0.360	0
8	137.5	≦* <	142.5	112	2.40463	0.352	0.352	0
7	132.5	≦* <	137.5	108	2.35401	0.345	0.345	0
6	127.5	≦* <	132.5	104	2.30340	0.337	0.337	0
5	122.5	≦* <	127.5	100	2.25278	0.330	0.330	0
4	117.5	≦* <	122.5	96	2.20216	0.323	0.323	0
3	112.5	≦* <	117.5	92	2.15154	0.315	0.315	0
2	107.5	≦* <	112.5	88	2.10093	0.308	0.308	0
1	102.5	≦* <	107.5	84	2.05031	0.300	0.300	0
0	97.5	≦* <	102.5	80	1.99969	0.293	0.293	0
-1	92.5	≦* <	97.5	76	1.94908	0.286	0.286	0
-2	87.5	≦* <	92.5	72	1.89846	0.278	0.278	0
-3	82.5	≦* <	87.5	68	1.84784	0.271	0.271	0
-4	77.5	≦* <	82.5	64	1.79722	0.263	0.263	0
-5	72.5	≦* <	77.5	60	1.74661	0.256	0.256	0
-6	67.5	≦* <	72.5	56	1.69599	0.248	0.248	0
-7	62.5	≦* <	67.5	52	1.64537	0.241	0.241	0
-8	57.5	≦* <	62.5	48	1.59475	0.234	0.234	0
-9	52.5	≦* <	57.5	44	1.54414	0.226	0.226	0
-10	47.5	≦* <	52.5	40	1.49352	0.219	0.219	0
-11	42.5	≦* <	47.5	36	1.44290	0.211	0.211	0
-12	37.5	≦* <	42.5	32	1.39228	0.204	0.204	0
-13	32.5	≦* <	37.5	28	1.34167	0.197	0.197	0
-14	27.5	≦* <	32.5	24	1.29105	0.189	0.189	0
-15	22.5	≦* <	27.5	20	1.24043	0.182	0.182	0
-16	17.5	≦* <	22.5	16	1.18982	0.174	0.174	0
-17	12.5	≦* <	17.5	12	1.13920	0.167	0.167	0
-18	7.5	≦* <	12.5	8	1.08858	0.159	0.159	0
-19	2.5	≦* <	7.5	4	1.03796	0.152	0.152	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.146 ※	0.146	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.201 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.303	0.303	0
19	192.5	≦* <	197.5	156	2.96142	0.298	0.298	0
18	187.5	≦* <	192.5	152	2.91081	0.293	0.293	0
17	182.5	≦* <	187.5	148	2.86019	0.287	0.287	0
16	177.5	≦* <	182.5	144	2.80957	0.282	0.282	0
15	172.5	≦* <	177.5	140	2.75895	0.277	0.277	0
14	167.5	≦* <	172.5	136	2.70834	0.272	0.272	0
13	162.5	≦* <	167.5	132	2.65772	0.267	0.267	0
12	157.5	≦* <	162.5	128	2.60710	0.262	0.262	0
11	152.5	≦* <	157.5	124	2.55648	0.257	0.257	0
10	147.5	≦* <	152.5	120	2.50587	0.252	0.252	0
9	142.5	≦* <	147.5	116	2.45525	0.247	0.247	0
8	137.5	≦* <	142.5	112	2.40463	0.242	0.242	0
7	132.5	≦* <	137.5	108	2.35401	0.237	0.237	0
6	127.5	≦* <	132.5	104	2.30340	0.231	0.231	0
5	122.5	≦* <	127.5	100	2.25278	0.226	0.226	0
4	117.5	≦* <	122.5	96	2.20216	0.221	0.221	0
3	112.5	≦* <	117.5	92	2.15154	0.216	0.216	0
2	107.5	≦* <	112.5	88	2.10093	0.211	0.211	0
1	102.5	≦* <	107.5	84	2.05031	0.206	0.206	0
0	97.5	≦* <	102.5	80	1.99969	0.201	0.201	0
-1	92.5	≦* <	97.5	76	1.94908	0.196	0.196	0
-2	87.5	≦* <	92.5	72	1.89846	0.191	0.191	0
-3	82.5	≦* <	87.5	68	1.84784	0.186	0.186	0
-4	77.5	≦* <	82.5	64	1.79722	0.181	0.181	0
-5	72.5	≦* <	77.5	60	1.74661	0.176	0.176	0
-6	67.5	≦* <	72.5	56	1.69599	0.170	0.170	0
-7	62.5	≦* <	67.5	52	1.64537	0.165	0.165	0
-8	57.5	≦* <	62.5	48	1.59475	0.160	0.160	0
-9	52.5	≦* <	57.5	44	1.54414	0.155	0.155	0
-10	47.5	≦* <	52.5	40	1.49352	0.150	0.150	0
-11	42.5	≦* <	47.5	36	1.44290	0.145	0.145	0
-12	37.5	≦* <	42.5	32	1.39228	0.140	0.140	0
-13	32.5	≦* <	37.5	28	1.34167	0.135	0.135	0
-14	27.5	≦* <	32.5	24	1.29105	0.130	0.130	0
-15	22.5	≦* <	27.5	20	1.24043	0.125	0.125	0
-16	17.5	≦* <	22.5	16	1.18982	0.120	0.120	0
-17	12.5	≦* <	17.5	12	1.13920	0.114	0.114	0
-18	7.5	≦* <	12.5	8	1.08858	0.109	0.109	0
-19	2.5	≦* <	7.5	4	1.03796	0.104	0.104	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.100 ※	0.100	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.143 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.215	0.215	0
19	192.5	≦* <	197.5	156	2.96142	0.212	0.212	0
18	187.5	≦* <	192.5	152	2.91081	0.208	0.208	0
17	182.5	≦* <	187.5	148	2.86019	0.205	0.205	0
16	177.5	≦* <	182.5	144	2.80957	0.201	0.201	0
15	172.5	≦* <	177.5	140	2.75895	0.197	0.197	0
14	167.5	≦* <	172.5	136	2.70834	0.194	0.194	0
13	162.5	≦* <	167.5	132	2.65772	0.190	0.190	0
12	157.5	≦* <	162.5	128	2.60710	0.186	0.186	0
11	152.5	≦* <	157.5	124	2.55648	0.183	0.183	0
10	147.5	≦* <	152.5	120	2.50587	0.179	0.179	0
9	142.5	≦* <	147.5	116	2.45525	0.176	0.176	0
8	137.5	≦* <	142.5	112	2.40463	0.172	0.172	0
7	132.5	≦* <	137.5	108	2.35401	0.168	0.168	0
6	127.5	≦* <	132.5	104	2.30340	0.165	0.165	0
5	122.5	≦* <	127.5	100	2.25278	0.161	0.161	0
4	117.5	≦* <	122.5	96	2.20216	0.157	0.157	0
3	112.5	≦* <	117.5	92	2.15154	0.154	0.154	0
2	107.5	≦* <	112.5	88	2.10093	0.150	0.150	0
1	102.5	≦* <	107.5	84	2.05031	0.147	0.147	0
0	97.5	≦* <	102.5	80	1.99969	0.143	0.143	0
-1	92.5	≦* <	97.5	76	1.94908	0.139	0.139	0
-2	87.5	≦* <	92.5	72	1.89846	0.136	0.136	0
-3	82.5	≦* <	87.5	68	1.84784	0.132	0.132	0
-4	77.5	≦* <	82.5	64	1.79722	0.129	0.129	0
-5	72.5	≦* <	77.5	60	1.74661	0.125	0.125	0
-6	67.5	≦* <	72.5	56	1.69599	0.121	0.121	0
-7	62.5	≦* <	67.5	52	1.64537	0.118	0.118	0
-8	57.5	≦* <	62.5	48	1.59475	0.114	0.114	0
-9	52.5	≦* <	57.5	44	1.54414	0.110	0.110	0
-10	47.5	≦* <	52.5	40	1.49352	0.107	0.107	0
-11	42.5	≦* <	47.5	36	1.44290	0.103	0.103	0
-12	37.5	≦* <	42.5	32	1.39228	0.100	0.100	0
-13	32.5	≦* <	37.5	28	1.34167	0.096	0.096	0
-14	27.5	≦* <	32.5	24	1.29105	0.092	0.092	0
-15	22.5	≦* <	27.5	20	1.24043	0.089	0.089	0
-16	17.5	≦* <	22.5	16	1.18982	0.085	0.085	0
-17	12.5	≦* <	17.5	12	1.13920	0.081	0.081	0
-18	7.5	≦* <	12.5	8	1.08858	0.078	0.078	0
-19	2.5	≦* <	7.5	4	1.03796	0.074	0.074	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.071 ※	0.071	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.162 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.268	0.268	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.174	0.174	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.172	0.172	0
17	182.5	≦* <	187.5	148	2.09253	0.169	0.169	0
16	177.5	≦* <	182.5	144	2.06280	0.167	0.167	0
15	172.5	≦* <	177.5	140	2.03307	0.165	0.165	0
14	167.5	≦* <	172.5	136	2.00334	0.162	0.162	0
13	162.5	≦* <	167.5	132	1.97361	0.160	0.160	0
12	157.5	≦* <	162.5	128	1.94388	0.157	0.157	0
11	152.5	≦* <	157.5	124	1.91416	0.155	0.155	0
10	147.5	≦* <	152.5	120	1.88443	0.153	0.153	0
9	142.5	≦* <	147.5	116	1.85470	0.150	0.150	0
8	137.5	≦* <	142.5	112	1.82497	0.148	0.148	0
7	132.5	≦* <	137.5	108	1.79524	0.145	0.145	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.143	0.143	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.141	0.141	0
4	117.5	≦* <	122.5	96	1.70605	0.138	0.138	0
3	112.5	≦* <	117.5	92	1.67633	0.136	0.136	0
2	107.5	≦* <	112.5	88	1.64660	0.133	0.133	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.131	0.131	0
0	97.5	≦* <	102.5	80	1.58714	0.129	0.129	0
-1	92.5	≦* <	97.5	76	1.55741	0.126	0.126	0
-2	87.5	≦* <	92.5	72	1.52768	0.124	0.124	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.121	0.121	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.119	0.119	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.117	0.117	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.114	0.114	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.112	0.112	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.109	0.109	0
-9	52.5	≦* <	57.5	44	1.31958	0.107	0.107	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.104	0.104	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.102	0.102	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.100	0.100	0
-13	32.5	≦* <	37.5	28	1.20067	0.097	0.097	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.095	0.095	0
-15	22.5	≦* <	27.5	20	1.14121	0.092	0.092	0
-16	17.5	≦* <	22.5	16	1.11148	0.090	0.090	0
-17	12.5	≦* <	17.5	12	1.08175	0.088	0.088	0
-18	7.5	≦* <	12.5	8	1.05203	0.085	0.085	0
-19	2.5	≦* <	7.5	4	1.02230	0.083	0.083	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.081	0.081	0
計	平 均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.137 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.226	0.226	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.147	0.147	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.145	0.145	0
17	182.5	≦* <	187.5	148	2.09253	0.143	0.143	0
16	177.5	≦* <	182.5	144	2.06280	0.141	0.141	0
15	172.5	≦* <	177.5	140	2.03307	0.139	0.139	0
14	167.5	≦* <	172.5	136	2.00334	0.137	0.137	0
13	162.5	≦* <	167.5	132	1.97361	0.135	0.135	0
12	157.5	≦* <	162.5	128	1.94388	0.133	0.133	0
11	152.5	≦* <	157.5	124	1.91416	0.131	0.131	0
10	147.5	≦* <	152.5	120	1.88443	0.129	0.129	0
9	142.5	≦* <	147.5	116	1.85470	0.127	0.127	0
8	137.5	≦* <	142.5	112	1.82497	0.125	0.125	0
7	132.5	≦* <	137.5	108	1.79524	0.123	0.123	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.121	0.121	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.119	0.119	0
4	117.5	≦* <	122.5	96	1.70605	0.117	0.117	0
3	112.5	≦* <	117.5	92	1.67633	0.115	0.115	0
2	107.5	≦* <	112.5	88	1.64660	0.113	0.113	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.111	0.111	0
0	97.5	≦* <	102.5	80	1.58714	0.109	0.109	0
-1	92.5	≦* <	97.5	76	1.55741	0.107	0.107	0
-2	87.5	≦* <	92.5	72	1.52768	0.105	0.105	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.103	0.103	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.101	0.101	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.099	0.099	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.097	0.097	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.094	0.094	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.092	0.092	0
-9	52.5	≦* <	57.5	44	1.31958	0.090	0.090	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.088	0.088	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.086	0.086	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.084	0.084	0
-13	32.5	≦* <	37.5	28	1.20067	0.082	0.082	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.080	0.080	0
-15	22.5	≦* <	27.5	20	1.14121	0.078	0.078	0
-16	17.5	≦* <	22.5	16	1.11148	0.076	0.076	0
-17	12.5	≦* <	17.5	12	1.08175	0.074	0.074	0
-18	7.5	≦* <	12.5	8	1.05203	0.072	0.072	0
-19	2.5	≦* <	7.5	4	1.02230	0.070	0.070	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.068 ※	0.068	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.116 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.192	0.192	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.125	0.125	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.123	0.123	0
17	182.5	≦* <	187.5	148	2.09253	0.121	0.121	0
16	177.5	≦* <	182.5	144	2.06280	0.120	0.120	0
15	172.5	≦* <	177.5	140	2.03307	0.118	0.118	0
14	167.5	≦* <	172.5	136	2.00334	0.116	0.116	0
13	162.5	≦* <	167.5	132	1.97361	0.114	0.114	0
12	157.5	≦* <	162.5	128	1.94388	0.113	0.113	0
11	152.5	≦* <	157.5	124	1.91416	0.111	0.111	0
10	147.5	≦* <	152.5	120	1.88443	0.109	0.109	0
9	142.5	≦* <	147.5	116	1.85470	0.108	0.108	0
8	137.5	≦* <	142.5	112	1.82497	0.106	0.106	0
7	132.5	≦* <	137.5	108	1.79524	0.104	0.104	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.102	0.102	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.101	0.101	0
4	117.5	≦* <	122.5	96	1.70605	0.099	0.099	0
3	112.5	≦* <	117.5	92	1.67633	0.097	0.097	0
2	107.5	≦* <	112.5	88	1.64660	0.096	0.096	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.094	0.094	0
0	97.5	≦* <	102.5	80	1.58714	0.092	0.092	0
-1	92.5	≦* <	97.5	76	1.55741	0.090	0.090	0
-2	87.5	≦* <	92.5	72	1.52768	0.089	0.089	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.087	0.087	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.085	0.085	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.083	0.083	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.082	0.082	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.080	0.080	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.078	0.078	0
-9	52.5	≦* <	57.5	44	1.31958	0.077	0.077	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.075	0.075	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.073	0.073	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.071	0.071	0
-13	32.5	≦* <	37.5	28	1.20067	0.070	0.070	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.068	0.068	0
-15	22.5	≦* <	27.5	20	1.14121	0.066	0.066	0
-16	17.5	≦* <	22.5	16	1.11148	0.064	0.064	0
-17	12.5	≦* <	17.5	12	1.08175	0.063	0.063	0
-18	7.5	≦* <	12.5	8	1.05203	0.061	0.061	0
-19	2.5	≦* <	7.5	4	1.02230	0.059	0.059	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.058	0.058	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.500 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.753	0.753	0
19	192.5	≦* <	197.5	156	2.96142	0.740	0.740	0
18	187.5	≦* <	192.5	152	2.91081	0.728	0.728	0
17	182.5	≦* <	187.5	148	2.86019	0.715	0.715	0
16	177.5	≦* <	182.5	144	2.80957	0.702	0.702	0
15	172.5	≦* <	177.5	140	2.75895	0.690	0.690	0
14	167.5	≦* <	172.5	136	2.70834	0.677	0.677	0
13	162.5	≦* <	167.5	132	2.65772	0.664	0.664	0
12	157.5	≦* <	162.5	128	2.60710	0.652	0.652	0
11	152.5	≦* <	157.5	124	2.55648	0.639	0.639	0
10	147.5	≦* <	152.5	120	2.50587	0.626	0.626	0
9	142.5	≦* <	147.5	116	2.45525	0.614	0.614	0
8	137.5	≦* <	142.5	112	2.40463	0.601	0.601	0
7	132.5	≦* <	137.5	108	2.35401	0.589	0.589	0
6	127.5	≦* <	132.5	104	2.30340	0.576	0.576	0
5	122.5	≦* <	127.5	100	2.25278	0.563	0.563	0
4	117.5	≦* <	122.5	96	2.20216	0.551	0.551	0
3	112.5	≦* <	117.5	92	2.15154	0.538	0.538	0
2	107.5	≦* <	112.5	88	2.10093	0.525	0.525	0
1	102.5	≦* <	107.5	84	2.05031	0.513	0.513	0
0	97.5	≦* <	102.5	80	1.99969	0.500	0.500	0
-1	92.5	≦* <	97.5	76	1.94908	0.487	0.487	0
-2	87.5	≦* <	92.5	72	1.89846	0.475	0.475	0
-3	82.5	≦* <	87.5	68	1.84784	0.462	0.462	0
-4	77.5	≦* <	82.5	64	1.79722	0.449	0.449	0
-5	72.5	≦* <	77.5	60	1.74661	0.437	0.437	0
-6	67.5	≦* <	72.5	56	1.69599	0.424	0.424	0
-7	62.5	≦* <	67.5	52	1.64537	0.411	0.411	0
-8	57.5	≦* <	62.5	48	1.59475	0.399	0.399	0
-9	52.5	≦* <	57.5	44	1.54414	0.386	0.386	0
-10	47.5	≦* <	52.5	40	1.49352	0.373	0.373	0
-11	42.5	≦* <	47.5	36	1.44290	0.361	0.361	0
-12	37.5	≦* <	42.5	32	1.39228	0.348	0.348	0
-13	32.5	≦* <	37.5	28	1.34167	0.335	0.335	0
-14	27.5	≦* <	32.5	24	1.29105	0.323	0.323	0
-15	22.5	≦* <	27.5	20	1.24043	0.310	0.310	0
-16	17.5	≦* <	22.5	16	1.18982	0.297	0.297	0
-17	12.5	≦* <	17.5	12	1.13920	0.285	0.285	0
-18	7.5	≦* <	12.5	8	1.08858	0.272	0.272	0
-19	2.5	≦* <	7.5	4	1.03796	0.259	0.259	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.250	0.250	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.006 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.009	0.009	0
19	192.5	≦* <	197.5	156	2.96142	0.009	0.009	0
18	187.5	≦* <	192.5	152	2.91081	0.009	0.009	0
17	182.5	≦* <	187.5	148	2.86019	0.009	0.009	0
16	177.5	≦* <	182.5	144	2.80957	0.008	0.008	0
15	172.5	≦* <	177.5	140	2.75895	0.008	0.008	0
14	167.5	≦* <	172.5	136	2.70834	0.008	0.008	0
13	162.5	≦* <	167.5	132	2.65772	0.008	0.008	0
12	157.5	≦* <	162.5	128	2.60710	0.008	0.008	0
11	152.5	≦* <	157.5	124	2.55648	0.008	0.008	0
10	147.5	≦* <	152.5	120	2.50587	0.008	0.008	0
9	142.5	≦* <	147.5	116	2.45525	0.007	0.007	0
8	137.5	≦* <	142.5	112	2.40463	0.007	0.007	0
7	132.5	≦* <	137.5	108	2.35401	0.007	0.007	0
6	127.5	≦* <	132.5	104	2.30340	0.007	0.007	0
5	122.5	≦* <	127.5	100	2.25278	0.007	0.007	0
4	117.5	≦* <	122.5	96	2.20216	0.007	0.007	0
3	112.5	≦* <	117.5	92	2.15154	0.006	0.006	0
2	107.5	≦* <	112.5	88	2.10093	0.006	0.006	0
1	102.5	≦* <	107.5	84	2.05031	0.006	0.006	0
0	97.5	≦* <	102.5	80	1.99969	0.006	0.006	0
-1	92.5	≦* <	97.5	76	1.94908	0.006	0.006	0
-2	87.5	≦* <	92.5	72	1.89846	0.006	0.006	0
-3	82.5	≦* <	87.5	68	1.84784	0.006	0.006	0
-4	77.5	≦* <	82.5	64	1.79722	0.005	0.005	0
-5	72.5	≦* <	77.5	60	1.74661	0.005	0.005	0
-6	67.5	≦* <	72.5	56	1.69599	0.005	0.005	0
-7	62.5	≦* <	67.5	52	1.64537	0.005	0.005	0
-8	57.5	≦* <	62.5	48	1.59475	0.005	0.005	0
-9	52.5	≦* <	57.5	44	1.54414	0.005	0.005	0
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	0
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	0
-12	37.5	≦* <	42.5	32	1.39228	0.004	0.004	0
-13	32.5	≦* <	37.5	28	1.34167	0.004	0.004	0
-14	27.5	≦* <	32.5	24	1.29105	0.004	0.004	0
-15	22.5	≦* <	27.5	20	1.24043	0.004	0.004	0
-16	17.5	≦* <	22.5	16	1.18982	0.004	0.004	0
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.446 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.672	0.672	0
19	192.5	≦* <	197.5	156	2.96142	0.660	0.660	0
18	187.5	≦* <	192.5	152	2.91081	0.649	0.649	0
17	182.5	≦* <	187.5	148	2.86019	0.638	0.638	0
16	177.5	≦* <	182.5	144	2.80957	0.627	0.627	0
15	172.5	≦* <	177.5	140	2.75895	0.615	0.615	0
14	167.5	≦* <	172.5	136	2.70834	0.604	0.604	0
13	162.5	≦* <	167.5	132	2.65772	0.593	0.593	0
12	157.5	≦* <	162.5	128	2.60710	0.581	0.581	0
11	152.5	≦* <	157.5	124	2.55648	0.570	0.570	0
10	147.5	≦* <	152.5	120	2.50587	0.559	0.559	0
9	142.5	≦* <	147.5	116	2.45525	0.548	0.548	0
8	137.5	≦* <	142.5	112	2.40463	0.536	0.536	0
7	132.5	≦* <	137.5	108	2.35401	0.525	0.525	0
6	127.5	≦* <	132.5	104	2.30340	0.514	0.514	0
5	122.5	≦* <	127.5	100	2.25278	0.502	0.502	0
4	117.5	≦* <	122.5	96	2.20216	0.491	0.491	0
3	112.5	≦* <	117.5	92	2.15154	0.480	0.480	0
2	107.5	≦* <	112.5	88	2.10093	0.469	0.469	0
1	102.5	≦* <	107.5	84	2.05031	0.457	0.457	0
0	97.5	≦* <	102.5	80	1.99969	0.446	0.446	0
-1	92.5	≦* <	97.5	76	1.94908	0.435	0.435	0
-2	87.5	≦* <	92.5	72	1.89846	0.423	0.423	0
-3	82.5	≦* <	87.5	68	1.84784	0.412	0.412	0
-4	77.5	≦* <	82.5	64	1.79722	0.401	0.401	0
-5	72.5	≦* <	77.5	60	1.74661	0.389	0.389	0
-6	67.5	≦* <	72.5	56	1.69599	0.378	0.378	0
-7	62.5	≦* <	67.5	52	1.64537	0.367	0.367	0
-8	57.5	≦* <	62.5	48	1.59475	0.356	0.356	0
-9	52.5	≦* <	57.5	44	1.54414	0.344	0.344	0
-10	47.5	≦* <	52.5	40	1.49352	0.333	0.333	0
-11	42.5	≦* <	47.5	36	1.44290	0.322	0.322	0
-12	37.5	≦* <	42.5	32	1.39228	0.310	0.310	0
-13	32.5	≦* <	37.5	28	1.34167	0.299	0.299	0
-14	27.5	≦* <	32.5	24	1.29105	0.288	0.288	0
-15	22.5	≦* <	27.5	20	1.24043	0.277	0.277	0
-16	17.5	≦* <	22.5	16	1.18982	0.265	0.265	0
-17	12.5	≦* <	17.5	12	1.13920	0.254	0.254	0
-18	7.5	≦* <	12.5	8	1.08858	0.243	0.243	0
-19	2.5	≦* <	7.5	4	1.03796	0.231	0.231	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.223	0.223	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	0
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	0
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	0
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	0
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	0
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	0
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	0
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	0
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	0
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	0
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	0
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	0
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	0
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	0
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	0
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	0
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	0
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	0
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	0
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	0
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	0
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	0
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	0
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	0
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	0
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	0
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	0
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	0
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	0
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	0
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	0
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	0
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	0
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.331 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.498	0.498	0
19	192.5	≦* <	197.5	156	2.96142	0.490	0.490	0
18	187.5	≦* <	192.5	152	2.91081	0.482	0.482	0
17	182.5	≦* <	187.5	148	2.86019	0.473	0.473	0
16	177.5	≦* <	182.5	144	2.80957	0.465	0.465	0
15	172.5	≦* <	177.5	140	2.75895	0.457	0.457	0
14	167.5	≦* <	172.5	136	2.70834	0.448	0.448	0
13	162.5	≦* <	167.5	132	2.65772	0.440	0.440	0
12	157.5	≦* <	162.5	128	2.60710	0.431	0.431	0
11	152.5	≦* <	157.5	124	2.55648	0.423	0.423	0
10	147.5	≦* <	152.5	120	2.50587	0.415	0.415	0
9	142.5	≦* <	147.5	116	2.45525	0.406	0.406	0
8	137.5	≦* <	142.5	112	2.40463	0.398	0.398	0
7	132.5	≦* <	137.5	108	2.35401	0.390	0.390	0
6	127.5	≦* <	132.5	104	2.30340	0.381	0.381	0
5	122.5	≦* <	127.5	100	2.25278	0.373	0.373	0
4	117.5	≦* <	122.5	96	2.20216	0.364	0.364	0
3	112.5	≦* <	117.5	92	2.15154	0.356	0.356	0
2	107.5	≦* <	112.5	88	2.10093	0.348	0.348	0
1	102.5	≦* <	107.5	84	2.05031	0.339	0.339	0
0	97.5	≦* <	102.5	80	1.99969	0.331	0.331	0
-1	92.5	≦* <	97.5	76	1.94908	0.323	0.323	0
-2	87.5	≦* <	92.5	72	1.89846	0.314	0.314	0
-3	82.5	≦* <	87.5	68	1.84784	0.306	0.306	0
-4	77.5	≦* <	82.5	64	1.79722	0.297	0.297	0
-5	72.5	≦* <	77.5	60	1.74661	0.289	0.289	0
-6	67.5	≦* <	72.5	56	1.69599	0.281	0.281	0
-7	62.5	≦* <	67.5	52	1.64537	0.272	0.272	0
-8	57.5	≦* <	62.5	48	1.59475	0.264	0.264	0
-9	52.5	≦* <	57.5	44	1.54414	0.256	0.256	0
-10	47.5	≦* <	52.5	40	1.49352	0.247	0.247	0
-11	42.5	≦* <	47.5	36	1.44290	0.239	0.239	0
-12	37.5	≦* <	42.5	32	1.39228	0.230	0.230	0
-13	32.5	≦* <	37.5	28	1.34167	0.222	0.222	0
-14	27.5	≦* <	32.5	24	1.29105	0.214	0.214	0
-15	22.5	≦* <	27.5	20	1.24043	0.205	0.205	0
-16	17.5	≦* <	22.5	16	1.18982	0.197	0.197	0
-17	12.5	≦* <	17.5	12	1.13920	0.189	0.189	0
-18	7.5	≦* <	12.5	8	1.08858	0.180	0.180	0
-19	2.5	≦* <	7.5	4	1.03796	0.172	0.172	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.165 ※	0.165	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	0
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	0
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	0
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	0
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	0
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	0
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	0
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	0
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	0
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	0
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	0
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	0
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	0
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	0
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	0
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	0
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	0
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	0
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	0
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	0
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	0
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	0
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	0
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	0
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	0
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	0
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	0
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	0
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	0
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	0
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	0
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	0
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	0
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.285 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	2.707	2.707	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	2.600	2.600	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	2.550	2.550	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	2.499	2.499	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	2.449	2.449	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	2.398	2.398	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	2.348	2.348	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	2.297	2.297	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	2.247	2.247	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	2.196	2.196	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	2.146	2.146	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	2.095	2.095	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	2.045	2.045	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	1.994	1.994	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	1.944	1.944	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	1.893	1.893	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	1.842	1.842	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	1.792	1.792	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	1.741	1.741	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	1.691	1.691	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	1.640	1.640	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	1.590	1.590	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	1.539	1.539	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	1.489	1.489	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	1.438	1.438	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	1.388	1.388	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	1.337	1.337	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	1.287	1.287	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	1.236	1.236	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	1.186	1.186	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	1.135	1.135	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	1.085	1.085	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	1.034	1.034	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.984	0.984	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.933	0.933	0
-15	22.5	≦* <	27.5	20	1.37354	0.882	0.882	0
-16	17.5	≦* <	22.5	16	1.29490	0.832	0.832	0
-17	12.5	≦* <	17.5	12	1.21626	0.781	0.781	0
-18	7.5	≦* <	12.5	8	1.13762	0.731	0.731	0
-19	2.5	≦* <	7.5	4	1.05898	0.680	0.680	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.642 ※	0.642	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.016 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.034	0.034	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.032	0.032	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.032	0.032	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.031	0.031	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.030	0.030	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.030	0.030	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.029	0.029	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.029	0.029	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.028	0.028	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.027	0.027	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.027	0.027	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.026	0.026	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.025	0.025	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.025	0.025	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.024	0.024	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.024	0.024	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.023	0.023	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.022	0.022	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.022	0.022	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.021	0.021	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.020	0.020	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.020	0.020	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.019	0.019	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.019	0.019	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.018	0.018	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.017	0.017	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.017	0.017	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.016	0.016	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.015	0.015	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.015	0.015	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.014	0.014	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.014	0.014	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.013	0.013	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.012	0.012	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.012	0.012	0
-15	22.5	≦* <	27.5	20	1.37354	0.011	0.011	0
-16	17.5	≦* <	22.5	16	1.29490	0.010	0.010	0
-17	12.5	≦* <	17.5	12	1.21626	0.010	0.010	0
-18	7.5	≦* <	12.5	8	1.13762	0.009	0.009	0
-19	2.5	≦* <	7.5	4	1.05898	0.008	0.008	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.008	0.008	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.619 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.304	1.304	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	1.253	1.253	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	1.228	1.228	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	1.204	1.204	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	1.180	1.180	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	1.155	1.155	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	1.131	1.131	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	1.107	1.107	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	1.082	1.082	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	1.058	1.058	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	1.034	1.034	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	1.009	1.009	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.985	0.985	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.961	0.961	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.936	0.936	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.912	0.912	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.888	0.888	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.863	0.863	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.839	0.839	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.815	0.815	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.790	0.790	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.766	0.766	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.742	0.742	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.717	0.717	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.693	0.693	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.669	0.669	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.644	0.644	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.620	0.620	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.595	0.595	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.571	0.571	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.547	0.547	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.522	0.522	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.498	0.498	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.474	0.474	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.449	0.449	0
-15	22.5	≦* <	27.5	20	1.37354	0.425	0.425	0
-16	17.5	≦* <	22.5	16	1.29490	0.401	0.401	0
-17	12.5	≦* <	17.5	12	1.21626	0.376	0.376	0
-18	7.5	≦* <	12.5	8	1.13762	0.352	0.352	0
-19	2.5	≦* <	7.5	4	1.05898	0.328	0.328	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.309 ※	0.309	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.008 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.017	0.017	77,505.49300
19	192.5	≧* <	197.5	156	4.04730	0.016	0.016	9,159.03990
18	187.5	≧* <	192.5	152	3.96866	0.016	0.016	1,551.74606
17	182.5	≧* <	187.5	148	3.89002	0.016	0.016	8,449.12344
16	177.5	≧* <	182.5	144	3.81138	0.015	0.015	12,295.51188
15	172.5	≧* <	177.5	140	3.73274	0.015	0.015	12,321.77474
14	167.5	≧* <	172.5	136	3.65410	0.015	0.015	9,303.33860
13	162.5	≧* <	167.5	132	3.57546	0.014	0.014	16,400.63502
12	157.5	≧* <	162.5	128	3.49682	0.014	0.014	19,907.39626
11	152.5	≧* <	157.5	124	3.41818	0.014	0.014	11,454.32118
10	147.5	≧* <	152.5	120	3.33954	0.013	0.013	6,174.80946
9	142.5	≧* <	147.5	116	3.26090	0.013	0.013	4,151.12570
8	137.5	≧* <	142.5	112	3.18226	0.013	0.013	23,300.50772
7	132.5	≧* <	137.5	108	3.10362	0.012	0.012	21,563.95176
6	127.5	≧* <	132.5	104	3.02498	0.012	0.012	19,647.24510
5	122.5	≧* <	127.5	100	2.94634	0.012	0.012	24,849.43156
4	117.5	≧* <	122.5	96	2.86770	0.011	0.011	18,439.31100
3	112.5	≧* <	117.5	92	2.78906	0.011	0.011	26,557.42932
2	107.5	≧* <	112.5	88	2.71042	0.011	0.011	39,382.40260
1	102.5	≧* <	107.5	84	2.63178	0.011	0.011	51,567.09732
0	97.5	≧* <	102.5	80	2.55314	0.010	0.010	36,729.47204
-1	92.5	≧* <	97.5	76	2.47450	0.010	0.010	79,396.80700
-2	87.5	≧* <	92.5	72	2.39586	0.010	0.010	144,515.87934
-3	82.5	≧* <	87.5	68	2.31722	0.009	0.009	140,859.16936
-4	77.5	≧* <	82.5	64	2.23858	0.009	0.009	135,328.87674
-5	72.5	≧* <	77.5	60	2.15994	0.009	0.009	138,387.35580
-6	67.5	≧* <	72.5	56	2.08130	0.008	0.008	93,129.84980
-7	62.5	≧* <	67.5	52	2.00266	0.008	0.008	168,792.19544
-8	57.5	≧* <	62.5	48	1.92402	0.008	0.008	140,611.22964
-9	52.5	≧* <	57.5	44	1.84538	0.007	0.007	142,871.16498
-10	47.5	≧* <	52.5	40	1.76674	0.007	0.007	192,956.27584
-11	42.5	≧* <	47.5	36	1.68810	0.007	0.007	153,968.22480
-12	37.5	≧* <	42.5	32	1.60946	0.006	0.006	281,087.36062
-13	32.5	≧* <	37.5	28	1.53082	0.006	0.006	367,248.31046
-14	27.5	≧* <	32.5	24	1.45218	0.006	0.006	0
-15	22.5	≧* <	27.5	20	1.37354	0.005	0.005	0
-16	17.5	≧* <	22.5	16	1.29490	0.005	0.005	0
-17	12.5	≧* <	17.5	12	1.21626	0.005	0.005	0
-18	7.5	≧* <	12.5	8	1.13762	0.005	0.005	0
-19	2.5	≧* <	7.5	4	1.05898	0.004	0.004	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.004	0.004	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.326 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.687	0.687	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.660	0.660	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.647	0.647	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.634	0.634	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.621	0.621	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.608	0.608	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.596	0.596	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.583	0.583	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.570	0.570	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.557	0.557	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.544	0.544	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.532	0.532	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.519	0.519	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.506	0.506	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.493	0.493	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.480	0.480	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.467	0.467	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.455	0.455	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.442	0.442	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.429	0.429	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.416	0.416	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.403	0.403	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.391	0.391	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.378	0.378	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.365	0.365	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.352	0.352	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.339	0.339	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.326	0.326	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.314	0.314	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.301	0.301	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.288	0.288	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.275	0.275	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.262	0.262	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.250	0.250	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.237	0.237	0
-15	22.5	≦* <	27.5	20	1.37354	0.224	0.224	0
-16	17.5	≦* <	22.5	16	1.29490	0.211	0.211	0
-17	12.5	≦* <	17.5	12	1.21626	0.198	0.198	0
-18	7.5	≦* <	12.5	8	1.13762	0.185	0.185	0
-19	2.5	≦* <	7.5	4	1.05898	0.173	0.173	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.163	0.163	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.008	0.008	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.008	0.008	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.008	0.008	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.008	0.008	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.008	0.008	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.007	0.007	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.007	0.007	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.007	0.007	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.007	0.007	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.007	0.007	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.007	0.007	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.007	0.007	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.006	0.006	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.006	0.006	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.006	0.006	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.006	0.006	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.006	0.006	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.006	0.006	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.005	0.005	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.005	0.005	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.005	0.005	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.005	0.005	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.005	0.005	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.005	0.005	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.004	0.004	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.004	0.004	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.004	0.004	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.004	0.004	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.004	0.004	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.004	0.004	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.004	0.004	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.003	0.003	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.003	0.003	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.003	0.003	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.37354	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.29490	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.21626	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.13762	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.05898	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.860 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	2.254	2.254	3,486.59500
19	192.5	≧* <	197.5	156	4.05190	1.742	1.742	0
18	187.5	≧* <	192.5	152	3.97314	1.708	1.708	0
17	182.5	≧* <	187.5	148	3.89438	1.675	1.675	447.85370
16	177.5	≧* <	182.5	144	3.81562	1.641	1.641	480.76812
15	172.5	≧* <	177.5	140	3.73686	1.607	1.607	0
14	167.5	≧* <	172.5	136	3.65810	1.573	1.573	0
13	162.5	≧* <	167.5	132	3.57934	1.539	1.539	4,001.70212
12	157.5	≧* <	162.5	128	3.50059	1.505	1.505	0
11	152.5	≧* <	157.5	124	3.42183	1.471	1.471	855.45750
10	147.5	≧* <	152.5	120	3.34307	1.438	1.438	324.27779
9	142.5	≧* <	147.5	116	3.26431	1.404	1.404	0
8	137.5	≧* <	142.5	112	3.18555	1.370	1.370	1,420.75530
7	132.5	≧* <	137.5	108	3.10679	1.336	1.336	5,977.46396
6	127.5	≧* <	132.5	104	3.02803	1.302	1.302	532.93328
5	122.5	≧* <	127.5	100	2.94928	1.268	1.268	1,518.87920
4	117.5	≧* <	122.5	96	2.87052	1.234	1.234	783.65196
3	112.5	≧* <	117.5	92	2.79176	1.200	1.200	6,694.64048
2	107.5	≧* <	112.5	88	2.71300	1.167	1.167	3,315.28600
1	102.5	≧* <	107.5	84	2.63424	1.133	1.133	724.41600
0	97.5	≧* <	102.5	80	2.55548	1.099	1.099	4,045.32484
-1	92.5	≧* <	97.5	76	2.47672	1.065	1.065	7,019.02448
-2	87.5	≧* <	92.5	72	2.39797	1.031	1.031	17,409.26220
-3	82.5	≧* <	87.5	68	2.31921	0.997	0.997	23,948.16246
-4	77.5	≧* <	82.5	64	2.24045	0.963	0.963	8,244.85600
-5	72.5	≧* <	77.5	60	2.16169	0.930	0.930	17,321.62197
-6	67.5	≧* <	72.5	56	2.08293	0.896	0.896	11,058.27537
-7	62.5	≧* <	67.5	52	2.00417	0.862	0.862	14,277.70708
-8	57.5	≧* <	62.5	48	1.92541	0.828	0.828	9,424.88195
-9	52.5	≧* <	57.5	44	1.84666	0.794	0.794	10,152.93668
-10	47.5	≧* <	52.5	40	1.76790	0.760	0.760	9,419.37120
-11	42.5	≧* <	47.5	36	1.68914	0.726	0.726	10,097.67892
-12	37.5	≧* <	42.5	32	1.61038	0.692	0.692	10,842.68854
-13	32.5	≧* <	37.5	28	1.53162	0.659	0.659	50,699.68524
-14	27.5	≧* <	32.5	24	1.45286	0.625	0.625	0
-15	22.5	≧* <	27.5	20	1.37410	0.591	0.591	0
-16	17.5	≧* <	22.5	16	1.29534	0.557	0.557	0
-17	12.5	≧* <	17.5	12	1.21659	0.523	0.523	0
-18	7.5	≧* <	12.5	8	1.13783	0.489	0.489	0
-19	2.5	≧* <	7.5	4	1.05907	0.455	0.455	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.430	0.430	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.010 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.026	0.026	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	0.020	0.020	0
18	187.5	≦* <	192.5	152	3.97314	0.020	0.020	0
17	182.5	≦* <	187.5	148	3.89438	0.019	0.019	447.85370
16	177.5	≦* <	182.5	144	3.81562	0.019	0.019	480.76812
15	172.5	≦* <	177.5	140	3.73686	0.019	0.019	0
14	167.5	≦* <	172.5	136	3.65810	0.018	0.018	0
13	162.5	≦* <	167.5	132	3.57934	0.018	0.018	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.018	0.018	0
11	152.5	≦* <	157.5	124	3.42183	0.017	0.017	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.017	0.017	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.016	0.016	0
8	137.5	≦* <	142.5	112	3.18555	0.016	0.016	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.016	0.016	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.015	0.015	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.015	0.015	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.014	0.014	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.014	0.014	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.014	0.014	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.013	0.013	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.013	0.013	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.012	0.012	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.012	0.012	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.012	0.012	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.011	0.011	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.011	0.011	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.010	0.010	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.010	0.010	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.010	0.010	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.009	0.009	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.009	0.009	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.008	0.008	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.008	0.008	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.008	0.008	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.007	0.007	0
-15	22.5	≦* <	27.5	20	1.37410	0.007	0.007	0
-16	17.5	≦* <	22.5	16	1.29534	0.006	0.006	0
-17	12.5	≦* <	17.5	12	1.21659	0.006	0.006	0
-18	7.5	≦* <	12.5	8	1.13783	0.006	0.006	0
-19	2.5	≦* <	7.5	4	1.05907	0.005	0.005	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.005	0.005	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.736 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.929	1.929	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	1.491	1.491	0
18	187.5	≦* <	192.5	152	3.97314	1.462	1.462	0
17	182.5	≦* <	187.5	148	3.89438	1.433	1.433	447.85370
16	177.5	≦* <	182.5	144	3.81562	1.404	1.404	480.76812
15	172.5	≦* <	177.5	140	3.73686	1.375	1.375	0
14	167.5	≦* <	172.5	136	3.65810	1.346	1.346	0
13	162.5	≦* <	167.5	132	3.57934	1.317	1.317	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	1.288	1.288	0
11	152.5	≦* <	157.5	124	3.42183	1.259	1.259	855.45750
10	147.5	≦* <	152.5	120	3.34307	1.230	1.230	324.27779
9	142.5	≦* <	147.5	116	3.26431	1.201	1.201	0
8	137.5	≦* <	142.5	112	3.18555	1.172	1.172	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	1.143	1.143	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	1.114	1.114	532.93328
5	122.5	≦* <	127.5	100	2.94928	1.085	1.085	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	1.056	1.056	783.65196
3	112.5	≦* <	117.5	92	2.79176	1.027	1.027	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.998	0.998	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.969	0.969	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.940	0.940	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.911	0.911	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.882	0.882	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.853	0.853	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.824	0.824	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.796	0.796	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.767	0.767	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.738	0.738	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.709	0.709	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.680	0.680	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.651	0.651	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.622	0.622	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.593	0.593	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.564	0.564	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.535	0.535	0
-15	22.5	≦* <	27.5	20	1.37410	0.506	0.506	0
-16	17.5	≦* <	22.5	16	1.29534	0.477	0.477	0
-17	12.5	≦* <	17.5	12	1.21659	0.448	0.448	0
-18	7.5	≦* <	12.5	8	1.13783	0.419	0.419	0
-19	2.5	≦* <	7.5	4	1.05907	0.390	0.390	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.368	0.368	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.009 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.024	0.024	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	0.018	0.018	0
18	187.5	≦* <	192.5	152	3.97314	0.018	0.018	0
17	182.5	≦* <	187.5	148	3.89438	0.018	0.018	447.85370
16	177.5	≦* <	182.5	144	3.81562	0.017	0.017	480.76812
15	172.5	≦* <	177.5	140	3.73686	0.017	0.017	0
14	167.5	≦* <	172.5	136	3.65810	0.016	0.016	0
13	162.5	≦* <	167.5	132	3.57934	0.016	0.016	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.016	0.016	0
11	152.5	≦* <	157.5	124	3.42183	0.015	0.015	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.015	0.015	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.015	0.015	0
8	137.5	≦* <	142.5	112	3.18555	0.014	0.014	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.014	0.014	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.014	0.014	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.013	0.013	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.013	0.013	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.013	0.013	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.012	0.012	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.012	0.012	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.011	0.011	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.011	0.011	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.011	0.011	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.010	0.010	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.010	0.010	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.010	0.010	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.009	0.009	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.009	0.009	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.009	0.009	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.008	0.008	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.008	0.008	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.008	0.008	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.007	0.007	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.007	0.007	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.007	0.007	0
-15	22.5	≦* <	27.5	20	1.37410	0.006	0.006	0
-16	17.5	≦* <	22.5	16	1.29534	0.006	0.006	0
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	0
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	0
-19	2.5	≦* <	7.5	4	1.05907	0.005	0.005	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.004 ※	0.004	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.632 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.657	1.657	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	1.280	1.280	0
18	187.5	≦* <	192.5	152	3.97314	1.256	1.256	0
17	182.5	≦* <	187.5	148	3.89438	1.231	1.231	447.85370
16	177.5	≦* <	182.5	144	3.81562	1.206	1.206	480.76812
15	172.5	≦* <	177.5	140	3.73686	1.181	1.181	0
14	167.5	≦* <	172.5	136	3.65810	1.156	1.156	0
13	162.5	≦* <	167.5	132	3.57934	1.131	1.131	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	1.106	1.106	0
11	152.5	≦* <	157.5	124	3.42183	1.081	1.081	855.45750
10	147.5	≦* <	152.5	120	3.34307	1.056	1.056	324.27779
9	142.5	≦* <	147.5	116	3.26431	1.032	1.032	0
8	137.5	≦* <	142.5	112	3.18555	1.007	1.007	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.982	0.982	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.957	0.957	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.932	0.932	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.907	0.907	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.882	0.882	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.857	0.857	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.832	0.832	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.808	0.808	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.783	0.783	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.758	0.758	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.733	0.733	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.708	0.708	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.683	0.683	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.658	0.658	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.633	0.633	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.608	0.608	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.584	0.584	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.559	0.559	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.534	0.534	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.509	0.509	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.484	0.484	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.459	0.459	0
-15	22.5	≦* <	27.5	20	1.37410	0.434	0.434	0
-16	17.5	≦* <	22.5	16	1.29534	0.409	0.409	0
-17	12.5	≦* <	17.5	12	1.21659	0.384	0.384	0
-18	7.5	≦* <	12.5	8	1.13783	0.360	0.360	0
-19	2.5	≦* <	7.5	4	1.05907	0.335	0.335	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.316	0.316	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.008 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.021	0.021	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	0.016	0.016	0
18	187.5	≦* <	192.5	152	3.97314	0.016	0.016	0
17	182.5	≦* <	187.5	148	3.89438	0.016	0.016	447.85370
16	177.5	≦* <	182.5	144	3.81562	0.015	0.015	480.76812
15	172.5	≦* <	177.5	140	3.73686	0.015	0.015	0
14	167.5	≦* <	172.5	136	3.65810	0.015	0.015	0
13	162.5	≦* <	167.5	132	3.57934	0.014	0.014	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.014	0.014	0
11	152.5	≦* <	157.5	124	3.42183	0.014	0.014	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.013	0.013	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.013	0.013	0
8	137.5	≦* <	142.5	112	3.18555	0.013	0.013	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.012	0.012	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.012	0.012	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.012	0.012	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.011	0.011	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.011	0.011	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.011	0.011	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.011	0.011	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.010	0.010	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.010	0.010	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.010	0.010	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.009	0.009	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.009	0.009	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.009	0.009	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.008	0.008	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.008	0.008	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.008	0.008	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.007	0.007	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.007	0.007	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.007	0.007	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.006	0.006	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.006	0.006	0
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	0
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	0
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	0
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	0
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.632 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	1.745	1.745	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	1.094	1.094	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	1.074	1.074	0
17	182.5	≦* <	187.5	148	3.33391	1.054	1.054	0
16	177.5	≦* <	182.5	144	3.27041	1.033	1.033	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	1.013	1.013	0
14	167.5	≦* <	172.5	136	3.14339	0.993	0.993	0
13	162.5	≦* <	167.5	132	3.07988	0.973	0.973	0
12	157.5	≦* <	162.5	128	3.01637	0.953	0.953	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.933	0.933	0
10	147.5	≦* <	152.5	120	2.88936	0.913	0.913	0
9	142.5	≦* <	147.5	116	2.82585	0.893	0.893	0
8	137.5	≦* <	142.5	112	2.76234	0.873	0.873	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.853	0.853	0
6	127.5	≦* <	132.5	104	2.63533	0.833	0.833	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.813	0.813	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.793	0.793	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.773	0.773	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.752	0.752	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.732	0.732	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.712	0.712	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.692	0.692	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.672	0.672	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.652	0.652	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.632	0.632	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.612	0.612	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.592	0.592	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.572	0.572	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.552	0.552	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.532	0.532	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.512	0.512	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.492	0.492	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.472	0.472	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.451	0.451	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.431	0.431	0
-15	22.5	≦* <	27.5	20	1.30166	0.411	0.411	0
-16	17.5	≦* <	22.5	16	1.23815	0.391	0.391	0
-17	12.5	≦* <	17.5	12	1.17465	0.371	0.371	0
-18	7.5	≦* <	12.5	8	1.11114	0.351	0.351	0
-19	2.5	≦* <	7.5	4	1.04763	0.331	0.331	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.316	0.316	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.007 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.019	0.019	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.012	0.012	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.012	0.012	0
17	182.5	≦* <	187.5	148	3.33391	0.012	0.012	0
16	177.5	≦* <	182.5	144	3.27041	0.011	0.011	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.011	0.011	0
14	167.5	≦* <	172.5	136	3.14339	0.011	0.011	0
13	162.5	≦* <	167.5	132	3.07988	0.011	0.011	0
12	157.5	≦* <	162.5	128	3.01637	0.011	0.011	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.010	0.010	0
10	147.5	≦* <	152.5	120	2.88936	0.010	0.010	0
9	142.5	≦* <	147.5	116	2.82585	0.010	0.010	0
8	137.5	≦* <	142.5	112	2.76234	0.010	0.010	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.009	0.009	0
6	127.5	≦* <	132.5	104	2.63533	0.009	0.009	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.009	0.009	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.009	0.009	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.009	0.009	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.008	0.008	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.008	0.008	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.008	0.008	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.008	0.008	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.007	0.007	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.007	0.007	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.007	0.007	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.007	0.007	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.007	0.007	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.006	0.006	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.006	0.006	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.006	0.006	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.006	0.006	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.005	0.005	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.005	0.005	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.005	0.005	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.005	0.005	0
-15	22.5	≦* <	27.5	20	1.30166	0.005	0.005	0
-16	17.5	≦* <	22.5	16	1.23815	0.004	0.004	0
-17	12.5	≦* <	17.5	12	1.17465	0.004	0.004	0
-18	7.5	≦* <	12.5	8	1.11114	0.004	0.004	0
-19	2.5	≦* <	7.5	4	1.04763	0.004	0.004	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.003 ※	0.003	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.542 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	1.496	1.496	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.938	0.938	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.921	0.921	0
17	182.5	≦* <	187.5	148	3.33391	0.903	0.903	0
16	177.5	≦* <	182.5	144	3.27041	0.886	0.886	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.869	0.869	0
14	167.5	≦* <	172.5	136	3.14339	0.852	0.852	0
13	162.5	≦* <	167.5	132	3.07988	0.835	0.835	0
12	157.5	≦* <	162.5	128	3.01637	0.817	0.817	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.800	0.800	0
10	147.5	≦* <	152.5	120	2.88936	0.783	0.783	0
9	142.5	≦* <	147.5	116	2.82585	0.766	0.766	0
8	137.5	≦* <	142.5	112	2.76234	0.749	0.749	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.731	0.731	0
6	127.5	≦* <	132.5	104	2.63533	0.714	0.714	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.697	0.697	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.680	0.680	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.663	0.663	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.645	0.645	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.628	0.628	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.611	0.611	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.594	0.594	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.576	0.576	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.559	0.559	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.542	0.542	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.525	0.525	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.508	0.508	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.490	0.490	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.473	0.473	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.456	0.456	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.439	0.439	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.422	0.422	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.404	0.404	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.387	0.387	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.370	0.370	0
-15	22.5	≦* <	27.5	20	1.30166	0.353	0.353	0
-16	17.5	≦* <	22.5	16	1.23815	0.336	0.336	0
-17	12.5	≦* <	17.5	12	1.17465	0.318	0.318	0
-18	7.5	≦* <	12.5	8	1.11114	0.301	0.301	0
-19	2.5	≦* <	7.5	4	1.04763	0.284	0.284	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.271	0.271	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.014	0.014	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.009	0.009	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.008	0.008	0
17	182.5	≦* <	187.5	148	3.33391	0.008	0.008	0
16	177.5	≦* <	182.5	144	3.27041	0.008	0.008	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.008	0.008	0
14	167.5	≦* <	172.5	136	3.14339	0.008	0.008	0
13	162.5	≦* <	167.5	132	3.07988	0.008	0.008	0
12	157.5	≦* <	162.5	128	3.01637	0.008	0.008	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.007	0.007	0
10	147.5	≦* <	152.5	120	2.88936	0.007	0.007	0
9	142.5	≦* <	147.5	116	2.82585	0.007	0.007	0
8	137.5	≦* <	142.5	112	2.76234	0.007	0.007	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.007	0.007	0
6	127.5	≦* <	132.5	104	2.63533	0.007	0.007	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.006	0.006	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.006	0.006	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.006	0.006	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.006	0.006	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.006	0.006	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.006	0.006	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.005	0.005	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.005	0.005	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.005	0.005	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.005	0.005	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.005	0.005	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.005	0.005	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.005	0.005	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.004	0.004	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.004	0.004	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.004	0.004	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.004	0.004	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.004	0.004	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.004	0.004	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.23815	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.17465	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.11114	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.04763	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.446 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	1.231	1.231	19,956.76098
19	192.5	≧* <	197.5	156	3.46093	0.772	0.772	1,373.98921
18	187.5	≧* <	192.5	152	3.39742	0.758	0.758	0
17	182.5	≧* <	187.5	148	3.33391	0.743	0.743	0
16	177.5	≧* <	182.5	144	3.27041	0.729	0.729	3,129.78237
15	172.5	≧* <	177.5	140	3.20690	0.715	0.715	0
14	167.5	≧* <	172.5	136	3.14339	0.701	0.701	0
13	162.5	≧* <	167.5	132	3.07988	0.687	0.687	0
12	157.5	≧* <	162.5	128	3.01637	0.673	0.673	663.60140
11	152.5	≧* <	157.5	124	2.95287	0.658	0.658	0
10	147.5	≧* <	152.5	120	2.88936	0.644	0.644	0
9	142.5	≧* <	147.5	116	2.82585	0.630	0.630	0
8	137.5	≧* <	142.5	112	2.76234	0.616	0.616	1,193.33088
7	132.5	≧* <	137.5	108	2.69884	0.602	0.602	0
6	127.5	≧* <	132.5	104	2.63533	0.588	0.588	1,185.89850
5	122.5	≧* <	127.5	100	2.57182	0.574	0.574	804.97966
4	117.5	≧* <	122.5	96	2.50831	0.559	0.559	3,012.48031
3	112.5	≧* <	117.5	92	2.44480	0.545	0.545	3,882.34240
2	107.5	≧* <	112.5	88	2.38130	0.531	0.531	3,059.97050
1	102.5	≧* <	107.5	84	2.31779	0.517	0.517	1,386.03842
0	97.5	≧* <	102.5	80	2.25428	0.503	0.503	10,142.00572
-1	92.5	≧* <	97.5	76	2.19077	0.489	0.489	7,683.03039
-2	87.5	≧* <	92.5	72	2.12726	0.474	0.474	4,022.64866
-3	82.5	≧* <	87.5	68	2.06376	0.460	0.460	4,616.63112
-4	77.5	≧* <	82.5	64	2.00025	0.446	0.446	12,287.53575
-5	72.5	≧* <	77.5	60	1.93674	0.432	0.432	10,847.68074
-6	67.5	≧* <	72.5	56	1.87323	0.418	0.418	4,808.58141
-7	62.5	≧* <	67.5	52	1.80973	0.404	0.404	6,160.32092
-8	57.5	≧* <	62.5	48	1.74622	0.389	0.389	3,111.76404
-9	52.5	≧* <	57.5	44	1.68271	0.375	0.375	3,565.66249
-10	47.5	≧* <	52.5	40	1.61920	0.361	0.361	4,868.93440
-11	42.5	≧* <	47.5	36	1.55569	0.347	0.347	11,358.09269
-12	37.5	≧* <	42.5	32	1.49219	0.333	0.333	9,339.61721
-13	32.5	≧* <	37.5	28	1.42868	0.319	0.319	24,300.41812
-14	27.5	≧* <	32.5	24	1.36517	0.304	0.304	0
-15	22.5	≧* <	27.5	20	1.30166	0.290	0.290	0
-16	17.5	≧* <	22.5	16	1.23815	0.276	0.276	0
-17	12.5	≧* <	17.5	12	1.17465	0.262	0.262	0
-18	7.5	≧* <	12.5	8	1.11114	0.248	0.248	0
-19	2.5	≧* <	7.5	4	1.04763	0.234	0.234	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.223	0.223	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.011	0.011	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.007	0.007	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.007	0.007	0
17	182.5	≦* <	187.5	148	3.33391	0.007	0.007	0
16	177.5	≦* <	182.5	144	3.27041	0.007	0.007	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.006	0.006	0
14	167.5	≦* <	172.5	136	3.14339	0.006	0.006	0
13	162.5	≦* <	167.5	132	3.07988	0.006	0.006	0
12	157.5	≦* <	162.5	128	3.01637	0.006	0.006	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.006	0.006	0
10	147.5	≦* <	152.5	120	2.88936	0.006	0.006	0
9	142.5	≦* <	147.5	116	2.82585	0.006	0.006	0
8	137.5	≦* <	142.5	112	2.76234	0.006	0.006	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.005	0.005	0
6	127.5	≦* <	132.5	104	2.63533	0.005	0.005	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.005	0.005	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.005	0.005	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.005	0.005	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.005	0.005	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.005	0.005	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.005	0.005	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.004	0.004	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.004	0.004	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.004	0.004	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.004	0.004	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.004	0.004	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.004	0.004	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.004	0.004	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.003	0.003	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.003	0.003	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.003	0.003	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.003	0.003	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.316 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.802	0.802	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.542	0.542	0
18	187.5	≦* <	192.5	152	3.36553	0.532	0.532	0
17	182.5	≦* <	187.5	148	3.30287	0.522	0.522	0
16	177.5	≦* <	182.5	144	3.24021	0.512	0.512	0
15	172.5	≦* <	177.5	140	3.17754	0.502	0.502	0
14	167.5	≦* <	172.5	136	3.11488	0.492	0.492	0
13	162.5	≦* <	167.5	132	3.05222	0.482	0.482	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.472	0.472	0
11	152.5	≦* <	157.5	124	2.92689	0.462	0.462	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.453	0.453	0
9	142.5	≦* <	147.5	116	2.80157	0.443	0.443	0
8	137.5	≦* <	142.5	112	2.73890	0.433	0.433	0
7	132.5	≦* <	137.5	108	2.67624	0.423	0.423	0
6	127.5	≦* <	132.5	104	2.61358	0.413	0.413	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.403	0.403	0
4	117.5	≦* <	122.5	96	2.48825	0.393	0.393	0
3	112.5	≦* <	117.5	92	2.42559	0.383	0.383	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.373	0.373	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.363	0.363	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.354	0.354	0
-1	92.5	≦* <	97.5	76	2.17493	0.344	0.344	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.334	0.334	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.324	0.324	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.314	0.314	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.304	0.304	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.294	0.294	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.284	0.284	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.274	0.274	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.264	0.264	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.255	0.255	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.245	0.245	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.235	0.235	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.225	0.225	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.215	0.215	0
-15	22.5	≦* <	27.5	20	1.29765	0.205	0.205	0
-16	17.5	≦* <	22.5	16	1.23499	0.195	0.195	0
-17	12.5	≦* <	17.5	12	1.17232	0.185	0.185	0
-18	7.5	≦* <	12.5	8	1.10966	0.175	0.175	0
-19	2.5	≦* <	7.5	4	1.04700	0.165	0.165	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.158	0.158	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.007 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.018	0.018	17,429.12964
19	192.5	≧* <	197.5	156	3.42820	0.012	0.012	0
18	187.5	≧* <	192.5	152	3.36553	0.012	0.012	0
17	182.5	≧* <	187.5	148	3.30287	0.012	0.012	0
16	177.5	≧* <	182.5	144	3.24021	0.011	0.011	0
15	172.5	≧* <	177.5	140	3.17754	0.011	0.011	0
14	167.5	≧* <	172.5	136	3.11488	0.011	0.011	0
13	162.5	≧* <	167.5	132	3.05222	0.011	0.011	1,056.06812
12	157.5	≧* <	162.5	128	2.98955	0.010	0.010	0
11	152.5	≧* <	157.5	124	2.92689	0.010	0.010	4,123.98801
10	147.5	≧* <	152.5	120	2.86423	0.010	0.010	0
9	142.5	≧* <	147.5	116	2.80157	0.010	0.010	0
8	137.5	≧* <	142.5	112	2.73890	0.010	0.010	0
7	132.5	≧* <	137.5	108	2.67624	0.009	0.009	0
6	127.5	≧* <	132.5	104	2.61358	0.009	0.009	1,884.39118
5	122.5	≧* <	127.5	100	2.55091	0.009	0.009	0
4	117.5	≧* <	122.5	96	2.48825	0.009	0.009	0
3	112.5	≧* <	117.5	92	2.42559	0.008	0.008	1,603.31499
2	107.5	≧* <	112.5	88	2.36292	0.008	0.008	1,020.78144
1	102.5	≧* <	107.5	84	2.30026	0.008	0.008	1,856.30982
0	97.5	≧* <	102.5	80	2.23760	0.008	0.008	0
-1	92.5	≧* <	97.5	76	2.17493	0.008	0.008	9,939.43010
-2	87.5	≧* <	92.5	72	2.11227	0.007	0.007	3,607.75716
-3	82.5	≧* <	87.5	68	2.04961	0.007	0.007	19,965.25101
-4	77.5	≧* <	82.5	64	1.98694	0.007	0.007	5,627.01408
-5	72.5	≧* <	77.5	60	1.92428	0.007	0.007	3,633.04064
-6	67.5	≧* <	72.5	56	1.86162	0.007	0.007	1,061.12340
-7	62.5	≧* <	67.5	52	1.79896	0.006	0.006	1,365.41064
-8	57.5	≧* <	62.5	48	1.73629	0.006	0.006	774.38534
-9	52.5	≧* <	57.5	44	1.67363	0.006	0.006	9,799.10365
-10	47.5	≧* <	52.5	40	1.61097	0.006	0.006	2,699.98572
-11	42.5	≧* <	47.5	36	1.54830	0.005	0.005	3,364.45590
-12	37.5	≧* <	42.5	32	1.48564	0.005	0.005	5,340.87580
-13	32.5	≧* <	37.5	28	1.42298	0.005	0.005	21,962.27332
-14	27.5	≧* <	32.5	24	1.36031	0.005	0.005	0
-15	22.5	≧* <	27.5	20	1.29765	0.005	0.005	0
-16	17.5	≧* <	22.5	16	1.23499	0.004	0.004	0
-17	12.5	≧* <	17.5	12	1.17232	0.004	0.004	0
-18	7.5	≧* <	12.5	8	1.10966	0.004	0.004	0
-19	2.5	≧* <	7.5	4	1.04700	0.004	0.004	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.003 ※	0.003	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.284 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.721	0.721	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.487	0.487	0
18	187.5	≦* <	192.5	152	3.36553	0.478	0.478	0
17	182.5	≦* <	187.5	148	3.30287	0.469	0.469	0
16	177.5	≦* <	182.5	144	3.24021	0.460	0.460	0
15	172.5	≦* <	177.5	140	3.17754	0.451	0.451	0
14	167.5	≦* <	172.5	136	3.11488	0.442	0.442	0
13	162.5	≦* <	167.5	132	3.05222	0.433	0.433	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.425	0.425	0
11	152.5	≦* <	157.5	124	2.92689	0.416	0.416	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.407	0.407	0
9	142.5	≦* <	147.5	116	2.80157	0.398	0.398	0
8	137.5	≦* <	142.5	112	2.73890	0.389	0.389	0
7	132.5	≦* <	137.5	108	2.67624	0.380	0.380	0
6	127.5	≦* <	132.5	104	2.61358	0.371	0.371	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.362	0.362	0
4	117.5	≦* <	122.5	96	2.48825	0.353	0.353	0
3	112.5	≦* <	117.5	92	2.42559	0.344	0.344	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.336	0.336	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.327	0.327	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.318	0.318	0
-1	92.5	≦* <	97.5	76	2.17493	0.309	0.309	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.300	0.300	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.291	0.291	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.282	0.282	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.273	0.273	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.264	0.264	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.255	0.255	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.247	0.247	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.238	0.238	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.229	0.229	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.220	0.220	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.211	0.211	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.202	0.202	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.193	0.193	0
-15	22.5	≦* <	27.5	20	1.29765	0.184	0.184	0
-16	17.5	≦* <	22.5	16	1.23499	0.175	0.175	0
-17	12.5	≦* <	17.5	12	1.17232	0.166	0.166	0
-18	7.5	≦* <	12.5	8	1.10966	0.158	0.158	0
-19	2.5	≦* <	7.5	4	1.04700	0.149	0.149	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.142	0.142	0
計	平 均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.013	0.013	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.009	0.009	0
18	187.5	≦* <	192.5	152	3.36553	0.008	0.008	0
17	182.5	≦* <	187.5	148	3.30287	0.008	0.008	0
16	177.5	≦* <	182.5	144	3.24021	0.008	0.008	0
15	172.5	≦* <	177.5	140	3.17754	0.008	0.008	0
14	167.5	≦* <	172.5	136	3.11488	0.008	0.008	0
13	162.5	≦* <	167.5	132	3.05222	0.008	0.008	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.007	0.007	0
11	152.5	≦* <	157.5	124	2.92689	0.007	0.007	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.007	0.007	0
9	142.5	≦* <	147.5	116	2.80157	0.007	0.007	0
8	137.5	≦* <	142.5	112	2.73890	0.007	0.007	0
7	132.5	≦* <	137.5	108	2.67624	0.007	0.007	0
6	127.5	≦* <	132.5	104	2.61358	0.007	0.007	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.006	0.006	0
4	117.5	≦* <	122.5	96	2.48825	0.006	0.006	0
3	112.5	≦* <	117.5	92	2.42559	0.006	0.006	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.006	0.006	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.006	0.006	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.006	0.006	0
-1	92.5	≦* <	97.5	76	2.17493	0.005	0.005	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.005	0.005	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.005	0.005	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.005	0.005	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.005	0.005	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.005	0.005	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.004	0.004	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.004	0.004	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.004	0.004	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.004	0.004	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.004	0.004	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.004	0.004	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.23499	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.17232	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.10966	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.04700	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.240 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.609	0.609	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.411	0.411	0
18	187.5	≦* <	192.5	152	3.36553	0.404	0.404	0
17	182.5	≦* <	187.5	148	3.30287	0.396	0.396	0
16	177.5	≦* <	182.5	144	3.24021	0.389	0.389	0
15	172.5	≦* <	177.5	140	3.17754	0.381	0.381	0
14	167.5	≦* <	172.5	136	3.11488	0.374	0.374	0
13	162.5	≦* <	167.5	132	3.05222	0.366	0.366	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.359	0.359	0
11	152.5	≦* <	157.5	124	2.92689	0.351	0.351	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.344	0.344	0
9	142.5	≦* <	147.5	116	2.80157	0.336	0.336	0
8	137.5	≦* <	142.5	112	2.73890	0.329	0.329	0
7	132.5	≦* <	137.5	108	2.67624	0.321	0.321	0
6	127.5	≦* <	132.5	104	2.61358	0.314	0.314	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.306	0.306	0
4	117.5	≦* <	122.5	96	2.48825	0.299	0.299	0
3	112.5	≦* <	117.5	92	2.42559	0.291	0.291	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.284	0.284	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.276	0.276	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.269	0.269	0
-1	92.5	≦* <	97.5	76	2.17493	0.261	0.261	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.253	0.253	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.246	0.246	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.238	0.238	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.231	0.231	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.223	0.223	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.216	0.216	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.208	0.208	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.201	0.201	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.193	0.193	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.186	0.186	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.178	0.178	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.171	0.171	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.163	0.163	0
-15	22.5	≦* <	27.5	20	1.29765	0.156	0.156	0
-16	17.5	≦* <	22.5	16	1.23499	0.148	0.148	0
-17	12.5	≦* <	17.5	12	1.17232	0.141	0.141	0
-18	7.5	≦* <	12.5	8	1.10966	0.133	0.133	0
-19	2.5	≦* <	7.5	4	1.04700	0.126	0.126	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.120	0.120	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.010	0.010	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.007	0.007	0
18	187.5	≦* <	192.5	152	3.36553	0.007	0.007	0
17	182.5	≦* <	187.5	148	3.30287	0.007	0.007	0
16	177.5	≦* <	182.5	144	3.24021	0.006	0.006	0
15	172.5	≦* <	177.5	140	3.17754	0.006	0.006	0
14	167.5	≦* <	172.5	136	3.11488	0.006	0.006	0
13	162.5	≦* <	167.5	132	3.05222	0.006	0.006	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.006	0.006	0
11	152.5	≦* <	157.5	124	2.92689	0.006	0.006	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.006	0.006	0
9	142.5	≦* <	147.5	116	2.80157	0.006	0.006	0
8	137.5	≦* <	142.5	112	2.73890	0.005	0.005	0
7	132.5	≦* <	137.5	108	2.67624	0.005	0.005	0
6	127.5	≦* <	132.5	104	2.61358	0.005	0.005	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.005	0.005	0
4	117.5	≦* <	122.5	96	2.48825	0.005	0.005	0
3	112.5	≦* <	117.5	92	2.42559	0.005	0.005	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.005	0.005	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.005	0.005	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.004	0.004	0
-1	92.5	≦* <	97.5	76	2.17493	0.004	0.004	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.004	0.004	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.004	0.004	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.004	0.004	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.004	0.004	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.004	0.004	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.003	0.003	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.003	0.003	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.003	0.003	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.003	0.003	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.284 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.650	0.650	0
19	192.5	≦* <	197.5	156	4.49034	0.638	0.638	0
18	187.5	≦* <	192.5	152	4.40026	0.625	0.625	0
17	182.5	≦* <	187.5	148	4.31019	0.612	0.612	0
16	177.5	≦* <	182.5	144	4.22012	0.599	0.599	0
15	172.5	≦* <	177.5	140	4.13004	0.586	0.586	0
14	167.5	≦* <	172.5	136	4.03997	0.574	0.574	0
13	162.5	≦* <	167.5	132	3.94990	0.561	0.561	0
12	157.5	≦* <	162.5	128	3.85982	0.548	0.548	0
11	152.5	≦* <	157.5	124	3.76975	0.535	0.535	0
10	147.5	≦* <	152.5	120	3.67968	0.523	0.523	0
9	142.5	≦* <	147.5	116	3.58960	0.510	0.510	0
8	137.5	≦* <	142.5	112	3.49953	0.497	0.497	0
7	132.5	≦* <	137.5	108	3.40946	0.484	0.484	0
6	127.5	≦* <	132.5	104	3.31939	0.471	0.471	0
5	122.5	≦* <	127.5	100	3.22931	0.459	0.459	0
4	117.5	≦* <	122.5	96	3.13924	0.446	0.446	0
3	112.5	≦* <	117.5	92	3.04917	0.433	0.433	0
2	107.5	≦* <	112.5	88	2.95909	0.420	0.420	0
1	102.5	≦* <	107.5	84	2.86902	0.407	0.407	0
0	97.5	≦* <	102.5	80	2.77895	0.395	0.395	0
-1	92.5	≦* <	97.5	76	2.68887	0.382	0.382	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.369	0.369	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.356	0.356	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.343	0.343	0
-5	72.5	≦* <	77.5	60	2.32858	0.331	0.331	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.318	0.318	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.305	0.305	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.292	0.292	0
-9	52.5	≦* <	57.5	44	1.96829	0.279	0.279	0
-10	47.5	≦* <	52.5	40	1.87821	0.267	0.267	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.254	0.254	0
-12	37.5	≦* <	42.5	32	1.69807	0.241	0.241	0
-13	32.5	≦* <	37.5	28	1.60799	0.228	0.228	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.216	0.216	0
-15	22.5	≦* <	27.5	20	1.42785	0.203	0.203	0
-16	17.5	≦* <	22.5	16	1.33777	0.190	0.190	0
-17	12.5	≦* <	17.5	12	1.24770	0.177	0.177	0
-18	7.5	≦* <	12.5	8	1.15763	0.164	0.164	0
-19	2.5	≦* <	7.5	4	1.06755	0.152	0.152	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.142	0.142	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.011	0.011	0
19	192.5	≦* <	197.5	156	4.49034	0.011	0.011	0
18	187.5	≦* <	192.5	152	4.40026	0.011	0.011	0
17	182.5	≦* <	187.5	148	4.31019	0.011	0.011	0
16	177.5	≦* <	182.5	144	4.22012	0.011	0.011	0
15	172.5	≦* <	177.5	140	4.13004	0.010	0.010	0
14	167.5	≦* <	172.5	136	4.03997	0.010	0.010	0
13	162.5	≦* <	167.5	132	3.94990	0.010	0.010	0
12	157.5	≦* <	162.5	128	3.85982	0.010	0.010	0
11	152.5	≦* <	157.5	124	3.76975	0.009	0.009	0
10	147.5	≦* <	152.5	120	3.67968	0.009	0.009	0
9	142.5	≦* <	147.5	116	3.58960	0.009	0.009	0
8	137.5	≦* <	142.5	112	3.49953	0.009	0.009	0
7	132.5	≦* <	137.5	108	3.40946	0.009	0.009	0
6	127.5	≦* <	132.5	104	3.31939	0.008	0.008	0
5	122.5	≦* <	127.5	100	3.22931	0.008	0.008	0
4	117.5	≦* <	122.5	96	3.13924	0.008	0.008	0
3	112.5	≦* <	117.5	92	3.04917	0.008	0.008	0
2	107.5	≦* <	112.5	88	2.95909	0.007	0.007	0
1	102.5	≦* <	107.5	84	2.86902	0.007	0.007	0
0	97.5	≦* <	102.5	80	2.77895	0.007	0.007	0
-1	92.5	≦* <	97.5	76	2.68887	0.007	0.007	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.006	0.006	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.006	0.006	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.006	0.006	0
-5	72.5	≦* <	77.5	60	2.32858	0.006	0.006	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.006	0.006	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.005	0.005	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.005	0.005	0
-9	52.5	≦* <	57.5	44	1.96829	0.005	0.005	0
-10	47.5	≦* <	52.5	40	1.87821	0.005	0.005	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	0
-12	37.5	≦* <	42.5	32	1.69807	0.004	0.004	0
-13	32.5	≦* <	37.5	28	1.60799	0.004	0.004	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.004	0.004	0
-15	22.5	≦* <	27.5	20	1.42785	0.004	0.004	0
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.24770	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.15763	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.06755	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.256 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.586	0.586	0
19	192.5	≦* <	197.5	156	4.49034	0.575	0.575	0
18	187.5	≦* <	192.5	152	4.40026	0.563	0.563	0
17	182.5	≦* <	187.5	148	4.31019	0.552	0.552	0
16	177.5	≦* <	182.5	144	4.22012	0.540	0.540	0
15	172.5	≦* <	177.5	140	4.13004	0.529	0.529	0
14	167.5	≦* <	172.5	136	4.03997	0.517	0.517	0
13	162.5	≦* <	167.5	132	3.94990	0.506	0.506	0
12	157.5	≦* <	162.5	128	3.85982	0.494	0.494	0
11	152.5	≦* <	157.5	124	3.76975	0.483	0.483	0
10	147.5	≦* <	152.5	120	3.67968	0.471	0.471	0
9	142.5	≦* <	147.5	116	3.58960	0.459	0.459	0
8	137.5	≦* <	142.5	112	3.49953	0.448	0.448	0
7	132.5	≦* <	137.5	108	3.40946	0.436	0.436	0
6	127.5	≦* <	132.5	104	3.31939	0.425	0.425	0
5	122.5	≦* <	127.5	100	3.22931	0.413	0.413	0
4	117.5	≦* <	122.5	96	3.13924	0.402	0.402	0
3	112.5	≦* <	117.5	92	3.04917	0.390	0.390	0
2	107.5	≦* <	112.5	88	2.95909	0.379	0.379	0
1	102.5	≦* <	107.5	84	2.86902	0.367	0.367	0
0	97.5	≦* <	102.5	80	2.77895	0.356	0.356	0
-1	92.5	≦* <	97.5	76	2.68887	0.344	0.344	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.333	0.333	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.321	0.321	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.310	0.310	0
-5	72.5	≦* <	77.5	60	2.32858	0.298	0.298	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.287	0.287	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.275	0.275	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.263	0.263	0
-9	52.5	≦* <	57.5	44	1.96829	0.252	0.252	0
-10	47.5	≦* <	52.5	40	1.87821	0.240	0.240	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.229	0.229	0
-12	37.5	≦* <	42.5	32	1.69807	0.217	0.217	0
-13	32.5	≦* <	37.5	28	1.60799	0.206	0.206	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.194	0.194	0
-15	22.5	≦* <	27.5	20	1.42785	0.183	0.183	0
-16	17.5	≦* <	22.5	16	1.33777	0.171	0.171	0
-17	12.5	≦* <	17.5	12	1.24770	0.160	0.160	0
-18	7.5	≦* <	12.5	8	1.15763	0.148	0.148	0
-19	2.5	≦* <	7.5	4	1.06755	0.137	0.137	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.128	0.128	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.009	0.009	0
19	192.5	≦* <	197.5	156	4.49034	0.009	0.009	0
18	187.5	≦* <	192.5	152	4.40026	0.009	0.009	0
17	182.5	≦* <	187.5	148	4.31019	0.009	0.009	0
16	177.5	≦* <	182.5	144	4.22012	0.008	0.008	0
15	172.5	≦* <	177.5	140	4.13004	0.008	0.008	0
14	167.5	≦* <	172.5	136	4.03997	0.008	0.008	0
13	162.5	≦* <	167.5	132	3.94990	0.008	0.008	0
12	157.5	≦* <	162.5	128	3.85982	0.008	0.008	0
11	152.5	≦* <	157.5	124	3.76975	0.008	0.008	0
10	147.5	≦* <	152.5	120	3.67968	0.007	0.007	0
9	142.5	≦* <	147.5	116	3.58960	0.007	0.007	0
8	137.5	≦* <	142.5	112	3.49953	0.007	0.007	0
7	132.5	≦* <	137.5	108	3.40946	0.007	0.007	0
6	127.5	≦* <	132.5	104	3.31939	0.007	0.007	0
5	122.5	≦* <	127.5	100	3.22931	0.006	0.006	0
4	117.5	≦* <	122.5	96	3.13924	0.006	0.006	0
3	112.5	≦* <	117.5	92	3.04917	0.006	0.006	0
2	107.5	≦* <	112.5	88	2.95909	0.006	0.006	0
1	102.5	≦* <	107.5	84	2.86902	0.006	0.006	0
0	97.5	≦* <	102.5	80	2.77895	0.006	0.006	0
-1	92.5	≦* <	97.5	76	2.68887	0.005	0.005	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.005	0.005	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.005	0.005	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.005	0.005	0
-5	72.5	≦* <	77.5	60	2.32858	0.005	0.005	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.004	0.004	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.004	0.004	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.004	0.004	0
-9	52.5	≦* <	57.5	44	1.96829	0.004	0.004	0
-10	47.5	≦* <	52.5	40	1.87821	0.004	0.004	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	0
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.60799	0.003	0.003	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.42785	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.234 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.536	0.536	0
19	192.5	≦* <	197.5	156	4.49034	0.525	0.525	0
18	187.5	≦* <	192.5	152	4.40026	0.515	0.515	0
17	182.5	≦* <	187.5	148	4.31019	0.504	0.504	0
16	177.5	≦* <	182.5	144	4.22012	0.494	0.494	0
15	172.5	≦* <	177.5	140	4.13004	0.483	0.483	0
14	167.5	≦* <	172.5	136	4.03997	0.473	0.473	0
13	162.5	≦* <	167.5	132	3.94990	0.462	0.462	0
12	157.5	≦* <	162.5	128	3.85982	0.452	0.452	0
11	152.5	≦* <	157.5	124	3.76975	0.441	0.441	0
10	147.5	≦* <	152.5	120	3.67968	0.431	0.431	0
9	142.5	≦* <	147.5	116	3.58960	0.420	0.420	0
8	137.5	≦* <	142.5	112	3.49953	0.409	0.409	0
7	132.5	≦* <	137.5	108	3.40946	0.399	0.399	0
6	127.5	≦* <	132.5	104	3.31939	0.388	0.388	0
5	122.5	≦* <	127.5	100	3.22931	0.378	0.378	0
4	117.5	≦* <	122.5	96	3.13924	0.367	0.367	0
3	112.5	≦* <	117.5	92	3.04917	0.357	0.357	0
2	107.5	≦* <	112.5	88	2.95909	0.346	0.346	0
1	102.5	≦* <	107.5	84	2.86902	0.336	0.336	0
0	97.5	≦* <	102.5	80	2.77895	0.325	0.325	0
-1	92.5	≦* <	97.5	76	2.68887	0.315	0.315	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.304	0.304	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.294	0.294	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.283	0.283	0
-5	72.5	≦* <	77.5	60	2.32858	0.272	0.272	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.262	0.262	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.251	0.251	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.241	0.241	0
-9	52.5	≦* <	57.5	44	1.96829	0.230	0.230	0
-10	47.5	≦* <	52.5	40	1.87821	0.220	0.220	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.209	0.209	0
-12	37.5	≦* <	42.5	32	1.69807	0.199	0.199	0
-13	32.5	≦* <	37.5	28	1.60799	0.188	0.188	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.178	0.178	0
-15	22.5	≦* <	27.5	20	1.42785	0.167	0.167	0
-16	17.5	≦* <	22.5	16	1.33777	0.157	0.157	0
-17	12.5	≦* <	17.5	12	1.24770	0.146	0.146	0
-18	7.5	≦* <	12.5	8	1.15763	0.135	0.135	0
-19	2.5	≦* <	7.5	4	1.06755	0.125	0.125	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.117	0.117	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	0
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	0
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	0
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	0
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	0
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	0
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	0
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	0
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	0
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	0
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	0
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	0
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	0
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	0
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	0
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	0
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	0
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	0
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	0
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	0
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	0
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	0
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	0
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	0
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	0
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	0
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 6.354 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	10.948	10.948	0
19	192.5	≦* <	197.5	156	3.38446	10.752	10.752	0
18	187.5	≦* <	192.5	152	3.32292	10.557	10.557	0
17	182.5	≦* <	187.5	148	3.26139	10.361	10.361	0
16	177.5	≦* <	182.5	144	3.19985	10.166	10.166	0
15	172.5	≦* <	177.5	140	3.13832	9.970	9.970	0
14	167.5	≦* <	172.5	136	3.07678	9.775	9.775	0
13	162.5	≦* <	167.5	132	3.01525	9.579	9.579	0
12	157.5	≦* <	162.5	128	2.95372	9.384	9.384	0
11	152.5	≦* <	157.5	124	2.89218	9.188	9.188	0
10	147.5	≦* <	152.5	120	2.83065	8.993	8.993	0
9	142.5	≦* <	147.5	116	2.76911	8.797	8.797	0
8	137.5	≦* <	142.5	112	2.70758	8.602	8.602	0
7	132.5	≦* <	137.5	108	2.64604	8.406	8.406	0
6	127.5	≦* <	132.5	104	2.58451	8.211	8.211	0
5	122.5	≦* <	127.5	100	2.52297	8.015	8.015	47.93643
4	117.5	≦* <	122.5	96	2.46144	7.820	7.820	0
3	112.5	≦* <	117.5	92	2.39991	7.625	7.625	0
2	107.5	≦* <	112.5	88	2.33837	7.429	7.429	0
1	102.5	≦* <	107.5	84	2.27684	7.234	7.234	0
0	97.5	≦* <	102.5	80	2.21530	7.038	7.038	0
-1	92.5	≦* <	97.5	76	2.15377	6.843	6.843	0
-2	87.5	≦* <	92.5	72	2.09223	6.647	6.647	479.12067
-3	82.5	≦* <	87.5	68	2.03070	6.452	6.452	62.95170
-4	77.5	≦* <	82.5	64	1.96917	6.256	6.256	19.69170
-5	72.5	≦* <	77.5	60	1.90763	6.061	6.061	0
-6	67.5	≦* <	72.5	56	1.84610	5.865	5.865	286.14550
-7	62.5	≦* <	67.5	52	1.78456	5.670	5.670	0
-8	57.5	≦* <	62.5	48	1.72303	5.474	5.474	0
-9	52.5	≦* <	57.5	44	1.66149	5.279	5.279	0
-10	47.5	≦* <	52.5	40	1.59996	5.083	5.083	0
-11	42.5	≦* <	47.5	36	1.53843	4.888	4.888	0
-12	37.5	≦* <	42.5	32	1.47689	4.692	4.692	22.15335
-13	32.5	≦* <	37.5	28	1.41536	4.497	4.497	0
-14	27.5	≦* <	32.5	24	1.35382	4.301	4.301	0
-15	22.5	≦* <	27.5	20	1.29229	4.106	4.106	0
-16	17.5	≦* <	22.5	16	1.23075	3.910	3.910	0
-17	12.5	≦* <	17.5	12	1.16922	3.715	3.715	0
-18	7.5	≦* <	12.5	8	1.10769	3.519	3.519	0
-19	2.5	≦* <	7.5	4	1.04615	3.324	3.324	0
-20	0.0	≦* <	2.5	1.00	1.00000	3.177	3.177	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.016 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	0.028	0.028	0
19	192.5	≦* <	197.5	156	3.38446	0.027	0.027	0
18	187.5	≦* <	192.5	152	3.32292	0.027	0.027	0
17	182.5	≦* <	187.5	148	3.26139	0.026	0.026	0
16	177.5	≦* <	182.5	144	3.19985	0.026	0.026	0
15	172.5	≦* <	177.5	140	3.13832	0.025	0.025	0
14	167.5	≦* <	172.5	136	3.07678	0.025	0.025	0
13	162.5	≦* <	167.5	132	3.01525	0.024	0.024	0
12	157.5	≦* <	162.5	128	2.95372	0.024	0.024	0
11	152.5	≦* <	157.5	124	2.89218	0.023	0.023	0
10	147.5	≦* <	152.5	120	2.83065	0.023	0.023	0
9	142.5	≦* <	147.5	116	2.76911	0.022	0.022	0
8	137.5	≦* <	142.5	112	2.70758	0.022	0.022	0
7	132.5	≦* <	137.5	108	2.64604	0.021	0.021	0
6	127.5	≦* <	132.5	104	2.58451	0.021	0.021	0
5	122.5	≦* <	127.5	100	2.52297	0.020	0.020	47.93643
4	117.5	≦* <	122.5	96	2.46144	0.020	0.020	0
3	112.5	≦* <	117.5	92	2.39991	0.019	0.019	0
2	107.5	≦* <	112.5	88	2.33837	0.019	0.019	0
1	102.5	≦* <	107.5	84	2.27684	0.018	0.018	0
0	97.5	≦* <	102.5	80	2.21530	0.018	0.018	0
-1	92.5	≦* <	97.5	76	2.15377	0.017	0.017	0
-2	87.5	≦* <	92.5	72	2.09223	0.017	0.017	479.12067
-3	82.5	≦* <	87.5	68	2.03070	0.016	0.016	62.95170
-4	77.5	≦* <	82.5	64	1.96917	0.016	0.016	19.69170
-5	72.5	≦* <	77.5	60	1.90763	0.015	0.015	0
-6	67.5	≦* <	72.5	56	1.84610	0.015	0.015	286.14550
-7	62.5	≦* <	67.5	52	1.78456	0.014	0.014	0
-8	57.5	≦* <	62.5	48	1.72303	0.014	0.014	0
-9	52.5	≦* <	57.5	44	1.66149	0.013	0.013	0
-10	47.5	≦* <	52.5	40	1.59996	0.013	0.013	0
-11	42.5	≦* <	47.5	36	1.53843	0.012	0.012	0
-12	37.5	≦* <	42.5	32	1.47689	0.012	0.012	22.15335
-13	32.5	≦* <	37.5	28	1.41536	0.011	0.011	0
-14	27.5	≦* <	32.5	24	1.35382	0.011	0.011	0
-15	22.5	≦* <	27.5	20	1.29229	0.010	0.010	0
-16	17.5	≦* <	22.5	16	1.23075	0.010	0.010	0
-17	12.5	≦* <	17.5	12	1.16922	0.009	0.009	0
-18	7.5	≦* <	12.5	8	1.10769	0.009	0.009	0
-19	2.5	≦* <	7.5	4	1.04615	0.008	0.008	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.008	0.008	0
計	平 均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 4.826 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	8.315	8.315	0
19	192.5	≦* <	197.5	156	3.38446	8.167	8.167	0
18	187.5	≦* <	192.5	152	3.32292	8.018	8.018	0
17	182.5	≦* <	187.5	148	3.26139	7.870	7.870	0
16	177.5	≦* <	182.5	144	3.19985	7.721	7.721	0
15	172.5	≦* <	177.5	140	3.13832	7.573	7.573	0
14	167.5	≦* <	172.5	136	3.07678	7.424	7.424	0
13	162.5	≦* <	167.5	132	3.01525	7.276	7.276	0
12	157.5	≦* <	162.5	128	2.95372	7.127	7.127	0
11	152.5	≦* <	157.5	124	2.89218	6.979	6.979	0
10	147.5	≦* <	152.5	120	2.83065	6.830	6.830	0
9	142.5	≦* <	147.5	116	2.76911	6.682	6.682	0
8	137.5	≦* <	142.5	112	2.70758	6.533	6.533	0
7	132.5	≦* <	137.5	108	2.64604	6.385	6.385	0
6	127.5	≦* <	132.5	104	2.58451	6.236	6.236	0
5	122.5	≦* <	127.5	100	2.52297	6.088	6.088	47.93643
4	117.5	≦* <	122.5	96	2.46144	5.939	5.939	0
3	112.5	≦* <	117.5	92	2.39991	5.791	5.791	0
2	107.5	≦* <	112.5	88	2.33837	5.642	5.642	0
1	102.5	≦* <	107.5	84	2.27684	5.494	5.494	0
0	97.5	≦* <	102.5	80	2.21530	5.346	5.346	0
-1	92.5	≦* <	97.5	76	2.15377	5.197	5.197	0
-2	87.5	≦* <	92.5	72	2.09223	5.049	5.049	479.12067
-3	82.5	≦* <	87.5	68	2.03070	4.900	4.900	62.95170
-4	77.5	≦* <	82.5	64	1.96917	4.752	4.752	19.69170
-5	72.5	≦* <	77.5	60	1.90763	4.603	4.603	0
-6	67.5	≦* <	72.5	56	1.84610	4.455	4.455	286.14550
-7	62.5	≦* <	67.5	52	1.78456	4.306	4.306	0
-8	57.5	≦* <	62.5	48	1.72303	4.158	4.158	0
-9	52.5	≦* <	57.5	44	1.66149	4.009	4.009	0
-10	47.5	≦* <	52.5	40	1.59996	3.861	3.861	0
-11	42.5	≦* <	47.5	36	1.53843	3.712	3.712	0
-12	37.5	≦* <	42.5	32	1.47689	3.564	3.564	22.15335
-13	32.5	≦* <	37.5	28	1.41536	3.415	3.415	0
-14	27.5	≦* <	32.5	24	1.35382	3.267	3.267	0
-15	22.5	≦* <	27.5	20	1.29229	3.118	3.118	0
-16	17.5	≦* <	22.5	16	1.23075	2.970	2.970	0
-17	12.5	≦* <	17.5	12	1.16922	2.821	2.821	0
-18	7.5	≦* <	12.5	8	1.10769	2.673	2.673	0
-19	2.5	≦* <	7.5	4	1.04615	2.524	2.524	0
-20	0.0	≦* <	2.5	1.00	1.00000	2.413	2.413	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.008 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	0.014	0.014	0
19	192.5	≦* <	197.5	156	3.38446	0.014	0.014	0
18	187.5	≦* <	192.5	152	3.32292	0.013	0.013	0
17	182.5	≦* <	187.5	148	3.26139	0.013	0.013	0
16	177.5	≦* <	182.5	144	3.19985	0.013	0.013	0
15	172.5	≦* <	177.5	140	3.13832	0.013	0.013	0
14	167.5	≦* <	172.5	136	3.07678	0.012	0.012	0
13	162.5	≦* <	167.5	132	3.01525	0.012	0.012	0
12	157.5	≦* <	162.5	128	2.95372	0.012	0.012	0
11	152.5	≦* <	157.5	124	2.89218	0.012	0.012	0
10	147.5	≦* <	152.5	120	2.83065	0.011	0.011	0
9	142.5	≦* <	147.5	116	2.76911	0.011	0.011	0
8	137.5	≦* <	142.5	112	2.70758	0.011	0.011	0
7	132.5	≦* <	137.5	108	2.64604	0.011	0.011	0
6	127.5	≦* <	132.5	104	2.58451	0.010	0.010	0
5	122.5	≦* <	127.5	100	2.52297	0.010	0.010	47.93643
4	117.5	≦* <	122.5	96	2.46144	0.010	0.010	0
3	112.5	≦* <	117.5	92	2.39991	0.010	0.010	0
2	107.5	≦* <	112.5	88	2.33837	0.009	0.009	0
1	102.5	≦* <	107.5	84	2.27684	0.009	0.009	0
0	97.5	≦* <	102.5	80	2.21530	0.009	0.009	0
-1	92.5	≦* <	97.5	76	2.15377	0.009	0.009	0
-2	87.5	≦* <	92.5	72	2.09223	0.008	0.008	479.12067
-3	82.5	≦* <	87.5	68	2.03070	0.008	0.008	62.95170
-4	77.5	≦* <	82.5	64	1.96917	0.008	0.008	19.69170
-5	72.5	≦* <	77.5	60	1.90763	0.008	0.008	0
-6	67.5	≦* <	72.5	56	1.84610	0.007	0.007	286.14550
-7	62.5	≦* <	67.5	52	1.78456	0.007	0.007	0
-8	57.5	≦* <	62.5	48	1.72303	0.007	0.007	0
-9	52.5	≦* <	57.5	44	1.66149	0.007	0.007	0
-10	47.5	≦* <	52.5	40	1.59996	0.006	0.006	0
-11	42.5	≦* <	47.5	36	1.53843	0.006	0.006	0
-12	37.5	≦* <	42.5	32	1.47689	0.006	0.006	22.15335
-13	32.5	≦* <	37.5	28	1.41536	0.006	0.006	0
-14	27.5	≦* <	32.5	24	1.35382	0.005	0.005	0
-15	22.5	≦* <	27.5	20	1.29229	0.005	0.005	0
-16	17.5	≦* <	22.5	16	1.23075	0.005	0.005	0
-17	12.5	≦* <	17.5	12	1.16922	0.005	0.005	0
-18	7.5	≦* <	12.5	8	1.10769	0.004	0.004	0
-19	2.5	≦* <	7.5	4	1.04615	0.004	0.004	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 4.154 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	7.157	7.157	0
19	192.5	≦* <	197.5	156	3.38446	7.030	7.030	0
18	187.5	≦* <	192.5	152	3.32292	6.902	6.902	0
17	182.5	≦* <	187.5	148	3.26139	6.774	6.774	0
16	177.5	≦* <	182.5	144	3.19985	6.646	6.646	0
15	172.5	≦* <	177.5	140	3.13832	6.518	6.518	0
14	167.5	≦* <	172.5	136	3.07678	6.390	6.390	0
13	162.5	≦* <	167.5	132	3.01525	6.263	6.263	0
12	157.5	≦* <	162.5	128	2.95372	6.135	6.135	0
11	152.5	≦* <	157.5	124	2.89218	6.007	6.007	0
10	147.5	≦* <	152.5	120	2.83065	5.879	5.879	0
9	142.5	≦* <	147.5	116	2.76911	5.751	5.751	0
8	137.5	≦* <	142.5	112	2.70758	5.624	5.624	0
7	132.5	≦* <	137.5	108	2.64604	5.496	5.496	0
6	127.5	≦* <	132.5	104	2.58451	5.368	5.368	0
5	122.5	≦* <	127.5	100	2.52297	5.240	5.240	47.93643
4	117.5	≦* <	122.5	96	2.46144	5.112	5.112	0
3	112.5	≦* <	117.5	92	2.39991	4.985	4.985	0
2	107.5	≦* <	112.5	88	2.33837	4.857	4.857	0
1	102.5	≦* <	107.5	84	2.27684	4.729	4.729	0
0	97.5	≦* <	102.5	80	2.21530	4.601	4.601	0
-1	92.5	≦* <	97.5	76	2.15377	4.473	4.473	0
-2	87.5	≦* <	92.5	72	2.09223	4.346	4.346	479.12067
-3	82.5	≦* <	87.5	68	2.03070	4.218	4.218	62.95170
-4	77.5	≦* <	82.5	64	1.96917	4.090	4.090	19.69170
-5	72.5	≦* <	77.5	60	1.90763	3.962	3.962	0
-6	67.5	≦* <	72.5	56	1.84610	3.834	3.834	286.14550
-7	62.5	≦* <	67.5	52	1.78456	3.707	3.707	0
-8	57.5	≦* <	62.5	48	1.72303	3.579	3.579	0
-9	52.5	≦* <	57.5	44	1.66149	3.451	3.451	0
-10	47.5	≦* <	52.5	40	1.59996	3.323	3.323	0
-11	42.5	≦* <	47.5	36	1.53843	3.195	3.195	0
-12	37.5	≦* <	42.5	32	1.47689	3.068	3.068	22.15335
-13	32.5	≦* <	37.5	28	1.41536	2.940	2.940	0
-14	27.5	≦* <	32.5	24	1.35382	2.812	2.812	0
-15	22.5	≦* <	27.5	20	1.29229	2.684	2.684	0
-16	17.5	≦* <	22.5	16	1.23075	2.556	2.556	0
-17	12.5	≦* <	17.5	12	1.16922	2.428	2.428	0
-18	7.5	≦* <	12.5	8	1.10769	2.301	2.301	0
-19	2.5	≦* <	7.5	4	1.04615	2.173	2.173	0
-20	0.0	≦* <	2.5	1.00	1.00000	2.077	2.077	0
計	平 均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	0.007	0.007	0
19	192.5	≦* <	197.5	156	3.38446	0.007	0.007	0
18	187.5	≦* <	192.5	152	3.32292	0.007	0.007	0
17	182.5	≦* <	187.5	148	3.26139	0.007	0.007	0
16	177.5	≦* <	182.5	144	3.19985	0.006	0.006	0
15	172.5	≦* <	177.5	140	3.13832	0.006	0.006	0
14	167.5	≦* <	172.5	136	3.07678	0.006	0.006	0
13	162.5	≦* <	167.5	132	3.01525	0.006	0.006	0
12	157.5	≦* <	162.5	128	2.95372	0.006	0.006	0
11	152.5	≦* <	157.5	124	2.89218	0.006	0.006	0
10	147.5	≦* <	152.5	120	2.83065	0.006	0.006	0
9	142.5	≦* <	147.5	116	2.76911	0.006	0.006	0
8	137.5	≦* <	142.5	112	2.70758	0.005	0.005	0
7	132.5	≦* <	137.5	108	2.64604	0.005	0.005	0
6	127.5	≦* <	132.5	104	2.58451	0.005	0.005	0
5	122.5	≦* <	127.5	100	2.52297	0.005	0.005	47.93643
4	117.5	≦* <	122.5	96	2.46144	0.005	0.005	0
3	112.5	≦* <	117.5	92	2.39991	0.005	0.005	0
2	107.5	≦* <	112.5	88	2.33837	0.005	0.005	0
1	102.5	≦* <	107.5	84	2.27684	0.005	0.005	0
0	97.5	≦* <	102.5	80	2.21530	0.004	0.004	0
-1	92.5	≦* <	97.5	76	2.15377	0.004	0.004	0
-2	87.5	≦* <	92.5	72	2.09223	0.004	0.004	479.12067
-3	82.5	≦* <	87.5	68	2.03070	0.004	0.004	62.95170
-4	77.5	≦* <	82.5	64	1.96917	0.004	0.004	19.69170
-5	72.5	≦* <	77.5	60	1.90763	0.004	0.004	0
-6	67.5	≦* <	72.5	56	1.84610	0.004	0.004	286.14550
-7	62.5	≦* <	67.5	52	1.78456	0.004	0.004	0
-8	57.5	≦* <	62.5	48	1.72303	0.003	0.003	0
-9	52.5	≦* <	57.5	44	1.66149	0.003	0.003	0
-10	47.5	≦* <	52.5	40	1.59996	0.003	0.003	0
-11	42.5	≦* <	47.5	36	1.53843	0.003	0.003	0
-12	37.5	≦* <	42.5	32	1.47689	0.003	0.003	22.15335
-13	32.5	≦* <	37.5	28	1.41536	0.003	0.003	0
-14	27.5	≦* <	32.5	24	1.35382	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.29229	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.23075	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.16922	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.10769	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.04615	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.191 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.794	1.794	0
19	192.5	≦* <	197.5	156	2.96142	1.764	1.764	0
18	187.5	≦* <	192.5	152	2.91081	1.733	1.733	0
17	182.5	≦* <	187.5	148	2.86019	1.703	1.703	0
16	177.5	≦* <	182.5	144	2.80957	1.673	1.673	0
15	172.5	≦* <	177.5	140	2.75895	1.643	1.643	0
14	167.5	≦* <	172.5	136	2.70834	1.613	1.613	0
13	162.5	≦* <	167.5	132	2.65772	1.583	1.583	0
12	157.5	≦* <	162.5	128	2.60710	1.553	1.553	0
11	152.5	≦* <	157.5	124	2.55648	1.522	1.522	0
10	147.5	≦* <	152.5	120	2.50587	1.492	1.492	0
9	142.5	≦* <	147.5	116	2.45525	1.462	1.462	0
8	137.5	≦* <	142.5	112	2.40463	1.432	1.432	0
7	132.5	≦* <	137.5	108	2.35401	1.402	1.402	0
6	127.5	≦* <	132.5	104	2.30340	1.372	1.372	0
5	122.5	≦* <	127.5	100	2.25278	1.342	1.342	0
4	117.5	≦* <	122.5	96	2.20216	1.311	1.311	0
3	112.5	≦* <	117.5	92	2.15154	1.281	1.281	0
2	107.5	≦* <	112.5	88	2.10093	1.251	1.251	0
1	102.5	≦* <	107.5	84	2.05031	1.221	1.221	0
0	97.5	≦* <	102.5	80	1.99969	1.191	1.191	0
-1	92.5	≦* <	97.5	76	1.94908	1.161	1.161	0
-2	87.5	≦* <	92.5	72	1.89846	1.131	1.131	0
-3	82.5	≦* <	87.5	68	1.84784	1.100	1.100	0
-4	77.5	≦* <	82.5	64	1.79722	1.070	1.070	0
-5	72.5	≦* <	77.5	60	1.74661	1.040	1.040	0
-6	67.5	≦* <	72.5	56	1.69599	1.010	1.010	0
-7	62.5	≦* <	67.5	52	1.64537	0.980	0.980	0
-8	57.5	≦* <	62.5	48	1.59475	0.950	0.950	0
-9	52.5	≦* <	57.5	44	1.54414	0.920	0.920	0
-10	47.5	≦* <	52.5	40	1.49352	0.889	0.889	0
-11	42.5	≦* <	47.5	36	1.44290	0.859	0.859	0
-12	37.5	≦* <	42.5	32	1.39228	0.829	0.829	0
-13	32.5	≦* <	37.5	28	1.34167	0.799	0.799	0
-14	27.5	≦* <	32.5	24	1.29105	0.769	0.769	0
-15	22.5	≦* <	27.5	20	1.24043	0.739	0.739	0
-16	17.5	≦* <	22.5	16	1.18982	0.709	0.709	0
-17	12.5	≦* <	17.5	12	1.13920	0.678	0.678	0
-18	7.5	≦* <	12.5	8	1.08858	0.648	0.648	0
-19	2.5	≦* <	7.5	4	1.03796	0.618	0.618	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.595 ※	0.595	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.014 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.021	0.021	0
19	192.5	≧* <	197.5	156	2.96142	0.021	0.021	0
18	187.5	≧* <	192.5	152	2.91081	0.020	0.020	0
17	182.5	≧* <	187.5	148	2.86019	0.020	0.020	0
16	177.5	≧* <	182.5	144	2.80957	0.020	0.020	0
15	172.5	≧* <	177.5	140	2.75895	0.019	0.019	0
14	167.5	≧* <	172.5	136	2.70834	0.019	0.019	0
13	162.5	≧* <	167.5	132	2.65772	0.019	0.019	0
12	157.5	≧* <	162.5	128	2.60710	0.018	0.018	0
11	152.5	≧* <	157.5	124	2.55648	0.018	0.018	0
10	147.5	≧* <	152.5	120	2.50587	0.018	0.018	0
9	142.5	≧* <	147.5	116	2.45525	0.017	0.017	0
8	137.5	≧* <	142.5	112	2.40463	0.017	0.017	0
7	132.5	≧* <	137.5	108	2.35401	0.016	0.016	0
6	127.5	≧* <	132.5	104	2.30340	0.016	0.016	0
5	122.5	≧* <	127.5	100	2.25278	0.016	0.016	0
4	117.5	≧* <	122.5	96	2.20216	0.015	0.015	0
3	112.5	≧* <	117.5	92	2.15154	0.015	0.015	0
2	107.5	≧* <	112.5	88	2.10093	0.015	0.015	0
1	102.5	≧* <	107.5	84	2.05031	0.014	0.014	0
0	97.5	≧* <	102.5	80	1.99969	0.014	0.014	0
-1	92.5	≧* <	97.5	76	1.94908	0.014	0.014	0
-2	87.5	≧* <	92.5	72	1.89846	0.013	0.013	0
-3	82.5	≧* <	87.5	68	1.84784	0.013	0.013	0
-4	77.5	≧* <	82.5	64	1.79722	0.013	0.013	0
-5	72.5	≧* <	77.5	60	1.74661	0.012	0.012	0
-6	67.5	≧* <	72.5	56	1.69599	0.012	0.012	0
-7	62.5	≧* <	67.5	52	1.64537	0.012	0.012	0
-8	57.5	≧* <	62.5	48	1.59475	0.011	0.011	0
-9	52.5	≧* <	57.5	44	1.54414	0.011	0.011	0
-10	47.5	≧* <	52.5	40	1.49352	0.010	0.010	0
-11	42.5	≧* <	47.5	36	1.44290	0.010	0.010	0
-12	37.5	≧* <	42.5	32	1.39228	0.010	0.010	0
-13	32.5	≧* <	37.5	28	1.34167	0.009	0.009	0
-14	27.5	≧* <	32.5	24	1.29105	0.009	0.009	0
-15	22.5	≧* <	27.5	20	1.24043	0.009	0.009	0
-16	17.5	≧* <	22.5	16	1.18982	0.008	0.008	0
-17	12.5	≧* <	17.5	12	1.13920	0.008	0.008	0
-18	7.5	≧* <	12.5	8	1.08858	0.008	0.008	0
-19	2.5	≧* <	7.5	4	1.03796	0.007	0.007	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.007	0.007	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.746 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.123	1.123	0
19	192.5	≦* <	197.5	156	2.96142	1.105	1.105	0
18	187.5	≦* <	192.5	152	2.91081	1.086	1.086	0
17	182.5	≦* <	187.5	148	2.86019	1.067	1.067	0
16	177.5	≦* <	182.5	144	2.80957	1.048	1.048	0
15	172.5	≦* <	177.5	140	2.75895	1.029	1.029	0
14	167.5	≦* <	172.5	136	2.70834	1.010	1.010	0
13	162.5	≦* <	167.5	132	2.65772	0.991	0.991	0
12	157.5	≦* <	162.5	128	2.60710	0.972	0.972	0
11	152.5	≦* <	157.5	124	2.55648	0.954	0.954	0
10	147.5	≦* <	152.5	120	2.50587	0.935	0.935	0
9	142.5	≦* <	147.5	116	2.45525	0.916	0.916	0
8	137.5	≦* <	142.5	112	2.40463	0.897	0.897	0
7	132.5	≦* <	137.5	108	2.35401	0.878	0.878	0
6	127.5	≦* <	132.5	104	2.30340	0.859	0.859	0
5	122.5	≦* <	127.5	100	2.25278	0.840	0.840	0
4	117.5	≦* <	122.5	96	2.20216	0.821	0.821	0
3	112.5	≦* <	117.5	92	2.15154	0.803	0.803	0
2	107.5	≦* <	112.5	88	2.10093	0.784	0.784	0
1	102.5	≦* <	107.5	84	2.05031	0.765	0.765	0
0	97.5	≦* <	102.5	80	1.99969	0.746	0.746	0
-1	92.5	≦* <	97.5	76	1.94908	0.727	0.727	0
-2	87.5	≦* <	92.5	72	1.89846	0.708	0.708	0
-3	82.5	≦* <	87.5	68	1.84784	0.689	0.689	0
-4	77.5	≦* <	82.5	64	1.79722	0.670	0.670	0
-5	72.5	≦* <	77.5	60	1.74661	0.651	0.651	0
-6	67.5	≦* <	72.5	56	1.69599	0.633	0.633	0
-7	62.5	≦* <	67.5	52	1.64537	0.614	0.614	0
-8	57.5	≦* <	62.5	48	1.59475	0.595	0.595	0
-9	52.5	≦* <	57.5	44	1.54414	0.576	0.576	0
-10	47.5	≦* <	52.5	40	1.49352	0.557	0.557	0
-11	42.5	≦* <	47.5	36	1.44290	0.538	0.538	0
-12	37.5	≦* <	42.5	32	1.39228	0.519	0.519	0
-13	32.5	≦* <	37.5	28	1.34167	0.500	0.500	0
-14	27.5	≦* <	32.5	24	1.29105	0.482	0.482	0
-15	22.5	≦* <	27.5	20	1.24043	0.463	0.463	0
-16	17.5	≦* <	22.5	16	1.18982	0.444	0.444	0
-17	12.5	≦* <	17.5	12	1.13920	0.425	0.425	0
-18	7.5	≦* <	12.5	8	1.08858	0.406	0.406	0
-19	2.5	≦* <	7.5	4	1.03796	0.387	0.387	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.373	0.373	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.009 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.014	0.014	0
19	192.5	≦* <	197.5	156	2.96142	0.013	0.013	0
18	187.5	≦* <	192.5	152	2.91081	0.013	0.013	0
17	182.5	≦* <	187.5	148	2.86019	0.013	0.013	0
16	177.5	≦* <	182.5	144	2.80957	0.013	0.013	0
15	172.5	≦* <	177.5	140	2.75895	0.012	0.012	0
14	167.5	≦* <	172.5	136	2.70834	0.012	0.012	0
13	162.5	≦* <	167.5	132	2.65772	0.012	0.012	0
12	157.5	≦* <	162.5	128	2.60710	0.012	0.012	0
11	152.5	≦* <	157.5	124	2.55648	0.012	0.012	0
10	147.5	≦* <	152.5	120	2.50587	0.011	0.011	0
9	142.5	≦* <	147.5	116	2.45525	0.011	0.011	0
8	137.5	≦* <	142.5	112	2.40463	0.011	0.011	0
7	132.5	≦* <	137.5	108	2.35401	0.011	0.011	0
6	127.5	≦* <	132.5	104	2.30340	0.010	0.010	0
5	122.5	≦* <	127.5	100	2.25278	0.010	0.010	0
4	117.5	≦* <	122.5	96	2.20216	0.010	0.010	0
3	112.5	≦* <	117.5	92	2.15154	0.010	0.010	0
2	107.5	≦* <	112.5	88	2.10093	0.009	0.009	0
1	102.5	≦* <	107.5	84	2.05031	0.009	0.009	0
0	97.5	≦* <	102.5	80	1.99969	0.009	0.009	0
-1	92.5	≦* <	97.5	76	1.94908	0.009	0.009	0
-2	87.5	≦* <	92.5	72	1.89846	0.009	0.009	0
-3	82.5	≦* <	87.5	68	1.84784	0.008	0.008	0
-4	77.5	≦* <	82.5	64	1.79722	0.008	0.008	0
-5	72.5	≦* <	77.5	60	1.74661	0.008	0.008	0
-6	67.5	≦* <	72.5	56	1.69599	0.008	0.008	0
-7	62.5	≦* <	67.5	52	1.64537	0.007	0.007	0
-8	57.5	≦* <	62.5	48	1.59475	0.007	0.007	0
-9	52.5	≦* <	57.5	44	1.54414	0.007	0.007	0
-10	47.5	≦* <	52.5	40	1.49352	0.007	0.007	0
-11	42.5	≦* <	47.5	36	1.44290	0.006	0.006	0
-12	37.5	≦* <	42.5	32	1.39228	0.006	0.006	0
-13	32.5	≦* <	37.5	28	1.34167	0.006	0.006	0
-14	27.5	≦* <	32.5	24	1.29105	0.006	0.006	0
-15	22.5	≦* <	27.5	20	1.24043	0.006	0.006	0
-16	17.5	≦* <	22.5	16	1.18982	0.005	0.005	0
-17	12.5	≦* <	17.5	12	1.13920	0.005	0.005	0
-18	7.5	≦* <	12.5	8	1.08858	0.005	0.005	0
-19	2.5	≦* <	7.5	4	1.03796	0.005	0.005	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.004 ※	0.004	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.529 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.797	0.797	0
19	192.5	≦* <	197.5	156	2.96142	0.783	0.783	0
18	187.5	≦* <	192.5	152	2.91081	0.770	0.770	0
17	182.5	≦* <	187.5	148	2.86019	0.757	0.757	0
16	177.5	≦* <	182.5	144	2.80957	0.743	0.743	0
15	172.5	≦* <	177.5	140	2.75895	0.730	0.730	0
14	167.5	≦* <	172.5	136	2.70834	0.716	0.716	0
13	162.5	≦* <	167.5	132	2.65772	0.703	0.703	0
12	157.5	≦* <	162.5	128	2.60710	0.690	0.690	0
11	152.5	≦* <	157.5	124	2.55648	0.676	0.676	0
10	147.5	≦* <	152.5	120	2.50587	0.663	0.663	0
9	142.5	≦* <	147.5	116	2.45525	0.649	0.649	0
8	137.5	≦* <	142.5	112	2.40463	0.636	0.636	0
7	132.5	≦* <	137.5	108	2.35401	0.623	0.623	0
6	127.5	≦* <	132.5	104	2.30340	0.609	0.609	0
5	122.5	≦* <	127.5	100	2.25278	0.596	0.596	0
4	117.5	≦* <	122.5	96	2.20216	0.582	0.582	0
3	112.5	≦* <	117.5	92	2.15154	0.569	0.569	0
2	107.5	≦* <	112.5	88	2.10093	0.556	0.556	0
1	102.5	≦* <	107.5	84	2.05031	0.542	0.542	0
0	97.5	≦* <	102.5	80	1.99969	0.529	0.529	0
-1	92.5	≦* <	97.5	76	1.94908	0.516	0.516	0
-2	87.5	≦* <	92.5	72	1.89846	0.502	0.502	0
-3	82.5	≦* <	87.5	68	1.84784	0.489	0.489	0
-4	77.5	≦* <	82.5	64	1.79722	0.475	0.475	0
-5	72.5	≦* <	77.5	60	1.74661	0.462	0.462	0
-6	67.5	≦* <	72.5	56	1.69599	0.449	0.449	0
-7	62.5	≦* <	67.5	52	1.64537	0.435	0.435	0
-8	57.5	≦* <	62.5	48	1.59475	0.422	0.422	0
-9	52.5	≦* <	57.5	44	1.54414	0.408	0.408	0
-10	47.5	≦* <	52.5	40	1.49352	0.395	0.395	0
-11	42.5	≦* <	47.5	36	1.44290	0.382	0.382	0
-12	37.5	≦* <	42.5	32	1.39228	0.368	0.368	0
-13	32.5	≦* <	37.5	28	1.34167	0.355	0.355	0
-14	27.5	≦* <	32.5	24	1.29105	0.341	0.341	0
-15	22.5	≦* <	27.5	20	1.24043	0.328	0.328	0
-16	17.5	≦* <	22.5	16	1.18982	0.315	0.315	0
-17	12.5	≦* <	17.5	12	1.13920	0.301	0.301	0
-18	7.5	≦* <	12.5	8	1.08858	0.288	0.288	0
-19	2.5	≦* <	7.5	4	1.03796	0.275	0.275	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.264 ※	0.264	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (特定園芸施設・附帯施設)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.006 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.009	0.009	0
19	192.5	≦* <	197.5	156	2.96142	0.009	0.009	0
18	187.5	≦* <	192.5	152	2.91081	0.009	0.009	0
17	182.5	≦* <	187.5	148	2.86019	0.009	0.009	0
16	177.5	≦* <	182.5	144	2.80957	0.008	0.008	0
15	172.5	≦* <	177.5	140	2.75895	0.008	0.008	0
14	167.5	≦* <	172.5	136	2.70834	0.008	0.008	0
13	162.5	≦* <	167.5	132	2.65772	0.008	0.008	0
12	157.5	≦* <	162.5	128	2.60710	0.008	0.008	0
11	152.5	≦* <	157.5	124	2.55648	0.008	0.008	0
10	147.5	≦* <	152.5	120	2.50587	0.008	0.008	0
9	142.5	≦* <	147.5	116	2.45525	0.007	0.007	0
8	137.5	≦* <	142.5	112	2.40463	0.007	0.007	0
7	132.5	≦* <	137.5	108	2.35401	0.007	0.007	0
6	127.5	≦* <	132.5	104	2.30340	0.007	0.007	0
5	122.5	≦* <	127.5	100	2.25278	0.007	0.007	0
4	117.5	≦* <	122.5	96	2.20216	0.007	0.007	0
3	112.5	≦* <	117.5	92	2.15154	0.006	0.006	0
2	107.5	≦* <	112.5	88	2.10093	0.006	0.006	0
1	102.5	≦* <	107.5	84	2.05031	0.006	0.006	0
0	97.5	≦* <	102.5	80	1.99969	0.006	0.006	0
-1	92.5	≦* <	97.5	76	1.94908	0.006	0.006	0
-2	87.5	≦* <	92.5	72	1.89846	0.006	0.006	0
-3	82.5	≦* <	87.5	68	1.84784	0.006	0.006	0
-4	77.5	≦* <	82.5	64	1.79722	0.005	0.005	0
-5	72.5	≦* <	77.5	60	1.74661	0.005	0.005	0
-6	67.5	≦* <	72.5	56	1.69599	0.005	0.005	0
-7	62.5	≦* <	67.5	52	1.64537	0.005	0.005	0
-8	57.5	≦* <	62.5	48	1.59475	0.005	0.005	0
-9	52.5	≦* <	57.5	44	1.54414	0.005	0.005	0
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	0
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	0
-12	37.5	≦* <	42.5	32	1.39228	0.004	0.004	0
-13	32.5	≦* <	37.5	28	1.34167	0.004	0.004	0
-14	27.5	≦* <	32.5	24	1.29105	0.004	0.004	0
-15	22.5	≦* <	27.5	20	1.24043	0.004	0.004	0
-16	17.5	≦* <	22.5	16	1.18982	0.004	0.004	0
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.003	0.003	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.694 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	2.551	2.551	0
19	192.5	≦* <	197.5	156	2.96142	2.508	2.508	0
18	187.5	≦* <	192.5	152	2.91081	2.465	2.465	0
17	182.5	≦* <	187.5	148	2.86019	2.423	2.423	0
16	177.5	≦* <	182.5	144	2.80957	2.380	2.380	0
15	172.5	≦* <	177.5	140	2.75895	2.337	2.337	0
14	167.5	≦* <	172.5	136	2.70834	2.294	2.294	0
13	162.5	≦* <	167.5	132	2.65772	2.251	2.251	0
12	157.5	≦* <	162.5	128	2.60710	2.208	2.208	0
11	152.5	≦* <	157.5	124	2.55648	2.165	2.165	0
10	147.5	≦* <	152.5	120	2.50587	2.122	2.122	0
9	142.5	≦* <	147.5	116	2.45525	2.080	2.080	0
8	137.5	≦* <	142.5	112	2.40463	2.037	2.037	0
7	132.5	≦* <	137.5	108	2.35401	1.994	1.994	0
6	127.5	≦* <	132.5	104	2.30340	1.951	1.951	0
5	122.5	≦* <	127.5	100	2.25278	1.908	1.908	0
4	117.5	≦* <	122.5	96	2.20216	1.865	1.865	0
3	112.5	≦* <	117.5	92	2.15154	1.822	1.822	0
2	107.5	≦* <	112.5	88	2.10093	1.779	1.779	0
1	102.5	≦* <	107.5	84	2.05031	1.737	1.737	0
0	97.5	≦* <	102.5	80	1.99969	1.694	1.694	0
-1	92.5	≦* <	97.5	76	1.94908	1.651	1.651	0
-2	87.5	≦* <	92.5	72	1.89846	1.608	1.608	0
-3	82.5	≦* <	87.5	68	1.84784	1.565	1.565	0
-4	77.5	≦* <	82.5	64	1.79722	1.522	1.522	0
-5	72.5	≦* <	77.5	60	1.74661	1.479	1.479	0
-6	67.5	≦* <	72.5	56	1.69599	1.437	1.437	0
-7	62.5	≦* <	67.5	52	1.64537	1.394	1.394	0
-8	57.5	≦* <	62.5	48	1.59475	1.351	1.351	0
-9	52.5	≦* <	57.5	44	1.54414	1.308	1.308	0
-10	47.5	≦* <	52.5	40	1.49352	1.265	1.265	0
-11	42.5	≦* <	47.5	36	1.44290	1.222	1.222	0
-12	37.5	≦* <	42.5	32	1.39228	1.179	1.179	0
-13	32.5	≦* <	37.5	28	1.34167	1.136	1.136	0
-14	27.5	≦* <	32.5	24	1.29105	1.094	1.094	0
-15	22.5	≦* <	27.5	20	1.24043	1.051	1.051	0
-16	17.5	≦* <	22.5	16	1.18982	1.008	1.008	0
-17	12.5	≦* <	17.5	12	1.13920	0.965	0.965	0
-18	7.5	≦* <	12.5	8	1.08858	0.922	0.922	0
-19	2.5	≦* <	7.5	4	1.03796	0.879	0.879	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.847	0.847	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.163 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.752	1.752	0
19	192.5	≦* <	197.5	156	2.96142	1.722	1.722	0
18	187.5	≦* <	192.5	152	2.91081	1.693	1.693	0
17	182.5	≦* <	187.5	148	2.86019	1.663	1.663	0
16	177.5	≦* <	182.5	144	2.80957	1.634	1.634	0
15	172.5	≦* <	177.5	140	2.75895	1.604	1.604	0
14	167.5	≦* <	172.5	136	2.70834	1.575	1.575	0
13	162.5	≦* <	167.5	132	2.65772	1.545	1.545	0
12	157.5	≦* <	162.5	128	2.60710	1.516	1.516	0
11	152.5	≦* <	157.5	124	2.55648	1.487	1.487	0
10	147.5	≦* <	152.5	120	2.50587	1.457	1.457	0
9	142.5	≦* <	147.5	116	2.45525	1.428	1.428	0
8	137.5	≦* <	142.5	112	2.40463	1.398	1.398	0
7	132.5	≦* <	137.5	108	2.35401	1.369	1.369	0
6	127.5	≦* <	132.5	104	2.30340	1.339	1.339	0
5	122.5	≦* <	127.5	100	2.25278	1.310	1.310	0
4	117.5	≦* <	122.5	96	2.20216	1.281	1.281	0
3	112.5	≦* <	117.5	92	2.15154	1.251	1.251	0
2	107.5	≦* <	112.5	88	2.10093	1.222	1.222	0
1	102.5	≦* <	107.5	84	2.05031	1.192	1.192	0
0	97.5	≦* <	102.5	80	1.99969	1.163	1.163	0
-1	92.5	≦* <	97.5	76	1.94908	1.133	1.133	0
-2	87.5	≦* <	92.5	72	1.89846	1.104	1.104	0
-3	82.5	≦* <	87.5	68	1.84784	1.075	1.075	0
-4	77.5	≦* <	82.5	64	1.79722	1.045	1.045	0
-5	72.5	≦* <	77.5	60	1.74661	1.016	1.016	0
-6	67.5	≦* <	72.5	56	1.69599	0.986	0.986	0
-7	62.5	≦* <	67.5	52	1.64537	0.957	0.957	0
-8	57.5	≦* <	62.5	48	1.59475	0.927	0.927	0
-9	52.5	≦* <	57.5	44	1.54414	0.898	0.898	0
-10	47.5	≦* <	52.5	40	1.49352	0.868	0.868	0
-11	42.5	≦* <	47.5	36	1.44290	0.839	0.839	0
-12	37.5	≦* <	42.5	32	1.39228	0.810	0.810	0
-13	32.5	≦* <	37.5	28	1.34167	0.780	0.780	0
-14	27.5	≦* <	32.5	24	1.29105	0.751	0.751	0
-15	22.5	≦* <	27.5	20	1.24043	0.721	0.721	0
-16	17.5	≦* <	22.5	16	1.18982	0.692	0.692	0
-17	12.5	≦* <	17.5	12	1.13920	0.662	0.662	0
-18	7.5	≦* <	12.5	8	1.08858	0.633	0.633	0
-19	2.5	≦* <	7.5	4	1.03796	0.604	0.604	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.581 ※	0.581	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.651 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.980	0.980	0
19	192.5	≧* <	197.5	156	2.96142	0.964	0.964	0
18	187.5	≧* <	192.5	152	2.91081	0.947	0.947	0
17	182.5	≧* <	187.5	148	2.86019	0.931	0.931	0
16	177.5	≧* <	182.5	144	2.80957	0.915	0.915	0
15	172.5	≧* <	177.5	140	2.75895	0.898	0.898	0
14	167.5	≧* <	172.5	136	2.70834	0.882	0.882	0
13	162.5	≧* <	167.5	132	2.65772	0.865	0.865	0
12	157.5	≧* <	162.5	128	2.60710	0.849	0.849	0
11	152.5	≧* <	157.5	124	2.55648	0.832	0.832	0
10	147.5	≧* <	152.5	120	2.50587	0.816	0.816	0
9	142.5	≧* <	147.5	116	2.45525	0.799	0.799	0
8	137.5	≧* <	142.5	112	2.40463	0.783	0.783	0
7	132.5	≧* <	137.5	108	2.35401	0.766	0.766	0
6	127.5	≧* <	132.5	104	2.30340	0.750	0.750	0
5	122.5	≧* <	127.5	100	2.25278	0.733	0.733	0
4	117.5	≧* <	122.5	96	2.20216	0.717	0.717	0
3	112.5	≧* <	117.5	92	2.15154	0.700	0.700	0
2	107.5	≧* <	112.5	88	2.10093	0.684	0.684	0
1	102.5	≧* <	107.5	84	2.05031	0.667	0.667	0
0	97.5	≧* <	102.5	80	1.99969	0.651	0.651	0
-1	92.5	≧* <	97.5	76	1.94908	0.634	0.634	0
-2	87.5	≧* <	92.5	72	1.89846	0.618	0.618	0
-3	82.5	≧* <	87.5	68	1.84784	0.601	0.601	0
-4	77.5	≧* <	82.5	64	1.79722	0.585	0.585	0
-5	72.5	≧* <	77.5	60	1.74661	0.569	0.569	0
-6	67.5	≧* <	72.5	56	1.69599	0.552	0.552	0
-7	62.5	≧* <	67.5	52	1.64537	0.536	0.536	0
-8	57.5	≧* <	62.5	48	1.59475	0.519	0.519	0
-9	52.5	≧* <	57.5	44	1.54414	0.503	0.503	0
-10	47.5	≧* <	52.5	40	1.49352	0.486	0.486	0
-11	42.5	≧* <	47.5	36	1.44290	0.470	0.470	0
-12	37.5	≧* <	42.5	32	1.39228	0.453	0.453	0
-13	32.5	≧* <	37.5	28	1.34167	0.437	0.437	0
-14	27.5	≧* <	32.5	24	1.29105	0.420	0.420	0
-15	22.5	≧* <	27.5	20	1.24043	0.404	0.404	0
-16	17.5	≧* <	22.5	16	1.18982	0.387	0.387	0
-17	12.5	≧* <	17.5	12	1.13920	0.371	0.371	0
-18	7.5	≧* <	12.5	8	1.08858	0.354	0.354	0
-19	2.5	≧* <	7.5	4	1.03796	0.338	0.338	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.325 ※	0.325	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.486 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.803	0.803	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.523	0.523	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.516	0.516	0
17	182.5	≦* <	187.5	148	2.09253	0.508	0.508	0
16	177.5	≦* <	182.5	144	2.06280	0.501	0.501	0
15	172.5	≦* <	177.5	140	2.03307	0.494	0.494	0
14	167.5	≦* <	172.5	136	2.00334	0.487	0.487	0
13	162.5	≦* <	167.5	132	1.97361	0.480	0.480	0
12	157.5	≦* <	162.5	128	1.94388	0.472	0.472	0
11	152.5	≦* <	157.5	124	1.91416	0.465	0.465	0
10	147.5	≦* <	152.5	120	1.88443	0.458	0.458	0
9	142.5	≦* <	147.5	116	1.85470	0.451	0.451	0
8	137.5	≦* <	142.5	112	1.82497	0.443	0.443	0
7	132.5	≦* <	137.5	108	1.79524	0.436	0.436	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.429	0.429	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.422	0.422	0
4	117.5	≦* <	122.5	96	1.70605	0.415	0.415	0
3	112.5	≦* <	117.5	92	1.67633	0.407	0.407	0
2	107.5	≦* <	112.5	88	1.64660	0.400	0.400	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.393	0.393	0
0	97.5	≦* <	102.5	80	1.58714	0.386	0.386	0
-1	92.5	≦* <	97.5	76	1.55741	0.378	0.378	0
-2	87.5	≦* <	92.5	72	1.52768	0.371	0.371	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.364	0.364	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.357	0.357	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.350	0.350	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.342	0.342	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.335	0.335	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.328	0.328	0
-9	52.5	≦* <	57.5	44	1.31958	0.321	0.321	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.313	0.313	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.306	0.306	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.299	0.299	0
-13	32.5	≦* <	37.5	28	1.20067	0.292	0.292	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.285	0.285	0
-15	22.5	≦* <	27.5	20	1.14121	0.277	0.277	0
-16	17.5	≦* <	22.5	16	1.11148	0.270	0.270	0
-17	12.5	≦* <	17.5	12	1.08175	0.263	0.263	0
-18	7.5	≦* <	12.5	8	1.05203	0.256	0.256	0
-19	2.5	≦* <	7.5	4	1.02230	0.248	0.248	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.243	0.243	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.485 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)		
			圧縮前						
20	197.5	≦*		311.20063	3.30546	0.802	0.802	28,959.13506	
19	192.5	≦* <	197.5	156	2.15198	0.522	0.522	2,197.17158	
18	187.5	≦* <	192.5	152	2.12226	0.515	0.515	0	
17	182.5	≦* <	187.5	148	2.09253	0.507	0.507	0	
16	177.5	≦* <	182.5	144	2.06280	0.500	0.500	0	
15	172.5	≦* <	177.5	140	2.03307	0.493	0.493	0	
14	167.5	≦* <	172.5	136	2.00334	0.486	0.486	0	
13	162.5	≦* <	167.5	132	1.97361	0.479	0.479	0	
12	157.5	≦* <	162.5	128	1.94388	0.471	0.471	0	
11	152.5	≦* <	157.5	124	1.91416	0.464	0.464	0	
10	147.5	≦* <	152.5	120	1.88443	0.457	0.457	0	
9	142.5	≦* <	147.5	116	1.85470	0.450	0.450	0	
8	137.5	≦* <	142.5	112	1.82497	0.443	0.443	0	
7	132.5	≦* <	137.5	108	1.79524	0.435	0.435	786.31512	
6	127.5	≦* <	132.5	104	1.76551	0.428	0.428	6,851.94431	
5	122.5	≦* <	127.5	100	1.73578	0.421	0.421	0	
4	117.5	≦* <	122.5	96	1.70605	0.414	0.414	0	
3	112.5	≦* <	117.5	92	1.67633	0.407	0.407	0	
2	107.5	≦* <	112.5	88	1.64660	0.399	0.399	5,641.25160	
1	102.5	≦* <	107.5	84	1.61687	0.392	0.392	0	
0	97.5	≦* <	102.5	80	1.58714	0.385	0.385	0	
-1	92.5	≦* <	97.5	76	1.55741	0.378	0.378	0	
-2	87.5	≦* <	92.5	72	1.52768	0.370	0.370	2,384.70848	
-3	82.5	≦* <	87.5	68	1.49795	0.363	0.363	6,827.65610	
-4	77.5	≦* <	82.5	64	1.46823	0.356	0.356	1,877.86617	
-5	72.5	≦* <	77.5	60	1.43850	0.349	0.349	542.31450	
-6	67.5	≦* <	72.5	56	1.40877	0.342	0.342	1,427.08401	
-7	62.5	≦* <	67.5	52	1.37904	0.334	0.334	2,074.07616	
-8	57.5	≦* <	62.5	48	1.34931	0.327	0.327	0	
-9	52.5	≦* <	57.5	44	1.31958	0.320	0.320	1,016.07660	
-10	47.5	≦* <	52.5	40	1.28985	0.313	0.313	1,077.02475	
-11	42.5	≦* <	47.5	36	1.26013	0.306	0.306	843.02697	
-12	37.5	≦* <	42.5	32	1.23040	0.298	0.298	0	
-13	32.5	≦* <	37.5	28	1.20067	0.291	0.291	3,484.34434	
-14	27.5	≦* <	32.5	24	1.17094	0.284	0.284	0	
-15	22.5	≦* <	27.5	20	1.14121	0.277	0.277	0	
-16	17.5	≦* <	22.5	16	1.11148	0.270	0.270	0	
-17	12.5	≦* <	17.5	12	1.08175	0.262	0.262	0	
-18	7.5	≦* <	12.5	8	1.05203	0.255	0.255	0	
-19	2.5	≦* <	7.5	4	1.02230	0.248	0.248	0	
-20	0.0	≦* <	2.5	1.00	1.00000	0.242	※	0.242	0
計	平均			135.55050	2.00000		32,995	65,989.99575	

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.429 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.709	0.709	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.462	0.462	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.455	0.455	0
17	182.5	≦* <	187.5	148	2.09253	0.449	0.449	0
16	177.5	≦* <	182.5	144	2.06280	0.442	0.442	0
15	172.5	≦* <	177.5	140	2.03307	0.436	0.436	0
14	167.5	≦* <	172.5	136	2.00334	0.430	0.430	0
13	162.5	≦* <	167.5	132	1.97361	0.423	0.423	0
12	157.5	≦* <	162.5	128	1.94388	0.417	0.417	0
11	152.5	≦* <	157.5	124	1.91416	0.411	0.411	0
10	147.5	≦* <	152.5	120	1.88443	0.404	0.404	0
9	142.5	≦* <	147.5	116	1.85470	0.398	0.398	0
8	137.5	≦* <	142.5	112	1.82497	0.391	0.391	0
7	132.5	≦* <	137.5	108	1.79524	0.385	0.385	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.379	0.379	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.372	0.372	0
4	117.5	≦* <	122.5	96	1.70605	0.366	0.366	0
3	112.5	≦* <	117.5	92	1.67633	0.360	0.360	0
2	107.5	≦* <	112.5	88	1.64660	0.353	0.353	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.347	0.347	0
0	97.5	≦* <	102.5	80	1.58714	0.340	0.340	0
-1	92.5	≦* <	97.5	76	1.55741	0.334	0.334	0
-2	87.5	≦* <	92.5	72	1.52768	0.328	0.328	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.321	0.321	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.315	0.315	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.309	0.309	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.302	0.302	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.296	0.296	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.289	0.289	0
-9	52.5	≦* <	57.5	44	1.31958	0.283	0.283	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.277	0.277	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.270	0.270	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.264	0.264	0
-13	32.5	≦* <	37.5	28	1.20067	0.258	0.258	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.251	0.251	0
-15	22.5	≦* <	27.5	20	1.14121	0.245	0.245	0
-16	17.5	≦* <	22.5	16	1.11148	0.238	0.238	0
-17	12.5	≦* <	17.5	12	1.08175	0.232	0.232	0
-18	7.5	≦* <	12.5	8	1.05203	0.226	0.226	0
-19	2.5	≦* <	7.5	4	1.02230	0.219	0.219	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.214	0.214	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.419 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	3.643	3.643	0
19	192.5	≦* <	197.5	156	2.96142	3.582	3.582	0
18	187.5	≦* <	192.5	152	2.91081	3.521	3.521	0
17	182.5	≦* <	187.5	148	2.86019	3.459	3.459	0
16	177.5	≦* <	182.5	144	2.80957	3.398	3.398	0
15	172.5	≦* <	177.5	140	2.75895	3.337	3.337	0
14	167.5	≦* <	172.5	136	2.70834	3.276	3.276	0
13	162.5	≦* <	167.5	132	2.65772	3.215	3.215	0
12	157.5	≦* <	162.5	128	2.60710	3.153	3.153	0
11	152.5	≦* <	157.5	124	2.55648	3.092	3.092	0
10	147.5	≦* <	152.5	120	2.50587	3.031	3.031	0
9	142.5	≦* <	147.5	116	2.45525	2.970	2.970	0
8	137.5	≦* <	142.5	112	2.40463	2.908	2.908	0
7	132.5	≦* <	137.5	108	2.35401	2.847	2.847	0
6	127.5	≦* <	132.5	104	2.30340	2.786	2.786	0
5	122.5	≦* <	127.5	100	2.25278	2.725	2.725	0
4	117.5	≦* <	122.5	96	2.20216	2.664	2.664	0
3	112.5	≦* <	117.5	92	2.15154	2.602	2.602	0
2	107.5	≦* <	112.5	88	2.10093	2.541	2.541	0
1	102.5	≦* <	107.5	84	2.05031	2.480	2.480	0
0	97.5	≦* <	102.5	80	1.99969	2.419	2.419	0
-1	92.5	≦* <	97.5	76	1.94908	2.357	2.357	0
-2	87.5	≦* <	92.5	72	1.89846	2.296	2.296	0
-3	82.5	≦* <	87.5	68	1.84784	2.235	2.235	0
-4	77.5	≦* <	82.5	64	1.79722	2.174	2.174	0
-5	72.5	≦* <	77.5	60	1.74661	2.113	2.113	0
-6	67.5	≦* <	72.5	56	1.69599	2.051	2.051	0
-7	62.5	≦* <	67.5	52	1.64537	1.990	1.990	0
-8	57.5	≦* <	62.5	48	1.59475	1.929	1.929	0
-9	52.5	≦* <	57.5	44	1.54414	1.868	1.868	0
-10	47.5	≦* <	52.5	40	1.49352	1.806	1.806	0
-11	42.5	≦* <	47.5	36	1.44290	1.745	1.745	0
-12	37.5	≦* <	42.5	32	1.39228	1.684	1.684	0
-13	32.5	≦* <	37.5	28	1.34167	1.623	1.623	0
-14	27.5	≦* <	32.5	24	1.29105	1.562	1.562	0
-15	22.5	≦* <	27.5	20	1.24043	1.500	1.500	0
-16	17.5	≦* <	22.5	16	1.18982	1.439	1.439	0
-17	12.5	≦* <	17.5	12	1.13920	1.378	1.378	0
-18	7.5	≦* <	12.5	8	1.08858	1.317	1.317	0
-19	2.5	≦* <	7.5	4	1.03796	1.255	1.255	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.209 ※	1.209	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.160 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	3.253	3.253	0
19	192.5	≦* <	197.5	156	2.96142	3.198	3.198	0
18	187.5	≦* <	192.5	152	2.91081	3.144	3.144	0
17	182.5	≦* <	187.5	148	2.86019	3.089	3.089	0
16	177.5	≦* <	182.5	144	2.80957	3.034	3.034	0
15	172.5	≦* <	177.5	140	2.75895	2.980	2.980	0
14	167.5	≦* <	172.5	136	2.70834	2.925	2.925	0
13	162.5	≦* <	167.5	132	2.65772	2.870	2.870	0
12	157.5	≦* <	162.5	128	2.60710	2.816	2.816	0
11	152.5	≦* <	157.5	124	2.55648	2.761	2.761	0
10	147.5	≦* <	152.5	120	2.50587	2.706	2.706	0
9	142.5	≦* <	147.5	116	2.45525	2.652	2.652	0
8	137.5	≦* <	142.5	112	2.40463	2.597	2.597	0
7	132.5	≦* <	137.5	108	2.35401	2.542	2.542	0
6	127.5	≦* <	132.5	104	2.30340	2.488	2.488	0
5	122.5	≦* <	127.5	100	2.25278	2.433	2.433	0
4	117.5	≦* <	122.5	96	2.20216	2.378	2.378	0
3	112.5	≦* <	117.5	92	2.15154	2.324	2.324	0
2	107.5	≦* <	112.5	88	2.10093	2.269	2.269	0
1	102.5	≦* <	107.5	84	2.05031	2.214	2.214	0
0	97.5	≦* <	102.5	80	1.99969	2.160	2.160	0
-1	92.5	≦* <	97.5	76	1.94908	2.105	2.105	0
-2	87.5	≦* <	92.5	72	1.89846	2.050	2.050	0
-3	82.5	≦* <	87.5	68	1.84784	1.996	1.996	0
-4	77.5	≦* <	82.5	64	1.79722	1.941	1.941	0
-5	72.5	≦* <	77.5	60	1.74661	1.886	1.886	0
-6	67.5	≦* <	72.5	56	1.69599	1.832	1.832	0
-7	62.5	≦* <	67.5	52	1.64537	1.777	1.777	0
-8	57.5	≦* <	62.5	48	1.59475	1.722	1.722	0
-9	52.5	≦* <	57.5	44	1.54414	1.668	1.668	0
-10	47.5	≦* <	52.5	40	1.49352	1.613	1.613	0
-11	42.5	≦* <	47.5	36	1.44290	1.558	1.558	0
-12	37.5	≦* <	42.5	32	1.39228	1.504	1.504	0
-13	32.5	≦* <	37.5	28	1.34167	1.449	1.449	0
-14	27.5	≦* <	32.5	24	1.29105	1.394	1.394	0
-15	22.5	≦* <	27.5	20	1.24043	1.340	1.340	0
-16	17.5	≦* <	22.5	16	1.18982	1.285	1.285	0
-17	12.5	≦* <	17.5	12	1.13920	1.230	1.230	0
-18	7.5	≦* <	12.5	8	1.08858	1.176	1.176	0
-19	2.5	≦* <	7.5	4	1.03796	1.121	1.121	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.080	1.080	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.856 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	2.795	2.795	0
19	192.5	≦* <	197.5	156	2.96142	2.748	2.748	0
18	187.5	≦* <	192.5	152	2.91081	2.701	2.701	0
17	182.5	≦* <	187.5	148	2.86019	2.654	2.654	0
16	177.5	≦* <	182.5	144	2.80957	2.607	2.607	0
15	172.5	≦* <	177.5	140	2.75895	2.560	2.560	0
14	167.5	≦* <	172.5	136	2.70834	2.513	2.513	0
13	162.5	≦* <	167.5	132	2.65772	2.466	2.466	0
12	157.5	≦* <	162.5	128	2.60710	2.419	2.419	0
11	152.5	≦* <	157.5	124	2.55648	2.372	2.372	0
10	147.5	≦* <	152.5	120	2.50587	2.325	2.325	0
9	142.5	≦* <	147.5	116	2.45525	2.278	2.278	0
8	137.5	≦* <	142.5	112	2.40463	2.231	2.231	0
7	132.5	≦* <	137.5	108	2.35401	2.185	2.185	0
6	127.5	≦* <	132.5	104	2.30340	2.138	2.138	0
5	122.5	≦* <	127.5	100	2.25278	2.091	2.091	0
4	117.5	≦* <	122.5	96	2.20216	2.044	2.044	0
3	112.5	≦* <	117.5	92	2.15154	1.997	1.997	0
2	107.5	≦* <	112.5	88	2.10093	1.950	1.950	0
1	102.5	≦* <	107.5	84	2.05031	1.903	1.903	0
0	97.5	≦* <	102.5	80	1.99969	1.856	1.856	0
-1	92.5	≦* <	97.5	76	1.94908	1.809	1.809	0
-2	87.5	≦* <	92.5	72	1.89846	1.762	1.762	0
-3	82.5	≦* <	87.5	68	1.84784	1.715	1.715	0
-4	77.5	≦* <	82.5	64	1.79722	1.668	1.668	0
-5	72.5	≦* <	77.5	60	1.74661	1.621	1.621	0
-6	67.5	≦* <	72.5	56	1.69599	1.574	1.574	0
-7	62.5	≦* <	67.5	52	1.64537	1.527	1.527	0
-8	57.5	≦* <	62.5	48	1.59475	1.480	1.480	0
-9	52.5	≦* <	57.5	44	1.54414	1.433	1.433	0
-10	47.5	≦* <	52.5	40	1.49352	1.386	1.386	0
-11	42.5	≦* <	47.5	36	1.44290	1.339	1.339	0
-12	37.5	≦* <	42.5	32	1.39228	1.292	1.292	0
-13	32.5	≦* <	37.5	28	1.34167	1.245	1.245	0
-14	27.5	≦* <	32.5	24	1.29105	1.198	1.198	0
-15	22.5	≦* <	27.5	20	1.24043	1.151	1.151	0
-16	17.5	≦* <	22.5	16	1.18982	1.104	1.104	0
-17	12.5	≦* <	17.5	12	1.13920	1.057	1.057	0
-18	7.5	≦* <	12.5	8	1.08858	1.010	1.010	0
-19	2.5	≦* <	7.5	4	1.03796	0.963	0.963	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.928	0.928	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 4.017 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	8.463	8.463	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	8.129	8.129	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	7.971	7.971	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	7.813	7.813	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	7.655	7.655	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	7.497	7.497	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	7.339	7.339	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	7.181	7.181	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	7.023	7.023	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	6.865	6.865	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	6.707	6.707	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	6.550	6.550	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	6.392	6.392	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	6.234	6.234	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	6.076	6.076	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	5.918	5.918	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	5.760	5.760	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	5.602	5.602	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	5.444	5.444	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	5.286	5.286	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	5.128	5.128	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	4.970	4.970	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	4.812	4.812	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	4.654	4.654	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	4.496	4.496	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	4.338	4.338	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	4.180	4.180	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	4.022	4.022	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	3.864	3.864	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	3.706	3.706	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	3.548	3.548	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	3.391	3.391	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	3.233	3.233	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	3.075	3.075	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	2.917	2.917	0
-15	22.5	≦* <	27.5	20	1.37354	2.759	2.759	0
-16	17.5	≦* <	22.5	16	1.29490	2.601	2.601	0
-17	12.5	≦* <	17.5	12	1.21626	2.443	2.443	0
-18	7.5	≦* <	12.5	8	1.13762	2.285	2.285	0
-19	2.5	≦* <	7.5	4	1.05898	2.127	2.127	0
-20	0.0	≦* <	2.5	1.00	1.00000	2.008 ※	2.008	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.095 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	4.414	4.414	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	4.240	4.240	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	4.157	4.157	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	4.075	4.075	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	3.992	3.992	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	3.910	3.910	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	3.828	3.828	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	3.745	3.745	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	3.663	3.663	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	3.581	3.581	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	3.498	3.498	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	3.416	3.416	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	3.333	3.333	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	3.251	3.251	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	3.169	3.169	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	3.086	3.086	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	3.004	3.004	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	2.922	2.922	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	2.839	2.839	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	2.757	2.757	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	2.674	2.674	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	2.592	2.592	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	2.510	2.510	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	2.427	2.427	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	2.345	2.345	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	2.263	2.263	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	2.180	2.180	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	2.098	2.098	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	2.015	2.015	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	1.933	1.933	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	1.851	1.851	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	1.768	1.768	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	1.686	1.686	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	1.604	1.604	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	1.521	1.521	0
-15	22.5	≦* <	27.5	20	1.37354	1.439	1.439	0
-16	17.5	≦* <	22.5	16	1.29490	1.356	1.356	0
-17	12.5	≦* <	17.5	12	1.21626	1.274	1.274	0
-18	7.5	≦* <	12.5	8	1.13762	1.192	1.192	0
-19	2.5	≦* <	7.5	4	1.05898	1.109	1.109	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.047 ※	1.047	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.807 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.700	1.700	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	1.633	1.633	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	1.601	1.601	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	1.570	1.570	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	1.538	1.538	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	1.506	1.506	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	1.474	1.474	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	1.443	1.443	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	1.411	1.411	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	1.379	1.379	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	1.348	1.348	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	1.316	1.316	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	1.284	1.284	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	1.252	1.252	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	1.221	1.221	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	1.189	1.189	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	1.157	1.157	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	1.125	1.125	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	1.094	1.094	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	1.062	1.062	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	1.030	1.030	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.998	0.998	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.967	0.967	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.935	0.935	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.903	0.903	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.872	0.872	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.840	0.840	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.808	0.808	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.776	0.776	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.745	0.745	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.713	0.713	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.681	0.681	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.649	0.649	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.618	0.618	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.586	0.586	0
-15	22.5	≦* <	27.5	20	1.37354	0.554	0.554	0
-16	17.5	≦* <	22.5	16	1.29490	0.522	0.522	0
-17	12.5	≦* <	17.5	12	1.21626	0.491	0.491	0
-18	7.5	≦* <	12.5	8	1.13762	0.459	0.459	0
-19	2.5	≦* <	7.5	4	1.05898	0.427	0.427	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.403 ※	0.403	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.488 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	6.522	6.522	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	5.041	5.041	0
18	187.5	≦* <	192.5	152	3.97314	4.943	4.943	0
17	182.5	≦* <	187.5	148	3.89438	4.845	4.845	447.85370
16	177.5	≦* <	182.5	144	3.81562	4.747	4.747	480.76812
15	172.5	≦* <	177.5	140	3.73686	4.649	4.649	0
14	167.5	≦* <	172.5	136	3.65810	4.551	4.551	0
13	162.5	≦* <	167.5	132	3.57934	4.453	4.453	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	4.355	4.355	0
11	152.5	≦* <	157.5	124	3.42183	4.257	4.257	855.45750
10	147.5	≦* <	152.5	120	3.34307	4.159	4.159	324.27779
9	142.5	≦* <	147.5	116	3.26431	4.061	4.061	0
8	137.5	≦* <	142.5	112	3.18555	3.963	3.963	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	3.865	3.865	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	3.767	3.767	532.93328
5	122.5	≦* <	127.5	100	2.94928	3.669	3.669	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	3.571	3.571	783.65196
3	112.5	≦* <	117.5	92	2.79176	3.473	3.473	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	3.375	3.375	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	3.277	3.277	724.41600
0	97.5	≦* <	102.5	80	2.55548	3.179	3.179	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	3.081	3.081	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	2.983	2.983	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	2.885	2.885	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	2.787	2.787	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	2.689	2.689	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	2.591	2.591	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	2.493	2.493	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	2.395	2.395	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	2.297	2.297	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	2.199	2.199	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	2.101	2.101	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	2.003	2.003	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	1.905	1.905	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	1.807	1.807	0
-15	22.5	≦* <	27.5	20	1.37410	1.709	1.709	0
-16	17.5	≦* <	22.5	16	1.29534	1.611	1.611	0
-17	12.5	≦* <	17.5	12	1.21659	1.513	1.513	0
-18	7.5	≦* <	12.5	8	1.13783	1.415	1.415	0
-19	2.5	≦* <	7.5	4	1.05907	1.317	1.317	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.244	1.244	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.477 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	6.493	6.493	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	5.018	5.018	0
18	187.5	≦* <	192.5	152	3.97314	4.921	4.921	0
17	182.5	≦* <	187.5	148	3.89438	4.823	4.823	447.85370
16	177.5	≦* <	182.5	144	3.81562	4.726	4.726	480.76812
15	172.5	≦* <	177.5	140	3.73686	4.628	4.628	0
14	167.5	≦* <	172.5	136	3.65810	4.531	4.531	0
13	162.5	≦* <	167.5	132	3.57934	4.433	4.433	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	4.335	4.335	0
11	152.5	≦* <	157.5	124	3.42183	4.238	4.238	855.45750
10	147.5	≦* <	152.5	120	3.34307	4.140	4.140	324.27779
9	142.5	≦* <	147.5	116	3.26431	4.043	4.043	0
8	137.5	≦* <	142.5	112	3.18555	3.945	3.945	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	3.848	3.848	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	3.750	3.750	532.93328
5	122.5	≦* <	127.5	100	2.94928	3.653	3.653	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	3.555	3.555	783.65196
3	112.5	≦* <	117.5	92	2.79176	3.458	3.458	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	3.360	3.360	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	3.263	3.263	724.41600
0	97.5	≦* <	102.5	80	2.55548	3.165	3.165	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	3.067	3.067	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	2.970	2.970	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	2.872	2.872	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	2.775	2.775	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	2.677	2.677	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	2.580	2.580	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	2.482	2.482	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	2.385	2.385	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	2.287	2.287	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	2.190	2.190	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	2.092	2.092	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	1.994	1.994	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	1.897	1.897	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	1.799	1.799	0
-15	22.5	≦* <	27.5	20	1.37410	1.702	1.702	0
-16	17.5	≦* <	22.5	16	1.29534	1.604	1.604	0
-17	12.5	≦* <	17.5	12	1.21659	1.507	1.507	0
-18	7.5	≦* <	12.5	8	1.13783	1.409	1.409	0
-19	2.5	≦* <	7.5	4	1.05907	1.312	1.312	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.238 ※	1.238	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.382 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	6.244	6.244	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	4.826	4.826	0
18	187.5	≦* <	192.5	152	3.97314	4.732	4.732	0
17	182.5	≦* <	187.5	148	3.89438	4.638	4.638	447.85370
16	177.5	≦* <	182.5	144	3.81562	4.544	4.544	480.76812
15	172.5	≦* <	177.5	140	3.73686	4.451	4.451	0
14	167.5	≦* <	172.5	136	3.65810	4.357	4.357	0
13	162.5	≦* <	167.5	132	3.57934	4.263	4.263	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	4.169	4.169	0
11	152.5	≦* <	157.5	124	3.42183	4.075	4.075	855.45750
10	147.5	≦* <	152.5	120	3.34307	3.982	3.982	324.27779
9	142.5	≦* <	147.5	116	3.26431	3.888	3.888	0
8	137.5	≦* <	142.5	112	3.18555	3.794	3.794	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	3.700	3.700	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	3.606	3.606	532.93328
5	122.5	≦* <	127.5	100	2.94928	3.513	3.513	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	3.419	3.419	783.65196
3	112.5	≦* <	117.5	92	2.79176	3.325	3.325	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	3.231	3.231	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	3.137	3.137	724.41600
0	97.5	≦* <	102.5	80	2.55548	3.044	3.044	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	2.950	2.950	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	2.856	2.856	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	2.762	2.762	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	2.668	2.668	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	2.575	2.575	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	2.481	2.481	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	2.387	2.387	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	2.293	2.293	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	2.199	2.199	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	2.106	2.106	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	2.012	2.012	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	1.918	1.918	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	1.824	1.824	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	1.730	1.730	0
-15	22.5	≦* <	27.5	20	1.37410	1.637	1.637	0
-16	17.5	≦* <	22.5	16	1.29534	1.543	1.543	0
-17	12.5	≦* <	17.5	12	1.21659	1.449	1.449	0
-18	7.5	≦* <	12.5	8	1.13783	1.355	1.355	0
-19	2.5	≦* <	7.5	4	1.05907	1.261	1.261	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.191	1.191	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.882 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	10.718	10.718	19,956.76098
19	192.5	≧* <	197.5	156	3.46093	6.718	6.718	1,373.98921
18	187.5	≧* <	192.5	152	3.39742	6.594	6.594	0
17	182.5	≧* <	187.5	148	3.33391	6.471	6.471	0
16	177.5	≧* <	182.5	144	3.27041	6.348	6.348	3,129.78237
15	172.5	≧* <	177.5	140	3.20690	6.225	6.225	0
14	167.5	≧* <	172.5	136	3.14339	6.101	6.101	0
13	162.5	≧* <	167.5	132	3.07988	5.978	5.978	0
12	157.5	≧* <	162.5	128	3.01637	5.855	5.855	663.60140
11	152.5	≧* <	157.5	124	2.95287	5.732	5.732	0
10	147.5	≧* <	152.5	120	2.88936	5.608	5.608	0
9	142.5	≧* <	147.5	116	2.82585	5.485	5.485	0
8	137.5	≧* <	142.5	112	2.76234	5.362	5.362	1,193.33088
7	132.5	≧* <	137.5	108	2.69884	5.238	5.238	0
6	127.5	≧* <	132.5	104	2.63533	5.115	5.115	1,185.89850
5	122.5	≧* <	127.5	100	2.57182	4.992	4.992	804.97966
4	117.5	≧* <	122.5	96	2.50831	4.869	4.869	3,012.48031
3	112.5	≧* <	117.5	92	2.44480	4.745	4.745	3,882.34240
2	107.5	≧* <	112.5	88	2.38130	4.622	4.622	3,059.97050
1	102.5	≧* <	107.5	84	2.31779	4.499	4.499	1,386.03842
0	97.5	≧* <	102.5	80	2.25428	4.376	4.376	10,142.00572
-1	92.5	≧* <	97.5	76	2.19077	4.252	4.252	7,683.03039
-2	87.5	≧* <	92.5	72	2.12726	4.129	4.129	4,022.64866
-3	82.5	≧* <	87.5	68	2.06376	4.006	4.006	4,616.63112
-4	77.5	≧* <	82.5	64	2.00025	3.882	3.882	12,287.53575
-5	72.5	≧* <	77.5	60	1.93674	3.759	3.759	10,847.68074
-6	67.5	≧* <	72.5	56	1.87323	3.636	3.636	4,808.58141
-7	62.5	≧* <	67.5	52	1.80973	3.513	3.513	6,160.32092
-8	57.5	≧* <	62.5	48	1.74622	3.389	3.389	3,111.76404
-9	52.5	≧* <	57.5	44	1.68271	3.266	3.266	3,565.66249
-10	47.5	≧* <	52.5	40	1.61920	3.143	3.143	4,868.93440
-11	42.5	≧* <	47.5	36	1.55569	3.020	3.020	11,358.09269
-12	37.5	≧* <	42.5	32	1.49219	2.896	2.896	9,339.61721
-13	32.5	≧* <	37.5	28	1.42868	2.773	2.773	24,300.41812
-14	27.5	≧* <	32.5	24	1.36517	2.650	2.650	0
-15	22.5	≧* <	27.5	20	1.30166	2.527	2.527	0
-16	17.5	≧* <	22.5	16	1.23815	2.403	2.403	0
-17	12.5	≧* <	17.5	12	1.17465	2.280	2.280	0
-18	7.5	≧* <	12.5	8	1.11114	2.157	2.157	0
-19	2.5	≧* <	7.5	4	1.04763	2.033	2.033	0
-20	0.0	≧* <	2.5	1.00	1.00000	1.941	1.941	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.829 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	10.572	10.572	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	6.626	6.626	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	6.504	6.504	0
17	182.5	≦* <	187.5	148	3.33391	6.383	6.383	0
16	177.5	≦* <	182.5	144	3.27041	6.261	6.261	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	6.140	6.140	0
14	167.5	≦* <	172.5	136	3.14339	6.018	6.018	0
13	162.5	≦* <	167.5	132	3.07988	5.896	5.896	0
12	157.5	≦* <	162.5	128	3.01637	5.775	5.775	663.60140
11	152.5	≦* <	157.5	124	2.95287	5.653	5.653	0
10	147.5	≦* <	152.5	120	2.88936	5.532	5.532	0
9	142.5	≦* <	147.5	116	2.82585	5.410	5.410	0
8	137.5	≦* <	142.5	112	2.76234	5.288	5.288	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	5.167	5.167	0
6	127.5	≦* <	132.5	104	2.63533	5.045	5.045	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	4.924	4.924	804.97966
4	117.5	≦* <	122.5	96	2.50831	4.802	4.802	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	4.681	4.681	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	4.559	4.559	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	4.437	4.437	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	4.316	4.316	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	4.194	4.194	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	4.073	4.073	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	3.951	3.951	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	3.829	3.829	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	3.708	3.708	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	3.586	3.586	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	3.465	3.465	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	3.343	3.343	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	3.222	3.222	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	3.100	3.100	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	2.978	2.978	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	2.857	2.857	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	2.735	2.735	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	2.614	2.614	0
-15	22.5	≦* <	27.5	20	1.30166	2.492	2.492	0
-16	17.5	≦* <	22.5	16	1.23815	2.370	2.370	0
-17	12.5	≦* <	17.5	12	1.17465	2.249	2.249	0
-18	7.5	≦* <	12.5	8	1.11114	2.127	2.127	0
-19	2.5	≦* <	7.5	4	1.04763	2.006	2.006	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.914 ※	1.914	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.708 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	10.238	10.238	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	6.417	6.417	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	6.299	6.299	0
17	182.5	≦* <	187.5	148	3.33391	6.181	6.181	0
16	177.5	≦* <	182.5	144	3.27041	6.063	6.063	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	5.946	5.946	0
14	167.5	≦* <	172.5	136	3.14339	5.828	5.828	0
13	162.5	≦* <	167.5	132	3.07988	5.710	5.710	0
12	157.5	≦* <	162.5	128	3.01637	5.592	5.592	663.60140
11	152.5	≦* <	157.5	124	2.95287	5.475	5.475	0
10	147.5	≦* <	152.5	120	2.88936	5.357	5.357	0
9	142.5	≦* <	147.5	116	2.82585	5.239	5.239	0
8	137.5	≦* <	142.5	112	2.76234	5.121	5.121	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	5.004	5.004	0
6	127.5	≦* <	132.5	104	2.63533	4.886	4.886	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	4.768	4.768	804.97966
4	117.5	≦* <	122.5	96	2.50831	4.650	4.650	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	4.533	4.533	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	4.415	4.415	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	4.297	4.297	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	4.179	4.179	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	4.062	4.062	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	3.944	3.944	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	3.826	3.826	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	3.708	3.708	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	3.591	3.591	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	3.473	3.473	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	3.355	3.355	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	3.237	3.237	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	3.120	3.120	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	3.002	3.002	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	2.884	2.884	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	2.767	2.767	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	2.649	2.649	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	2.531	2.531	0
-15	22.5	≦* <	27.5	20	1.30166	2.413	2.413	0
-16	17.5	≦* <	22.5	16	1.23815	2.296	2.296	0
-17	12.5	≦* <	17.5	12	1.17465	2.178	2.178	0
-18	7.5	≦* <	12.5	8	1.11114	2.060	2.060	0
-19	2.5	≦* <	7.5	4	1.04763	1.942	1.942	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.854	1.854	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.404 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	8.638	8.638	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	5.835	5.835	0
18	187.5	≦* <	192.5	152	3.36553	5.728	5.728	0
17	182.5	≦* <	187.5	148	3.30287	5.621	5.621	0
16	177.5	≦* <	182.5	144	3.24021	5.515	5.515	0
15	172.5	≦* <	177.5	140	3.17754	5.408	5.408	0
14	167.5	≦* <	172.5	136	3.11488	5.302	5.302	0
13	162.5	≦* <	167.5	132	3.05222	5.195	5.195	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	5.088	5.088	0
11	152.5	≦* <	157.5	124	2.92689	4.982	4.982	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	4.875	4.875	0
9	142.5	≦* <	147.5	116	2.80157	4.768	4.768	0
8	137.5	≦* <	142.5	112	2.73890	4.662	4.662	0
7	132.5	≦* <	137.5	108	2.67624	4.555	4.555	0
6	127.5	≦* <	132.5	104	2.61358	4.448	4.448	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	4.342	4.342	0
4	117.5	≦* <	122.5	96	2.48825	4.235	4.235	0
3	112.5	≦* <	117.5	92	2.42559	4.128	4.128	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	4.022	4.022	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	3.915	3.915	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	3.808	3.808	0
-1	92.5	≦* <	97.5	76	2.17493	3.702	3.702	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	3.595	3.595	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	3.488	3.488	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	3.382	3.382	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	3.275	3.275	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	3.168	3.168	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	3.062	3.062	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	2.955	2.955	774.38534
-9	52.5	≦* <	57.5	44	1.67363	2.849	2.849	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	2.742	2.742	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	2.635	2.635	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	2.529	2.529	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	2.422	2.422	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	2.315	2.315	0
-15	22.5	≦* <	27.5	20	1.29765	2.209	2.209	0
-16	17.5	≦* <	22.5	16	1.23499	2.102	2.102	0
-17	12.5	≦* <	17.5	12	1.17232	1.995	1.995	0
-18	7.5	≦* <	12.5	8	1.10966	1.889	1.889	0
-19	2.5	≦* <	7.5	4	1.04700	1.782	1.782	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.702	1.702	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.380 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	8.578	8.578	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	5.794	5.794	0
18	187.5	≦* <	192.5	152	3.36553	5.688	5.688	0
17	182.5	≦* <	187.5	148	3.30287	5.582	5.582	0
16	177.5	≦* <	182.5	144	3.24021	5.476	5.476	0
15	172.5	≦* <	177.5	140	3.17754	5.370	5.370	0
14	167.5	≦* <	172.5	136	3.11488	5.264	5.264	0
13	162.5	≦* <	167.5	132	3.05222	5.158	5.158	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	5.052	5.052	0
11	152.5	≦* <	157.5	124	2.92689	4.946	4.946	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	4.841	4.841	0
9	142.5	≦* <	147.5	116	2.80157	4.735	4.735	0
8	137.5	≦* <	142.5	112	2.73890	4.629	4.629	0
7	132.5	≦* <	137.5	108	2.67624	4.523	4.523	0
6	127.5	≦* <	132.5	104	2.61358	4.417	4.417	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	4.311	4.311	0
4	117.5	≦* <	122.5	96	2.48825	4.205	4.205	0
3	112.5	≦* <	117.5	92	2.42559	4.099	4.099	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	3.993	3.993	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	3.887	3.887	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	3.782	3.782	0
-1	92.5	≦* <	97.5	76	2.17493	3.676	3.676	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	3.570	3.570	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	3.464	3.464	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	3.358	3.358	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	3.252	3.252	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	3.146	3.146	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	3.040	3.040	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	2.934	2.934	774.38534
-9	52.5	≦* <	57.5	44	1.67363	2.828	2.828	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	2.723	2.723	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	2.617	2.617	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	2.511	2.511	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	2.405	2.405	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	2.299	2.299	0
-15	22.5	≦* <	27.5	20	1.29765	2.193	2.193	0
-16	17.5	≦* <	22.5	16	1.23499	2.087	2.087	0
-17	12.5	≦* <	17.5	12	1.17232	1.981	1.981	0
-18	7.5	≦* <	12.5	8	1.10966	1.875	1.875	0
-19	2.5	≦* <	7.5	4	1.04700	1.769	1.769	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.690	1.690	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.282 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	8.329	8.329	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	5.626	5.626	0
18	187.5	≦* <	192.5	152	3.36553	5.523	5.523	0
17	182.5	≦* <	187.5	148	3.30287	5.420	5.420	0
16	177.5	≦* <	182.5	144	3.24021	5.317	5.317	0
15	172.5	≦* <	177.5	140	3.17754	5.214	5.214	0
14	167.5	≦* <	172.5	136	3.11488	5.112	5.112	0
13	162.5	≦* <	167.5	132	3.05222	5.009	5.009	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	4.906	4.906	0
11	152.5	≦* <	157.5	124	2.92689	4.803	4.803	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	4.700	4.700	0
9	142.5	≦* <	147.5	116	2.80157	4.597	4.597	0
8	137.5	≦* <	142.5	112	2.73890	4.495	4.495	0
7	132.5	≦* <	137.5	108	2.67624	4.392	4.392	0
6	127.5	≦* <	132.5	104	2.61358	4.289	4.289	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	4.186	4.186	0
4	117.5	≦* <	122.5	96	2.48825	4.083	4.083	0
3	112.5	≦* <	117.5	92	2.42559	3.980	3.980	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	3.878	3.878	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	3.775	3.775	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	3.672	3.672	0
-1	92.5	≦* <	97.5	76	2.17493	3.569	3.569	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	3.466	3.466	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	3.363	3.363	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	3.261	3.261	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	3.158	3.158	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	3.055	3.055	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	2.952	2.952	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	2.849	2.849	774.38534
-9	52.5	≦* <	57.5	44	1.67363	2.746	2.746	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	2.644	2.644	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	2.541	2.541	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	2.438	2.438	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	2.335	2.335	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	2.232	2.232	0
-15	22.5	≦* <	27.5	20	1.29765	2.129	2.129	0
-16	17.5	≦* <	22.5	16	1.23499	2.027	2.027	0
-17	12.5	≦* <	17.5	12	1.17232	1.924	1.924	0
-18	7.5	≦* <	12.5	8	1.10966	1.821	1.821	0
-19	2.5	≦* <	7.5	4	1.04700	1.718	1.718	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.641	1.641	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.489 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	7.991	7.991	0
19	192.5	≦* <	197.5	156	4.49034	7.833	7.833	0
18	187.5	≦* <	192.5	152	4.40026	7.676	7.676	0
17	182.5	≦* <	187.5	148	4.31019	7.519	7.519	0
16	177.5	≦* <	182.5	144	4.22012	7.362	7.362	0
15	172.5	≦* <	177.5	140	4.13004	7.205	7.205	0
14	167.5	≦* <	172.5	136	4.03997	7.048	7.048	0
13	162.5	≦* <	167.5	132	3.94990	6.891	6.891	0
12	157.5	≦* <	162.5	128	3.85982	6.733	6.733	0
11	152.5	≦* <	157.5	124	3.76975	6.576	6.576	0
10	147.5	≦* <	152.5	120	3.67968	6.419	6.419	0
9	142.5	≦* <	147.5	116	3.58960	6.262	6.262	0
8	137.5	≦* <	142.5	112	3.49953	6.105	6.105	0
7	132.5	≦* <	137.5	108	3.40946	5.948	5.948	0
6	127.5	≦* <	132.5	104	3.31939	5.791	5.791	0
5	122.5	≦* <	127.5	100	3.22931	5.634	5.634	0
4	117.5	≦* <	122.5	96	3.13924	5.476	5.476	0
3	112.5	≦* <	117.5	92	3.04917	5.319	5.319	0
2	107.5	≦* <	112.5	88	2.95909	5.162	5.162	0
1	102.5	≦* <	107.5	84	2.86902	5.005	5.005	0
0	97.5	≦* <	102.5	80	2.77895	4.848	4.848	0
-1	92.5	≦* <	97.5	76	2.68887	4.691	4.691	301.15344
-2	87.5	≦* <	92.5	72	2.59880	4.534	4.534	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	4.376	4.376	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	4.219	4.219	0
-5	72.5	≦* <	77.5	60	2.32858	4.062	4.062	575.15926
-6	67.5	≦* <	72.5	56	2.23851	3.905	3.905	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	3.748	3.748	461.91245
-8	57.5	≦* <	62.5	48	2.05836	3.591	3.591	0
-9	52.5	≦* <	57.5	44	1.96829	3.434	3.434	0
-10	47.5	≦* <	52.5	40	1.87821	3.277	3.277	882.75870
-11	42.5	≦* <	47.5	36	1.78814	3.119	3.119	0
-12	37.5	≦* <	42.5	32	1.69807	2.962	2.962	0
-13	32.5	≦* <	37.5	28	1.60799	2.805	2.805	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	2.648	2.648	0
-15	22.5	≦* <	27.5	20	1.42785	2.491	2.491	0
-16	17.5	≦* <	22.5	16	1.33777	2.334	2.334	0
-17	12.5	≦* <	17.5	12	1.24770	2.177	2.177	0
-18	7.5	≦* <	12.5	8	1.15763	2.019	2.019	0
-19	2.5	≦* <	7.5	4	1.06755	1.862	1.862	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.744 ※	1.744	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.470 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	7.947	7.947	0
19	192.5	≧* <	197.5	156	4.49034	7.791	7.791	0
18	187.5	≧* <	192.5	152	4.40026	7.634	7.634	0
17	182.5	≧* <	187.5	148	4.31019	7.478	7.478	0
16	177.5	≧* <	182.5	144	4.22012	7.322	7.322	0
15	172.5	≧* <	177.5	140	4.13004	7.166	7.166	0
14	167.5	≧* <	172.5	136	4.03997	7.009	7.009	0
13	162.5	≧* <	167.5	132	3.94990	6.853	6.853	0
12	157.5	≧* <	162.5	128	3.85982	6.697	6.697	0
11	152.5	≧* <	157.5	124	3.76975	6.541	6.541	0
10	147.5	≧* <	152.5	120	3.67968	6.384	6.384	0
9	142.5	≧* <	147.5	116	3.58960	6.228	6.228	0
8	137.5	≧* <	142.5	112	3.49953	6.072	6.072	0
7	132.5	≧* <	137.5	108	3.40946	5.915	5.915	0
6	127.5	≧* <	132.5	104	3.31939	5.759	5.759	0
5	122.5	≧* <	127.5	100	3.22931	5.603	5.603	0
4	117.5	≧* <	122.5	96	3.13924	5.447	5.447	0
3	112.5	≧* <	117.5	92	3.04917	5.290	5.290	0
2	107.5	≧* <	112.5	88	2.95909	5.134	5.134	0
1	102.5	≧* <	107.5	84	2.86902	4.978	4.978	0
0	97.5	≧* <	102.5	80	2.77895	4.821	4.821	0
-1	92.5	≧* <	97.5	76	2.68887	4.665	4.665	301.15344
-2	87.5	≧* <	92.5	72	2.59880	4.509	4.509	4,844.16320
-3	82.5	≧* <	87.5	68	2.50873	4.353	4.353	2,476.11651
-4	77.5	≧* <	82.5	64	2.41865	4.196	4.196	0
-5	72.5	≧* <	77.5	60	2.32858	4.040	4.040	575.15926
-6	67.5	≧* <	72.5	56	2.23851	3.884	3.884	2,169.11619
-7	62.5	≧* <	67.5	52	2.14843	3.728	3.728	461.91245
-8	57.5	≧* <	62.5	48	2.05836	3.571	3.571	0
-9	52.5	≧* <	57.5	44	1.96829	3.415	3.415	0
-10	47.5	≧* <	52.5	40	1.87821	3.259	3.259	882.75870
-11	42.5	≧* <	47.5	36	1.78814	3.102	3.102	0
-12	37.5	≧* <	42.5	32	1.69807	2.946	2.946	0
-13	32.5	≧* <	37.5	28	1.60799	2.790	2.790	8,131.60543
-14	27.5	≧* <	32.5	24	1.51792	2.634	2.634	0
-15	22.5	≧* <	27.5	20	1.42785	2.477	2.477	0
-16	17.5	≧* <	22.5	16	1.33777	2.321	2.321	0
-17	12.5	≧* <	17.5	12	1.24770	2.165	2.165	0
-18	7.5	≧* <	12.5	8	1.15763	2.008	2.008	0
-19	2.5	≧* <	7.5	4	1.06755	1.852	1.852	0
-20	0.0	≧* <	2.5	1.00	1.00000	1.735	1.735	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.425 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	7.844	7.844	0
19	192.5	≦* <	197.5	156	4.49034	7.690	7.690	0
18	187.5	≦* <	192.5	152	4.40026	7.535	7.535	0
17	182.5	≦* <	187.5	148	4.31019	7.381	7.381	0
16	177.5	≦* <	182.5	144	4.22012	7.227	7.227	0
15	172.5	≦* <	177.5	140	4.13004	7.073	7.073	0
14	167.5	≦* <	172.5	136	4.03997	6.918	6.918	0
13	162.5	≦* <	167.5	132	3.94990	6.764	6.764	0
12	157.5	≦* <	162.5	128	3.85982	6.610	6.610	0
11	152.5	≦* <	157.5	124	3.76975	6.456	6.456	0
10	147.5	≦* <	152.5	120	3.67968	6.301	6.301	0
9	142.5	≦* <	147.5	116	3.58960	6.147	6.147	0
8	137.5	≦* <	142.5	112	3.49953	5.993	5.993	0
7	132.5	≦* <	137.5	108	3.40946	5.839	5.839	0
6	127.5	≦* <	132.5	104	3.31939	5.684	5.684	0
5	122.5	≦* <	127.5	100	3.22931	5.530	5.530	0
4	117.5	≦* <	122.5	96	3.13924	5.376	5.376	0
3	112.5	≦* <	117.5	92	3.04917	5.222	5.222	0
2	107.5	≦* <	112.5	88	2.95909	5.067	5.067	0
1	102.5	≦* <	107.5	84	2.86902	4.913	4.913	0
0	97.5	≦* <	102.5	80	2.77895	4.759	4.759	0
-1	92.5	≦* <	97.5	76	2.68887	4.605	4.605	301.15344
-2	87.5	≦* <	92.5	72	2.59880	4.450	4.450	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	4.296	4.296	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	4.142	4.142	0
-5	72.5	≦* <	77.5	60	2.32858	3.988	3.988	575.15926
-6	67.5	≦* <	72.5	56	2.23851	3.833	3.833	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	3.679	3.679	461.91245
-8	57.5	≦* <	62.5	48	2.05836	3.525	3.525	0
-9	52.5	≦* <	57.5	44	1.96829	3.371	3.371	0
-10	47.5	≦* <	52.5	40	1.87821	3.216	3.216	882.75870
-11	42.5	≦* <	47.5	36	1.78814	3.062	3.062	0
-12	37.5	≦* <	42.5	32	1.69807	2.908	2.908	0
-13	32.5	≦* <	37.5	28	1.60799	2.754	2.754	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	2.599	2.599	0
-15	22.5	≦* <	27.5	20	1.42785	2.445	2.445	0
-16	17.5	≦* <	22.5	16	1.33777	2.291	2.291	0
-17	12.5	≦* <	17.5	12	1.24770	2.137	2.137	0
-18	7.5	≦* <	12.5	8	1.15763	1.982	1.982	0
-19	2.5	≦* <	7.5	4	1.06755	1.828	1.828	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.712 ※	1.712	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 6.218 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	10.714	10.714	0
19	192.5	≦* <	197.5	156	3.38446	10.522	10.522	0
18	187.5	≦* <	192.5	152	3.32292	10.331	10.331	0
17	182.5	≦* <	187.5	148	3.26139	10.140	10.140	0
16	177.5	≦* <	182.5	144	3.19985	9.948	9.948	0
15	172.5	≦* <	177.5	140	3.13832	9.757	9.757	0
14	167.5	≦* <	172.5	136	3.07678	9.566	9.566	0
13	162.5	≦* <	167.5	132	3.01525	9.374	9.374	0
12	157.5	≦* <	162.5	128	2.95372	9.183	9.183	0
11	152.5	≦* <	157.5	124	2.89218	8.992	8.992	0
10	147.5	≦* <	152.5	120	2.83065	8.800	8.800	0
9	142.5	≦* <	147.5	116	2.76911	8.609	8.609	0
8	137.5	≦* <	142.5	112	2.70758	8.418	8.418	0
7	132.5	≦* <	137.5	108	2.64604	8.227	8.227	0
6	127.5	≦* <	132.5	104	2.58451	8.035	8.035	0
5	122.5	≦* <	127.5	100	2.52297	7.844	7.844	47.93643
4	117.5	≦* <	122.5	96	2.46144	7.653	7.653	0
3	112.5	≦* <	117.5	92	2.39991	7.461	7.461	0
2	107.5	≦* <	112.5	88	2.33837	7.270	7.270	0
1	102.5	≦* <	107.5	84	2.27684	7.079	7.079	0
0	97.5	≦* <	102.5	80	2.21530	6.887	6.887	0
-1	92.5	≦* <	97.5	76	2.15377	6.696	6.696	0
-2	87.5	≦* <	92.5	72	2.09223	6.505	6.505	479.12067
-3	82.5	≦* <	87.5	68	2.03070	6.313	6.313	62.95170
-4	77.5	≦* <	82.5	64	1.96917	6.122	6.122	19.69170
-5	72.5	≦* <	77.5	60	1.90763	5.931	5.931	0
-6	67.5	≦* <	72.5	56	1.84610	5.740	5.740	286.14550
-7	62.5	≦* <	67.5	52	1.78456	5.548	5.548	0
-8	57.5	≦* <	62.5	48	1.72303	5.357	5.357	0
-9	52.5	≦* <	57.5	44	1.66149	5.166	5.166	0
-10	47.5	≦* <	52.5	40	1.59996	4.974	4.974	0
-11	42.5	≦* <	47.5	36	1.53843	4.783	4.783	0
-12	37.5	≦* <	42.5	32	1.47689	4.592	4.592	22.15335
-13	32.5	≦* <	37.5	28	1.41536	4.400	4.400	0
-14	27.5	≦* <	32.5	24	1.35382	4.209	4.209	0
-15	22.5	≦* <	27.5	20	1.29229	4.018	4.018	0
-16	17.5	≦* <	22.5	16	1.23075	3.826	3.826	0
-17	12.5	≦* <	17.5	12	1.16922	3.635	3.635	0
-18	7.5	≦* <	12.5	8	1.10769	3.444	3.444	0
-19	2.5	≦* <	7.5	4	1.04615	3.252	3.252	0
-20	0.0	≦* <	2.5	1.00	1.00000	3.109	3.109	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.416 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	4.163	4.163	0
19	192.5	≦* <	197.5	156	3.38446	4.088	4.088	0
18	187.5	≦* <	192.5	152	3.32292	4.014	4.014	0
17	182.5	≦* <	187.5	148	3.26139	3.940	3.940	0
16	177.5	≦* <	182.5	144	3.19985	3.865	3.865	0
15	172.5	≦* <	177.5	140	3.13832	3.791	3.791	0
14	167.5	≦* <	172.5	136	3.07678	3.717	3.717	0
13	162.5	≦* <	167.5	132	3.01525	3.642	3.642	0
12	157.5	≦* <	162.5	128	2.95372	3.568	3.568	0
11	152.5	≦* <	157.5	124	2.89218	3.494	3.494	0
10	147.5	≦* <	152.5	120	2.83065	3.419	3.419	0
9	142.5	≦* <	147.5	116	2.76911	3.345	3.345	0
8	137.5	≦* <	142.5	112	2.70758	3.271	3.271	0
7	132.5	≦* <	137.5	108	2.64604	3.196	3.196	0
6	127.5	≦* <	132.5	104	2.58451	3.122	3.122	0
5	122.5	≦* <	127.5	100	2.52297	3.048	3.048	47.93643
4	117.5	≦* <	122.5	96	2.46144	2.973	2.973	0
3	112.5	≦* <	117.5	92	2.39991	2.899	2.899	0
2	107.5	≦* <	112.5	88	2.33837	2.825	2.825	0
1	102.5	≦* <	107.5	84	2.27684	2.750	2.750	0
0	97.5	≦* <	102.5	80	2.21530	2.676	2.676	0
-1	92.5	≦* <	97.5	76	2.15377	2.602	2.602	0
-2	87.5	≦* <	92.5	72	2.09223	2.527	2.527	479.12067
-3	82.5	≦* <	87.5	68	2.03070	2.453	2.453	62.95170
-4	77.5	≦* <	82.5	64	1.96917	2.379	2.379	19.69170
-5	72.5	≦* <	77.5	60	1.90763	2.304	2.304	0
-6	67.5	≦* <	72.5	56	1.84610	2.230	2.230	286.14550
-7	62.5	≦* <	67.5	52	1.78456	2.156	2.156	0
-8	57.5	≦* <	62.5	48	1.72303	2.081	2.081	0
-9	52.5	≦* <	57.5	44	1.66149	2.007	2.007	0
-10	47.5	≦* <	52.5	40	1.59996	1.933	1.933	0
-11	42.5	≦* <	47.5	36	1.53843	1.858	1.858	0
-12	37.5	≦* <	42.5	32	1.47689	1.784	1.784	22.15335
-13	32.5	≦* <	37.5	28	1.41536	1.710	1.710	0
-14	27.5	≦* <	32.5	24	1.35382	1.635	1.635	0
-15	22.5	≦* <	27.5	20	1.29229	1.561	1.561	0
-16	17.5	≦* <	22.5	16	1.23075	1.487	1.487	0
-17	12.5	≦* <	17.5	12	1.16922	1.412	1.412	0
-18	7.5	≦* <	12.5	8	1.10769	1.338	1.338	0
-19	2.5	≦* <	7.5	4	1.04615	1.264	1.264	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.208	1.208	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.236 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	2.130	2.130	0
19	192.5	≦* <	197.5	156	3.38446	2.092	2.092	0
18	187.5	≦* <	192.5	152	3.32292	2.054	2.054	0
17	182.5	≦* <	187.5	148	3.26139	2.016	2.016	0
16	177.5	≦* <	182.5	144	3.19985	1.978	1.978	0
15	172.5	≦* <	177.5	140	3.13832	1.939	1.939	0
14	167.5	≦* <	172.5	136	3.07678	1.901	1.901	0
13	162.5	≦* <	167.5	132	3.01525	1.863	1.863	0
12	157.5	≦* <	162.5	128	2.95372	1.825	1.825	0
11	152.5	≦* <	157.5	124	2.89218	1.787	1.787	0
10	147.5	≦* <	152.5	120	2.83065	1.749	1.749	0
9	142.5	≦* <	147.5	116	2.76911	1.711	1.711	0
8	137.5	≦* <	142.5	112	2.70758	1.673	1.673	0
7	132.5	≦* <	137.5	108	2.64604	1.635	1.635	0
6	127.5	≦* <	132.5	104	2.58451	1.597	1.597	0
5	122.5	≦* <	127.5	100	2.52297	1.559	1.559	47.93643
4	117.5	≦* <	122.5	96	2.46144	1.521	1.521	0
3	112.5	≦* <	117.5	92	2.39991	1.483	1.483	0
2	107.5	≦* <	112.5	88	2.33837	1.445	1.445	0
1	102.5	≦* <	107.5	84	2.27684	1.407	1.407	0
0	97.5	≦* <	102.5	80	2.21530	1.369	1.369	0
-1	92.5	≦* <	97.5	76	2.15377	1.331	1.331	0
-2	87.5	≦* <	92.5	72	2.09223	1.293	1.293	479.12067
-3	82.5	≦* <	87.5	68	2.03070	1.255	1.255	62.95170
-4	77.5	≦* <	82.5	64	1.96917	1.217	1.217	19.69170
-5	72.5	≦* <	77.5	60	1.90763	1.179	1.179	0
-6	67.5	≦* <	72.5	56	1.84610	1.141	1.141	286.14550
-7	62.5	≦* <	67.5	52	1.78456	1.103	1.103	0
-8	57.5	≦* <	62.5	48	1.72303	1.065	1.065	0
-9	52.5	≦* <	57.5	44	1.66149	1.027	1.027	0
-10	47.5	≦* <	52.5	40	1.59996	0.989	0.989	0
-11	42.5	≦* <	47.5	36	1.53843	0.951	0.951	0
-12	37.5	≦* <	42.5	32	1.47689	0.913	0.913	22.15335
-13	32.5	≦* <	37.5	28	1.41536	0.875	0.875	0
-14	27.5	≦* <	32.5	24	1.35382	0.837	0.837	0
-15	22.5	≦* <	27.5	20	1.29229	0.799	0.799	0
-16	17.5	≦* <	22.5	16	1.23075	0.761	0.761	0
-17	12.5	≦* <	17.5	12	1.16922	0.723	0.723	0
-18	7.5	≦* <	12.5	8	1.10769	0.685	0.685	0
-19	2.5	≦* <	7.5	4	1.04615	0.647	0.647	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.618	0.618	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 3.308 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	4.982	4.982	0
19	192.5	≦* <	197.5	156	2.96142	4.898	4.898	0
18	187.5	≦* <	192.5	152	2.91081	4.814	4.814	0
17	182.5	≦* <	187.5	148	2.86019	4.731	4.731	0
16	177.5	≦* <	182.5	144	2.80957	4.647	4.647	0
15	172.5	≦* <	177.5	140	2.75895	4.563	4.563	0
14	167.5	≦* <	172.5	136	2.70834	4.480	4.480	0
13	162.5	≦* <	167.5	132	2.65772	4.396	4.396	0
12	157.5	≦* <	162.5	128	2.60710	4.312	4.312	0
11	152.5	≦* <	157.5	124	2.55648	4.228	4.228	0
10	147.5	≦* <	152.5	120	2.50587	4.145	4.145	0
9	142.5	≦* <	147.5	116	2.45525	4.061	4.061	0
8	137.5	≦* <	142.5	112	2.40463	3.977	3.977	0
7	132.5	≦* <	137.5	108	2.35401	3.894	3.894	0
6	127.5	≦* <	132.5	104	2.30340	3.810	3.810	0
5	122.5	≦* <	127.5	100	2.25278	3.726	3.726	0
4	117.5	≦* <	122.5	96	2.20216	3.642	3.642	0
3	112.5	≦* <	117.5	92	2.15154	3.559	3.559	0
2	107.5	≦* <	112.5	88	2.10093	3.475	3.475	0
1	102.5	≦* <	107.5	84	2.05031	3.391	3.391	0
0	97.5	≦* <	102.5	80	1.99969	3.307	3.307	0
-1	92.5	≦* <	97.5	76	1.94908	3.224	3.224	0
-2	87.5	≦* <	92.5	72	1.89846	3.140	3.140	0
-3	82.5	≦* <	87.5	68	1.84784	3.056	3.056	0
-4	77.5	≦* <	82.5	64	1.79722	2.973	2.973	0
-5	72.5	≦* <	77.5	60	1.74661	2.889	2.889	0
-6	67.5	≦* <	72.5	56	1.69599	2.805	2.805	0
-7	62.5	≦* <	67.5	52	1.64537	2.721	2.721	0
-8	57.5	≦* <	62.5	48	1.59475	2.638	2.638	0
-9	52.5	≦* <	57.5	44	1.54414	2.554	2.554	0
-10	47.5	≦* <	52.5	40	1.49352	2.470	2.470	0
-11	42.5	≦* <	47.5	36	1.44290	2.387	2.387	0
-12	37.5	≦* <	42.5	32	1.39228	2.303	2.303	0
-13	32.5	≦* <	37.5	28	1.34167	2.219	2.219	0
-14	27.5	≦* <	32.5	24	1.29105	2.135	2.135	0
-15	22.5	≦* <	27.5	20	1.24043	2.052	2.052	0
-16	17.5	≦* <	22.5	16	1.18982	1.968	1.968	0
-17	12.5	≦* <	17.5	12	1.13920	1.884	1.884	0
-18	7.5	≦* <	12.5	8	1.08858	1.801	1.801	0
-19	2.5	≦* <	7.5	4	1.03796	1.717	1.717	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.654	1.654	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.501 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	3.767	3.767	0
19	192.5	≦* <	197.5	156	2.96142	3.703	3.703	0
18	187.5	≦* <	192.5	152	2.91081	3.640	3.640	0
17	182.5	≦* <	187.5	148	2.86019	3.577	3.577	0
16	177.5	≦* <	182.5	144	2.80957	3.513	3.513	0
15	172.5	≦* <	177.5	140	2.75895	3.450	3.450	0
14	167.5	≦* <	172.5	136	2.70834	3.387	3.387	0
13	162.5	≦* <	167.5	132	2.65772	3.323	3.323	0
12	157.5	≦* <	162.5	128	2.60710	3.260	3.260	0
11	152.5	≦* <	157.5	124	2.55648	3.197	3.197	0
10	147.5	≦* <	152.5	120	2.50587	3.134	3.134	0
9	142.5	≦* <	147.5	116	2.45525	3.070	3.070	0
8	137.5	≦* <	142.5	112	2.40463	3.007	3.007	0
7	132.5	≦* <	137.5	108	2.35401	2.944	2.944	0
6	127.5	≦* <	132.5	104	2.30340	2.880	2.880	0
5	122.5	≦* <	127.5	100	2.25278	2.817	2.817	0
4	117.5	≦* <	122.5	96	2.20216	2.754	2.754	0
3	112.5	≦* <	117.5	92	2.15154	2.691	2.691	0
2	107.5	≦* <	112.5	88	2.10093	2.627	2.627	0
1	102.5	≦* <	107.5	84	2.05031	2.564	2.564	0
0	97.5	≦* <	102.5	80	1.99969	2.501	2.501	0
-1	92.5	≦* <	97.5	76	1.94908	2.437	2.437	0
-2	87.5	≦* <	92.5	72	1.89846	2.374	2.374	0
-3	82.5	≦* <	87.5	68	1.84784	2.311	2.311	0
-4	77.5	≦* <	82.5	64	1.79722	2.247	2.247	0
-5	72.5	≦* <	77.5	60	1.74661	2.184	2.184	0
-6	67.5	≦* <	72.5	56	1.69599	2.121	2.121	0
-7	62.5	≦* <	67.5	52	1.64537	2.058	2.058	0
-8	57.5	≦* <	62.5	48	1.59475	1.994	1.994	0
-9	52.5	≦* <	57.5	44	1.54414	1.931	1.931	0
-10	47.5	≦* <	52.5	40	1.49352	1.868	1.868	0
-11	42.5	≦* <	47.5	36	1.44290	1.804	1.804	0
-12	37.5	≦* <	42.5	32	1.39228	1.741	1.741	0
-13	32.5	≦* <	37.5	28	1.34167	1.678	1.678	0
-14	27.5	≦* <	32.5	24	1.29105	1.614	1.614	0
-15	22.5	≦* <	27.5	20	1.24043	1.551	1.551	0
-16	17.5	≦* <	22.5	16	1.18982	1.488	1.488	0
-17	12.5	≦* <	17.5	12	1.13920	1.425	1.425	0
-18	7.5	≦* <	12.5	8	1.08858	1.361	1.361	0
-19	2.5	≦* <	7.5	4	1.03796	1.298	1.298	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.250 ※	1.250	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.698 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.051	1.051	0
19	192.5	≧* <	197.5	156	2.96142	1.034	1.034	0
18	187.5	≧* <	192.5	152	2.91081	1.016	1.016	0
17	182.5	≧* <	187.5	148	2.86019	0.998	0.998	0
16	177.5	≧* <	182.5	144	2.80957	0.981	0.981	0
15	172.5	≧* <	177.5	140	2.75895	0.963	0.963	0
14	167.5	≧* <	172.5	136	2.70834	0.945	0.945	0
13	162.5	≧* <	167.5	132	2.65772	0.928	0.928	0
12	157.5	≧* <	162.5	128	2.60710	0.910	0.910	0
11	152.5	≧* <	157.5	124	2.55648	0.892	0.892	0
10	147.5	≧* <	152.5	120	2.50587	0.875	0.875	0
9	142.5	≧* <	147.5	116	2.45525	0.857	0.857	0
8	137.5	≧* <	142.5	112	2.40463	0.839	0.839	0
7	132.5	≧* <	137.5	108	2.35401	0.822	0.822	0
6	127.5	≧* <	132.5	104	2.30340	0.804	0.804	0
5	122.5	≧* <	127.5	100	2.25278	0.786	0.786	0
4	117.5	≧* <	122.5	96	2.20216	0.769	0.769	0
3	112.5	≧* <	117.5	92	2.15154	0.751	0.751	0
2	107.5	≧* <	112.5	88	2.10093	0.733	0.733	0
1	102.5	≧* <	107.5	84	2.05031	0.716	0.716	0
0	97.5	≧* <	102.5	80	1.99969	0.698	0.698	0
-1	92.5	≧* <	97.5	76	1.94908	0.680	0.680	0
-2	87.5	≧* <	92.5	72	1.89846	0.663	0.663	0
-3	82.5	≧* <	87.5	68	1.84784	0.645	0.645	0
-4	77.5	≧* <	82.5	64	1.79722	0.627	0.627	0
-5	72.5	≧* <	77.5	60	1.74661	0.610	0.610	0
-6	67.5	≧* <	72.5	56	1.69599	0.592	0.592	0
-7	62.5	≧* <	67.5	52	1.64537	0.574	0.574	0
-8	57.5	≧* <	62.5	48	1.59475	0.557	0.557	0
-9	52.5	≧* <	57.5	44	1.54414	0.539	0.539	0
-10	47.5	≧* <	52.5	40	1.49352	0.521	0.521	0
-11	42.5	≧* <	47.5	36	1.44290	0.504	0.504	0
-12	37.5	≧* <	42.5	32	1.39228	0.486	0.486	0
-13	32.5	≧* <	37.5	28	1.34167	0.468	0.468	0
-14	27.5	≧* <	32.5	24	1.29105	0.451	0.451	0
-15	22.5	≧* <	27.5	20	1.24043	0.433	0.433	0
-16	17.5	≧* <	22.5	16	1.18982	0.415	0.415	0
-17	12.5	≧* <	17.5	12	1.13920	0.398	0.398	0
-18	7.5	≧* <	12.5	8	1.08858	0.380	0.380	0
-19	2.5	≧* <	7.5	4	1.03796	0.362	0.362	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.349	0.349	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.839 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.264	1.264	0
19	192.5	≦* <	197.5	156	2.96142	1.242	1.242	0
18	187.5	≦* <	192.5	152	2.91081	1.221	1.221	0
17	182.5	≦* <	187.5	148	2.86019	1.200	1.200	0
16	177.5	≦* <	182.5	144	2.80957	1.179	1.179	0
15	172.5	≦* <	177.5	140	2.75895	1.157	1.157	0
14	167.5	≦* <	172.5	136	2.70834	1.136	1.136	0
13	162.5	≦* <	167.5	132	2.65772	1.115	1.115	0
12	157.5	≦* <	162.5	128	2.60710	1.094	1.094	0
11	152.5	≦* <	157.5	124	2.55648	1.072	1.072	0
10	147.5	≦* <	152.5	120	2.50587	1.051	1.051	0
9	142.5	≦* <	147.5	116	2.45525	1.030	1.030	0
8	137.5	≦* <	142.5	112	2.40463	1.009	1.009	0
7	132.5	≦* <	137.5	108	2.35401	0.988	0.988	0
6	127.5	≦* <	132.5	104	2.30340	0.966	0.966	0
5	122.5	≦* <	127.5	100	2.25278	0.945	0.945	0
4	117.5	≦* <	122.5	96	2.20216	0.924	0.924	0
3	112.5	≦* <	117.5	92	2.15154	0.903	0.903	0
2	107.5	≦* <	112.5	88	2.10093	0.881	0.881	0
1	102.5	≦* <	107.5	84	2.05031	0.860	0.860	0
0	97.5	≦* <	102.5	80	1.99969	0.839	0.839	0
-1	92.5	≦* <	97.5	76	1.94908	0.818	0.818	0
-2	87.5	≦* <	92.5	72	1.89846	0.796	0.796	0
-3	82.5	≦* <	87.5	68	1.84784	0.775	0.775	0
-4	77.5	≦* <	82.5	64	1.79722	0.754	0.754	0
-5	72.5	≦* <	77.5	60	1.74661	0.733	0.733	0
-6	67.5	≦* <	72.5	56	1.69599	0.711	0.711	0
-7	62.5	≦* <	67.5	52	1.64537	0.690	0.690	0
-8	57.5	≦* <	62.5	48	1.59475	0.669	0.669	0
-9	52.5	≦* <	57.5	44	1.54414	0.648	0.648	0
-10	47.5	≦* <	52.5	40	1.49352	0.627	0.627	0
-11	42.5	≦* <	47.5	36	1.44290	0.605	0.605	0
-12	37.5	≦* <	42.5	32	1.39228	0.584	0.584	0
-13	32.5	≦* <	37.5	28	1.34167	0.563	0.563	0
-14	27.5	≦* <	32.5	24	1.29105	0.542	0.542	0
-15	22.5	≦* <	27.5	20	1.24043	0.520	0.520	0
-16	17.5	≦* <	22.5	16	1.18982	0.499	0.499	0
-17	12.5	≦* <	17.5	12	1.13920	0.478	0.478	0
-18	7.5	≦* <	12.5	8	1.08858	0.457	0.457	0
-19	2.5	≦* <	7.5	4	1.03796	0.435	0.435	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.419 ※	0.419	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.576 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.867	0.867	0
19	192.5	≦* <	197.5	156	2.96142	0.853	0.853	0
18	187.5	≦* <	192.5	152	2.91081	0.838	0.838	0
17	182.5	≦* <	187.5	148	2.86019	0.824	0.824	0
16	177.5	≦* <	182.5	144	2.80957	0.809	0.809	0
15	172.5	≦* <	177.5	140	2.75895	0.795	0.795	0
14	167.5	≦* <	172.5	136	2.70834	0.780	0.780	0
13	162.5	≦* <	167.5	132	2.65772	0.765	0.765	0
12	157.5	≦* <	162.5	128	2.60710	0.751	0.751	0
11	152.5	≦* <	157.5	124	2.55648	0.736	0.736	0
10	147.5	≦* <	152.5	120	2.50587	0.722	0.722	0
9	142.5	≦* <	147.5	116	2.45525	0.707	0.707	0
8	137.5	≦* <	142.5	112	2.40463	0.693	0.693	0
7	132.5	≦* <	137.5	108	2.35401	0.678	0.678	0
6	127.5	≦* <	132.5	104	2.30340	0.663	0.663	0
5	122.5	≦* <	127.5	100	2.25278	0.649	0.649	0
4	117.5	≦* <	122.5	96	2.20216	0.634	0.634	0
3	112.5	≦* <	117.5	92	2.15154	0.620	0.620	0
2	107.5	≦* <	112.5	88	2.10093	0.605	0.605	0
1	102.5	≦* <	107.5	84	2.05031	0.590	0.590	0
0	97.5	≦* <	102.5	80	1.99969	0.576	0.576	0
-1	92.5	≦* <	97.5	76	1.94908	0.561	0.561	0
-2	87.5	≦* <	92.5	72	1.89846	0.547	0.547	0
-3	82.5	≦* <	87.5	68	1.84784	0.532	0.532	0
-4	77.5	≦* <	82.5	64	1.79722	0.518	0.518	0
-5	72.5	≦* <	77.5	60	1.74661	0.503	0.503	0
-6	67.5	≦* <	72.5	56	1.69599	0.488	0.488	0
-7	62.5	≦* <	67.5	52	1.64537	0.474	0.474	0
-8	57.5	≦* <	62.5	48	1.59475	0.459	0.459	0
-9	52.5	≦* <	57.5	44	1.54414	0.445	0.445	0
-10	47.5	≦* <	52.5	40	1.49352	0.430	0.430	0
-11	42.5	≦* <	47.5	36	1.44290	0.416	0.416	0
-12	37.5	≦* <	42.5	32	1.39228	0.401	0.401	0
-13	32.5	≦* <	37.5	28	1.34167	0.386	0.386	0
-14	27.5	≦* <	32.5	24	1.29105	0.372	0.372	0
-15	22.5	≦* <	27.5	20	1.24043	0.357	0.357	0
-16	17.5	≦* <	22.5	16	1.18982	0.343	0.343	0
-17	12.5	≦* <	17.5	12	1.13920	0.328	0.328	0
-18	7.5	≦* <	12.5	8	1.08858	0.314	0.314	0
-19	2.5	≦* <	7.5	4	1.03796	0.299	0.299	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.288	0.288	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.434 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.654	0.654	0
19	192.5	≦* <	197.5	156	2.96142	0.643	0.643	0
18	187.5	≦* <	192.5	152	2.91081	0.632	0.632	0
17	182.5	≦* <	187.5	148	2.86019	0.621	0.621	0
16	177.5	≦* <	182.5	144	2.80957	0.610	0.610	0
15	172.5	≦* <	177.5	140	2.75895	0.599	0.599	0
14	167.5	≦* <	172.5	136	2.70834	0.588	0.588	0
13	162.5	≦* <	167.5	132	2.65772	0.577	0.577	0
12	157.5	≦* <	162.5	128	2.60710	0.566	0.566	0
11	152.5	≦* <	157.5	124	2.55648	0.555	0.555	0
10	147.5	≦* <	152.5	120	2.50587	0.544	0.544	0
9	142.5	≦* <	147.5	116	2.45525	0.533	0.533	0
8	137.5	≦* <	142.5	112	2.40463	0.522	0.522	0
7	132.5	≦* <	137.5	108	2.35401	0.511	0.511	0
6	127.5	≦* <	132.5	104	2.30340	0.500	0.500	0
5	122.5	≦* <	127.5	100	2.25278	0.489	0.489	0
4	117.5	≦* <	122.5	96	2.20216	0.478	0.478	0
3	112.5	≦* <	117.5	92	2.15154	0.467	0.467	0
2	107.5	≦* <	112.5	88	2.10093	0.456	0.456	0
1	102.5	≦* <	107.5	84	2.05031	0.445	0.445	0
0	97.5	≦* <	102.5	80	1.99969	0.434	0.434	0
-1	92.5	≦* <	97.5	76	1.94908	0.423	0.423	0
-2	87.5	≦* <	92.5	72	1.89846	0.412	0.412	0
-3	82.5	≦* <	87.5	68	1.84784	0.401	0.401	0
-4	77.5	≦* <	82.5	64	1.79722	0.390	0.390	0
-5	72.5	≦* <	77.5	60	1.74661	0.379	0.379	0
-6	67.5	≦* <	72.5	56	1.69599	0.368	0.368	0
-7	62.5	≦* <	67.5	52	1.64537	0.357	0.357	0
-8	57.5	≦* <	62.5	48	1.59475	0.346	0.346	0
-9	52.5	≦* <	57.5	44	1.54414	0.335	0.335	0
-10	47.5	≦* <	52.5	40	1.49352	0.324	0.324	0
-11	42.5	≦* <	47.5	36	1.44290	0.313	0.313	0
-12	37.5	≦* <	42.5	32	1.39228	0.302	0.302	0
-13	32.5	≦* <	37.5	28	1.34167	0.291	0.291	0
-14	27.5	≦* <	32.5	24	1.29105	0.280	0.280	0
-15	22.5	≦* <	27.5	20	1.24043	0.269	0.269	0
-16	17.5	≦* <	22.5	16	1.18982	0.258	0.258	0
-17	12.5	≦* <	17.5	12	1.13920	0.247	0.247	0
-18	7.5	≦* <	12.5	8	1.08858	0.236	0.236	0
-19	2.5	≦* <	7.5	4	1.03796	0.225	0.225	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.217	0.217	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.411 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.679	0.679	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.442	0.442	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.436	0.436	0
17	182.5	≦* <	187.5	148	2.09253	0.430	0.430	0
16	177.5	≦* <	182.5	144	2.06280	0.424	0.424	0
15	172.5	≦* <	177.5	140	2.03307	0.418	0.418	0
14	167.5	≦* <	172.5	136	2.00334	0.412	0.412	0
13	162.5	≦* <	167.5	132	1.97361	0.406	0.406	0
12	157.5	≦* <	162.5	128	1.94388	0.399	0.399	0
11	152.5	≦* <	157.5	124	1.91416	0.393	0.393	0
10	147.5	≦* <	152.5	120	1.88443	0.387	0.387	0
9	142.5	≦* <	147.5	116	1.85470	0.381	0.381	0
8	137.5	≦* <	142.5	112	1.82497	0.375	0.375	0
7	132.5	≦* <	137.5	108	1.79524	0.369	0.369	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.363	0.363	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.357	0.357	0
4	117.5	≦* <	122.5	96	1.70605	0.351	0.351	0
3	112.5	≦* <	117.5	92	1.67633	0.344	0.344	0
2	107.5	≦* <	112.5	88	1.64660	0.338	0.338	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.332	0.332	0
0	97.5	≦* <	102.5	80	1.58714	0.326	0.326	0
-1	92.5	≦* <	97.5	76	1.55741	0.320	0.320	0
-2	87.5	≦* <	92.5	72	1.52768	0.314	0.314	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.308	0.308	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.302	0.302	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.296	0.296	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.290	0.290	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.283	0.283	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.277	0.277	0
-9	52.5	≦* <	57.5	44	1.31958	0.271	0.271	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.265	0.265	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.259	0.259	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.253	0.253	0
-13	32.5	≦* <	37.5	28	1.20067	0.247	0.247	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.241	0.241	0
-15	22.5	≦* <	27.5	20	1.14121	0.235	0.235	0
-16	17.5	≦* <	22.5	16	1.11148	0.228	0.228	0
-17	12.5	≦* <	17.5	12	1.08175	0.222	0.222	0
-18	7.5	≦* <	12.5	8	1.05203	0.216	0.216	0
-19	2.5	≦* <	7.5	4	1.02230	0.210	0.210	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.205 ※	0.205	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.410 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.678	0.678	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.441	0.441	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.435	0.435	0
17	182.5	≦* <	187.5	148	2.09253	0.429	0.429	0
16	177.5	≦* <	182.5	144	2.06280	0.423	0.423	0
15	172.5	≦* <	177.5	140	2.03307	0.417	0.417	0
14	167.5	≦* <	172.5	136	2.00334	0.411	0.411	0
13	162.5	≦* <	167.5	132	1.97361	0.405	0.405	0
12	157.5	≦* <	162.5	128	1.94388	0.398	0.398	0
11	152.5	≦* <	157.5	124	1.91416	0.392	0.392	0
10	147.5	≦* <	152.5	120	1.88443	0.386	0.386	0
9	142.5	≦* <	147.5	116	1.85470	0.380	0.380	0
8	137.5	≦* <	142.5	112	1.82497	0.374	0.374	0
7	132.5	≦* <	137.5	108	1.79524	0.368	0.368	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.362	0.362	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.356	0.356	0
4	117.5	≦* <	122.5	96	1.70605	0.350	0.350	0
3	112.5	≦* <	117.5	92	1.67633	0.344	0.344	0
2	107.5	≦* <	112.5	88	1.64660	0.338	0.338	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.331	0.331	0
0	97.5	≦* <	102.5	80	1.58714	0.325	0.325	0
-1	92.5	≦* <	97.5	76	1.55741	0.319	0.319	0
-2	87.5	≦* <	92.5	72	1.52768	0.313	0.313	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.307	0.307	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.301	0.301	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.295	0.295	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.289	0.289	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.283	0.283	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.277	0.277	0
-9	52.5	≦* <	57.5	44	1.31958	0.271	0.271	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.264	0.264	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.258	0.258	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.252	0.252	0
-13	32.5	≦* <	37.5	28	1.20067	0.246	0.246	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.240	0.240	0
-15	22.5	≦* <	27.5	20	1.14121	0.234	0.234	0
-16	17.5	≦* <	22.5	16	1.11148	0.228	0.228	0
-17	12.5	≦* <	17.5	12	1.08175	0.222	0.222	0
-18	7.5	≦* <	12.5	8	1.05203	0.216	0.216	0
-19	2.5	≦* <	7.5	4	1.02230	0.210	0.210	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.205	0.205	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.409 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.676	0.676	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.440	0.440	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.434	0.434	0
17	182.5	≦* <	187.5	148	2.09253	0.428	0.428	0
16	177.5	≦* <	182.5	144	2.06280	0.422	0.422	0
15	172.5	≦* <	177.5	140	2.03307	0.416	0.416	0
14	167.5	≦* <	172.5	136	2.00334	0.410	0.410	0
13	162.5	≦* <	167.5	132	1.97361	0.404	0.404	0
12	157.5	≦* <	162.5	128	1.94388	0.398	0.398	0
11	152.5	≦* <	157.5	124	1.91416	0.391	0.391	0
10	147.5	≦* <	152.5	120	1.88443	0.385	0.385	0
9	142.5	≦* <	147.5	116	1.85470	0.379	0.379	0
8	137.5	≦* <	142.5	112	1.82497	0.373	0.373	0
7	132.5	≦* <	137.5	108	1.79524	0.367	0.367	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.361	0.361	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.355	0.355	0
4	117.5	≦* <	122.5	96	1.70605	0.349	0.349	0
3	112.5	≦* <	117.5	92	1.67633	0.343	0.343	0
2	107.5	≦* <	112.5	88	1.64660	0.337	0.337	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.331	0.331	0
0	97.5	≦* <	102.5	80	1.58714	0.325	0.325	0
-1	92.5	≦* <	97.5	76	1.55741	0.318	0.318	0
-2	87.5	≦* <	92.5	72	1.52768	0.312	0.312	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.306	0.306	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.300	0.300	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.294	0.294	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.288	0.288	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.282	0.282	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.276	0.276	0
-9	52.5	≦* <	57.5	44	1.31958	0.270	0.270	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.264	0.264	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.258	0.258	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.252	0.252	0
-13	32.5	≦* <	37.5	28	1.20067	0.246	0.246	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.239	0.239	0
-15	22.5	≦* <	27.5	20	1.14121	0.233	0.233	0
-16	17.5	≦* <	22.5	16	1.11148	0.227	0.227	0
-17	12.5	≦* <	17.5	12	1.08175	0.221	0.221	0
-18	7.5	≦* <	12.5	8	1.05203	0.215	0.215	0
-19	2.5	≦* <	7.5	4	1.02230	0.209	0.209	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.204 ※	0.204	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.372 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.560	0.560	0
19	192.5	≦* <	197.5	156	2.96142	0.551	0.551	0
18	187.5	≦* <	192.5	152	2.91081	0.541	0.541	0
17	182.5	≦* <	187.5	148	2.86019	0.532	0.532	0
16	177.5	≦* <	182.5	144	2.80957	0.523	0.523	0
15	172.5	≦* <	177.5	140	2.75895	0.513	0.513	0
14	167.5	≦* <	172.5	136	2.70834	0.504	0.504	0
13	162.5	≦* <	167.5	132	2.65772	0.494	0.494	0
12	157.5	≦* <	162.5	128	2.60710	0.485	0.485	0
11	152.5	≦* <	157.5	124	2.55648	0.476	0.476	0
10	147.5	≦* <	152.5	120	2.50587	0.466	0.466	0
9	142.5	≦* <	147.5	116	2.45525	0.457	0.457	0
8	137.5	≦* <	142.5	112	2.40463	0.447	0.447	0
7	132.5	≦* <	137.5	108	2.35401	0.438	0.438	0
6	127.5	≦* <	132.5	104	2.30340	0.428	0.428	0
5	122.5	≦* <	127.5	100	2.25278	0.419	0.419	0
4	117.5	≦* <	122.5	96	2.20216	0.410	0.410	0
3	112.5	≦* <	117.5	92	2.15154	0.400	0.400	0
2	107.5	≦* <	112.5	88	2.10093	0.391	0.391	0
1	102.5	≦* <	107.5	84	2.05031	0.381	0.381	0
0	97.5	≦* <	102.5	80	1.99969	0.372	0.372	0
-1	92.5	≦* <	97.5	76	1.94908	0.363	0.363	0
-2	87.5	≦* <	92.5	72	1.89846	0.353	0.353	0
-3	82.5	≦* <	87.5	68	1.84784	0.344	0.344	0
-4	77.5	≦* <	82.5	64	1.79722	0.334	0.334	0
-5	72.5	≦* <	77.5	60	1.74661	0.325	0.325	0
-6	67.5	≦* <	72.5	56	1.69599	0.315	0.315	0
-7	62.5	≦* <	67.5	52	1.64537	0.306	0.306	0
-8	57.5	≦* <	62.5	48	1.59475	0.297	0.297	0
-9	52.5	≦* <	57.5	44	1.54414	0.287	0.287	0
-10	47.5	≦* <	52.5	40	1.49352	0.278	0.278	0
-11	42.5	≦* <	47.5	36	1.44290	0.268	0.268	0
-12	37.5	≦* <	42.5	32	1.39228	0.259	0.259	0
-13	32.5	≦* <	37.5	28	1.34167	0.250	0.250	0
-14	27.5	≦* <	32.5	24	1.29105	0.240	0.240	0
-15	22.5	≦* <	27.5	20	1.24043	0.231	0.231	0
-16	17.5	≦* <	22.5	16	1.18982	0.221	0.221	0
-17	12.5	≦* <	17.5	12	1.13920	0.212	0.212	0
-18	7.5	≦* <	12.5	8	1.08858	0.202	0.202	0
-19	2.5	≦* <	7.5	4	1.03796	0.193	0.193	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.186	0.186	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.332 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.500	0.500	0
19	192.5	≦* <	197.5	156	2.96142	0.492	0.492	0
18	187.5	≦* <	192.5	152	2.91081	0.483	0.483	0
17	182.5	≦* <	187.5	148	2.86019	0.475	0.475	0
16	177.5	≦* <	182.5	144	2.80957	0.466	0.466	0
15	172.5	≦* <	177.5	140	2.75895	0.458	0.458	0
14	167.5	≦* <	172.5	136	2.70834	0.450	0.450	0
13	162.5	≦* <	167.5	132	2.65772	0.441	0.441	0
12	157.5	≦* <	162.5	128	2.60710	0.433	0.433	0
11	152.5	≦* <	157.5	124	2.55648	0.424	0.424	0
10	147.5	≦* <	152.5	120	2.50587	0.416	0.416	0
9	142.5	≦* <	147.5	116	2.45525	0.408	0.408	0
8	137.5	≦* <	142.5	112	2.40463	0.399	0.399	0
7	132.5	≦* <	137.5	108	2.35401	0.391	0.391	0
6	127.5	≦* <	132.5	104	2.30340	0.382	0.382	0
5	122.5	≦* <	127.5	100	2.25278	0.374	0.374	0
4	117.5	≦* <	122.5	96	2.20216	0.366	0.366	0
3	112.5	≦* <	117.5	92	2.15154	0.357	0.357	0
2	107.5	≦* <	112.5	88	2.10093	0.349	0.349	0
1	102.5	≦* <	107.5	84	2.05031	0.340	0.340	0
0	97.5	≦* <	102.5	80	1.99969	0.332	0.332	0
-1	92.5	≦* <	97.5	76	1.94908	0.324	0.324	0
-2	87.5	≦* <	92.5	72	1.89846	0.315	0.315	0
-3	82.5	≦* <	87.5	68	1.84784	0.307	0.307	0
-4	77.5	≦* <	82.5	64	1.79722	0.298	0.298	0
-5	72.5	≦* <	77.5	60	1.74661	0.290	0.290	0
-6	67.5	≦* <	72.5	56	1.69599	0.282	0.282	0
-7	62.5	≦* <	67.5	52	1.64537	0.273	0.273	0
-8	57.5	≦* <	62.5	48	1.59475	0.265	0.265	0
-9	52.5	≦* <	57.5	44	1.54414	0.256	0.256	0
-10	47.5	≦* <	52.5	40	1.49352	0.248	0.248	0
-11	42.5	≦* <	47.5	36	1.44290	0.240	0.240	0
-12	37.5	≦* <	42.5	32	1.39228	0.231	0.231	0
-13	32.5	≦* <	37.5	28	1.34167	0.223	0.223	0
-14	27.5	≦* <	32.5	24	1.29105	0.214	0.214	0
-15	22.5	≦* <	27.5	20	1.24043	0.206	0.206	0
-16	17.5	≦* <	22.5	16	1.18982	0.198	0.198	0
-17	12.5	≦* <	17.5	12	1.13920	0.189	0.189	0
-18	7.5	≦* <	12.5	8	1.08858	0.181	0.181	0
-19	2.5	≦* <	7.5	4	1.03796	0.172	0.172	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.166	0.166	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.331 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.498	0.498	0
19	192.5	≦* <	197.5	156	2.96142	0.490	0.490	0
18	187.5	≦* <	192.5	152	2.91081	0.482	0.482	0
17	182.5	≦* <	187.5	148	2.86019	0.473	0.473	0
16	177.5	≦* <	182.5	144	2.80957	0.465	0.465	0
15	172.5	≦* <	177.5	140	2.75895	0.457	0.457	0
14	167.5	≦* <	172.5	136	2.70834	0.448	0.448	0
13	162.5	≦* <	167.5	132	2.65772	0.440	0.440	0
12	157.5	≦* <	162.5	128	2.60710	0.431	0.431	0
11	152.5	≦* <	157.5	124	2.55648	0.423	0.423	0
10	147.5	≦* <	152.5	120	2.50587	0.415	0.415	0
9	142.5	≦* <	147.5	116	2.45525	0.406	0.406	0
8	137.5	≦* <	142.5	112	2.40463	0.398	0.398	0
7	132.5	≦* <	137.5	108	2.35401	0.390	0.390	0
6	127.5	≦* <	132.5	104	2.30340	0.381	0.381	0
5	122.5	≦* <	127.5	100	2.25278	0.373	0.373	0
4	117.5	≦* <	122.5	96	2.20216	0.364	0.364	0
3	112.5	≦* <	117.5	92	2.15154	0.356	0.356	0
2	107.5	≦* <	112.5	88	2.10093	0.348	0.348	0
1	102.5	≦* <	107.5	84	2.05031	0.339	0.339	0
0	97.5	≦* <	102.5	80	1.99969	0.331	0.331	0
-1	92.5	≦* <	97.5	76	1.94908	0.323	0.323	0
-2	87.5	≦* <	92.5	72	1.89846	0.314	0.314	0
-3	82.5	≦* <	87.5	68	1.84784	0.306	0.306	0
-4	77.5	≦* <	82.5	64	1.79722	0.297	0.297	0
-5	72.5	≦* <	77.5	60	1.74661	0.289	0.289	0
-6	67.5	≦* <	72.5	56	1.69599	0.281	0.281	0
-7	62.5	≦* <	67.5	52	1.64537	0.272	0.272	0
-8	57.5	≦* <	62.5	48	1.59475	0.264	0.264	0
-9	52.5	≦* <	57.5	44	1.54414	0.256	0.256	0
-10	47.5	≦* <	52.5	40	1.49352	0.247	0.247	0
-11	42.5	≦* <	47.5	36	1.44290	0.239	0.239	0
-12	37.5	≦* <	42.5	32	1.39228	0.230	0.230	0
-13	32.5	≦* <	37.5	28	1.34167	0.222	0.222	0
-14	27.5	≦* <	32.5	24	1.29105	0.214	0.214	0
-15	22.5	≦* <	27.5	20	1.24043	0.205	0.205	0
-16	17.5	≦* <	22.5	16	1.18982	0.197	0.197	0
-17	12.5	≦* <	17.5	12	1.13920	0.189	0.189	0
-18	7.5	≦* <	12.5	8	1.08858	0.180	0.180	0
-19	2.5	≦* <	7.5	4	1.03796	0.172	0.172	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.165 ※	0.165	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.008 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	4.230	4.230	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	4.063	4.063	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	3.985	3.985	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	3.906	3.906	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	3.827	3.827	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	3.748	3.748	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	3.669	3.669	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	3.590	3.590	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	3.511	3.511	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	3.432	3.432	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	3.353	3.353	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	3.274	3.274	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	3.195	3.195	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	3.116	3.116	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	3.037	3.037	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	2.958	2.958	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	2.879	2.879	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	2.800	2.800	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	2.721	2.721	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	2.642	2.642	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	2.563	2.563	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	2.484	2.484	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	2.405	2.405	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	2.326	2.326	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	2.248	2.248	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	2.169	2.169	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	2.090	2.090	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	2.011	2.011	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	1.932	1.932	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	1.853	1.853	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	1.774	1.774	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	1.695	1.695	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	1.616	1.616	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	1.537	1.537	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	1.458	1.458	0
-15	22.5	≦* <	27.5	20	1.37354	1.379	1.379	0
-16	17.5	≦* <	22.5	16	1.29490	1.300	1.300	0
-17	12.5	≦* <	17.5	12	1.21626	1.221	1.221	0
-18	7.5	≦* <	12.5	8	1.13762	1.142	1.142	0
-19	2.5	≦* <	7.5	4	1.05898	1.063	1.063	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.004	1.004	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.255 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	2.644	2.644	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	2.540	2.540	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	2.490	2.490	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	2.441	2.441	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	2.392	2.392	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	2.342	2.342	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	2.293	2.293	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	2.244	2.244	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	2.194	2.194	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	2.145	2.145	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	2.096	2.096	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	2.046	2.046	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	1.997	1.997	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	1.948	1.948	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	1.898	1.898	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	1.849	1.849	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	1.799	1.799	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	1.750	1.750	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	1.701	1.701	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	1.651	1.651	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	1.602	1.602	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	1.553	1.553	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	1.503	1.503	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	1.454	1.454	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	1.405	1.405	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	1.355	1.355	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	1.306	1.306	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	1.257	1.257	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	1.207	1.207	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	1.158	1.158	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	1.109	1.109	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	1.059	1.059	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	1.010	1.010	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.961	0.961	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.911	0.911	0
-15	22.5	≦* <	27.5	20	1.37354	0.862	0.862	0
-16	17.5	≦* <	22.5	16	1.29490	0.813	0.813	0
-17	12.5	≦* <	17.5	12	1.21626	0.763	0.763	0
-18	7.5	≦* <	12.5	8	1.13762	0.714	0.714	0
-19	2.5	≦* <	7.5	4	1.05898	0.665	0.665	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.627 ※	0.627	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.623 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.312	1.312	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	1.261	1.261	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	1.236	1.236	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	1.212	1.212	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	1.187	1.187	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	1.163	1.163	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	1.138	1.138	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	1.114	1.114	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	1.089	1.089	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	1.065	1.065	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	1.040	1.040	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	1.016	1.016	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.991	0.991	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.967	0.967	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.942	0.942	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.918	0.918	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.893	0.893	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.869	0.869	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.844	0.844	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.820	0.820	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.795	0.795	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.771	0.771	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.746	0.746	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.722	0.722	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.697	0.697	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.673	0.673	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.648	0.648	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.624	0.624	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.599	0.599	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.575	0.575	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.550	0.550	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.526	0.526	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.501	0.501	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.477	0.477	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.452	0.452	0
-15	22.5	≦* <	27.5	20	1.37354	0.428	0.428	0
-16	17.5	≦* <	22.5	16	1.29490	0.403	0.403	0
-17	12.5	≦* <	17.5	12	1.21626	0.379	0.379	0
-18	7.5	≦* <	12.5	8	1.13762	0.354	0.354	0
-19	2.5	≦* <	7.5	4	1.05898	0.330	0.330	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.311 ※	0.311	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.179 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	3.091	3.091	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	2.389	2.389	0
18	187.5	≦* <	192.5	152	3.97314	2.342	2.342	0
17	182.5	≦* <	187.5	148	3.89438	2.296	2.296	447.85370
16	177.5	≦* <	182.5	144	3.81562	2.249	2.249	480.76812
15	172.5	≦* <	177.5	140	3.73686	2.203	2.203	0
14	167.5	≦* <	172.5	136	3.65810	2.156	2.156	0
13	162.5	≦* <	167.5	132	3.57934	2.110	2.110	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	2.064	2.064	0
11	152.5	≦* <	157.5	124	3.42183	2.017	2.017	855.45750
10	147.5	≦* <	152.5	120	3.34307	1.971	1.971	324.27779
9	142.5	≦* <	147.5	116	3.26431	1.924	1.924	0
8	137.5	≦* <	142.5	112	3.18555	1.878	1.878	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	1.831	1.831	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	1.785	1.785	532.93328
5	122.5	≦* <	127.5	100	2.94928	1.739	1.739	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	1.692	1.692	783.65196
3	112.5	≦* <	117.5	92	2.79176	1.646	1.646	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	1.599	1.599	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	1.553	1.553	724.41600
0	97.5	≦* <	102.5	80	2.55548	1.506	1.506	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	1.460	1.460	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	1.414	1.414	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	1.367	1.367	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	1.321	1.321	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	1.274	1.274	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	1.228	1.228	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	1.181	1.181	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	1.135	1.135	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	1.089	1.089	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	1.042	1.042	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.996	0.996	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.949	0.949	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.903	0.903	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.856	0.856	0
-15	22.5	≦* <	27.5	20	1.37410	0.810	0.810	0
-16	17.5	≦* <	22.5	16	1.29534	0.764	0.764	0
-17	12.5	≦* <	17.5	12	1.21659	0.717	0.717	0
-18	7.5	≦* <	12.5	8	1.13783	0.671	0.671	0
-19	2.5	≦* <	7.5	4	1.05907	0.624	0.624	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.589 ※	0.589	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.172 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	3.072	3.072	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	2.374	2.374	0
18	187.5	≦* <	192.5	152	3.97314	2.328	2.328	0
17	182.5	≦* <	187.5	148	3.89438	2.282	2.282	447.85370
16	177.5	≦* <	182.5	144	3.81562	2.236	2.236	480.76812
15	172.5	≦* <	177.5	140	3.73686	2.190	2.190	0
14	167.5	≦* <	172.5	136	3.65810	2.144	2.144	0
13	162.5	≦* <	167.5	132	3.57934	2.097	2.097	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	2.051	2.051	0
11	152.5	≦* <	157.5	124	3.42183	2.005	2.005	855.45750
10	147.5	≦* <	152.5	120	3.34307	1.959	1.959	324.27779
9	142.5	≦* <	147.5	116	3.26431	1.913	1.913	0
8	137.5	≦* <	142.5	112	3.18555	1.867	1.867	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	1.821	1.821	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	1.774	1.774	532.93328
5	122.5	≦* <	127.5	100	2.94928	1.728	1.728	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	1.682	1.682	783.65196
3	112.5	≦* <	117.5	92	2.79176	1.636	1.636	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	1.590	1.590	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	1.544	1.544	724.41600
0	97.5	≦* <	102.5	80	2.55548	1.498	1.498	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	1.451	1.451	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	1.405	1.405	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	1.359	1.359	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	1.313	1.313	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	1.267	1.267	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	1.221	1.221	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	1.174	1.174	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	1.128	1.128	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	1.082	1.082	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	1.036	1.036	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.990	0.990	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.944	0.944	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.898	0.898	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.851	0.851	0
-15	22.5	≦* <	27.5	20	1.37410	0.805	0.805	0
-16	17.5	≦* <	22.5	16	1.29534	0.759	0.759	0
-17	12.5	≦* <	17.5	12	1.21659	0.713	0.713	0
-18	7.5	≦* <	12.5	8	1.13783	0.667	0.667	0
-19	2.5	≦* <	7.5	4	1.05907	0.621	0.621	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.586	0.586	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.131 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	2.965	2.965	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	2.291	2.291	0
18	187.5	≦* <	192.5	152	3.97314	2.247	2.247	0
17	182.5	≦* <	187.5	148	3.89438	2.202	2.202	447.85370
16	177.5	≦* <	182.5	144	3.81562	2.158	2.158	480.76812
15	172.5	≦* <	177.5	140	3.73686	2.113	2.113	0
14	167.5	≦* <	172.5	136	3.65810	2.069	2.069	0
13	162.5	≦* <	167.5	132	3.57934	2.024	2.024	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	1.980	1.980	0
11	152.5	≦* <	157.5	124	3.42183	1.935	1.935	855.45750
10	147.5	≦* <	152.5	120	3.34307	1.891	1.891	324.27779
9	142.5	≦* <	147.5	116	3.26431	1.846	1.846	0
8	137.5	≦* <	142.5	112	3.18555	1.801	1.801	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	1.757	1.757	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	1.712	1.712	532.93328
5	122.5	≦* <	127.5	100	2.94928	1.668	1.668	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	1.623	1.623	783.65196
3	112.5	≦* <	117.5	92	2.79176	1.579	1.579	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	1.534	1.534	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	1.490	1.490	724.41600
0	97.5	≦* <	102.5	80	2.55548	1.445	1.445	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	1.401	1.401	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	1.356	1.356	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	1.312	1.312	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	1.267	1.267	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	1.222	1.222	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	1.178	1.178	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	1.133	1.133	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	1.089	1.089	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	1.044	1.044	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	1.000	1.000	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.955	0.955	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.911	0.911	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.866	0.866	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.822	0.822	0
-15	22.5	≦* <	27.5	20	1.37410	0.777	0.777	0
-16	17.5	≦* <	22.5	16	1.29534	0.733	0.733	0
-17	12.5	≦* <	17.5	12	1.21659	0.688	0.688	0
-18	7.5	≦* <	12.5	8	1.13783	0.643	0.643	0
-19	2.5	≦* <	7.5	4	1.05907	0.599	0.599	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.565 ※	0.565	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.308 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	3.611	3.611	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	2.263	2.263	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	2.222	2.222	0
17	182.5	≦* <	187.5	148	3.33391	2.180	2.180	0
16	177.5	≦* <	182.5	144	3.27041	2.139	2.139	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	2.097	2.097	0
14	167.5	≦* <	172.5	136	3.14339	2.056	2.056	0
13	162.5	≦* <	167.5	132	3.07988	2.014	2.014	0
12	157.5	≦* <	162.5	128	3.01637	1.973	1.973	663.60140
11	152.5	≦* <	157.5	124	2.95287	1.931	1.931	0
10	147.5	≦* <	152.5	120	2.88936	1.890	1.890	0
9	142.5	≦* <	147.5	116	2.82585	1.848	1.848	0
8	137.5	≦* <	142.5	112	2.76234	1.807	1.807	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	1.765	1.765	0
6	127.5	≦* <	132.5	104	2.63533	1.724	1.724	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	1.682	1.682	804.97966
4	117.5	≦* <	122.5	96	2.50831	1.640	1.640	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	1.599	1.599	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	1.557	1.557	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	1.516	1.516	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	1.474	1.474	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	1.433	1.433	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	1.391	1.391	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	1.350	1.350	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	1.308	1.308	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	1.267	1.267	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	1.225	1.225	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	1.184	1.184	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	1.142	1.142	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	1.100	1.100	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	1.059	1.059	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	1.017	1.017	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.976	0.976	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.934	0.934	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.893	0.893	0
-15	22.5	≦* <	27.5	20	1.30166	0.851	0.851	0
-16	17.5	≦* <	22.5	16	1.23815	0.810	0.810	0
-17	12.5	≦* <	17.5	12	1.17465	0.768	0.768	0
-18	7.5	≦* <	12.5	8	1.11114	0.727	0.727	0
-19	2.5	≦* <	7.5	4	1.04763	0.685	0.685	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.654	0.654	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.295 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	3.576	3.576	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	2.241	2.241	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	2.200	2.200	0
17	182.5	≦* <	187.5	148	3.33391	2.159	2.159	0
16	177.5	≦* <	182.5	144	3.27041	2.118	2.118	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	2.076	2.076	0
14	167.5	≦* <	172.5	136	3.14339	2.035	2.035	0
13	162.5	≦* <	167.5	132	3.07988	1.994	1.994	0
12	157.5	≦* <	162.5	128	3.01637	1.953	1.953	663.60140
11	152.5	≦* <	157.5	124	2.95287	1.912	1.912	0
10	147.5	≦* <	152.5	120	2.88936	1.871	1.871	0
9	142.5	≦* <	147.5	116	2.82585	1.830	1.830	0
8	137.5	≦* <	142.5	112	2.76234	1.789	1.789	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	1.747	1.747	0
6	127.5	≦* <	132.5	104	2.63533	1.706	1.706	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	1.665	1.665	804.97966
4	117.5	≦* <	122.5	96	2.50831	1.624	1.624	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	1.583	1.583	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	1.542	1.542	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	1.501	1.501	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	1.460	1.460	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	1.419	1.419	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	1.377	1.377	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	1.336	1.336	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	1.295	1.295	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	1.254	1.254	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	1.213	1.213	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	1.172	1.172	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	1.131	1.131	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	1.090	1.090	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	1.048	1.048	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	1.007	1.007	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.966	0.966	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.925	0.925	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.884	0.884	0
-15	22.5	≦* <	27.5	20	1.30166	0.843	0.843	0
-16	17.5	≦* <	22.5	16	1.23815	0.802	0.802	0
-17	12.5	≦* <	17.5	12	1.17465	0.761	0.761	0
-18	7.5	≦* <	12.5	8	1.11114	0.719	0.719	0
-19	2.5	≦* <	7.5	4	1.04763	0.678	0.678	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.647 ※	0.647	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.261 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	3.482	3.482	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	2.182	2.182	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	2.142	2.142	0
17	182.5	≦* <	187.5	148	3.33391	2.102	2.102	0
16	177.5	≦* <	182.5	144	3.27041	2.062	2.062	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	2.022	2.022	0
14	167.5	≦* <	172.5	136	3.14339	1.982	1.982	0
13	162.5	≦* <	167.5	132	3.07988	1.942	1.942	0
12	157.5	≦* <	162.5	128	3.01637	1.902	1.902	663.60140
11	152.5	≦* <	157.5	124	2.95287	1.862	1.862	0
10	147.5	≦* <	152.5	120	2.88936	1.822	1.822	0
9	142.5	≦* <	147.5	116	2.82585	1.782	1.782	0
8	137.5	≦* <	142.5	112	2.76234	1.742	1.742	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	1.702	1.702	0
6	127.5	≦* <	132.5	104	2.63533	1.662	1.662	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	1.622	1.622	804.97966
4	117.5	≦* <	122.5	96	2.50831	1.581	1.581	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	1.541	1.541	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	1.501	1.501	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	1.461	1.461	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	1.421	1.421	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	1.381	1.381	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	1.341	1.341	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	1.301	1.301	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	1.261	1.261	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	1.221	1.221	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	1.181	1.181	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	1.141	1.141	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	1.101	1.101	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	1.061	1.061	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	1.021	1.021	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.981	0.981	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.941	0.941	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.901	0.901	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.861	0.861	0
-15	22.5	≦* <	27.5	20	1.30166	0.821	0.821	0
-16	17.5	≦* <	22.5	16	1.23815	0.781	0.781	0
-17	12.5	≦* <	17.5	12	1.17465	0.741	0.741	0
-18	7.5	≦* <	12.5	8	1.11114	0.701	0.701	0
-19	2.5	≦* <	7.5	4	1.04763	0.661	0.661	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.630 ※	0.630	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.954 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	2.421	2.421	17,429.12964
19	192.5	≧* <	197.5	156	3.42820	1.635	1.635	0
18	187.5	≧* <	192.5	152	3.36553	1.605	1.605	0
17	182.5	≧* <	187.5	148	3.30287	1.575	1.575	0
16	177.5	≧* <	182.5	144	3.24021	1.546	1.546	0
15	172.5	≧* <	177.5	140	3.17754	1.516	1.516	0
14	167.5	≧* <	172.5	136	3.11488	1.486	1.486	0
13	162.5	≧* <	167.5	132	3.05222	1.456	1.456	1,056.06812
12	157.5	≧* <	162.5	128	2.98955	1.426	1.426	0
11	152.5	≧* <	157.5	124	2.92689	1.396	1.396	4,123.98801
10	147.5	≧* <	152.5	120	2.86423	1.366	1.366	0
9	142.5	≧* <	147.5	116	2.80157	1.336	1.336	0
8	137.5	≧* <	142.5	112	2.73890	1.306	1.306	0
7	132.5	≧* <	137.5	108	2.67624	1.277	1.277	0
6	127.5	≧* <	132.5	104	2.61358	1.247	1.247	1,884.39118
5	122.5	≧* <	127.5	100	2.55091	1.217	1.217	0
4	117.5	≧* <	122.5	96	2.48825	1.187	1.187	0
3	112.5	≧* <	117.5	92	2.42559	1.157	1.157	1,603.31499
2	107.5	≧* <	112.5	88	2.36292	1.127	1.127	1,020.78144
1	102.5	≧* <	107.5	84	2.30026	1.097	1.097	1,856.30982
0	97.5	≧* <	102.5	80	2.23760	1.067	1.067	0
-1	92.5	≧* <	97.5	76	2.17493	1.037	1.037	9,939.43010
-2	87.5	≧* <	92.5	72	2.11227	1.008	1.008	3,607.75716
-3	82.5	≧* <	87.5	68	2.04961	0.978	0.978	19,965.25101
-4	77.5	≧* <	82.5	64	1.98694	0.948	0.948	5,627.01408
-5	72.5	≧* <	77.5	60	1.92428	0.918	0.918	3,633.04064
-6	67.5	≧* <	72.5	56	1.86162	0.888	0.888	1,061.12340
-7	62.5	≧* <	67.5	52	1.79896	0.858	0.858	1,365.41064
-8	57.5	≧* <	62.5	48	1.73629	0.828	0.828	774.38534
-9	52.5	≧* <	57.5	44	1.67363	0.798	0.798	9,799.10365
-10	47.5	≧* <	52.5	40	1.61097	0.768	0.768	2,699.98572
-11	42.5	≧* <	47.5	36	1.54830	0.739	0.739	3,364.45590
-12	37.5	≧* <	42.5	32	1.48564	0.709	0.709	5,340.87580
-13	32.5	≧* <	37.5	28	1.42298	0.679	0.679	21,962.27332
-14	27.5	≧* <	32.5	24	1.36031	0.649	0.649	0
-15	22.5	≧* <	27.5	20	1.29765	0.619	0.619	0
-16	17.5	≧* <	22.5	16	1.23499	0.589	0.589	0
-17	12.5	≧* <	17.5	12	1.17232	0.559	0.559	0
-18	7.5	≧* <	12.5	8	1.10966	0.529	0.529	0
-19	2.5	≧* <	7.5	4	1.04700	0.499	0.499	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.477	0.477	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.946 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	2.401	2.401	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	1.622	1.622	0
18	187.5	≦* <	192.5	152	3.36553	1.592	1.592	0
17	182.5	≦* <	187.5	148	3.30287	1.562	1.562	0
16	177.5	≦* <	182.5	144	3.24021	1.533	1.533	0
15	172.5	≦* <	177.5	140	3.17754	1.503	1.503	0
14	167.5	≦* <	172.5	136	3.11488	1.473	1.473	0
13	162.5	≦* <	167.5	132	3.05222	1.444	1.444	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	1.414	1.414	0
11	152.5	≦* <	157.5	124	2.92689	1.384	1.384	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	1.355	1.355	0
9	142.5	≦* <	147.5	116	2.80157	1.325	1.325	0
8	137.5	≦* <	142.5	112	2.73890	1.295	1.295	0
7	132.5	≦* <	137.5	108	2.67624	1.266	1.266	0
6	127.5	≦* <	132.5	104	2.61358	1.236	1.236	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	1.207	1.207	0
4	117.5	≦* <	122.5	96	2.48825	1.177	1.177	0
3	112.5	≦* <	117.5	92	2.42559	1.147	1.147	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	1.118	1.118	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	1.088	1.088	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	1.058	1.058	0
-1	92.5	≦* <	97.5	76	2.17493	1.029	1.029	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.999	0.999	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.969	0.969	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.940	0.940	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.910	0.910	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.881	0.881	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.851	0.851	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.821	0.821	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.792	0.792	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.762	0.762	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.732	0.732	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.703	0.703	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.673	0.673	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.643	0.643	0
-15	22.5	≦* <	27.5	20	1.29765	0.614	0.614	0
-16	17.5	≦* <	22.5	16	1.23499	0.584	0.584	0
-17	12.5	≦* <	17.5	12	1.17232	0.555	0.555	0
-18	7.5	≦* <	12.5	8	1.10966	0.525	0.525	0
-19	2.5	≦* <	7.5	4	1.04700	0.495	0.495	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.473	0.473	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.901 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	2.286	2.286	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	1.544	1.544	0
18	187.5	≦* <	192.5	152	3.36553	1.516	1.516	0
17	182.5	≦* <	187.5	148	3.30287	1.488	1.488	0
16	177.5	≦* <	182.5	144	3.24021	1.460	1.460	0
15	172.5	≦* <	177.5	140	3.17754	1.431	1.431	0
14	167.5	≦* <	172.5	136	3.11488	1.403	1.403	0
13	162.5	≦* <	167.5	132	3.05222	1.375	1.375	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	1.347	1.347	0
11	152.5	≦* <	157.5	124	2.92689	1.319	1.319	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	1.290	1.290	0
9	142.5	≦* <	147.5	116	2.80157	1.262	1.262	0
8	137.5	≦* <	142.5	112	2.73890	1.234	1.234	0
7	132.5	≦* <	137.5	108	2.67624	1.206	1.206	0
6	127.5	≦* <	132.5	104	2.61358	1.177	1.177	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	1.149	1.149	0
4	117.5	≦* <	122.5	96	2.48825	1.121	1.121	0
3	112.5	≦* <	117.5	92	2.42559	1.093	1.093	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	1.064	1.064	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	1.036	1.036	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	1.008	1.008	0
-1	92.5	≦* <	97.5	76	2.17493	0.980	0.980	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.952	0.952	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.923	0.923	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.895	0.895	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.867	0.867	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.839	0.839	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.810	0.810	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.782	0.782	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.754	0.754	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.726	0.726	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.698	0.698	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.669	0.669	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.641	0.641	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.613	0.613	0
-15	22.5	≦* <	27.5	20	1.29765	0.585	0.585	0
-16	17.5	≦* <	22.5	16	1.23499	0.556	0.556	0
-17	12.5	≦* <	17.5	12	1.17232	0.528	0.528	0
-18	7.5	≦* <	12.5	8	1.10966	0.500	0.500	0
-19	2.5	≦* <	7.5	4	1.04700	0.472	0.472	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.450 ※	0.450	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.053 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.121	0.121	0
19	192.5	≦* <	197.5	156	4.49034	0.119	0.119	0
18	187.5	≦* <	192.5	152	4.40026	0.117	0.117	0
17	182.5	≦* <	187.5	148	4.31019	0.114	0.114	0
16	177.5	≦* <	182.5	144	4.22012	0.112	0.112	0
15	172.5	≦* <	177.5	140	4.13004	0.109	0.109	0
14	167.5	≦* <	172.5	136	4.03997	0.107	0.107	0
13	162.5	≦* <	167.5	132	3.94990	0.105	0.105	0
12	157.5	≦* <	162.5	128	3.85982	0.102	0.102	0
11	152.5	≦* <	157.5	124	3.76975	0.100	0.100	0
10	147.5	≦* <	152.5	120	3.67968	0.098	0.098	0
9	142.5	≦* <	147.5	116	3.58960	0.095	0.095	0
8	137.5	≦* <	142.5	112	3.49953	0.093	0.093	0
7	132.5	≦* <	137.5	108	3.40946	0.090	0.090	0
6	127.5	≦* <	132.5	104	3.31939	0.088	0.088	0
5	122.5	≦* <	127.5	100	3.22931	0.086	0.086	0
4	117.5	≦* <	122.5	96	3.13924	0.083	0.083	0
3	112.5	≦* <	117.5	92	3.04917	0.081	0.081	0
2	107.5	≦* <	112.5	88	2.95909	0.078	0.078	0
1	102.5	≦* <	107.5	84	2.86902	0.076	0.076	0
0	97.5	≦* <	102.5	80	2.77895	0.074	0.074	0
-1	92.5	≦* <	97.5	76	2.68887	0.071	0.071	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.069	0.069	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.066	0.066	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.064	0.064	0
-5	72.5	≦* <	77.5	60	2.32858	0.062	0.062	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.059	0.059	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.057	0.057	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.055	0.055	0
-9	52.5	≦* <	57.5	44	1.96829	0.052	0.052	0
-10	47.5	≦* <	52.5	40	1.87821	0.050	0.050	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.047	0.047	0
-12	37.5	≦* <	42.5	32	1.69807	0.045	0.045	0
-13	32.5	≦* <	37.5	28	1.60799	0.043	0.043	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.040	0.040	0
-15	22.5	≦* <	27.5	20	1.42785	0.038	0.038	0
-16	17.5	≦* <	22.5	16	1.33777	0.035	0.035	0
-17	12.5	≦* <	17.5	12	1.24770	0.033	0.033	0
-18	7.5	≦* <	12.5	8	1.15763	0.031	0.031	0
-19	2.5	≦* <	7.5	4	1.06755	0.028	0.028	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.026 ※	0.026	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.048 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.110	0.110	0
19	192.5	≦* <	197.5	156	4.49034	0.108	0.108	0
18	187.5	≦* <	192.5	152	4.40026	0.106	0.106	0
17	182.5	≦* <	187.5	148	4.31019	0.103	0.103	0
16	177.5	≦* <	182.5	144	4.22012	0.101	0.101	0
15	172.5	≦* <	177.5	140	4.13004	0.099	0.099	0
14	167.5	≦* <	172.5	136	4.03997	0.097	0.097	0
13	162.5	≦* <	167.5	132	3.94990	0.095	0.095	0
12	157.5	≦* <	162.5	128	3.85982	0.093	0.093	0
11	152.5	≦* <	157.5	124	3.76975	0.090	0.090	0
10	147.5	≦* <	152.5	120	3.67968	0.088	0.088	0
9	142.5	≦* <	147.5	116	3.58960	0.086	0.086	0
8	137.5	≦* <	142.5	112	3.49953	0.084	0.084	0
7	132.5	≦* <	137.5	108	3.40946	0.082	0.082	0
6	127.5	≦* <	132.5	104	3.31939	0.080	0.080	0
5	122.5	≦* <	127.5	100	3.22931	0.078	0.078	0
4	117.5	≦* <	122.5	96	3.13924	0.075	0.075	0
3	112.5	≦* <	117.5	92	3.04917	0.073	0.073	0
2	107.5	≦* <	112.5	88	2.95909	0.071	0.071	0
1	102.5	≦* <	107.5	84	2.86902	0.069	0.069	0
0	97.5	≦* <	102.5	80	2.77895	0.067	0.067	0
-1	92.5	≦* <	97.5	76	2.68887	0.065	0.065	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.062	0.062	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.060	0.060	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.058	0.058	0
-5	72.5	≦* <	77.5	60	2.32858	0.056	0.056	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.054	0.054	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.052	0.052	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.049	0.049	0
-9	52.5	≦* <	57.5	44	1.96829	0.047	0.047	0
-10	47.5	≦* <	52.5	40	1.87821	0.045	0.045	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.043	0.043	0
-12	37.5	≦* <	42.5	32	1.69807	0.041	0.041	0
-13	32.5	≦* <	37.5	28	1.60799	0.039	0.039	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.036	0.036	0
-15	22.5	≦* <	27.5	20	1.42785	0.034	0.034	0
-16	17.5	≦* <	22.5	16	1.33777	0.032	0.032	0
-17	12.5	≦* <	17.5	12	1.24770	0.030	0.030	0
-18	7.5	≦* <	12.5	8	1.15763	0.028	0.028	0
-19	2.5	≦* <	7.5	4	1.06755	0.026	0.026	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.024	0.024	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.042 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.096	0.096	0
19	192.5	≦* <	197.5	156	4.49034	0.094	0.094	0
18	187.5	≦* <	192.5	152	4.40026	0.092	0.092	0
17	182.5	≦* <	187.5	148	4.31019	0.091	0.091	0
16	177.5	≦* <	182.5	144	4.22012	0.089	0.089	0
15	172.5	≦* <	177.5	140	4.13004	0.087	0.087	0
14	167.5	≦* <	172.5	136	4.03997	0.085	0.085	0
13	162.5	≦* <	167.5	132	3.94990	0.083	0.083	0
12	157.5	≦* <	162.5	128	3.85982	0.081	0.081	0
11	152.5	≦* <	157.5	124	3.76975	0.079	0.079	0
10	147.5	≦* <	152.5	120	3.67968	0.077	0.077	0
9	142.5	≦* <	147.5	116	3.58960	0.075	0.075	0
8	137.5	≦* <	142.5	112	3.49953	0.073	0.073	0
7	132.5	≦* <	137.5	108	3.40946	0.072	0.072	0
6	127.5	≦* <	132.5	104	3.31939	0.070	0.070	0
5	122.5	≦* <	127.5	100	3.22931	0.068	0.068	0
4	117.5	≦* <	122.5	96	3.13924	0.066	0.066	0
3	112.5	≦* <	117.5	92	3.04917	0.064	0.064	0
2	107.5	≦* <	112.5	88	2.95909	0.062	0.062	0
1	102.5	≦* <	107.5	84	2.86902	0.060	0.060	0
0	97.5	≦* <	102.5	80	2.77895	0.058	0.058	0
-1	92.5	≦* <	97.5	76	2.68887	0.056	0.056	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.055	0.055	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.053	0.053	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.051	0.051	0
-5	72.5	≦* <	77.5	60	2.32858	0.049	0.049	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.047	0.047	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.045	0.045	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.043	0.043	0
-9	52.5	≦* <	57.5	44	1.96829	0.041	0.041	0
-10	47.5	≦* <	52.5	40	1.87821	0.039	0.039	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.038	0.038	0
-12	37.5	≦* <	42.5	32	1.69807	0.036	0.036	0
-13	32.5	≦* <	37.5	28	1.60799	0.034	0.034	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.032	0.032	0
-15	22.5	≦* <	27.5	20	1.42785	0.030	0.030	0
-16	17.5	≦* <	22.5	16	1.33777	0.028	0.028	0
-17	12.5	≦* <	17.5	12	1.24770	0.026	0.026	0
-18	7.5	≦* <	12.5	8	1.15763	0.024	0.024	0
-19	2.5	≦* <	7.5	4	1.06755	0.022	0.022	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.021	0.021	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 5.439 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	9.371	9.371	0
19	192.5	≦* <	197.5	156	3.38446	9.204	9.204	0
18	187.5	≦* <	192.5	152	3.32292	9.037	9.037	0
17	182.5	≦* <	187.5	148	3.26139	8.869	8.869	0
16	177.5	≦* <	182.5	144	3.19985	8.702	8.702	0
15	172.5	≦* <	177.5	140	3.13832	8.535	8.535	0
14	167.5	≦* <	172.5	136	3.07678	8.367	8.367	0
13	162.5	≦* <	167.5	132	3.01525	8.200	8.200	0
12	157.5	≦* <	162.5	128	2.95372	8.033	8.033	0
11	152.5	≦* <	157.5	124	2.89218	7.865	7.865	0
10	147.5	≦* <	152.5	120	2.83065	7.698	7.698	0
9	142.5	≦* <	147.5	116	2.76911	7.531	7.531	0
8	137.5	≦* <	142.5	112	2.70758	7.363	7.363	0
7	132.5	≦* <	137.5	108	2.64604	7.196	7.196	0
6	127.5	≦* <	132.5	104	2.58451	7.029	7.029	0
5	122.5	≦* <	127.5	100	2.52297	6.861	6.861	47.93643
4	117.5	≦* <	122.5	96	2.46144	6.694	6.694	0
3	112.5	≦* <	117.5	92	2.39991	6.527	6.527	0
2	107.5	≦* <	112.5	88	2.33837	6.359	6.359	0
1	102.5	≦* <	107.5	84	2.27684	6.192	6.192	0
0	97.5	≦* <	102.5	80	2.21530	6.025	6.025	0
-1	92.5	≦* <	97.5	76	2.15377	5.857	5.857	0
-2	87.5	≦* <	92.5	72	2.09223	5.690	5.690	479.12067
-3	82.5	≦* <	87.5	68	2.03070	5.522	5.522	62.95170
-4	77.5	≦* <	82.5	64	1.96917	5.355	5.355	19.69170
-5	72.5	≦* <	77.5	60	1.90763	5.188	5.188	0
-6	67.5	≦* <	72.5	56	1.84610	5.020	5.020	286.14550
-7	62.5	≦* <	67.5	52	1.78456	4.853	4.853	0
-8	57.5	≦* <	62.5	48	1.72303	4.686	4.686	0
-9	52.5	≦* <	57.5	44	1.66149	4.518	4.518	0
-10	47.5	≦* <	52.5	40	1.59996	4.351	4.351	0
-11	42.5	≦* <	47.5	36	1.53843	4.184	4.184	0
-12	37.5	≦* <	42.5	32	1.47689	4.016	4.016	22.15335
-13	32.5	≦* <	37.5	28	1.41536	3.849	3.849	0
-14	27.5	≦* <	32.5	24	1.35382	3.682	3.682	0
-15	22.5	≦* <	27.5	20	1.29229	3.514	3.514	0
-16	17.5	≦* <	22.5	16	1.23075	3.347	3.347	0
-17	12.5	≦* <	17.5	12	1.16922	3.180	3.180	0
-18	7.5	≦* <	12.5	8	1.10769	3.012	3.012	0
-19	2.5	≦* <	7.5	4	1.04615	2.845	2.845	0
-20	0.0	≦* <	2.5	1.00	1.00000	2.719 ※	2.719	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.113 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	3.641	3.641	0
19	192.5	≦* <	197.5	156	3.38446	3.576	3.576	0
18	187.5	≦* <	192.5	152	3.32292	3.511	3.511	0
17	182.5	≦* <	187.5	148	3.26139	3.446	3.446	0
16	177.5	≦* <	182.5	144	3.19985	3.381	3.381	0
15	172.5	≦* <	177.5	140	3.13832	3.316	3.316	0
14	167.5	≦* <	172.5	136	3.07678	3.251	3.251	0
13	162.5	≦* <	167.5	132	3.01525	3.186	3.186	0
12	157.5	≦* <	162.5	128	2.95372	3.121	3.121	0
11	152.5	≦* <	157.5	124	2.89218	3.056	3.056	0
10	147.5	≦* <	152.5	120	2.83065	2.991	2.991	0
9	142.5	≦* <	147.5	116	2.76911	2.926	2.926	0
8	137.5	≦* <	142.5	112	2.70758	2.861	2.861	0
7	132.5	≦* <	137.5	108	2.64604	2.796	2.796	0
6	127.5	≦* <	132.5	104	2.58451	2.731	2.731	0
5	122.5	≦* <	127.5	100	2.52297	2.666	2.666	47.93643
4	117.5	≦* <	122.5	96	2.46144	2.601	2.601	0
3	112.5	≦* <	117.5	92	2.39991	2.536	2.536	0
2	107.5	≦* <	112.5	88	2.33837	2.470	2.470	0
1	102.5	≦* <	107.5	84	2.27684	2.405	2.405	0
0	97.5	≦* <	102.5	80	2.21530	2.340	2.340	0
-1	92.5	≦* <	97.5	76	2.15377	2.275	2.275	0
-2	87.5	≦* <	92.5	72	2.09223	2.210	2.210	479.12067
-3	82.5	≦* <	87.5	68	2.03070	2.145	2.145	62.95170
-4	77.5	≦* <	82.5	64	1.96917	2.080	2.080	19.69170
-5	72.5	≦* <	77.5	60	1.90763	2.015	2.015	0
-6	67.5	≦* <	72.5	56	1.84610	1.950	1.950	286.14550
-7	62.5	≦* <	67.5	52	1.78456	1.885	1.885	0
-8	57.5	≦* <	62.5	48	1.72303	1.820	1.820	0
-9	52.5	≦* <	57.5	44	1.66149	1.755	1.755	0
-10	47.5	≦* <	52.5	40	1.59996	1.690	1.690	0
-11	42.5	≦* <	47.5	36	1.53843	1.625	1.625	0
-12	37.5	≦* <	42.5	32	1.47689	1.560	1.560	22.15335
-13	32.5	≦* <	37.5	28	1.41536	1.495	1.495	0
-14	27.5	≦* <	32.5	24	1.35382	1.430	1.430	0
-15	22.5	≦* <	27.5	20	1.29229	1.365	1.365	0
-16	17.5	≦* <	22.5	16	1.23075	1.300	1.300	0
-17	12.5	≦* <	17.5	12	1.16922	1.235	1.235	0
-18	7.5	≦* <	12.5	8	1.10769	1.170	1.170	0
-19	2.5	≦* <	7.5	4	1.04615	1.105	1.105	0
-20	0.0	≦* <	2.5	1.00	1.00000	1.056 ※	1.056	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.081 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	1.863	1.863	0
19	192.5	≦* <	197.5	156	3.38446	1.829	1.829	0
18	187.5	≦* <	192.5	152	3.32292	1.796	1.796	0
17	182.5	≦* <	187.5	148	3.26139	1.763	1.763	0
16	177.5	≦* <	182.5	144	3.19985	1.730	1.730	0
15	172.5	≦* <	177.5	140	3.13832	1.696	1.696	0
14	167.5	≦* <	172.5	136	3.07678	1.663	1.663	0
13	162.5	≦* <	167.5	132	3.01525	1.630	1.630	0
12	157.5	≦* <	162.5	128	2.95372	1.596	1.596	0
11	152.5	≦* <	157.5	124	2.89218	1.563	1.563	0
10	147.5	≦* <	152.5	120	2.83065	1.530	1.530	0
9	142.5	≦* <	147.5	116	2.76911	1.497	1.497	0
8	137.5	≦* <	142.5	112	2.70758	1.463	1.463	0
7	132.5	≦* <	137.5	108	2.64604	1.430	1.430	0
6	127.5	≦* <	132.5	104	2.58451	1.397	1.397	0
5	122.5	≦* <	127.5	100	2.52297	1.364	1.364	47.93643
4	117.5	≦* <	122.5	96	2.46144	1.330	1.330	0
3	112.5	≦* <	117.5	92	2.39991	1.297	1.297	0
2	107.5	≦* <	112.5	88	2.33837	1.264	1.264	0
1	102.5	≦* <	107.5	84	2.27684	1.231	1.231	0
0	97.5	≦* <	102.5	80	2.21530	1.197	1.197	0
-1	92.5	≦* <	97.5	76	2.15377	1.164	1.164	0
-2	87.5	≦* <	92.5	72	2.09223	1.131	1.131	479.12067
-3	82.5	≦* <	87.5	68	2.03070	1.098	1.098	62.95170
-4	77.5	≦* <	82.5	64	1.96917	1.064	1.064	19.69170
-5	72.5	≦* <	77.5	60	1.90763	1.031	1.031	0
-6	67.5	≦* <	72.5	56	1.84610	0.998	0.998	286.14550
-7	62.5	≦* <	67.5	52	1.78456	0.965	0.965	0
-8	57.5	≦* <	62.5	48	1.72303	0.931	0.931	0
-9	52.5	≦* <	57.5	44	1.66149	0.898	0.898	0
-10	47.5	≦* <	52.5	40	1.59996	0.865	0.865	0
-11	42.5	≦* <	47.5	36	1.53843	0.832	0.832	0
-12	37.5	≦* <	42.5	32	1.47689	0.798	0.798	22.15335
-13	32.5	≦* <	37.5	28	1.41536	0.765	0.765	0
-14	27.5	≦* <	32.5	24	1.35382	0.732	0.732	0
-15	22.5	≦* <	27.5	20	1.29229	0.698	0.698	0
-16	17.5	≦* <	22.5	16	1.23075	0.665	0.665	0
-17	12.5	≦* <	17.5	12	1.16922	0.632	0.632	0
-18	7.5	≦* <	12.5	8	1.10769	0.599	0.599	0
-19	2.5	≦* <	7.5	4	1.04615	0.565	0.565	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.540 ※	0.540	0
計	平 均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.261 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.899	1.899	0
19	192.5	≦* <	197.5	156	2.96142	1.867	1.867	0
18	187.5	≦* <	192.5	152	2.91081	1.835	1.835	0
17	182.5	≦* <	187.5	148	2.86019	1.803	1.803	0
16	177.5	≦* <	182.5	144	2.80957	1.771	1.771	0
15	172.5	≦* <	177.5	140	2.75895	1.740	1.740	0
14	167.5	≦* <	172.5	136	2.70834	1.708	1.708	0
13	162.5	≦* <	167.5	132	2.65772	1.676	1.676	0
12	157.5	≦* <	162.5	128	2.60710	1.644	1.644	0
11	152.5	≦* <	157.5	124	2.55648	1.612	1.612	0
10	147.5	≦* <	152.5	120	2.50587	1.580	1.580	0
9	142.5	≦* <	147.5	116	2.45525	1.548	1.548	0
8	137.5	≦* <	142.5	112	2.40463	1.516	1.516	0
7	132.5	≦* <	137.5	108	2.35401	1.484	1.484	0
6	127.5	≦* <	132.5	104	2.30340	1.452	1.452	0
5	122.5	≦* <	127.5	100	2.25278	1.420	1.420	0
4	117.5	≦* <	122.5	96	2.20216	1.388	1.388	0
3	112.5	≦* <	117.5	92	2.15154	1.357	1.357	0
2	107.5	≦* <	112.5	88	2.10093	1.325	1.325	0
1	102.5	≦* <	107.5	84	2.05031	1.293	1.293	0
0	97.5	≦* <	102.5	80	1.99969	1.261	1.261	0
-1	92.5	≦* <	97.5	76	1.94908	1.229	1.229	0
-2	87.5	≦* <	92.5	72	1.89846	1.197	1.197	0
-3	82.5	≦* <	87.5	68	1.84784	1.165	1.165	0
-4	77.5	≦* <	82.5	64	1.79722	1.133	1.133	0
-5	72.5	≦* <	77.5	60	1.74661	1.101	1.101	0
-6	67.5	≦* <	72.5	56	1.69599	1.069	1.069	0
-7	62.5	≦* <	67.5	52	1.64537	1.037	1.037	0
-8	57.5	≦* <	62.5	48	1.59475	1.005	1.005	0
-9	52.5	≦* <	57.5	44	1.54414	0.974	0.974	0
-10	47.5	≦* <	52.5	40	1.49352	0.942	0.942	0
-11	42.5	≦* <	47.5	36	1.44290	0.910	0.910	0
-12	37.5	≦* <	42.5	32	1.39228	0.878	0.878	0
-13	32.5	≦* <	37.5	28	1.34167	0.846	0.846	0
-14	27.5	≦* <	32.5	24	1.29105	0.814	0.814	0
-15	22.5	≦* <	27.5	20	1.24043	0.782	0.782	0
-16	17.5	≦* <	22.5	16	1.18982	0.750	0.750	0
-17	12.5	≦* <	17.5	12	1.13920	0.718	0.718	0
-18	7.5	≦* <	12.5	8	1.08858	0.686	0.686	0
-19	2.5	≦* <	7.5	4	1.03796	0.654	0.654	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.630 ※	0.630	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.953 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.435	1.435	0
19	192.5	≧* <	197.5	156	2.96142	1.411	1.411	0
18	187.5	≧* <	192.5	152	2.91081	1.387	1.387	0
17	182.5	≧* <	187.5	148	2.86019	1.363	1.363	0
16	177.5	≧* <	182.5	144	2.80957	1.339	1.339	0
15	172.5	≧* <	177.5	140	2.75895	1.315	1.315	0
14	167.5	≧* <	172.5	136	2.70834	1.291	1.291	0
13	162.5	≧* <	167.5	132	2.65772	1.266	1.266	0
12	157.5	≧* <	162.5	128	2.60710	1.242	1.242	0
11	152.5	≧* <	157.5	124	2.55648	1.218	1.218	0
10	147.5	≧* <	152.5	120	2.50587	1.194	1.194	0
9	142.5	≧* <	147.5	116	2.45525	1.170	1.170	0
8	137.5	≧* <	142.5	112	2.40463	1.146	1.146	0
7	132.5	≧* <	137.5	108	2.35401	1.122	1.122	0
6	127.5	≧* <	132.5	104	2.30340	1.098	1.098	0
5	122.5	≧* <	127.5	100	2.25278	1.073	1.073	0
4	117.5	≧* <	122.5	96	2.20216	1.049	1.049	0
3	112.5	≧* <	117.5	92	2.15154	1.025	1.025	0
2	107.5	≧* <	112.5	88	2.10093	1.001	1.001	0
1	102.5	≧* <	107.5	84	2.05031	0.977	0.977	0
0	97.5	≧* <	102.5	80	1.99969	0.953	0.953	0
-1	92.5	≧* <	97.5	76	1.94908	0.929	0.929	0
-2	87.5	≧* <	92.5	72	1.89846	0.905	0.905	0
-3	82.5	≧* <	87.5	68	1.84784	0.880	0.880	0
-4	77.5	≧* <	82.5	64	1.79722	0.856	0.856	0
-5	72.5	≧* <	77.5	60	1.74661	0.832	0.832	0
-6	67.5	≧* <	72.5	56	1.69599	0.808	0.808	0
-7	62.5	≧* <	67.5	52	1.64537	0.784	0.784	0
-8	57.5	≧* <	62.5	48	1.59475	0.760	0.760	0
-9	52.5	≧* <	57.5	44	1.54414	0.736	0.736	0
-10	47.5	≧* <	52.5	40	1.49352	0.712	0.712	0
-11	42.5	≧* <	47.5	36	1.44290	0.688	0.688	0
-12	37.5	≧* <	42.5	32	1.39228	0.663	0.663	0
-13	32.5	≧* <	37.5	28	1.34167	0.639	0.639	0
-14	27.5	≧* <	32.5	24	1.29105	0.615	0.615	0
-15	22.5	≧* <	27.5	20	1.24043	0.591	0.591	0
-16	17.5	≧* <	22.5	16	1.18982	0.567	0.567	0
-17	12.5	≧* <	17.5	12	1.13920	0.543	0.543	0
-18	7.5	≧* <	12.5	8	1.08858	0.519	0.519	0
-19	2.5	≧* <	7.5	4	1.03796	0.495	0.495	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.476 ※	0.476	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.697 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.050	1.050	0
19	192.5	≦* <	197.5	156	2.96142	1.032	1.032	0
18	187.5	≦* <	192.5	152	2.91081	1.014	1.014	0
17	182.5	≦* <	187.5	148	2.86019	0.997	0.997	0
16	177.5	≦* <	182.5	144	2.80957	0.979	0.979	0
15	172.5	≦* <	177.5	140	2.75895	0.961	0.961	0
14	167.5	≦* <	172.5	136	2.70834	0.944	0.944	0
13	162.5	≦* <	167.5	132	2.65772	0.926	0.926	0
12	157.5	≦* <	162.5	128	2.60710	0.909	0.909	0
11	152.5	≦* <	157.5	124	2.55648	0.891	0.891	0
10	147.5	≦* <	152.5	120	2.50587	0.873	0.873	0
9	142.5	≦* <	147.5	116	2.45525	0.856	0.856	0
8	137.5	≦* <	142.5	112	2.40463	0.838	0.838	0
7	132.5	≦* <	137.5	108	2.35401	0.820	0.820	0
6	127.5	≦* <	132.5	104	2.30340	0.803	0.803	0
5	122.5	≦* <	127.5	100	2.25278	0.785	0.785	0
4	117.5	≦* <	122.5	96	2.20216	0.767	0.767	0
3	112.5	≦* <	117.5	92	2.15154	0.750	0.750	0
2	107.5	≦* <	112.5	88	2.10093	0.732	0.732	0
1	102.5	≦* <	107.5	84	2.05031	0.715	0.715	0
0	97.5	≦* <	102.5	80	1.99969	0.697	0.697	0
-1	92.5	≦* <	97.5	76	1.94908	0.679	0.679	0
-2	87.5	≦* <	92.5	72	1.89846	0.662	0.662	0
-3	82.5	≦* <	87.5	68	1.84784	0.644	0.644	0
-4	77.5	≦* <	82.5	64	1.79722	0.626	0.626	0
-5	72.5	≦* <	77.5	60	1.74661	0.609	0.609	0
-6	67.5	≦* <	72.5	56	1.69599	0.591	0.591	0
-7	62.5	≦* <	67.5	52	1.64537	0.573	0.573	0
-8	57.5	≦* <	62.5	48	1.59475	0.556	0.556	0
-9	52.5	≦* <	57.5	44	1.54414	0.538	0.538	0
-10	47.5	≦* <	52.5	40	1.49352	0.520	0.520	0
-11	42.5	≦* <	47.5	36	1.44290	0.503	0.503	0
-12	37.5	≦* <	42.5	32	1.39228	0.485	0.485	0
-13	32.5	≦* <	37.5	28	1.34167	0.468	0.468	0
-14	27.5	≦* <	32.5	24	1.29105	0.450	0.450	0
-15	22.5	≦* <	27.5	20	1.24043	0.432	0.432	0
-16	17.5	≦* <	22.5	16	1.18982	0.415	0.415	0
-17	12.5	≦* <	17.5	12	1.13920	0.397	0.397	0
-18	7.5	≦* <	12.5	8	1.08858	0.379	0.379	0
-19	2.5	≦* <	7.5	4	1.03796	0.362	0.362	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.348 ※	0.348	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.057 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.086	0.086	0
19	192.5	≦* <	197.5	156	2.96142	0.084	0.084	0
18	187.5	≦* <	192.5	152	2.91081	0.083	0.083	0
17	182.5	≦* <	187.5	148	2.86019	0.082	0.082	0
16	177.5	≦* <	182.5	144	2.80957	0.080	0.080	0
15	172.5	≦* <	177.5	140	2.75895	0.079	0.079	0
14	167.5	≦* <	172.5	136	2.70834	0.077	0.077	0
13	162.5	≦* <	167.5	132	2.65772	0.076	0.076	0
12	157.5	≦* <	162.5	128	2.60710	0.074	0.074	0
11	152.5	≦* <	157.5	124	2.55648	0.073	0.073	0
10	147.5	≦* <	152.5	120	2.50587	0.071	0.071	0
9	142.5	≦* <	147.5	116	2.45525	0.070	0.070	0
8	137.5	≦* <	142.5	112	2.40463	0.069	0.069	0
7	132.5	≦* <	137.5	108	2.35401	0.067	0.067	0
6	127.5	≦* <	132.5	104	2.30340	0.066	0.066	0
5	122.5	≦* <	127.5	100	2.25278	0.064	0.064	0
4	117.5	≦* <	122.5	96	2.20216	0.063	0.063	0
3	112.5	≦* <	117.5	92	2.15154	0.061	0.061	0
2	107.5	≦* <	112.5	88	2.10093	0.060	0.060	0
1	102.5	≦* <	107.5	84	2.05031	0.058	0.058	0
0	97.5	≦* <	102.5	80	1.99969	0.057	0.057	0
-1	92.5	≦* <	97.5	76	1.94908	0.056	0.056	0
-2	87.5	≦* <	92.5	72	1.89846	0.054	0.054	0
-3	82.5	≦* <	87.5	68	1.84784	0.053	0.053	0
-4	77.5	≦* <	82.5	64	1.79722	0.051	0.051	0
-5	72.5	≦* <	77.5	60	1.74661	0.050	0.050	0
-6	67.5	≦* <	72.5	56	1.69599	0.048	0.048	0
-7	62.5	≦* <	67.5	52	1.64537	0.047	0.047	0
-8	57.5	≦* <	62.5	48	1.59475	0.045	0.045	0
-9	52.5	≦* <	57.5	44	1.54414	0.044	0.044	0
-10	47.5	≦* <	52.5	40	1.49352	0.043	0.043	0
-11	42.5	≦* <	47.5	36	1.44290	0.041	0.041	0
-12	37.5	≦* <	42.5	32	1.39228	0.040	0.040	0
-13	32.5	≦* <	37.5	28	1.34167	0.038	0.038	0
-14	27.5	≦* <	32.5	24	1.29105	0.037	0.037	0
-15	22.5	≦* <	27.5	20	1.24043	0.035	0.035	0
-16	17.5	≦* <	22.5	16	1.18982	0.034	0.034	0
-17	12.5	≦* <	17.5	12	1.13920	0.032	0.032	0
-18	7.5	≦* <	12.5	8	1.08858	0.031	0.031	0
-19	2.5	≦* <	7.5	4	1.03796	0.030	0.030	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.028 ※	0.028	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.039 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.059	0.059	0
19	192.5	≦* <	197.5	156	2.96142	0.058	0.058	0
18	187.5	≦* <	192.5	152	2.91081	0.057	0.057	0
17	182.5	≦* <	187.5	148	2.86019	0.056	0.056	0
16	177.5	≦* <	182.5	144	2.80957	0.055	0.055	0
15	172.5	≦* <	177.5	140	2.75895	0.054	0.054	0
14	167.5	≦* <	172.5	136	2.70834	0.053	0.053	0
13	162.5	≦* <	167.5	132	2.65772	0.052	0.052	0
12	157.5	≦* <	162.5	128	2.60710	0.051	0.051	0
11	152.5	≦* <	157.5	124	2.55648	0.050	0.050	0
10	147.5	≦* <	152.5	120	2.50587	0.049	0.049	0
9	142.5	≦* <	147.5	116	2.45525	0.048	0.048	0
8	137.5	≦* <	142.5	112	2.40463	0.047	0.047	0
7	132.5	≦* <	137.5	108	2.35401	0.046	0.046	0
6	127.5	≦* <	132.5	104	2.30340	0.045	0.045	0
5	122.5	≦* <	127.5	100	2.25278	0.044	0.044	0
4	117.5	≦* <	122.5	96	2.20216	0.043	0.043	0
3	112.5	≦* <	117.5	92	2.15154	0.042	0.042	0
2	107.5	≦* <	112.5	88	2.10093	0.041	0.041	0
1	102.5	≦* <	107.5	84	2.05031	0.040	0.040	0
0	97.5	≦* <	102.5	80	1.99969	0.039	0.039	0
-1	92.5	≦* <	97.5	76	1.94908	0.038	0.038	0
-2	87.5	≦* <	92.5	72	1.89846	0.037	0.037	0
-3	82.5	≦* <	87.5	68	1.84784	0.036	0.036	0
-4	77.5	≦* <	82.5	64	1.79722	0.035	0.035	0
-5	72.5	≦* <	77.5	60	1.74661	0.034	0.034	0
-6	67.5	≦* <	72.5	56	1.69599	0.033	0.033	0
-7	62.5	≦* <	67.5	52	1.64537	0.032	0.032	0
-8	57.5	≦* <	62.5	48	1.59475	0.031	0.031	0
-9	52.5	≦* <	57.5	44	1.54414	0.030	0.030	0
-10	47.5	≦* <	52.5	40	1.49352	0.029	0.029	0
-11	42.5	≦* <	47.5	36	1.44290	0.028	0.028	0
-12	37.5	≦* <	42.5	32	1.39228	0.027	0.027	0
-13	32.5	≦* <	37.5	28	1.34167	0.026	0.026	0
-14	27.5	≦* <	32.5	24	1.29105	0.025	0.025	0
-15	22.5	≦* <	27.5	20	1.24043	0.024	0.024	0
-16	17.5	≦* <	22.5	16	1.18982	0.023	0.023	0
-17	12.5	≦* <	17.5	12	1.13920	0.022	0.022	0
-18	7.5	≦* <	12.5	8	1.08858	0.021	0.021	0
-19	2.5	≦* <	7.5	4	1.03796	0.020	0.020	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.019 ※	0.019	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.028 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.042	0.042	0
19	192.5	≦* <	197.5	156	2.96142	0.041	0.041	0
18	187.5	≦* <	192.5	152	2.91081	0.041	0.041	0
17	182.5	≦* <	187.5	148	2.86019	0.040	0.040	0
16	177.5	≦* <	182.5	144	2.80957	0.039	0.039	0
15	172.5	≦* <	177.5	140	2.75895	0.039	0.039	0
14	167.5	≦* <	172.5	136	2.70834	0.038	0.038	0
13	162.5	≦* <	167.5	132	2.65772	0.037	0.037	0
12	157.5	≦* <	162.5	128	2.60710	0.036	0.036	0
11	152.5	≦* <	157.5	124	2.55648	0.036	0.036	0
10	147.5	≦* <	152.5	120	2.50587	0.035	0.035	0
9	142.5	≦* <	147.5	116	2.45525	0.034	0.034	0
8	137.5	≦* <	142.5	112	2.40463	0.034	0.034	0
7	132.5	≦* <	137.5	108	2.35401	0.033	0.033	0
6	127.5	≦* <	132.5	104	2.30340	0.032	0.032	0
5	122.5	≦* <	127.5	100	2.25278	0.032	0.032	0
4	117.5	≦* <	122.5	96	2.20216	0.031	0.031	0
3	112.5	≦* <	117.5	92	2.15154	0.030	0.030	0
2	107.5	≦* <	112.5	88	2.10093	0.029	0.029	0
1	102.5	≦* <	107.5	84	2.05031	0.029	0.029	0
0	97.5	≦* <	102.5	80	1.99969	0.028	0.028	0
-1	92.5	≦* <	97.5	76	1.94908	0.027	0.027	0
-2	87.5	≦* <	92.5	72	1.89846	0.027	0.027	0
-3	82.5	≦* <	87.5	68	1.84784	0.026	0.026	0
-4	77.5	≦* <	82.5	64	1.79722	0.025	0.025	0
-5	72.5	≦* <	77.5	60	1.74661	0.024	0.024	0
-6	67.5	≦* <	72.5	56	1.69599	0.024	0.024	0
-7	62.5	≦* <	67.5	52	1.64537	0.023	0.023	0
-8	57.5	≦* <	62.5	48	1.59475	0.022	0.022	0
-9	52.5	≦* <	57.5	44	1.54414	0.022	0.022	0
-10	47.5	≦* <	52.5	40	1.49352	0.021	0.021	0
-11	42.5	≦* <	47.5	36	1.44290	0.020	0.020	0
-12	37.5	≦* <	42.5	32	1.39228	0.019	0.019	0
-13	32.5	≦* <	37.5	28	1.34167	0.019	0.019	0
-14	27.5	≦* <	32.5	24	1.29105	0.018	0.018	0
-15	22.5	≦* <	27.5	20	1.24043	0.017	0.017	0
-16	17.5	≦* <	22.5	16	1.18982	0.017	0.017	0
-17	12.5	≦* <	17.5	12	1.13920	0.016	0.016	0
-18	7.5	≦* <	12.5	8	1.08858	0.015	0.015	0
-19	2.5	≦* <	7.5	4	1.03796	0.015	0.015	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.014	0.014	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.020 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.033	0.033	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.022	0.022	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.021	0.021	0
17	182.5	≦* <	187.5	148	2.09253	0.021	0.021	0
16	177.5	≦* <	182.5	144	2.06280	0.021	0.021	0
15	172.5	≦* <	177.5	140	2.03307	0.020	0.020	0
14	167.5	≦* <	172.5	136	2.00334	0.020	0.020	0
13	162.5	≦* <	167.5	132	1.97361	0.020	0.020	0
12	157.5	≦* <	162.5	128	1.94388	0.019	0.019	0
11	152.5	≦* <	157.5	124	1.91416	0.019	0.019	0
10	147.5	≦* <	152.5	120	1.88443	0.019	0.019	0
9	142.5	≦* <	147.5	116	1.85470	0.019	0.019	0
8	137.5	≦* <	142.5	112	1.82497	0.018	0.018	0
7	132.5	≦* <	137.5	108	1.79524	0.018	0.018	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.018	0.018	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.017	0.017	0
4	117.5	≦* <	122.5	96	1.70605	0.017	0.017	0
3	112.5	≦* <	117.5	92	1.67633	0.017	0.017	0
2	107.5	≦* <	112.5	88	1.64660	0.016	0.016	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.016	0.016	0
0	97.5	≦* <	102.5	80	1.58714	0.016	0.016	0
-1	92.5	≦* <	97.5	76	1.55741	0.016	0.016	0
-2	87.5	≦* <	92.5	72	1.52768	0.015	0.015	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.015	0.015	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.015	0.015	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.014	0.014	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.014	0.014	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.014	0.014	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.013	0.013	0
-9	52.5	≦* <	57.5	44	1.31958	0.013	0.013	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.013	0.013	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.013	0.013	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.012	0.012	0
-13	32.5	≦* <	37.5	28	1.20067	0.012	0.012	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.012	0.012	0
-15	22.5	≦* <	27.5	20	1.14121	0.011	0.011	0
-16	17.5	≦* <	22.5	16	1.11148	0.011	0.011	0
-17	12.5	≦* <	17.5	12	1.08175	0.011	0.011	0
-18	7.5	≦* <	12.5	8	1.05203	0.011	0.011	0
-19	2.5	≦* <	7.5	4	1.02230	0.010	0.010	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.010	0.010	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.017 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.028	0.028	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.018	0.018	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.018	0.018	0
17	182.5	≦* <	187.5	148	2.09253	0.018	0.018	0
16	177.5	≦* <	182.5	144	2.06280	0.018	0.018	0
15	172.5	≦* <	177.5	140	2.03307	0.017	0.017	0
14	167.5	≦* <	172.5	136	2.00334	0.017	0.017	0
13	162.5	≦* <	167.5	132	1.97361	0.017	0.017	0
12	157.5	≦* <	162.5	128	1.94388	0.017	0.017	0
11	152.5	≦* <	157.5	124	1.91416	0.016	0.016	0
10	147.5	≦* <	152.5	120	1.88443	0.016	0.016	0
9	142.5	≦* <	147.5	116	1.85470	0.016	0.016	0
8	137.5	≦* <	142.5	112	1.82497	0.016	0.016	0
7	132.5	≦* <	137.5	108	1.79524	0.015	0.015	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.015	0.015	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.015	0.015	0
4	117.5	≦* <	122.5	96	1.70605	0.015	0.015	0
3	112.5	≦* <	117.5	92	1.67633	0.014	0.014	0
2	107.5	≦* <	112.5	88	1.64660	0.014	0.014	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.014	0.014	0
0	97.5	≦* <	102.5	80	1.58714	0.013	0.013	0
-1	92.5	≦* <	97.5	76	1.55741	0.013	0.013	0
-2	87.5	≦* <	92.5	72	1.52768	0.013	0.013	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.013	0.013	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.012	0.012	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.012	0.012	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.012	0.012	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.012	0.012	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.011	0.011	0
-9	52.5	≦* <	57.5	44	1.31958	0.011	0.011	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.011	0.011	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.011	0.011	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.010	0.010	0
-13	32.5	≦* <	37.5	28	1.20067	0.010	0.010	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.010	0.010	0
-15	22.5	≦* <	27.5	20	1.14121	0.010	0.010	0
-16	17.5	≦* <	22.5	16	1.11148	0.009	0.009	0
-17	12.5	≦* <	17.5	12	1.08175	0.009	0.009	0
-18	7.5	≦* <	12.5	8	1.05203	0.009	0.009	0
-19	2.5	≦* <	7.5	4	1.02230	0.009	0.009	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.008 ※	0.008	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.014 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.023	0.023	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.015	0.015	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.015	0.015	0
17	182.5	≦* <	187.5	148	2.09253	0.015	0.015	0
16	177.5	≦* <	182.5	144	2.06280	0.014	0.014	0
15	172.5	≦* <	177.5	140	2.03307	0.014	0.014	0
14	167.5	≦* <	172.5	136	2.00334	0.014	0.014	0
13	162.5	≦* <	167.5	132	1.97361	0.014	0.014	0
12	157.5	≦* <	162.5	128	1.94388	0.014	0.014	0
11	152.5	≦* <	157.5	124	1.91416	0.013	0.013	0
10	147.5	≦* <	152.5	120	1.88443	0.013	0.013	0
9	142.5	≦* <	147.5	116	1.85470	0.013	0.013	0
8	137.5	≦* <	142.5	112	1.82497	0.013	0.013	0
7	132.5	≦* <	137.5	108	1.79524	0.013	0.013	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.012	0.012	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.012	0.012	0
4	117.5	≦* <	122.5	96	1.70605	0.012	0.012	0
3	112.5	≦* <	117.5	92	1.67633	0.012	0.012	0
2	107.5	≦* <	112.5	88	1.64660	0.012	0.012	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.011	0.011	0
0	97.5	≦* <	102.5	80	1.58714	0.011	0.011	0
-1	92.5	≦* <	97.5	76	1.55741	0.011	0.011	0
-2	87.5	≦* <	92.5	72	1.52768	0.011	0.011	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.010	0.010	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.010	0.010	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.010	0.010	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.010	0.010	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.010	0.010	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.009	0.009	0
-9	52.5	≦* <	57.5	44	1.31958	0.009	0.009	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.009	0.009	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.009	0.009	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.009	0.009	0
-13	32.5	≦* <	37.5	28	1.20067	0.008	0.008	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.008	0.008	0
-15	22.5	≦* <	27.5	20	1.14121	0.008	0.008	0
-16	17.5	≦* <	22.5	16	1.11148	0.008	0.008	0
-17	12.5	≦* <	17.5	12	1.08175	0.008	0.008	0
-18	7.5	≦* <	12.5	8	1.05203	0.007	0.007	0
-19	2.5	≦* <	7.5	4	1.02230	0.007	0.007	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.007	0.007	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.166 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.250	0.250	0
19	192.5	≦* <	197.5	156	2.96142	0.246	0.246	0
18	187.5	≦* <	192.5	152	2.91081	0.242	0.242	0
17	182.5	≦* <	187.5	148	2.86019	0.237	0.237	0
16	177.5	≦* <	182.5	144	2.80957	0.233	0.233	0
15	172.5	≦* <	177.5	140	2.75895	0.229	0.229	0
14	167.5	≦* <	172.5	136	2.70834	0.225	0.225	0
13	162.5	≦* <	167.5	132	2.65772	0.221	0.221	0
12	157.5	≦* <	162.5	128	2.60710	0.216	0.216	0
11	152.5	≦* <	157.5	124	2.55648	0.212	0.212	0
10	147.5	≦* <	152.5	120	2.50587	0.208	0.208	0
9	142.5	≦* <	147.5	116	2.45525	0.204	0.204	0
8	137.5	≦* <	142.5	112	2.40463	0.200	0.200	0
7	132.5	≦* <	137.5	108	2.35401	0.195	0.195	0
6	127.5	≦* <	132.5	104	2.30340	0.191	0.191	0
5	122.5	≦* <	127.5	100	2.25278	0.187	0.187	0
4	117.5	≦* <	122.5	96	2.20216	0.183	0.183	0
3	112.5	≦* <	117.5	92	2.15154	0.179	0.179	0
2	107.5	≦* <	112.5	88	2.10093	0.174	0.174	0
1	102.5	≦* <	107.5	84	2.05031	0.170	0.170	0
0	97.5	≦* <	102.5	80	1.99969	0.166	0.166	0
-1	92.5	≦* <	97.5	76	1.94908	0.162	0.162	0
-2	87.5	≦* <	92.5	72	1.89846	0.158	0.158	0
-3	82.5	≦* <	87.5	68	1.84784	0.153	0.153	0
-4	77.5	≦* <	82.5	64	1.79722	0.149	0.149	0
-5	72.5	≦* <	77.5	60	1.74661	0.145	0.145	0
-6	67.5	≦* <	72.5	56	1.69599	0.141	0.141	0
-7	62.5	≦* <	67.5	52	1.64537	0.137	0.137	0
-8	57.5	≦* <	62.5	48	1.59475	0.132	0.132	0
-9	52.5	≦* <	57.5	44	1.54414	0.128	0.128	0
-10	47.5	≦* <	52.5	40	1.49352	0.124	0.124	0
-11	42.5	≦* <	47.5	36	1.44290	0.120	0.120	0
-12	37.5	≦* <	42.5	32	1.39228	0.116	0.116	0
-13	32.5	≦* <	37.5	28	1.34167	0.111	0.111	0
-14	27.5	≦* <	32.5	24	1.29105	0.107	0.107	0
-15	22.5	≦* <	27.5	20	1.24043	0.103	0.103	0
-16	17.5	≦* <	22.5	16	1.18982	0.099	0.099	0
-17	12.5	≦* <	17.5	12	1.13920	0.095	0.095	0
-18	7.5	≦* <	12.5	8	1.08858	0.090	0.090	0
-19	2.5	≦* <	7.5	4	1.03796	0.086	0.086	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.083	0.083	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	0
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	0
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	0
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	0
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	0
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	0
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	0
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	0
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	0
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	0
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	0
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	0
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	0
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	0
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	0
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	0
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	0
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	0
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	0
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	0
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	0
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	0
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	0
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	0
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	0
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	0
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	0
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	0
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	0
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	0
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	0
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	0
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	0
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.148 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.223	0.223	0
19	192.5	≦* <	197.5	156	2.96142	0.219	0.219	0
18	187.5	≦* <	192.5	152	2.91081	0.215	0.215	0
17	182.5	≦* <	187.5	148	2.86019	0.212	0.212	0
16	177.5	≦* <	182.5	144	2.80957	0.208	0.208	0
15	172.5	≦* <	177.5	140	2.75895	0.204	0.204	0
14	167.5	≦* <	172.5	136	2.70834	0.200	0.200	0
13	162.5	≦* <	167.5	132	2.65772	0.197	0.197	0
12	157.5	≦* <	162.5	128	2.60710	0.193	0.193	0
11	152.5	≦* <	157.5	124	2.55648	0.189	0.189	0
10	147.5	≦* <	152.5	120	2.50587	0.185	0.185	0
9	142.5	≦* <	147.5	116	2.45525	0.182	0.182	0
8	137.5	≦* <	142.5	112	2.40463	0.178	0.178	0
7	132.5	≦* <	137.5	108	2.35401	0.174	0.174	0
6	127.5	≦* <	132.5	104	2.30340	0.170	0.170	0
5	122.5	≦* <	127.5	100	2.25278	0.167	0.167	0
4	117.5	≦* <	122.5	96	2.20216	0.163	0.163	0
3	112.5	≦* <	117.5	92	2.15154	0.159	0.159	0
2	107.5	≦* <	112.5	88	2.10093	0.155	0.155	0
1	102.5	≦* <	107.5	84	2.05031	0.152	0.152	0
0	97.5	≦* <	102.5	80	1.99969	0.148	0.148	0
-1	92.5	≦* <	97.5	76	1.94908	0.144	0.144	0
-2	87.5	≦* <	92.5	72	1.89846	0.140	0.140	0
-3	82.5	≦* <	87.5	68	1.84784	0.137	0.137	0
-4	77.5	≦* <	82.5	64	1.79722	0.133	0.133	0
-5	72.5	≦* <	77.5	60	1.74661	0.129	0.129	0
-6	67.5	≦* <	72.5	56	1.69599	0.126	0.126	0
-7	62.5	≦* <	67.5	52	1.64537	0.122	0.122	0
-8	57.5	≦* <	62.5	48	1.59475	0.118	0.118	0
-9	52.5	≦* <	57.5	44	1.54414	0.114	0.114	0
-10	47.5	≦* <	52.5	40	1.49352	0.111	0.111	0
-11	42.5	≦* <	47.5	36	1.44290	0.107	0.107	0
-12	37.5	≦* <	42.5	32	1.39228	0.103	0.103	0
-13	32.5	≦* <	37.5	28	1.34167	0.099	0.099	0
-14	27.5	≦* <	32.5	24	1.29105	0.096	0.096	0
-15	22.5	≦* <	27.5	20	1.24043	0.092	0.092	0
-16	17.5	≦* <	22.5	16	1.18982	0.088	0.088	0
-17	12.5	≦* <	17.5	12	1.13920	0.084	0.084	0
-18	7.5	≦* <	12.5	8	1.08858	0.081	0.081	0
-19	2.5	≦* <	7.5	4	1.03796	0.077	0.077	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.074	0.074	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	0
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	0
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	0
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	0
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	0
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	0
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	0
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	0
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	0
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	0
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	0
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	0
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	0
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	0
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	0
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	0
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	0
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	0
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	0
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	0
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	0
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	0
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	0
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	0
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	0
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	0
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	0
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	0
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	0
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	0
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	0
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	0
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	0
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.110 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.166	0.166	0
19	192.5	≦* <	197.5	156	2.96142	0.163	0.163	0
18	187.5	≦* <	192.5	152	2.91081	0.160	0.160	0
17	182.5	≦* <	187.5	148	2.86019	0.157	0.157	0
16	177.5	≦* <	182.5	144	2.80957	0.155	0.155	0
15	172.5	≦* <	177.5	140	2.75895	0.152	0.152	0
14	167.5	≦* <	172.5	136	2.70834	0.149	0.149	0
13	162.5	≦* <	167.5	132	2.65772	0.146	0.146	0
12	157.5	≦* <	162.5	128	2.60710	0.143	0.143	0
11	152.5	≦* <	157.5	124	2.55648	0.141	0.141	0
10	147.5	≦* <	152.5	120	2.50587	0.138	0.138	0
9	142.5	≦* <	147.5	116	2.45525	0.135	0.135	0
8	137.5	≦* <	142.5	112	2.40463	0.132	0.132	0
7	132.5	≦* <	137.5	108	2.35401	0.129	0.129	0
6	127.5	≦* <	132.5	104	2.30340	0.127	0.127	0
5	122.5	≦* <	127.5	100	2.25278	0.124	0.124	0
4	117.5	≦* <	122.5	96	2.20216	0.121	0.121	0
3	112.5	≦* <	117.5	92	2.15154	0.118	0.118	0
2	107.5	≦* <	112.5	88	2.10093	0.116	0.116	0
1	102.5	≦* <	107.5	84	2.05031	0.113	0.113	0
0	97.5	≦* <	102.5	80	1.99969	0.110	0.110	0
-1	92.5	≦* <	97.5	76	1.94908	0.107	0.107	0
-2	87.5	≦* <	92.5	72	1.89846	0.104	0.104	0
-3	82.5	≦* <	87.5	68	1.84784	0.102	0.102	0
-4	77.5	≦* <	82.5	64	1.79722	0.099	0.099	0
-5	72.5	≦* <	77.5	60	1.74661	0.096	0.096	0
-6	67.5	≦* <	72.5	56	1.69599	0.093	0.093	0
-7	62.5	≦* <	67.5	52	1.64537	0.090	0.090	0
-8	57.5	≦* <	62.5	48	1.59475	0.088	0.088	0
-9	52.5	≦* <	57.5	44	1.54414	0.085	0.085	0
-10	47.5	≦* <	52.5	40	1.49352	0.082	0.082	0
-11	42.5	≦* <	47.5	36	1.44290	0.079	0.079	0
-12	37.5	≦* <	42.5	32	1.39228	0.077	0.077	0
-13	32.5	≦* <	37.5	28	1.34167	0.074	0.074	0
-14	27.5	≦* <	32.5	24	1.29105	0.071	0.071	0
-15	22.5	≦* <	27.5	20	1.24043	0.068	0.068	0
-16	17.5	≦* <	22.5	16	1.18982	0.065	0.065	0
-17	12.5	≦* <	17.5	12	1.13920	0.063	0.063	0
-18	7.5	≦* <	12.5	8	1.08858	0.060	0.060	0
-19	2.5	≦* <	7.5	4	1.03796	0.057	0.057	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.055	0.055	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	0
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	0
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	0
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	0
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	0
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	0
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	0
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	0
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	0
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	0
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	0
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	0
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	0
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	0
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	0
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	0
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	0
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	0
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	0
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	0
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	0
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	0
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	0
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	0
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	0
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	0
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	0
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	0
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	0
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	0
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	0
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	0
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	0
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	0
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	0
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.955 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	2.012	2.012	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	1.933	1.933	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	1.895	1.895	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	1.857	1.857	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	1.820	1.820	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	1.782	1.782	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	1.745	1.745	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	1.707	1.707	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	1.670	1.670	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	1.632	1.632	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	1.595	1.595	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	1.557	1.557	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	1.520	1.520	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	1.482	1.482	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	1.444	1.444	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	1.407	1.407	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	1.369	1.369	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	1.332	1.332	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	1.294	1.294	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	1.257	1.257	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	1.219	1.219	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	1.182	1.182	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	1.144	1.144	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	1.106	1.106	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	1.069	1.069	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	1.031	1.031	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.994	0.994	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.956	0.956	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.919	0.919	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.881	0.881	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.844	0.844	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.806	0.806	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.769	0.769	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.731	0.731	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.693	0.693	0
-15	22.5	≦* <	27.5	20	1.37354	0.656	0.656	0
-16	17.5	≦* <	22.5	16	1.29490	0.618	0.618	0
-17	12.5	≦* <	17.5	12	1.21626	0.581	0.581	0
-18	7.5	≦* <	12.5	8	1.13762	0.543	0.543	0
-19	2.5	≦* <	7.5	4	1.05898	0.506	0.506	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.477 ※	0.477	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.013 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.027	0.027	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.026	0.026	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.026	0.026	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.025	0.025	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.025	0.025	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.024	0.024	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.024	0.024	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.023	0.023	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.023	0.023	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.022	0.022	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.022	0.022	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.021	0.021	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.021	0.021	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.020	0.020	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.020	0.020	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.019	0.019	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.019	0.019	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.018	0.018	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.018	0.018	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.017	0.017	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.017	0.017	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.016	0.016	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.016	0.016	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.015	0.015	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.015	0.015	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.014	0.014	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.014	0.014	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.013	0.013	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.013	0.013	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.012	0.012	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.011	0.011	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.011	0.011	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.010	0.010	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.010	0.010	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.009	0.009	0
-15	22.5	≦* <	27.5	20	1.37354	0.009	0.009	0
-16	17.5	≦* <	22.5	16	1.29490	0.008	0.008	0
-17	12.5	≦* <	17.5	12	1.21626	0.008	0.008	0
-18	7.5	≦* <	12.5	8	1.13762	0.007	0.007	0
-19	2.5	≦* <	7.5	4	1.05898	0.007	0.007	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.006 ※	0.006	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.460 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.969	0.969	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.931	0.931	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.913	0.913	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.895	0.895	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.877	0.877	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.859	0.859	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.840	0.840	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.822	0.822	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.804	0.804	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.786	0.786	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.768	0.768	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.750	0.750	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.732	0.732	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.714	0.714	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.696	0.696	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.678	0.678	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.660	0.660	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.641	0.641	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.623	0.623	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.605	0.605	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.587	0.587	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.569	0.569	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.551	0.551	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.533	0.533	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.515	0.515	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.497	0.497	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.479	0.479	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.461	0.461	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.443	0.443	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.424	0.424	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.406	0.406	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.388	0.388	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.370	0.370	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.352	0.352	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.334	0.334	0
-15	22.5	≦* <	27.5	20	1.37354	0.316	0.316	0
-16	17.5	≦* <	22.5	16	1.29490	0.298	0.298	0
-17	12.5	≦* <	17.5	12	1.21626	0.280	0.280	0
-18	7.5	≦* <	12.5	8	1.13762	0.262	0.262	0
-19	2.5	≦* <	7.5	4	1.05898	0.244	0.244	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.230	0.230	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.012 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.025	0.025	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.024	0.024	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.024	0.024	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.023	0.023	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.023	0.023	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.022	0.022	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.022	0.022	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.021	0.021	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.021	0.021	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.021	0.021	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.020	0.020	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.020	0.020	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.019	0.019	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.019	0.019	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.018	0.018	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.018	0.018	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.017	0.017	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.017	0.017	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.016	0.016	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.016	0.016	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.015	0.015	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.015	0.015	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.014	0.014	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.014	0.014	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.013	0.013	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.013	0.013	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.012	0.012	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.012	0.012	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.012	0.012	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.011	0.011	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.011	0.011	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.010	0.010	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.010	0.010	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.009	0.009	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.009	0.009	0
-15	22.5	≦* <	27.5	20	1.37354	0.008	0.008	0
-16	17.5	≦* <	22.5	16	1.29490	0.008	0.008	0
-17	12.5	≦* <	17.5	12	1.21626	0.007	0.007	0
-18	7.5	≦* <	12.5	8	1.13762	0.007	0.007	0
-19	2.5	≦* <	7.5	4	1.05898	0.006	0.006	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.242 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.510	0.510	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.490	0.490	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.480	0.480	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.471	0.471	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.461	0.461	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.452	0.452	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.442	0.442	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.433	0.433	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.423	0.423	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.414	0.414	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.404	0.404	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.395	0.395	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.385	0.385	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.376	0.376	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.366	0.366	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.357	0.357	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.347	0.347	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.337	0.337	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.328	0.328	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.318	0.318	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.309	0.309	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.299	0.299	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.290	0.290	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.280	0.280	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.271	0.271	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.261	0.261	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.252	0.252	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.242	0.242	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.233	0.233	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.223	0.223	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.214	0.214	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.204	0.204	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.195	0.195	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.185	0.185	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.176	0.176	0
-15	22.5	≦* <	27.5	20	1.37354	0.166	0.166	0
-16	17.5	≦* <	22.5	16	1.29490	0.157	0.157	0
-17	12.5	≦* <	17.5	12	1.21626	0.147	0.147	0
-18	7.5	≦* <	12.5	8	1.13762	0.138	0.138	0
-19	2.5	≦* <	7.5	4	1.05898	0.128	0.128	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.121	0.121	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.011 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.023	0.023	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.022	0.022	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.022	0.022	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.021	0.021	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.021	0.021	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.021	0.021	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.020	0.020	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.020	0.020	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.019	0.019	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.019	0.019	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.018	0.018	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.018	0.018	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.018	0.018	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.017	0.017	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.017	0.017	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.016	0.016	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.016	0.016	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.015	0.015	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.015	0.015	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.014	0.014	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.014	0.014	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.014	0.014	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.013	0.013	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.013	0.013	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.012	0.012	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.012	0.012	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.011	0.011	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.011	0.011	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.011	0.011	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.010	0.010	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.010	0.010	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.009	0.009	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.009	0.009	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.008	0.008	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.008	0.008	0
-15	22.5	≦* <	27.5	20	1.37354	0.008	0.008	0
-16	17.5	≦* <	22.5	16	1.29490	0.007	0.007	0
-17	12.5	≦* <	17.5	12	1.21626	0.007	0.007	0
-18	7.5	≦* <	12.5	8	1.13762	0.006	0.006	0
-19	2.5	≦* <	7.5	4	1.05898	0.006	0.006	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.005 ※	0.005	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.635 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.665	1.665	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	1.286	1.286	0
18	187.5	≦* <	192.5	152	3.97314	1.261	1.261	0
17	182.5	≦* <	187.5	148	3.89438	1.236	1.236	447.85370
16	177.5	≦* <	182.5	144	3.81562	1.211	1.211	480.76812
15	172.5	≦* <	177.5	140	3.73686	1.186	1.186	0
14	167.5	≦* <	172.5	136	3.65810	1.161	1.161	0
13	162.5	≦* <	167.5	132	3.57934	1.136	1.136	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	1.111	1.111	0
11	152.5	≦* <	157.5	124	3.42183	1.086	1.086	855.45750
10	147.5	≦* <	152.5	120	3.34307	1.061	1.061	324.27779
9	142.5	≦* <	147.5	116	3.26431	1.036	1.036	0
8	137.5	≦* <	142.5	112	3.18555	1.011	1.011	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.986	0.986	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.961	0.961	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.936	0.936	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.911	0.911	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.886	0.886	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.861	0.861	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.836	0.836	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.811	0.811	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.786	0.786	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.761	0.761	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.736	0.736	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.711	0.711	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.686	0.686	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.661	0.661	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.636	0.636	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.611	0.611	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.586	0.586	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.561	0.561	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.536	0.536	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.511	0.511	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.486	0.486	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.461	0.461	0
-15	22.5	≦* <	27.5	20	1.37410	0.436	0.436	0
-16	17.5	≦* <	22.5	16	1.29534	0.411	0.411	0
-17	12.5	≦* <	17.5	12	1.21659	0.386	0.386	0
-18	7.5	≦* <	12.5	8	1.13783	0.361	0.361	0
-19	2.5	≦* <	7.5	4	1.05907	0.336	0.336	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.317 ※	0.317	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.010 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.026	0.026	3,486.59500
19	192.5	≧* <	197.5	156	4.05190	0.020	0.020	0
18	187.5	≧* <	192.5	152	3.97314	0.020	0.020	0
17	182.5	≧* <	187.5	148	3.89438	0.019	0.019	447.85370
16	177.5	≧* <	182.5	144	3.81562	0.019	0.019	480.76812
15	172.5	≧* <	177.5	140	3.73686	0.019	0.019	0
14	167.5	≧* <	172.5	136	3.65810	0.018	0.018	0
13	162.5	≧* <	167.5	132	3.57934	0.018	0.018	4,001.70212
12	157.5	≧* <	162.5	128	3.50059	0.018	0.018	0
11	152.5	≧* <	157.5	124	3.42183	0.017	0.017	855.45750
10	147.5	≧* <	152.5	120	3.34307	0.017	0.017	324.27779
9	142.5	≧* <	147.5	116	3.26431	0.016	0.016	0
8	137.5	≧* <	142.5	112	3.18555	0.016	0.016	1,420.75530
7	132.5	≧* <	137.5	108	3.10679	0.016	0.016	5,977.46396
6	127.5	≧* <	132.5	104	3.02803	0.015	0.015	532.93328
5	122.5	≧* <	127.5	100	2.94928	0.015	0.015	1,518.87920
4	117.5	≧* <	122.5	96	2.87052	0.014	0.014	783.65196
3	112.5	≧* <	117.5	92	2.79176	0.014	0.014	6,694.64048
2	107.5	≧* <	112.5	88	2.71300	0.014	0.014	3,315.28600
1	102.5	≧* <	107.5	84	2.63424	0.013	0.013	724.41600
0	97.5	≧* <	102.5	80	2.55548	0.013	0.013	4,045.32484
-1	92.5	≧* <	97.5	76	2.47672	0.012	0.012	7,019.02448
-2	87.5	≧* <	92.5	72	2.39797	0.012	0.012	17,409.26220
-3	82.5	≧* <	87.5	68	2.31921	0.012	0.012	23,948.16246
-4	77.5	≧* <	82.5	64	2.24045	0.011	0.011	8,244.85600
-5	72.5	≧* <	77.5	60	2.16169	0.011	0.011	17,321.62197
-6	67.5	≧* <	72.5	56	2.08293	0.010	0.010	11,058.27537
-7	62.5	≧* <	67.5	52	2.00417	0.010	0.010	14,277.70708
-8	57.5	≧* <	62.5	48	1.92541	0.010	0.010	9,424.88195
-9	52.5	≧* <	57.5	44	1.84666	0.009	0.009	10,152.93668
-10	47.5	≧* <	52.5	40	1.76790	0.009	0.009	9,419.37120
-11	42.5	≧* <	47.5	36	1.68914	0.008	0.008	10,097.67892
-12	37.5	≧* <	42.5	32	1.61038	0.008	0.008	10,842.68854
-13	32.5	≧* <	37.5	28	1.53162	0.008	0.008	50,699.68524
-14	27.5	≧* <	32.5	24	1.45286	0.007	0.007	0
-15	22.5	≧* <	27.5	20	1.37410	0.007	0.007	0
-16	17.5	≧* <	22.5	16	1.29534	0.006	0.006	0
-17	12.5	≧* <	17.5	12	1.21659	0.006	0.006	0
-18	7.5	≧* <	12.5	8	1.13783	0.006	0.006	0
-19	2.5	≧* <	7.5	4	1.05907	0.005	0.005	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.005	0.005	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.544 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.426	1.426	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	1.102	1.102	0
18	187.5	≦* <	192.5	152	3.97314	1.081	1.081	0
17	182.5	≦* <	187.5	148	3.89438	1.059	1.059	447.85370
16	177.5	≦* <	182.5	144	3.81562	1.038	1.038	480.76812
15	172.5	≦* <	177.5	140	3.73686	1.016	1.016	0
14	167.5	≦* <	172.5	136	3.65810	0.995	0.995	0
13	162.5	≦* <	167.5	132	3.57934	0.974	0.974	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.952	0.952	0
11	152.5	≦* <	157.5	124	3.42183	0.931	0.931	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.909	0.909	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.888	0.888	0
8	137.5	≦* <	142.5	112	3.18555	0.866	0.866	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.845	0.845	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.824	0.824	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.802	0.802	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.781	0.781	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.759	0.759	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.738	0.738	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.717	0.717	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.695	0.695	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.674	0.674	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.652	0.652	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.631	0.631	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.609	0.609	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.588	0.588	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.567	0.567	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.545	0.545	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.524	0.524	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.502	0.502	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.481	0.481	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.459	0.459	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.438	0.438	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.417	0.417	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.395	0.395	0
-15	22.5	≦* <	27.5	20	1.37410	0.374	0.374	0
-16	17.5	≦* <	22.5	16	1.29534	0.352	0.352	0
-17	12.5	≦* <	17.5	12	1.21659	0.331	0.331	0
-18	7.5	≦* <	12.5	8	1.13783	0.309	0.309	0
-19	2.5	≦* <	7.5	4	1.05907	0.288	0.288	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.272	0.272	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.009 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.024	0.024	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	0.018	0.018	0
18	187.5	≦* <	192.5	152	3.97314	0.018	0.018	0
17	182.5	≦* <	187.5	148	3.89438	0.018	0.018	447.85370
16	177.5	≦* <	182.5	144	3.81562	0.017	0.017	480.76812
15	172.5	≦* <	177.5	140	3.73686	0.017	0.017	0
14	167.5	≦* <	172.5	136	3.65810	0.016	0.016	0
13	162.5	≦* <	167.5	132	3.57934	0.016	0.016	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.016	0.016	0
11	152.5	≦* <	157.5	124	3.42183	0.015	0.015	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.015	0.015	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.015	0.015	0
8	137.5	≦* <	142.5	112	3.18555	0.014	0.014	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.014	0.014	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.014	0.014	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.013	0.013	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.013	0.013	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.013	0.013	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.012	0.012	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.012	0.012	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.011	0.011	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.011	0.011	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.011	0.011	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.010	0.010	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.010	0.010	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.010	0.010	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.009	0.009	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.009	0.009	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.009	0.009	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.008	0.008	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.008	0.008	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.008	0.008	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.007	0.007	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.007	0.007	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.007	0.007	0
-15	22.5	≦* <	27.5	20	1.37410	0.006	0.006	0
-16	17.5	≦* <	22.5	16	1.29534	0.006	0.006	0
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	0
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	0
-19	2.5	≦* <	7.5	4	1.05907	0.005	0.005	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.004 ※	0.004	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.467 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.224	1.224	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	0.946	0.946	0
18	187.5	≦* <	192.5	152	3.97314	0.928	0.928	0
17	182.5	≦* <	187.5	148	3.89438	0.909	0.909	447.85370
16	177.5	≦* <	182.5	144	3.81562	0.891	0.891	480.76812
15	172.5	≦* <	177.5	140	3.73686	0.873	0.873	0
14	167.5	≦* <	172.5	136	3.65810	0.854	0.854	0
13	162.5	≦* <	167.5	132	3.57934	0.836	0.836	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.817	0.817	0
11	152.5	≦* <	157.5	124	3.42183	0.799	0.799	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.781	0.781	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.762	0.762	0
8	137.5	≦* <	142.5	112	3.18555	0.744	0.744	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.725	0.725	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.707	0.707	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.689	0.689	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.670	0.670	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.652	0.652	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.633	0.633	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.615	0.615	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.597	0.597	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.578	0.578	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.560	0.560	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.542	0.542	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.523	0.523	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.505	0.505	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.486	0.486	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.468	0.468	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.450	0.450	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.431	0.431	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.413	0.413	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.394	0.394	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.376	0.376	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.358	0.358	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.339	0.339	0
-15	22.5	≦* <	27.5	20	1.37410	0.321	0.321	0
-16	17.5	≦* <	22.5	16	1.29534	0.302	0.302	0
-17	12.5	≦* <	17.5	12	1.21659	0.284	0.284	0
-18	7.5	≦* <	12.5	8	1.13783	0.266	0.266	0
-19	2.5	≦* <	7.5	4	1.05907	0.247	0.247	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.233 ※	0.233	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.008 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.021	0.021	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	0.016	0.016	0
18	187.5	≦* <	192.5	152	3.97314	0.016	0.016	0
17	182.5	≦* <	187.5	148	3.89438	0.016	0.016	447.85370
16	177.5	≦* <	182.5	144	3.81562	0.015	0.015	480.76812
15	172.5	≦* <	177.5	140	3.73686	0.015	0.015	0
14	167.5	≦* <	172.5	136	3.65810	0.015	0.015	0
13	162.5	≦* <	167.5	132	3.57934	0.014	0.014	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.014	0.014	0
11	152.5	≦* <	157.5	124	3.42183	0.014	0.014	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.013	0.013	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.013	0.013	0
8	137.5	≦* <	142.5	112	3.18555	0.013	0.013	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.012	0.012	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.012	0.012	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.012	0.012	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.011	0.011	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.011	0.011	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.011	0.011	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.011	0.011	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.010	0.010	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.010	0.010	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.010	0.010	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.009	0.009	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.009	0.009	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.009	0.009	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.008	0.008	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.008	0.008	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.008	0.008	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.007	0.007	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.007	0.007	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.007	0.007	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.006	0.006	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.006	0.006	0
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	0
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	0
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	0
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	0
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.205 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.566	0.566	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.355	0.355	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.348	0.348	0
17	182.5	≦* <	187.5	148	3.33391	0.342	0.342	0
16	177.5	≦* <	182.5	144	3.27041	0.335	0.335	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.329	0.329	0
14	167.5	≦* <	172.5	136	3.14339	0.322	0.322	0
13	162.5	≦* <	167.5	132	3.07988	0.316	0.316	0
12	157.5	≦* <	162.5	128	3.01637	0.309	0.309	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.303	0.303	0
10	147.5	≦* <	152.5	120	2.88936	0.296	0.296	0
9	142.5	≦* <	147.5	116	2.82585	0.290	0.290	0
8	137.5	≦* <	142.5	112	2.76234	0.283	0.283	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.277	0.277	0
6	127.5	≦* <	132.5	104	2.63533	0.270	0.270	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.264	0.264	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.257	0.257	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.251	0.251	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.244	0.244	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.238	0.238	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.231	0.231	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.225	0.225	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.218	0.218	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.212	0.212	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.205	0.205	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.199	0.199	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.192	0.192	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.185	0.185	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.179	0.179	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.172	0.172	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.166	0.166	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.159	0.159	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.153	0.153	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.146	0.146	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.140	0.140	0
-15	22.5	≦* <	27.5	20	1.30166	0.133	0.133	0
-16	17.5	≦* <	22.5	16	1.23815	0.127	0.127	0
-17	12.5	≦* <	17.5	12	1.17465	0.120	0.120	0
-18	7.5	≦* <	12.5	8	1.11114	0.114	0.114	0
-19	2.5	≦* <	7.5	4	1.04763	0.107	0.107	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.102 ※	0.102	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.014	0.014	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.009	0.009	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.008	0.008	0
17	182.5	≦* <	187.5	148	3.33391	0.008	0.008	0
16	177.5	≦* <	182.5	144	3.27041	0.008	0.008	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.008	0.008	0
14	167.5	≦* <	172.5	136	3.14339	0.008	0.008	0
13	162.5	≦* <	167.5	132	3.07988	0.008	0.008	0
12	157.5	≦* <	162.5	128	3.01637	0.008	0.008	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.007	0.007	0
10	147.5	≦* <	152.5	120	2.88936	0.007	0.007	0
9	142.5	≦* <	147.5	116	2.82585	0.007	0.007	0
8	137.5	≦* <	142.5	112	2.76234	0.007	0.007	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.007	0.007	0
6	127.5	≦* <	132.5	104	2.63533	0.007	0.007	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.006	0.006	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.006	0.006	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.006	0.006	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.006	0.006	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.006	0.006	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.006	0.006	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.005	0.005	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.005	0.005	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.005	0.005	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.005	0.005	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.005	0.005	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.005	0.005	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.005	0.005	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.004	0.004	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.004	0.004	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.004	0.004	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.004	0.004	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.004	0.004	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.004	0.004	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.23815	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.17465	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.11114	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.04763	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.176 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.486	0.486	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.305	0.305	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.299	0.299	0
17	182.5	≦* <	187.5	148	3.33391	0.293	0.293	0
16	177.5	≦* <	182.5	144	3.27041	0.288	0.288	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.282	0.282	0
14	167.5	≦* <	172.5	136	3.14339	0.277	0.277	0
13	162.5	≦* <	167.5	132	3.07988	0.271	0.271	0
12	157.5	≦* <	162.5	128	3.01637	0.265	0.265	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.260	0.260	0
10	147.5	≦* <	152.5	120	2.88936	0.254	0.254	0
9	142.5	≦* <	147.5	116	2.82585	0.249	0.249	0
8	137.5	≦* <	142.5	112	2.76234	0.243	0.243	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.237	0.237	0
6	127.5	≦* <	132.5	104	2.63533	0.232	0.232	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.226	0.226	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.221	0.221	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.215	0.215	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.210	0.210	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.204	0.204	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.198	0.198	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.193	0.193	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.187	0.187	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.182	0.182	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.176	0.176	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.170	0.170	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.165	0.165	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.159	0.159	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.154	0.154	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.148	0.148	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.142	0.142	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.137	0.137	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.131	0.131	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.126	0.126	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.120	0.120	0
-15	22.5	≦* <	27.5	20	1.30166	0.115	0.115	0
-16	17.5	≦* <	22.5	16	1.23815	0.109	0.109	0
-17	12.5	≦* <	17.5	12	1.17465	0.103	0.103	0
-18	7.5	≦* <	12.5	8	1.11114	0.098	0.098	0
-19	2.5	≦* <	7.5	4	1.04763	0.092	0.092	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.088	0.088	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.011	0.011	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.007	0.007	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.007	0.007	0
17	182.5	≦* <	187.5	148	3.33391	0.007	0.007	0
16	177.5	≦* <	182.5	144	3.27041	0.007	0.007	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.006	0.006	0
14	167.5	≦* <	172.5	136	3.14339	0.006	0.006	0
13	162.5	≦* <	167.5	132	3.07988	0.006	0.006	0
12	157.5	≦* <	162.5	128	3.01637	0.006	0.006	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.006	0.006	0
10	147.5	≦* <	152.5	120	2.88936	0.006	0.006	0
9	142.5	≦* <	147.5	116	2.82585	0.006	0.006	0
8	137.5	≦* <	142.5	112	2.76234	0.006	0.006	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.005	0.005	0
6	127.5	≦* <	132.5	104	2.63533	0.005	0.005	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.005	0.005	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.005	0.005	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.005	0.005	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.005	0.005	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.005	0.005	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.005	0.005	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.004	0.004	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.004	0.004	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.004	0.004	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.004	0.004	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.004	0.004	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.004	0.004	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.004	0.004	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.003	0.003	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.003	0.003	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.003	0.003	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.003	0.003	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.145 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.400	0.400	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.251	0.251	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.246	0.246	0
17	182.5	≦* <	187.5	148	3.33391	0.242	0.242	0
16	177.5	≦* <	182.5	144	3.27041	0.237	0.237	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.233	0.233	0
14	167.5	≦* <	172.5	136	3.14339	0.228	0.228	0
13	162.5	≦* <	167.5	132	3.07988	0.223	0.223	0
12	157.5	≦* <	162.5	128	3.01637	0.219	0.219	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.214	0.214	0
10	147.5	≦* <	152.5	120	2.88936	0.209	0.209	0
9	142.5	≦* <	147.5	116	2.82585	0.205	0.205	0
8	137.5	≦* <	142.5	112	2.76234	0.200	0.200	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.196	0.196	0
6	127.5	≦* <	132.5	104	2.63533	0.191	0.191	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.186	0.186	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.182	0.182	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.177	0.177	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.173	0.173	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.168	0.168	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.163	0.163	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.159	0.159	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.154	0.154	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.150	0.150	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.145	0.145	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.140	0.140	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.136	0.136	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.131	0.131	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.127	0.127	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.122	0.122	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.117	0.117	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.113	0.113	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.108	0.108	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.104	0.104	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.099	0.099	0
-15	22.5	≦* <	27.5	20	1.30166	0.094	0.094	0
-16	17.5	≦* <	22.5	16	1.23815	0.090	0.090	0
-17	12.5	≦* <	17.5	12	1.17465	0.085	0.085	0
-18	7.5	≦* <	12.5	8	1.11114	0.081	0.081	0
-19	2.5	≦* <	7.5	4	1.04763	0.076	0.076	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.072 ※	0.072	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	0
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	0
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	0
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	0
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	0
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	0
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	0
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	0
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	0
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	0
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.033 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.084	0.084	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.057	0.057	0
18	187.5	≦* <	192.5	152	3.36553	0.056	0.056	0
17	182.5	≦* <	187.5	148	3.30287	0.054	0.054	0
16	177.5	≦* <	182.5	144	3.24021	0.053	0.053	0
15	172.5	≦* <	177.5	140	3.17754	0.052	0.052	0
14	167.5	≦* <	172.5	136	3.11488	0.051	0.051	0
13	162.5	≦* <	167.5	132	3.05222	0.050	0.050	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.049	0.049	0
11	152.5	≦* <	157.5	124	2.92689	0.048	0.048	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.047	0.047	0
9	142.5	≦* <	147.5	116	2.80157	0.046	0.046	0
8	137.5	≦* <	142.5	112	2.73890	0.045	0.045	0
7	132.5	≦* <	137.5	108	2.67624	0.044	0.044	0
6	127.5	≦* <	132.5	104	2.61358	0.043	0.043	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.042	0.042	0
4	117.5	≦* <	122.5	96	2.48825	0.041	0.041	0
3	112.5	≦* <	117.5	92	2.42559	0.040	0.040	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.039	0.039	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.038	0.038	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.037	0.037	0
-1	92.5	≦* <	97.5	76	2.17493	0.036	0.036	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.035	0.035	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.034	0.034	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.033	0.033	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.032	0.032	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.031	0.031	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.030	0.030	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.029	0.029	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.028	0.028	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.027	0.027	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.026	0.026	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.025	0.025	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.023	0.023	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.022	0.022	0
-15	22.5	≦* <	27.5	20	1.29765	0.021	0.021	0
-16	17.5	≦* <	22.5	16	1.23499	0.020	0.020	0
-17	12.5	≦* <	17.5	12	1.17232	0.019	0.019	0
-18	7.5	≦* <	12.5	8	1.10966	0.018	0.018	0
-19	2.5	≦* <	7.5	4	1.04700	0.017	0.017	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.016 ※	0.016	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.013	0.013	17,429.12964
19	192.5	≧* <	197.5	156	3.42820	0.009	0.009	0
18	187.5	≧* <	192.5	152	3.36553	0.008	0.008	0
17	182.5	≧* <	187.5	148	3.30287	0.008	0.008	0
16	177.5	≧* <	182.5	144	3.24021	0.008	0.008	0
15	172.5	≧* <	177.5	140	3.17754	0.008	0.008	0
14	167.5	≧* <	172.5	136	3.11488	0.008	0.008	0
13	162.5	≧* <	167.5	132	3.05222	0.008	0.008	1,056.06812
12	157.5	≧* <	162.5	128	2.98955	0.007	0.007	0
11	152.5	≧* <	157.5	124	2.92689	0.007	0.007	4,123.98801
10	147.5	≧* <	152.5	120	2.86423	0.007	0.007	0
9	142.5	≧* <	147.5	116	2.80157	0.007	0.007	0
8	137.5	≧* <	142.5	112	2.73890	0.007	0.007	0
7	132.5	≧* <	137.5	108	2.67624	0.007	0.007	0
6	127.5	≧* <	132.5	104	2.61358	0.007	0.007	1,884.39118
5	122.5	≧* <	127.5	100	2.55091	0.006	0.006	0
4	117.5	≧* <	122.5	96	2.48825	0.006	0.006	0
3	112.5	≧* <	117.5	92	2.42559	0.006	0.006	1,603.31499
2	107.5	≧* <	112.5	88	2.36292	0.006	0.006	1,020.78144
1	102.5	≧* <	107.5	84	2.30026	0.006	0.006	1,856.30982
0	97.5	≧* <	102.5	80	2.23760	0.006	0.006	0
-1	92.5	≧* <	97.5	76	2.17493	0.005	0.005	9,939.43010
-2	87.5	≧* <	92.5	72	2.11227	0.005	0.005	3,607.75716
-3	82.5	≧* <	87.5	68	2.04961	0.005	0.005	19,965.25101
-4	77.5	≧* <	82.5	64	1.98694	0.005	0.005	5,627.01408
-5	72.5	≧* <	77.5	60	1.92428	0.005	0.005	3,633.04064
-6	67.5	≧* <	72.5	56	1.86162	0.005	0.005	1,061.12340
-7	62.5	≧* <	67.5	52	1.79896	0.004	0.004	1,365.41064
-8	57.5	≧* <	62.5	48	1.73629	0.004	0.004	774.38534
-9	52.5	≧* <	57.5	44	1.67363	0.004	0.004	9,799.10365
-10	47.5	≧* <	52.5	40	1.61097	0.004	0.004	2,699.98572
-11	42.5	≧* <	47.5	36	1.54830	0.004	0.004	3,364.45590
-12	37.5	≧* <	42.5	32	1.48564	0.004	0.004	5,340.87580
-13	32.5	≧* <	37.5	28	1.42298	0.004	0.004	21,962.27332
-14	27.5	≧* <	32.5	24	1.36031	0.003	0.003	0
-15	22.5	≧* <	27.5	20	1.29765	0.003	0.003	0
-16	17.5	≧* <	22.5	16	1.23499	0.003	0.003	0
-17	12.5	≧* <	17.5	12	1.17232	0.003	0.003	0
-18	7.5	≧* <	12.5	8	1.10966	0.003	0.003	0
-19	2.5	≧* <	7.5	4	1.04700	0.003	0.003	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.030 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.076	0.076	17,429.12964
19	192.5	≧* <	197.5	156	3.42820	0.051	0.051	0
18	187.5	≧* <	192.5	152	3.36553	0.050	0.050	0
17	182.5	≧* <	187.5	148	3.30287	0.050	0.050	0
16	177.5	≧* <	182.5	144	3.24021	0.049	0.049	0
15	172.5	≧* <	177.5	140	3.17754	0.048	0.048	0
14	167.5	≧* <	172.5	136	3.11488	0.047	0.047	0
13	162.5	≧* <	167.5	132	3.05222	0.046	0.046	1,056.06812
12	157.5	≧* <	162.5	128	2.98955	0.045	0.045	0
11	152.5	≧* <	157.5	124	2.92689	0.044	0.044	4,123.98801
10	147.5	≧* <	152.5	120	2.86423	0.043	0.043	0
9	142.5	≧* <	147.5	116	2.80157	0.042	0.042	0
8	137.5	≧* <	142.5	112	2.73890	0.041	0.041	0
7	132.5	≧* <	137.5	108	2.67624	0.040	0.040	0
6	127.5	≧* <	132.5	104	2.61358	0.039	0.039	1,884.39118
5	122.5	≧* <	127.5	100	2.55091	0.038	0.038	0
4	117.5	≧* <	122.5	96	2.48825	0.037	0.037	0
3	112.5	≧* <	117.5	92	2.42559	0.036	0.036	1,603.31499
2	107.5	≧* <	112.5	88	2.36292	0.035	0.035	1,020.78144
1	102.5	≧* <	107.5	84	2.30026	0.035	0.035	1,856.30982
0	97.5	≧* <	102.5	80	2.23760	0.034	0.034	0
-1	92.5	≧* <	97.5	76	2.17493	0.033	0.033	9,939.43010
-2	87.5	≧* <	92.5	72	2.11227	0.032	0.032	3,607.75716
-3	82.5	≧* <	87.5	68	2.04961	0.031	0.031	19,965.25101
-4	77.5	≧* <	82.5	64	1.98694	0.030	0.030	5,627.01408
-5	72.5	≧* <	77.5	60	1.92428	0.029	0.029	3,633.04064
-6	67.5	≧* <	72.5	56	1.86162	0.028	0.028	1,061.12340
-7	62.5	≧* <	67.5	52	1.79896	0.027	0.027	1,365.41064
-8	57.5	≧* <	62.5	48	1.73629	0.026	0.026	774.38534
-9	52.5	≧* <	57.5	44	1.67363	0.025	0.025	9,799.10365
-10	47.5	≧* <	52.5	40	1.61097	0.024	0.024	2,699.98572
-11	42.5	≧* <	47.5	36	1.54830	0.023	0.023	3,364.45590
-12	37.5	≧* <	42.5	32	1.48564	0.022	0.022	5,340.87580
-13	32.5	≧* <	37.5	28	1.42298	0.021	0.021	21,962.27332
-14	27.5	≧* <	32.5	24	1.36031	0.020	0.020	0
-15	22.5	≧* <	27.5	20	1.29765	0.019	0.019	0
-16	17.5	≧* <	22.5	16	1.23499	0.019	0.019	0
-17	12.5	≧* <	17.5	12	1.17232	0.018	0.018	0
-18	7.5	≧* <	12.5	8	1.10966	0.017	0.017	0
-19	2.5	≧* <	7.5	4	1.04700	0.016	0.016	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.015	0.015	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.010	0.010	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.007	0.007	0
18	187.5	≦* <	192.5	152	3.36553	0.007	0.007	0
17	182.5	≦* <	187.5	148	3.30287	0.007	0.007	0
16	177.5	≦* <	182.5	144	3.24021	0.006	0.006	0
15	172.5	≦* <	177.5	140	3.17754	0.006	0.006	0
14	167.5	≦* <	172.5	136	3.11488	0.006	0.006	0
13	162.5	≦* <	167.5	132	3.05222	0.006	0.006	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.006	0.006	0
11	152.5	≦* <	157.5	124	2.92689	0.006	0.006	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.006	0.006	0
9	142.5	≦* <	147.5	116	2.80157	0.006	0.006	0
8	137.5	≦* <	142.5	112	2.73890	0.005	0.005	0
7	132.5	≦* <	137.5	108	2.67624	0.005	0.005	0
6	127.5	≦* <	132.5	104	2.61358	0.005	0.005	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.005	0.005	0
4	117.5	≦* <	122.5	96	2.48825	0.005	0.005	0
3	112.5	≦* <	117.5	92	2.42559	0.005	0.005	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.005	0.005	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.005	0.005	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.004	0.004	0
-1	92.5	≦* <	97.5	76	2.17493	0.004	0.004	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.004	0.004	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.004	0.004	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.004	0.004	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.004	0.004	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.004	0.004	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.004	0.004	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.003	0.003	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.003	0.003	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.003	0.003	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.003	0.003	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.29765	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.025 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.063	0.063	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.043	0.043	0
18	187.5	≦* <	192.5	152	3.36553	0.042	0.042	0
17	182.5	≦* <	187.5	148	3.30287	0.041	0.041	0
16	177.5	≦* <	182.5	144	3.24021	0.041	0.041	0
15	172.5	≦* <	177.5	140	3.17754	0.040	0.040	0
14	167.5	≦* <	172.5	136	3.11488	0.039	0.039	0
13	162.5	≦* <	167.5	132	3.05222	0.038	0.038	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.037	0.037	0
11	152.5	≦* <	157.5	124	2.92689	0.037	0.037	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.036	0.036	0
9	142.5	≦* <	147.5	116	2.80157	0.035	0.035	0
8	137.5	≦* <	142.5	112	2.73890	0.034	0.034	0
7	132.5	≦* <	137.5	108	2.67624	0.033	0.033	0
6	127.5	≦* <	132.5	104	2.61358	0.033	0.033	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.032	0.032	0
4	117.5	≦* <	122.5	96	2.48825	0.031	0.031	0
3	112.5	≦* <	117.5	92	2.42559	0.030	0.030	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.030	0.030	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.029	0.029	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.028	0.028	0
-1	92.5	≦* <	97.5	76	2.17493	0.027	0.027	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.026	0.026	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.026	0.026	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.025	0.025	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.024	0.024	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.023	0.023	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.022	0.022	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.022	0.022	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.021	0.021	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.020	0.020	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.019	0.019	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.019	0.019	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.018	0.018	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.017	0.017	0
-15	22.5	≦* <	27.5	20	1.29765	0.016	0.016	0
-16	17.5	≦* <	22.5	16	1.23499	0.015	0.015	0
-17	12.5	≦* <	17.5	12	1.17232	0.015	0.015	0
-18	7.5	≦* <	12.5	8	1.10966	0.014	0.014	0
-19	2.5	≦* <	7.5	4	1.04700	0.013	0.013	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.012 ※	0.012	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	17,429.12964
19	192.5	≧* <	197.5	156	3.42820	0.005	0.005	0
18	187.5	≧* <	192.5	152	3.36553	0.005	0.005	0
17	182.5	≧* <	187.5	148	3.30287	0.005	0.005	0
16	177.5	≧* <	182.5	144	3.24021	0.005	0.005	0
15	172.5	≧* <	177.5	140	3.17754	0.005	0.005	0
14	167.5	≧* <	172.5	136	3.11488	0.005	0.005	0
13	162.5	≧* <	167.5	132	3.05222	0.005	0.005	1,056.06812
12	157.5	≧* <	162.5	128	2.98955	0.004	0.004	0
11	152.5	≧* <	157.5	124	2.92689	0.004	0.004	4,123.98801
10	147.5	≧* <	152.5	120	2.86423	0.004	0.004	0
9	142.5	≧* <	147.5	116	2.80157	0.004	0.004	0
8	137.5	≧* <	142.5	112	2.73890	0.004	0.004	0
7	132.5	≧* <	137.5	108	2.67624	0.004	0.004	0
6	127.5	≧* <	132.5	104	2.61358	0.004	0.004	1,884.39118
5	122.5	≧* <	127.5	100	2.55091	0.004	0.004	0
4	117.5	≧* <	122.5	96	2.48825	0.004	0.004	0
3	112.5	≧* <	117.5	92	2.42559	0.004	0.004	1,603.31499
2	107.5	≧* <	112.5	88	2.36292	0.004	0.004	1,020.78144
1	102.5	≧* <	107.5	84	2.30026	0.003	0.003	1,856.30982
0	97.5	≧* <	102.5	80	2.23760	0.003	0.003	0
-1	92.5	≧* <	97.5	76	2.17493	0.003	0.003	9,939.43010
-2	87.5	≧* <	92.5	72	2.11227	0.003	0.003	3,607.75716
-3	82.5	≧* <	87.5	68	2.04961	0.003	0.003	19,965.25101
-4	77.5	≧* <	82.5	64	1.98694	0.003	0.003	5,627.01408
-5	72.5	≧* <	77.5	60	1.92428	0.003	0.003	3,633.04064
-6	67.5	≧* <	72.5	56	1.86162	0.003	0.003	1,061.12340
-7	62.5	≧* <	67.5	52	1.79896	0.003	0.003	1,365.41064
-8	57.5	≧* <	62.5	48	1.73629	0.003	0.003	774.38534
-9	52.5	≧* <	57.5	44	1.67363	0.003	0.003	9,799.10365
-10	47.5	≧* <	52.5	40	1.61097	0.002	0.002	2,699.98572
-11	42.5	≧* <	47.5	36	1.54830	0.002	0.002	3,364.45590
-12	37.5	≧* <	42.5	32	1.48564	0.002	0.002	5,340.87580
-13	32.5	≧* <	37.5	28	1.42298	0.002	0.002	21,962.27332
-14	27.5	≧* <	32.5	24	1.36031	0.002	0.002	0
-15	22.5	≧* <	27.5	20	1.29765	0.002	0.002	0
-16	17.5	≧* <	22.5	16	1.23499	0.002	0.002	0
-17	12.5	≧* <	17.5	12	1.17232	0.002	0.002	0
-18	7.5	≧* <	12.5	8	1.10966	0.002	0.002	0
-19	2.5	≧* <	7.5	4	1.04700	0.002	0.002	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.128 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.293	0.293	0
19	192.5	≦* <	197.5	156	4.49034	0.287	0.287	0
18	187.5	≦* <	192.5	152	4.40026	0.282	0.282	0
17	182.5	≦* <	187.5	148	4.31019	0.276	0.276	0
16	177.5	≦* <	182.5	144	4.22012	0.270	0.270	0
15	172.5	≦* <	177.5	140	4.13004	0.264	0.264	0
14	167.5	≦* <	172.5	136	4.03997	0.259	0.259	0
13	162.5	≦* <	167.5	132	3.94990	0.253	0.253	0
12	157.5	≦* <	162.5	128	3.85982	0.247	0.247	0
11	152.5	≦* <	157.5	124	3.76975	0.241	0.241	0
10	147.5	≦* <	152.5	120	3.67968	0.235	0.235	0
9	142.5	≦* <	147.5	116	3.58960	0.230	0.230	0
8	137.5	≦* <	142.5	112	3.49953	0.224	0.224	0
7	132.5	≦* <	137.5	108	3.40946	0.218	0.218	0
6	127.5	≦* <	132.5	104	3.31939	0.212	0.212	0
5	122.5	≦* <	127.5	100	3.22931	0.207	0.207	0
4	117.5	≦* <	122.5	96	3.13924	0.201	0.201	0
3	112.5	≦* <	117.5	92	3.04917	0.195	0.195	0
2	107.5	≦* <	112.5	88	2.95909	0.189	0.189	0
1	102.5	≦* <	107.5	84	2.86902	0.184	0.184	0
0	97.5	≦* <	102.5	80	2.77895	0.178	0.178	0
-1	92.5	≦* <	97.5	76	2.68887	0.172	0.172	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.166	0.166	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.161	0.161	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.155	0.155	0
-5	72.5	≦* <	77.5	60	2.32858	0.149	0.149	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.143	0.143	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.137	0.137	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.132	0.132	0
-9	52.5	≦* <	57.5	44	1.96829	0.126	0.126	0
-10	47.5	≦* <	52.5	40	1.87821	0.120	0.120	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.114	0.114	0
-12	37.5	≦* <	42.5	32	1.69807	0.109	0.109	0
-13	32.5	≦* <	37.5	28	1.60799	0.103	0.103	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.097	0.097	0
-15	22.5	≦* <	27.5	20	1.42785	0.091	0.091	0
-16	17.5	≦* <	22.5	16	1.33777	0.086	0.086	0
-17	12.5	≦* <	17.5	12	1.24770	0.080	0.080	0
-18	7.5	≦* <	12.5	8	1.15763	0.074	0.074	0
-19	2.5	≦* <	7.5	4	1.06755	0.068	0.068	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.064	0.064	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.011	0.011	0
19	192.5	≧* <	197.5	156	4.49034	0.011	0.011	0
18	187.5	≧* <	192.5	152	4.40026	0.011	0.011	0
17	182.5	≧* <	187.5	148	4.31019	0.011	0.011	0
16	177.5	≧* <	182.5	144	4.22012	0.011	0.011	0
15	172.5	≧* <	177.5	140	4.13004	0.010	0.010	0
14	167.5	≧* <	172.5	136	4.03997	0.010	0.010	0
13	162.5	≧* <	167.5	132	3.94990	0.010	0.010	0
12	157.5	≧* <	162.5	128	3.85982	0.010	0.010	0
11	152.5	≧* <	157.5	124	3.76975	0.009	0.009	0
10	147.5	≧* <	152.5	120	3.67968	0.009	0.009	0
9	142.5	≧* <	147.5	116	3.58960	0.009	0.009	0
8	137.5	≧* <	142.5	112	3.49953	0.009	0.009	0
7	132.5	≧* <	137.5	108	3.40946	0.009	0.009	0
6	127.5	≧* <	132.5	104	3.31939	0.008	0.008	0
5	122.5	≧* <	127.5	100	3.22931	0.008	0.008	0
4	117.5	≧* <	122.5	96	3.13924	0.008	0.008	0
3	112.5	≧* <	117.5	92	3.04917	0.008	0.008	0
2	107.5	≧* <	112.5	88	2.95909	0.007	0.007	0
1	102.5	≧* <	107.5	84	2.86902	0.007	0.007	0
0	97.5	≧* <	102.5	80	2.77895	0.007	0.007	0
-1	92.5	≧* <	97.5	76	2.68887	0.007	0.007	301.15344
-2	87.5	≧* <	92.5	72	2.59880	0.006	0.006	4,844.16320
-3	82.5	≧* <	87.5	68	2.50873	0.006	0.006	2,476.11651
-4	77.5	≧* <	82.5	64	2.41865	0.006	0.006	0
-5	72.5	≧* <	77.5	60	2.32858	0.006	0.006	575.15926
-6	67.5	≧* <	72.5	56	2.23851	0.006	0.006	2,169.11619
-7	62.5	≧* <	67.5	52	2.14843	0.005	0.005	461.91245
-8	57.5	≧* <	62.5	48	2.05836	0.005	0.005	0
-9	52.5	≧* <	57.5	44	1.96829	0.005	0.005	0
-10	47.5	≧* <	52.5	40	1.87821	0.005	0.005	882.75870
-11	42.5	≧* <	47.5	36	1.78814	0.004	0.004	0
-12	37.5	≧* <	42.5	32	1.69807	0.004	0.004	0
-13	32.5	≧* <	37.5	28	1.60799	0.004	0.004	8,131.60543
-14	27.5	≧* <	32.5	24	1.51792	0.004	0.004	0
-15	22.5	≧* <	27.5	20	1.42785	0.004	0.004	0
-16	17.5	≧* <	22.5	16	1.33777	0.003	0.003	0
-17	12.5	≧* <	17.5	12	1.24770	0.003	0.003	0
-18	7.5	≧* <	12.5	8	1.15763	0.003	0.003	0
-19	2.5	≧* <	7.5	4	1.06755	0.003	0.003	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.116 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.266	0.266	0
19	192.5	≦* <	197.5	156	4.49034	0.260	0.260	0
18	187.5	≦* <	192.5	152	4.40026	0.255	0.255	0
17	182.5	≦* <	187.5	148	4.31019	0.250	0.250	0
16	177.5	≦* <	182.5	144	4.22012	0.245	0.245	0
15	172.5	≦* <	177.5	140	4.13004	0.240	0.240	0
14	167.5	≦* <	172.5	136	4.03997	0.234	0.234	0
13	162.5	≦* <	167.5	132	3.94990	0.229	0.229	0
12	157.5	≦* <	162.5	128	3.85982	0.224	0.224	0
11	152.5	≦* <	157.5	124	3.76975	0.219	0.219	0
10	147.5	≦* <	152.5	120	3.67968	0.213	0.213	0
9	142.5	≦* <	147.5	116	3.58960	0.208	0.208	0
8	137.5	≦* <	142.5	112	3.49953	0.203	0.203	0
7	132.5	≦* <	137.5	108	3.40946	0.198	0.198	0
6	127.5	≦* <	132.5	104	3.31939	0.193	0.193	0
5	122.5	≦* <	127.5	100	3.22931	0.187	0.187	0
4	117.5	≦* <	122.5	96	3.13924	0.182	0.182	0
3	112.5	≦* <	117.5	92	3.04917	0.177	0.177	0
2	107.5	≦* <	112.5	88	2.95909	0.172	0.172	0
1	102.5	≦* <	107.5	84	2.86902	0.166	0.166	0
0	97.5	≦* <	102.5	80	2.77895	0.161	0.161	0
-1	92.5	≦* <	97.5	76	2.68887	0.156	0.156	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.151	0.151	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.146	0.146	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.140	0.140	0
-5	72.5	≦* <	77.5	60	2.32858	0.135	0.135	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.130	0.130	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.125	0.125	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.119	0.119	0
-9	52.5	≦* <	57.5	44	1.96829	0.114	0.114	0
-10	47.5	≦* <	52.5	40	1.87821	0.109	0.109	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.104	0.104	0
-12	37.5	≦* <	42.5	32	1.69807	0.098	0.098	0
-13	32.5	≦* <	37.5	28	1.60799	0.093	0.093	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.088	0.088	0
-15	22.5	≦* <	27.5	20	1.42785	0.083	0.083	0
-16	17.5	≦* <	22.5	16	1.33777	0.078	0.078	0
-17	12.5	≦* <	17.5	12	1.24770	0.072	0.072	0
-18	7.5	≦* <	12.5	8	1.15763	0.067	0.067	0
-19	2.5	≦* <	7.5	4	1.06755	0.062	0.062	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.058	0.058	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.009	0.009	0
19	192.5	≦* <	197.5	156	4.49034	0.009	0.009	0
18	187.5	≦* <	192.5	152	4.40026	0.009	0.009	0
17	182.5	≦* <	187.5	148	4.31019	0.009	0.009	0
16	177.5	≦* <	182.5	144	4.22012	0.008	0.008	0
15	172.5	≦* <	177.5	140	4.13004	0.008	0.008	0
14	167.5	≦* <	172.5	136	4.03997	0.008	0.008	0
13	162.5	≦* <	167.5	132	3.94990	0.008	0.008	0
12	157.5	≦* <	162.5	128	3.85982	0.008	0.008	0
11	152.5	≦* <	157.5	124	3.76975	0.008	0.008	0
10	147.5	≦* <	152.5	120	3.67968	0.007	0.007	0
9	142.5	≦* <	147.5	116	3.58960	0.007	0.007	0
8	137.5	≦* <	142.5	112	3.49953	0.007	0.007	0
7	132.5	≦* <	137.5	108	3.40946	0.007	0.007	0
6	127.5	≦* <	132.5	104	3.31939	0.007	0.007	0
5	122.5	≦* <	127.5	100	3.22931	0.006	0.006	0
4	117.5	≦* <	122.5	96	3.13924	0.006	0.006	0
3	112.5	≦* <	117.5	92	3.04917	0.006	0.006	0
2	107.5	≦* <	112.5	88	2.95909	0.006	0.006	0
1	102.5	≦* <	107.5	84	2.86902	0.006	0.006	0
0	97.5	≦* <	102.5	80	2.77895	0.006	0.006	0
-1	92.5	≦* <	97.5	76	2.68887	0.005	0.005	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.005	0.005	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.005	0.005	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.005	0.005	0
-5	72.5	≦* <	77.5	60	2.32858	0.005	0.005	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.004	0.004	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.004	0.004	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.004	0.004	0
-9	52.5	≦* <	57.5	44	1.96829	0.004	0.004	0
-10	47.5	≦* <	52.5	40	1.87821	0.004	0.004	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.004	0.004	0
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.60799	0.003	0.003	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.42785	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.33777	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.106 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.243	0.243	0
19	192.5	≦* <	197.5	156	4.49034	0.238	0.238	0
18	187.5	≦* <	192.5	152	4.40026	0.233	0.233	0
17	182.5	≦* <	187.5	148	4.31019	0.228	0.228	0
16	177.5	≦* <	182.5	144	4.22012	0.224	0.224	0
15	172.5	≦* <	177.5	140	4.13004	0.219	0.219	0
14	167.5	≦* <	172.5	136	4.03997	0.214	0.214	0
13	162.5	≦* <	167.5	132	3.94990	0.209	0.209	0
12	157.5	≦* <	162.5	128	3.85982	0.205	0.205	0
11	152.5	≦* <	157.5	124	3.76975	0.200	0.200	0
10	147.5	≦* <	152.5	120	3.67968	0.195	0.195	0
9	142.5	≦* <	147.5	116	3.58960	0.190	0.190	0
8	137.5	≦* <	142.5	112	3.49953	0.185	0.185	0
7	132.5	≦* <	137.5	108	3.40946	0.181	0.181	0
6	127.5	≦* <	132.5	104	3.31939	0.176	0.176	0
5	122.5	≦* <	127.5	100	3.22931	0.171	0.171	0
4	117.5	≦* <	122.5	96	3.13924	0.166	0.166	0
3	112.5	≦* <	117.5	92	3.04917	0.162	0.162	0
2	107.5	≦* <	112.5	88	2.95909	0.157	0.157	0
1	102.5	≦* <	107.5	84	2.86902	0.152	0.152	0
0	97.5	≦* <	102.5	80	2.77895	0.147	0.147	0
-1	92.5	≦* <	97.5	76	2.68887	0.143	0.143	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.138	0.138	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.133	0.133	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.128	0.128	0
-5	72.5	≦* <	77.5	60	2.32858	0.123	0.123	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.119	0.119	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.114	0.114	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.109	0.109	0
-9	52.5	≦* <	57.5	44	1.96829	0.104	0.104	0
-10	47.5	≦* <	52.5	40	1.87821	0.100	0.100	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.095	0.095	0
-12	37.5	≦* <	42.5	32	1.69807	0.090	0.090	0
-13	32.5	≦* <	37.5	28	1.60799	0.085	0.085	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.080	0.080	0
-15	22.5	≦* <	27.5	20	1.42785	0.076	0.076	0
-16	17.5	≦* <	22.5	16	1.33777	0.071	0.071	0
-17	12.5	≦* <	17.5	12	1.24770	0.066	0.066	0
-18	7.5	≦* <	12.5	8	1.15763	0.061	0.061	0
-19	2.5	≦* <	7.5	4	1.06755	0.057	0.057	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.053	0.053	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	0
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	0
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	0
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	0
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	0
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	0
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	0
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	0
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	0
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	0
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	0
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	0
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	0
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	0
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	0
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	0
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	0
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	0
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	0
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	0
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	0
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	0
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	0
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	0
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	0
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	0
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 2.626 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)
			圧縮前				
20	197.5	≦*	160	3.44599	4.525	4.525	0
19	192.5	≦* < 197.5	156	3.38446	4.444	4.444	0
18	187.5	≦* < 192.5	152	3.32292	4.363	4.363	0
17	182.5	≦* < 187.5	148	3.26139	4.282	4.282	0
16	177.5	≦* < 182.5	144	3.19985	4.201	4.201	0
15	172.5	≦* < 177.5	140	3.13832	4.121	4.121	0
14	167.5	≦* < 172.5	136	3.07678	4.040	4.040	0
13	162.5	≦* < 167.5	132	3.01525	3.959	3.959	0
12	157.5	≦* < 162.5	128	2.95372	3.878	3.878	0
11	152.5	≦* < 157.5	124	2.89218	3.797	3.797	0
10	147.5	≦* < 152.5	120	2.83065	3.717	3.717	0
9	142.5	≦* < 147.5	116	2.76911	3.636	3.636	0
8	137.5	≦* < 142.5	112	2.70758	3.555	3.555	0
7	132.5	≦* < 137.5	108	2.64604	3.474	3.474	0
6	127.5	≦* < 132.5	104	2.58451	3.393	3.393	0
5	122.5	≦* < 127.5	100	2.52297	3.313	3.313	47.93643
4	117.5	≦* < 122.5	96	2.46144	3.232	3.232	0
3	112.5	≦* < 117.5	92	2.39991	3.151	3.151	0
2	107.5	≦* < 112.5	88	2.33837	3.070	3.070	0
1	102.5	≦* < 107.5	84	2.27684	2.989	2.989	0
0	97.5	≦* < 102.5	80	2.21530	2.909	2.909	0
-1	92.5	≦* < 97.5	76	2.15377	2.828	2.828	0
-2	87.5	≦* < 92.5	72	2.09223	2.747	2.747	479.12067
-3	82.5	≦* < 87.5	68	2.03070	2.666	2.666	62.95170
-4	77.5	≦* < 82.5	64	1.96917	2.586	2.586	19.69170
-5	72.5	≦* < 77.5	60	1.90763	2.505	2.505	0
-6	67.5	≦* < 72.5	56	1.84610	2.424	2.424	286.14550
-7	62.5	≦* < 67.5	52	1.78456	2.343	2.343	0
-8	57.5	≦* < 62.5	48	1.72303	2.262	2.262	0
-9	52.5	≦* < 57.5	44	1.66149	2.182	2.182	0
-10	47.5	≦* < 52.5	40	1.59996	2.101	2.101	0
-11	42.5	≦* < 47.5	36	1.53843	2.020	2.020	0
-12	37.5	≦* < 42.5	32	1.47689	1.939	1.939	22.15335
-13	32.5	≦* < 37.5	28	1.41536	1.858	1.858	0
-14	27.5	≦* < 32.5	24	1.35382	1.778	1.778	0
-15	22.5	≦* < 27.5	20	1.29229	1.697	1.697	0
-16	17.5	≦* < 22.5	16	1.23075	1.616	1.616	0
-17	12.5	≦* < 17.5	12	1.16922	1.535	1.535	0
-18	7.5	≦* < 12.5	8	1.10769	1.454	1.454	0
-19	2.5	≦* < 7.5	4	1.04615	1.374	1.374	0
-20	0.0	≦* < 2.5	1.00	1.00000	1.313	1.313	0
計	平均		66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.013 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)
			圧縮前				
20	197.5	≦*	160	3.44599	0.022	0.022	0
19	192.5	≧* <	156	3.38446	0.022	0.022	0
18	187.5	≧* <	152	3.32292	0.022	0.022	0
17	182.5	≧* <	148	3.26139	0.021	0.021	0
16	177.5	≧* <	144	3.19985	0.021	0.021	0
15	172.5	≧* <	140	3.13832	0.020	0.020	0
14	167.5	≧* <	136	3.07678	0.020	0.020	0
13	162.5	≧* <	132	3.01525	0.020	0.020	0
12	157.5	≧* <	128	2.95372	0.019	0.019	0
11	152.5	≧* <	124	2.89218	0.019	0.019	0
10	147.5	≧* <	120	2.83065	0.018	0.018	0
9	142.5	≧* <	116	2.76911	0.018	0.018	0
8	137.5	≧* <	112	2.70758	0.018	0.018	0
7	132.5	≧* <	108	2.64604	0.017	0.017	0
6	127.5	≧* <	104	2.58451	0.017	0.017	0
5	122.5	≧* <	100	2.52297	0.016	0.016	47.93643
4	117.5	≧* <	96	2.46144	0.016	0.016	0
3	112.5	≧* <	92	2.39991	0.016	0.016	0
2	107.5	≧* <	88	2.33837	0.015	0.015	0
1	102.5	≧* <	84	2.27684	0.015	0.015	0
0	97.5	≧* <	80	2.21530	0.014	0.014	0
-1	92.5	≧* <	76	2.15377	0.014	0.014	0
-2	87.5	≧* <	72	2.09223	0.014	0.014	479.12067
-3	82.5	≧* <	68	2.03070	0.013	0.013	62.95170
-4	77.5	≧* <	64	1.96917	0.013	0.013	19.69170
-5	72.5	≧* <	60	1.90763	0.012	0.012	0
-6	67.5	≧* <	56	1.84610	0.012	0.012	286.14550
-7	62.5	≧* <	52	1.78456	0.012	0.012	0
-8	57.5	≧* <	48	1.72303	0.011	0.011	0
-9	52.5	≧* <	44	1.66149	0.011	0.011	0
-10	47.5	≧* <	40	1.59996	0.010	0.010	0
-11	42.5	≧* <	36	1.53843	0.010	0.010	0
-12	37.5	≧* <	32	1.47689	0.010	0.010	22.15335
-13	32.5	≧* <	28	1.41536	0.009	0.009	0
-14	27.5	≧* <	24	1.35382	0.009	0.009	0
-15	22.5	≧* <	20	1.29229	0.008	0.008	0
-16	17.5	≧* <	16	1.23075	0.008	0.008	0
-17	12.5	≧* <	12	1.16922	0.008	0.008	0
-18	7.5	≧* <	8	1.10769	0.007	0.007	0
-19	2.5	≧* <	4	1.04615	0.007	0.007	0
-20	0.0	≧* <	1.00	1.00000	0.006 ※	0.006	0
計	平均		66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.995 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	3.437	3.437	0
19	192.5	≦* <	197.5	156	3.38446	3.376	3.376	0
18	187.5	≦* <	192.5	152	3.32292	3.315	3.315	0
17	182.5	≦* <	187.5	148	3.26139	3.253	3.253	0
16	177.5	≦* <	182.5	144	3.19985	3.192	3.192	0
15	172.5	≦* <	177.5	140	3.13832	3.130	3.130	0
14	167.5	≦* <	172.5	136	3.07678	3.069	3.069	0
13	162.5	≦* <	167.5	132	3.01525	3.008	3.008	0
12	157.5	≦* <	162.5	128	2.95372	2.946	2.946	0
11	152.5	≦* <	157.5	124	2.89218	2.885	2.885	0
10	147.5	≦* <	152.5	120	2.83065	2.824	2.824	0
9	142.5	≦* <	147.5	116	2.76911	2.762	2.762	0
8	137.5	≦* <	142.5	112	2.70758	2.701	2.701	0
7	132.5	≦* <	137.5	108	2.64604	2.639	2.639	0
6	127.5	≦* <	132.5	104	2.58451	2.578	2.578	0
5	122.5	≦* <	127.5	100	2.52297	2.517	2.517	47.93643
4	117.5	≦* <	122.5	96	2.46144	2.455	2.455	0
3	112.5	≦* <	117.5	92	2.39991	2.394	2.394	0
2	107.5	≦* <	112.5	88	2.33837	2.333	2.333	0
1	102.5	≦* <	107.5	84	2.27684	2.271	2.271	0
0	97.5	≦* <	102.5	80	2.21530	2.210	2.210	0
-1	92.5	≦* <	97.5	76	2.15377	2.148	2.148	0
-2	87.5	≦* <	92.5	72	2.09223	2.087	2.087	479.12067
-3	82.5	≦* <	87.5	68	2.03070	2.026	2.026	62.95170
-4	77.5	≦* <	82.5	64	1.96917	1.964	1.964	19.69170
-5	72.5	≦* <	77.5	60	1.90763	1.903	1.903	0
-6	67.5	≦* <	72.5	56	1.84610	1.841	1.841	286.14550
-7	62.5	≦* <	67.5	52	1.78456	1.780	1.780	0
-8	57.5	≦* <	62.5	48	1.72303	1.719	1.719	0
-9	52.5	≦* <	57.5	44	1.66149	1.657	1.657	0
-10	47.5	≦* <	52.5	40	1.59996	1.596	1.596	0
-11	42.5	≦* <	47.5	36	1.53843	1.535	1.535	0
-12	37.5	≦* <	42.5	32	1.47689	1.473	1.473	22.15335
-13	32.5	≦* <	37.5	28	1.41536	1.412	1.412	0
-14	27.5	≦* <	32.5	24	1.35382	1.350	1.350	0
-15	22.5	≦* <	27.5	20	1.29229	1.289	1.289	0
-16	17.5	≦* <	22.5	16	1.23075	1.228	1.228	0
-17	12.5	≦* <	17.5	12	1.16922	1.166	1.166	0
-18	7.5	≦* <	12.5	8	1.10769	1.105	1.105	0
-19	2.5	≦* <	7.5	4	1.04615	1.044	1.044	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.997 ※	0.997	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.012 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	0.021	0.021	0
19	192.5	≦* <	197.5	156	3.38446	0.020	0.020	0
18	187.5	≦* <	192.5	152	3.32292	0.020	0.020	0
17	182.5	≦* <	187.5	148	3.26139	0.020	0.020	0
16	177.5	≦* <	182.5	144	3.19985	0.019	0.019	0
15	172.5	≦* <	177.5	140	3.13832	0.019	0.019	0
14	167.5	≦* <	172.5	136	3.07678	0.018	0.018	0
13	162.5	≦* <	167.5	132	3.01525	0.018	0.018	0
12	157.5	≦* <	162.5	128	2.95372	0.018	0.018	0
11	152.5	≦* <	157.5	124	2.89218	0.017	0.017	0
10	147.5	≦* <	152.5	120	2.83065	0.017	0.017	0
9	142.5	≦* <	147.5	116	2.76911	0.017	0.017	0
8	137.5	≦* <	142.5	112	2.70758	0.016	0.016	0
7	132.5	≦* <	137.5	108	2.64604	0.016	0.016	0
6	127.5	≦* <	132.5	104	2.58451	0.016	0.016	0
5	122.5	≦* <	127.5	100	2.52297	0.015	0.015	47.93643
4	117.5	≦* <	122.5	96	2.46144	0.015	0.015	0
3	112.5	≦* <	117.5	92	2.39991	0.014	0.014	0
2	107.5	≦* <	112.5	88	2.33837	0.014	0.014	0
1	102.5	≦* <	107.5	84	2.27684	0.014	0.014	0
0	97.5	≦* <	102.5	80	2.21530	0.013	0.013	0
-1	92.5	≦* <	97.5	76	2.15377	0.013	0.013	0
-2	87.5	≦* <	92.5	72	2.09223	0.013	0.013	479.12067
-3	82.5	≦* <	87.5	68	2.03070	0.012	0.012	62.95170
-4	77.5	≦* <	82.5	64	1.96917	0.012	0.012	19.69170
-5	72.5	≦* <	77.5	60	1.90763	0.011	0.011	0
-6	67.5	≦* <	72.5	56	1.84610	0.011	0.011	286.14550
-7	62.5	≦* <	67.5	52	1.78456	0.011	0.011	0
-8	57.5	≦* <	62.5	48	1.72303	0.010	0.010	0
-9	52.5	≦* <	57.5	44	1.66149	0.010	0.010	0
-10	47.5	≦* <	52.5	40	1.59996	0.010	0.010	0
-11	42.5	≦* <	47.5	36	1.53843	0.009	0.009	0
-12	37.5	≦* <	42.5	32	1.47689	0.009	0.009	22.15335
-13	32.5	≦* <	37.5	28	1.41536	0.008	0.008	0
-14	27.5	≦* <	32.5	24	1.35382	0.008	0.008	0
-15	22.5	≦* <	27.5	20	1.29229	0.008	0.008	0
-16	17.5	≦* <	22.5	16	1.23075	0.007	0.007	0
-17	12.5	≦* <	17.5	12	1.16922	0.007	0.007	0
-18	7.5	≦* <	12.5	8	1.10769	0.007	0.007	0
-19	2.5	≦* <	7.5	4	1.04615	0.006	0.006	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.006	0.006	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.717 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	2.958	2.958	0
19	192.5	≦* <	197.5	156	3.38446	2.906	2.906	0
18	187.5	≦* <	192.5	152	3.32292	2.853	2.853	0
17	182.5	≦* <	187.5	148	3.26139	2.800	2.800	0
16	177.5	≦* <	182.5	144	3.19985	2.747	2.747	0
15	172.5	≦* <	177.5	140	3.13832	2.694	2.694	0
14	167.5	≦* <	172.5	136	3.07678	2.641	2.641	0
13	162.5	≦* <	167.5	132	3.01525	2.589	2.589	0
12	157.5	≦* <	162.5	128	2.95372	2.536	2.536	0
11	152.5	≦* <	157.5	124	2.89218	2.483	2.483	0
10	147.5	≦* <	152.5	120	2.83065	2.430	2.430	0
9	142.5	≦* <	147.5	116	2.76911	2.377	2.377	0
8	137.5	≦* <	142.5	112	2.70758	2.324	2.324	0
7	132.5	≦* <	137.5	108	2.64604	2.272	2.272	0
6	127.5	≦* <	132.5	104	2.58451	2.219	2.219	0
5	122.5	≦* <	127.5	100	2.52297	2.166	2.166	47.93643
4	117.5	≦* <	122.5	96	2.46144	2.113	2.113	0
3	112.5	≦* <	117.5	92	2.39991	2.060	2.060	0
2	107.5	≦* <	112.5	88	2.33837	2.007	2.007	0
1	102.5	≦* <	107.5	84	2.27684	1.955	1.955	0
0	97.5	≦* <	102.5	80	2.21530	1.902	1.902	0
-1	92.5	≦* <	97.5	76	2.15377	1.849	1.849	0
-2	87.5	≦* <	92.5	72	2.09223	1.796	1.796	479.12067
-3	82.5	≦* <	87.5	68	2.03070	1.743	1.743	62.95170
-4	77.5	≦* <	82.5	64	1.96917	1.691	1.691	19.69170
-5	72.5	≦* <	77.5	60	1.90763	1.638	1.638	0
-6	67.5	≦* <	72.5	56	1.84610	1.585	1.585	286.14550
-7	62.5	≦* <	67.5	52	1.78456	1.532	1.532	0
-8	57.5	≦* <	62.5	48	1.72303	1.479	1.479	0
-9	52.5	≦* <	57.5	44	1.66149	1.426	1.426	0
-10	47.5	≦* <	52.5	40	1.59996	1.374	1.374	0
-11	42.5	≦* <	47.5	36	1.53843	1.321	1.321	0
-12	37.5	≦* <	42.5	32	1.47689	1.268	1.268	22.15335
-13	32.5	≦* <	37.5	28	1.41536	1.215	1.215	0
-14	27.5	≦* <	32.5	24	1.35382	1.162	1.162	0
-15	22.5	≦* <	27.5	20	1.29229	1.109	1.109	0
-16	17.5	≦* <	22.5	16	1.23075	1.057	1.057	0
-17	12.5	≦* <	17.5	12	1.16922	1.004	1.004	0
-18	7.5	≦* <	12.5	8	1.10769	0.951	0.951	0
-19	2.5	≦* <	7.5	4	1.04615	0.898	0.898	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.858 ※	0.858	0
計	平 均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.011 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	0.019	0.019	0
19	192.5	≦* <	197.5	156	3.38446	0.019	0.019	0
18	187.5	≦* <	192.5	152	3.32292	0.018	0.018	0
17	182.5	≦* <	187.5	148	3.26139	0.018	0.018	0
16	177.5	≦* <	182.5	144	3.19985	0.018	0.018	0
15	172.5	≦* <	177.5	140	3.13832	0.017	0.017	0
14	167.5	≦* <	172.5	136	3.07678	0.017	0.017	0
13	162.5	≦* <	167.5	132	3.01525	0.017	0.017	0
12	157.5	≦* <	162.5	128	2.95372	0.016	0.016	0
11	152.5	≦* <	157.5	124	2.89218	0.016	0.016	0
10	147.5	≦* <	152.5	120	2.83065	0.016	0.016	0
9	142.5	≦* <	147.5	116	2.76911	0.015	0.015	0
8	137.5	≦* <	142.5	112	2.70758	0.015	0.015	0
7	132.5	≦* <	137.5	108	2.64604	0.015	0.015	0
6	127.5	≦* <	132.5	104	2.58451	0.014	0.014	0
5	122.5	≦* <	127.5	100	2.52297	0.014	0.014	47.93643
4	117.5	≦* <	122.5	96	2.46144	0.014	0.014	0
3	112.5	≦* <	117.5	92	2.39991	0.013	0.013	0
2	107.5	≦* <	112.5	88	2.33837	0.013	0.013	0
1	102.5	≦* <	107.5	84	2.27684	0.013	0.013	0
0	97.5	≦* <	102.5	80	2.21530	0.012	0.012	0
-1	92.5	≦* <	97.5	76	2.15377	0.012	0.012	0
-2	87.5	≦* <	92.5	72	2.09223	0.012	0.012	479.12067
-3	82.5	≦* <	87.5	68	2.03070	0.011	0.011	62.95170
-4	77.5	≦* <	82.5	64	1.96917	0.011	0.011	19.69170
-5	72.5	≦* <	77.5	60	1.90763	0.010	0.010	0
-6	67.5	≦* <	72.5	56	1.84610	0.010	0.010	286.14550
-7	62.5	≦* <	67.5	52	1.78456	0.010	0.010	0
-8	57.5	≦* <	62.5	48	1.72303	0.009	0.009	0
-9	52.5	≦* <	57.5	44	1.66149	0.009	0.009	0
-10	47.5	≦* <	52.5	40	1.59996	0.009	0.009	0
-11	42.5	≦* <	47.5	36	1.53843	0.008	0.008	0
-12	37.5	≦* <	42.5	32	1.47689	0.008	0.008	22.15335
-13	32.5	≦* <	37.5	28	1.41536	0.008	0.008	0
-14	27.5	≦* <	32.5	24	1.35382	0.007	0.007	0
-15	22.5	≦* <	27.5	20	1.29229	0.007	0.007	0
-16	17.5	≦* <	22.5	16	1.23075	0.007	0.007	0
-17	12.5	≦* <	17.5	12	1.16922	0.006	0.006	0
-18	7.5	≦* <	12.5	8	1.10769	0.006	0.006	0
-19	2.5	≦* <	7.5	4	1.04615	0.006	0.006	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.005 ※	0.005	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.620 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)
			圧縮前				
20	197.5	≦*	160	3.01204	2.440	2.440	0
19	192.5	≧* <	156	2.96142	2.399	2.399	0
18	187.5	≧* <	152	2.91081	2.358	2.358	0
17	182.5	≧* <	148	2.86019	2.317	2.317	0
16	177.5	≧* <	144	2.80957	2.276	2.276	0
15	172.5	≧* <	140	2.75895	2.235	2.235	0
14	167.5	≧* <	136	2.70834	2.194	2.194	0
13	162.5	≧* <	132	2.65772	2.153	2.153	0
12	157.5	≧* <	128	2.60710	2.112	2.112	0
11	152.5	≧* <	124	2.55648	2.071	2.071	0
10	147.5	≧* <	120	2.50587	2.030	2.030	0
9	142.5	≧* <	116	2.45525	1.989	1.989	0
8	137.5	≧* <	112	2.40463	1.948	1.948	0
7	132.5	≧* <	108	2.35401	1.907	1.907	0
6	127.5	≧* <	104	2.30340	1.866	1.866	0
5	122.5	≧* <	100	2.25278	1.825	1.825	0
4	117.5	≧* <	96	2.20216	1.784	1.784	0
3	112.5	≧* <	92	2.15154	1.743	1.743	0
2	107.5	≧* <	88	2.10093	1.702	1.702	0
1	102.5	≧* <	84	2.05031	1.661	1.661	0
0	97.5	≧* <	80	1.99969	1.620	1.620	0
-1	92.5	≧* <	76	1.94908	1.579	1.579	0
-2	87.5	≧* <	72	1.89846	1.538	1.538	0
-3	82.5	≧* <	68	1.84784	1.497	1.497	0
-4	77.5	≧* <	64	1.79722	1.456	1.456	0
-5	72.5	≧* <	60	1.74661	1.415	1.415	0
-6	67.5	≧* <	56	1.69599	1.374	1.374	0
-7	62.5	≧* <	52	1.64537	1.333	1.333	0
-8	57.5	≧* <	48	1.59475	1.292	1.292	0
-9	52.5	≧* <	44	1.54414	1.251	1.251	0
-10	47.5	≧* <	40	1.49352	1.210	1.210	0
-11	42.5	≧* <	36	1.44290	1.169	1.169	0
-12	37.5	≧* <	32	1.39228	1.128	1.128	0
-13	32.5	≧* <	28	1.34167	1.087	1.087	0
-14	27.5	≧* <	24	1.29105	1.046	1.046	0
-15	22.5	≧* <	20	1.24043	1.005	1.005	0
-16	17.5	≧* <	16	1.18982	0.964	0.964	0
-17	12.5	≧* <	12	1.13920	0.923	0.923	0
-18	7.5	≧* <	8	1.08858	0.882	0.882	0
-19	2.5	≧* <	4	1.03796	0.841	0.841	0
-20	0.0	≧* <	1.00	1.00000	0.810	0.810	0
計	平均		80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.021 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.032	0.032	0
19	192.5	≦* <	197.5	156	2.96142	0.031	0.031	0
18	187.5	≦* <	192.5	152	2.91081	0.031	0.031	0
17	182.5	≦* <	187.5	148	2.86019	0.030	0.030	0
16	177.5	≦* <	182.5	144	2.80957	0.030	0.030	0
15	172.5	≦* <	177.5	140	2.75895	0.029	0.029	0
14	167.5	≦* <	172.5	136	2.70834	0.028	0.028	0
13	162.5	≦* <	167.5	132	2.65772	0.028	0.028	0
12	157.5	≦* <	162.5	128	2.60710	0.027	0.027	0
11	152.5	≦* <	157.5	124	2.55648	0.027	0.027	0
10	147.5	≦* <	152.5	120	2.50587	0.026	0.026	0
9	142.5	≦* <	147.5	116	2.45525	0.026	0.026	0
8	137.5	≦* <	142.5	112	2.40463	0.025	0.025	0
7	132.5	≦* <	137.5	108	2.35401	0.025	0.025	0
6	127.5	≦* <	132.5	104	2.30340	0.024	0.024	0
5	122.5	≦* <	127.5	100	2.25278	0.024	0.024	0
4	117.5	≦* <	122.5	96	2.20216	0.023	0.023	0
3	112.5	≦* <	117.5	92	2.15154	0.023	0.023	0
2	107.5	≦* <	112.5	88	2.10093	0.022	0.022	0
1	102.5	≦* <	107.5	84	2.05031	0.022	0.022	0
0	97.5	≦* <	102.5	80	1.99969	0.021	0.021	0
-1	92.5	≦* <	97.5	76	1.94908	0.020	0.020	0
-2	87.5	≦* <	92.5	72	1.89846	0.020	0.020	0
-3	82.5	≦* <	87.5	68	1.84784	0.019	0.019	0
-4	77.5	≦* <	82.5	64	1.79722	0.019	0.019	0
-5	72.5	≦* <	77.5	60	1.74661	0.018	0.018	0
-6	67.5	≦* <	72.5	56	1.69599	0.018	0.018	0
-7	62.5	≦* <	67.5	52	1.64537	0.017	0.017	0
-8	57.5	≦* <	62.5	48	1.59475	0.017	0.017	0
-9	52.5	≦* <	57.5	44	1.54414	0.016	0.016	0
-10	47.5	≦* <	52.5	40	1.49352	0.016	0.016	0
-11	42.5	≦* <	47.5	36	1.44290	0.015	0.015	0
-12	37.5	≦* <	42.5	32	1.39228	0.015	0.015	0
-13	32.5	≦* <	37.5	28	1.34167	0.014	0.014	0
-14	27.5	≦* <	32.5	24	1.29105	0.014	0.014	0
-15	22.5	≦* <	27.5	20	1.24043	0.013	0.013	0
-16	17.5	≦* <	22.5	16	1.18982	0.012	0.012	0
-17	12.5	≦* <	17.5	12	1.13920	0.012	0.012	0
-18	7.5	≦* <	12.5	8	1.08858	0.011	0.011	0
-19	2.5	≦* <	7.5	4	1.03796	0.011	0.011	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.010 ※	0.010	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.015 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.529	1.529	0
19	192.5	≦* <	197.5	156	2.96142	1.503	1.503	0
18	187.5	≦* <	192.5	152	2.91081	1.477	1.477	0
17	182.5	≦* <	187.5	148	2.86019	1.452	1.452	0
16	177.5	≦* <	182.5	144	2.80957	1.426	1.426	0
15	172.5	≦* <	177.5	140	2.75895	1.400	1.400	0
14	167.5	≦* <	172.5	136	2.70834	1.374	1.374	0
13	162.5	≦* <	167.5	132	2.65772	1.349	1.349	0
12	157.5	≦* <	162.5	128	2.60710	1.323	1.323	0
11	152.5	≦* <	157.5	124	2.55648	1.297	1.297	0
10	147.5	≦* <	152.5	120	2.50587	1.272	1.272	0
9	142.5	≦* <	147.5	116	2.45525	1.246	1.246	0
8	137.5	≦* <	142.5	112	2.40463	1.220	1.220	0
7	132.5	≦* <	137.5	108	2.35401	1.195	1.195	0
6	127.5	≦* <	132.5	104	2.30340	1.169	1.169	0
5	122.5	≦* <	127.5	100	2.25278	1.143	1.143	0
4	117.5	≦* <	122.5	96	2.20216	1.118	1.118	0
3	112.5	≦* <	117.5	92	2.15154	1.092	1.092	0
2	107.5	≦* <	112.5	88	2.10093	1.066	1.066	0
1	102.5	≦* <	107.5	84	2.05031	1.041	1.041	0
0	97.5	≦* <	102.5	80	1.99969	1.015	1.015	0
-1	92.5	≦* <	97.5	76	1.94908	0.989	0.989	0
-2	87.5	≦* <	92.5	72	1.89846	0.963	0.963	0
-3	82.5	≦* <	87.5	68	1.84784	0.938	0.938	0
-4	77.5	≦* <	82.5	64	1.79722	0.912	0.912	0
-5	72.5	≦* <	77.5	60	1.74661	0.886	0.886	0
-6	67.5	≦* <	72.5	56	1.69599	0.861	0.861	0
-7	62.5	≦* <	67.5	52	1.64537	0.835	0.835	0
-8	57.5	≦* <	62.5	48	1.59475	0.809	0.809	0
-9	52.5	≦* <	57.5	44	1.54414	0.784	0.784	0
-10	47.5	≦* <	52.5	40	1.49352	0.758	0.758	0
-11	42.5	≦* <	47.5	36	1.44290	0.732	0.732	0
-12	37.5	≦* <	42.5	32	1.39228	0.707	0.707	0
-13	32.5	≦* <	37.5	28	1.34167	0.681	0.681	0
-14	27.5	≦* <	32.5	24	1.29105	0.655	0.655	0
-15	22.5	≦* <	27.5	20	1.24043	0.630	0.630	0
-16	17.5	≦* <	22.5	16	1.18982	0.604	0.604	0
-17	12.5	≦* <	17.5	12	1.13920	0.578	0.578	0
-18	7.5	≦* <	12.5	8	1.08858	0.552	0.552	0
-19	2.5	≦* <	7.5	4	1.03796	0.527	0.527	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.507 ※	0.507	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.020 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.030	0.030	0
19	192.5	≧* <	197.5	156	2.96142	0.030	0.030	0
18	187.5	≧* <	192.5	152	2.91081	0.029	0.029	0
17	182.5	≧* <	187.5	148	2.86019	0.029	0.029	0
16	177.5	≧* <	182.5	144	2.80957	0.028	0.028	0
15	172.5	≧* <	177.5	140	2.75895	0.028	0.028	0
14	167.5	≧* <	172.5	136	2.70834	0.027	0.027	0
13	162.5	≧* <	167.5	132	2.65772	0.027	0.027	0
12	157.5	≧* <	162.5	128	2.60710	0.026	0.026	0
11	152.5	≧* <	157.5	124	2.55648	0.026	0.026	0
10	147.5	≧* <	152.5	120	2.50587	0.025	0.025	0
9	142.5	≧* <	147.5	116	2.45525	0.025	0.025	0
8	137.5	≧* <	142.5	112	2.40463	0.024	0.024	0
7	132.5	≧* <	137.5	108	2.35401	0.024	0.024	0
6	127.5	≧* <	132.5	104	2.30340	0.023	0.023	0
5	122.5	≧* <	127.5	100	2.25278	0.023	0.023	0
4	117.5	≧* <	122.5	96	2.20216	0.022	0.022	0
3	112.5	≧* <	117.5	92	2.15154	0.022	0.022	0
2	107.5	≧* <	112.5	88	2.10093	0.021	0.021	0
1	102.5	≧* <	107.5	84	2.05031	0.021	0.021	0
0	97.5	≧* <	102.5	80	1.99969	0.020	0.020	0
-1	92.5	≧* <	97.5	76	1.94908	0.019	0.019	0
-2	87.5	≧* <	92.5	72	1.89846	0.019	0.019	0
-3	82.5	≧* <	87.5	68	1.84784	0.018	0.018	0
-4	77.5	≧* <	82.5	64	1.79722	0.018	0.018	0
-5	72.5	≧* <	77.5	60	1.74661	0.017	0.017	0
-6	67.5	≧* <	72.5	56	1.69599	0.017	0.017	0
-7	62.5	≧* <	67.5	52	1.64537	0.016	0.016	0
-8	57.5	≧* <	62.5	48	1.59475	0.016	0.016	0
-9	52.5	≧* <	57.5	44	1.54414	0.015	0.015	0
-10	47.5	≧* <	52.5	40	1.49352	0.015	0.015	0
-11	42.5	≧* <	47.5	36	1.44290	0.014	0.014	0
-12	37.5	≧* <	42.5	32	1.39228	0.014	0.014	0
-13	32.5	≧* <	37.5	28	1.34167	0.013	0.013	0
-14	27.5	≧* <	32.5	24	1.29105	0.013	0.013	0
-15	22.5	≧* <	27.5	20	1.24043	0.012	0.012	0
-16	17.5	≧* <	22.5	16	1.18982	0.012	0.012	0
-17	12.5	≧* <	17.5	12	1.13920	0.011	0.011	0
-18	7.5	≧* <	12.5	8	1.08858	0.011	0.011	0
-19	2.5	≧* <	7.5	4	1.03796	0.010	0.010	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.010	0.010	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.720 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	1.084	1.084	0
19	192.5	≦* <	197.5	156	2.96142	1.066	1.066	0
18	187.5	≦* <	192.5	152	2.91081	1.048	1.048	0
17	182.5	≦* <	187.5	148	2.86019	1.030	1.030	0
16	177.5	≦* <	182.5	144	2.80957	1.011	1.011	0
15	172.5	≦* <	177.5	140	2.75895	0.993	0.993	0
14	167.5	≦* <	172.5	136	2.70834	0.975	0.975	0
13	162.5	≦* <	167.5	132	2.65772	0.957	0.957	0
12	157.5	≦* <	162.5	128	2.60710	0.939	0.939	0
11	152.5	≦* <	157.5	124	2.55648	0.920	0.920	0
10	147.5	≦* <	152.5	120	2.50587	0.902	0.902	0
9	142.5	≦* <	147.5	116	2.45525	0.884	0.884	0
8	137.5	≦* <	142.5	112	2.40463	0.866	0.866	0
7	132.5	≦* <	137.5	108	2.35401	0.847	0.847	0
6	127.5	≦* <	132.5	104	2.30340	0.829	0.829	0
5	122.5	≦* <	127.5	100	2.25278	0.811	0.811	0
4	117.5	≦* <	122.5	96	2.20216	0.793	0.793	0
3	112.5	≦* <	117.5	92	2.15154	0.775	0.775	0
2	107.5	≦* <	112.5	88	2.10093	0.756	0.756	0
1	102.5	≦* <	107.5	84	2.05031	0.738	0.738	0
0	97.5	≦* <	102.5	80	1.99969	0.720	0.720	0
-1	92.5	≦* <	97.5	76	1.94908	0.702	0.702	0
-2	87.5	≦* <	92.5	72	1.89846	0.683	0.683	0
-3	82.5	≦* <	87.5	68	1.84784	0.665	0.665	0
-4	77.5	≦* <	82.5	64	1.79722	0.647	0.647	0
-5	72.5	≦* <	77.5	60	1.74661	0.629	0.629	0
-6	67.5	≦* <	72.5	56	1.69599	0.611	0.611	0
-7	62.5	≦* <	67.5	52	1.64537	0.592	0.592	0
-8	57.5	≦* <	62.5	48	1.59475	0.574	0.574	0
-9	52.5	≦* <	57.5	44	1.54414	0.556	0.556	0
-10	47.5	≦* <	52.5	40	1.49352	0.538	0.538	0
-11	42.5	≦* <	47.5	36	1.44290	0.519	0.519	0
-12	37.5	≦* <	42.5	32	1.39228	0.501	0.501	0
-13	32.5	≦* <	37.5	28	1.34167	0.483	0.483	0
-14	27.5	≦* <	32.5	24	1.29105	0.465	0.465	0
-15	22.5	≦* <	27.5	20	1.24043	0.447	0.447	0
-16	17.5	≦* <	22.5	16	1.18982	0.428	0.428	0
-17	12.5	≦* <	17.5	12	1.13920	0.410	0.410	0
-18	7.5	≦* <	12.5	8	1.08858	0.392	0.392	0
-19	2.5	≦* <	7.5	4	1.03796	0.374	0.374	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.360	0.360	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (撤去費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.019 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.029	0.029	0
19	192.5	≦* <	197.5	156	2.96142	0.028	0.028	0
18	187.5	≦* <	192.5	152	2.91081	0.028	0.028	0
17	182.5	≦* <	187.5	148	2.86019	0.027	0.027	0
16	177.5	≦* <	182.5	144	2.80957	0.027	0.027	0
15	172.5	≦* <	177.5	140	2.75895	0.026	0.026	0
14	167.5	≦* <	172.5	136	2.70834	0.026	0.026	0
13	162.5	≦* <	167.5	132	2.65772	0.025	0.025	0
12	157.5	≦* <	162.5	128	2.60710	0.025	0.025	0
11	152.5	≦* <	157.5	124	2.55648	0.024	0.024	0
10	147.5	≦* <	152.5	120	2.50587	0.024	0.024	0
9	142.5	≦* <	147.5	116	2.45525	0.023	0.023	0
8	137.5	≦* <	142.5	112	2.40463	0.023	0.023	0
7	132.5	≦* <	137.5	108	2.35401	0.022	0.022	0
6	127.5	≦* <	132.5	104	2.30340	0.022	0.022	0
5	122.5	≦* <	127.5	100	2.25278	0.021	0.021	0
4	117.5	≦* <	122.5	96	2.20216	0.021	0.021	0
3	112.5	≦* <	117.5	92	2.15154	0.020	0.020	0
2	107.5	≦* <	112.5	88	2.10093	0.020	0.020	0
1	102.5	≦* <	107.5	84	2.05031	0.019	0.019	0
0	97.5	≦* <	102.5	80	1.99969	0.019	0.019	0
-1	92.5	≦* <	97.5	76	1.94908	0.019	0.019	0
-2	87.5	≦* <	92.5	72	1.89846	0.018	0.018	0
-3	82.5	≦* <	87.5	68	1.84784	0.018	0.018	0
-4	77.5	≦* <	82.5	64	1.79722	0.017	0.017	0
-5	72.5	≦* <	77.5	60	1.74661	0.017	0.017	0
-6	67.5	≦* <	72.5	56	1.69599	0.016	0.016	0
-7	62.5	≦* <	67.5	52	1.64537	0.016	0.016	0
-8	57.5	≦* <	62.5	48	1.59475	0.015	0.015	0
-9	52.5	≦* <	57.5	44	1.54414	0.015	0.015	0
-10	47.5	≦* <	52.5	40	1.49352	0.014	0.014	0
-11	42.5	≦* <	47.5	36	1.44290	0.014	0.014	0
-12	37.5	≦* <	42.5	32	1.39228	0.013	0.013	0
-13	32.5	≦* <	37.5	28	1.34167	0.013	0.013	0
-14	27.5	≦* <	32.5	24	1.29105	0.012	0.012	0
-15	22.5	≦* <	27.5	20	1.24043	0.012	0.012	0
-16	17.5	≦* <	22.5	16	1.18982	0.011	0.011	0
-17	12.5	≦* <	17.5	12	1.13920	0.011	0.011	0
-18	7.5	≦* <	12.5	8	1.08858	0.010	0.010	0
-19	2.5	≦* <	7.5	4	1.03796	0.010	0.010	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.009 ※	0.009	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.293 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.441	0.441	0
19	192.5	≦* <	197.5	156	2.96142	0.434	0.434	0
18	187.5	≦* <	192.5	152	2.91081	0.426	0.426	0
17	182.5	≦* <	187.5	148	2.86019	0.419	0.419	0
16	177.5	≦* <	182.5	144	2.80957	0.412	0.412	0
15	172.5	≦* <	177.5	140	2.75895	0.404	0.404	0
14	167.5	≦* <	172.5	136	2.70834	0.397	0.397	0
13	162.5	≦* <	167.5	132	2.65772	0.389	0.389	0
12	157.5	≦* <	162.5	128	2.60710	0.382	0.382	0
11	152.5	≦* <	157.5	124	2.55648	0.375	0.375	0
10	147.5	≦* <	152.5	120	2.50587	0.367	0.367	0
9	142.5	≦* <	147.5	116	2.45525	0.360	0.360	0
8	137.5	≦* <	142.5	112	2.40463	0.352	0.352	0
7	132.5	≦* <	137.5	108	2.35401	0.345	0.345	0
6	127.5	≦* <	132.5	104	2.30340	0.337	0.337	0
5	122.5	≦* <	127.5	100	2.25278	0.330	0.330	0
4	117.5	≦* <	122.5	96	2.20216	0.323	0.323	0
3	112.5	≦* <	117.5	92	2.15154	0.315	0.315	0
2	107.5	≦* <	112.5	88	2.10093	0.308	0.308	0
1	102.5	≦* <	107.5	84	2.05031	0.300	0.300	0
0	97.5	≦* <	102.5	80	1.99969	0.293	0.293	0
-1	92.5	≦* <	97.5	76	1.94908	0.286	0.286	0
-2	87.5	≦* <	92.5	72	1.89846	0.278	0.278	0
-3	82.5	≦* <	87.5	68	1.84784	0.271	0.271	0
-4	77.5	≦* <	82.5	64	1.79722	0.263	0.263	0
-5	72.5	≦* <	77.5	60	1.74661	0.256	0.256	0
-6	67.5	≦* <	72.5	56	1.69599	0.248	0.248	0
-7	62.5	≦* <	67.5	52	1.64537	0.241	0.241	0
-8	57.5	≦* <	62.5	48	1.59475	0.234	0.234	0
-9	52.5	≦* <	57.5	44	1.54414	0.226	0.226	0
-10	47.5	≦* <	52.5	40	1.49352	0.219	0.219	0
-11	42.5	≦* <	47.5	36	1.44290	0.211	0.211	0
-12	37.5	≦* <	42.5	32	1.39228	0.204	0.204	0
-13	32.5	≦* <	37.5	28	1.34167	0.197	0.197	0
-14	27.5	≦* <	32.5	24	1.29105	0.189	0.189	0
-15	22.5	≦* <	27.5	20	1.24043	0.182	0.182	0
-16	17.5	≦* <	22.5	16	1.18982	0.174	0.174	0
-17	12.5	≦* <	17.5	12	1.13920	0.167	0.167	0
-18	7.5	≦* <	12.5	8	1.08858	0.159	0.159	0
-19	2.5	≦* <	7.5	4	1.03796	0.152	0.152	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.146 ※	0.146	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.201 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.303	0.303	0
19	192.5	≧* <	197.5	156	2.96142	0.298	0.298	0
18	187.5	≧* <	192.5	152	2.91081	0.293	0.293	0
17	182.5	≧* <	187.5	148	2.86019	0.287	0.287	0
16	177.5	≧* <	182.5	144	2.80957	0.282	0.282	0
15	172.5	≧* <	177.5	140	2.75895	0.277	0.277	0
14	167.5	≧* <	172.5	136	2.70834	0.272	0.272	0
13	162.5	≧* <	167.5	132	2.65772	0.267	0.267	0
12	157.5	≧* <	162.5	128	2.60710	0.262	0.262	0
11	152.5	≧* <	157.5	124	2.55648	0.257	0.257	0
10	147.5	≧* <	152.5	120	2.50587	0.252	0.252	0
9	142.5	≧* <	147.5	116	2.45525	0.247	0.247	0
8	137.5	≧* <	142.5	112	2.40463	0.242	0.242	0
7	132.5	≧* <	137.5	108	2.35401	0.237	0.237	0
6	127.5	≧* <	132.5	104	2.30340	0.231	0.231	0
5	122.5	≧* <	127.5	100	2.25278	0.226	0.226	0
4	117.5	≧* <	122.5	96	2.20216	0.221	0.221	0
3	112.5	≧* <	117.5	92	2.15154	0.216	0.216	0
2	107.5	≧* <	112.5	88	2.10093	0.211	0.211	0
1	102.5	≧* <	107.5	84	2.05031	0.206	0.206	0
0	97.5	≧* <	102.5	80	1.99969	0.201	0.201	0
-1	92.5	≧* <	97.5	76	1.94908	0.196	0.196	0
-2	87.5	≧* <	92.5	72	1.89846	0.191	0.191	0
-3	82.5	≧* <	87.5	68	1.84784	0.186	0.186	0
-4	77.5	≧* <	82.5	64	1.79722	0.181	0.181	0
-5	72.5	≧* <	77.5	60	1.74661	0.176	0.176	0
-6	67.5	≧* <	72.5	56	1.69599	0.170	0.170	0
-7	62.5	≧* <	67.5	52	1.64537	0.165	0.165	0
-8	57.5	≧* <	62.5	48	1.59475	0.160	0.160	0
-9	52.5	≧* <	57.5	44	1.54414	0.155	0.155	0
-10	47.5	≧* <	52.5	40	1.49352	0.150	0.150	0
-11	42.5	≧* <	47.5	36	1.44290	0.145	0.145	0
-12	37.5	≧* <	42.5	32	1.39228	0.140	0.140	0
-13	32.5	≧* <	37.5	28	1.34167	0.135	0.135	0
-14	27.5	≧* <	32.5	24	1.29105	0.130	0.130	0
-15	22.5	≧* <	27.5	20	1.24043	0.125	0.125	0
-16	17.5	≧* <	22.5	16	1.18982	0.120	0.120	0
-17	12.5	≧* <	17.5	12	1.13920	0.114	0.114	0
-18	7.5	≧* <	12.5	8	1.08858	0.109	0.109	0
-19	2.5	≧* <	7.5	4	1.03796	0.104	0.104	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.100 ※	0.100	0
計	平 均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.143 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.215	0.215	0
19	192.5	≦* <	197.5	156	2.96142	0.212	0.212	0
18	187.5	≦* <	192.5	152	2.91081	0.208	0.208	0
17	182.5	≦* <	187.5	148	2.86019	0.205	0.205	0
16	177.5	≦* <	182.5	144	2.80957	0.201	0.201	0
15	172.5	≦* <	177.5	140	2.75895	0.197	0.197	0
14	167.5	≦* <	172.5	136	2.70834	0.194	0.194	0
13	162.5	≦* <	167.5	132	2.65772	0.190	0.190	0
12	157.5	≦* <	162.5	128	2.60710	0.186	0.186	0
11	152.5	≦* <	157.5	124	2.55648	0.183	0.183	0
10	147.5	≦* <	152.5	120	2.50587	0.179	0.179	0
9	142.5	≦* <	147.5	116	2.45525	0.176	0.176	0
8	137.5	≦* <	142.5	112	2.40463	0.172	0.172	0
7	132.5	≦* <	137.5	108	2.35401	0.168	0.168	0
6	127.5	≦* <	132.5	104	2.30340	0.165	0.165	0
5	122.5	≦* <	127.5	100	2.25278	0.161	0.161	0
4	117.5	≦* <	122.5	96	2.20216	0.157	0.157	0
3	112.5	≦* <	117.5	92	2.15154	0.154	0.154	0
2	107.5	≦* <	112.5	88	2.10093	0.150	0.150	0
1	102.5	≦* <	107.5	84	2.05031	0.147	0.147	0
0	97.5	≦* <	102.5	80	1.99969	0.143	0.143	0
-1	92.5	≦* <	97.5	76	1.94908	0.139	0.139	0
-2	87.5	≦* <	92.5	72	1.89846	0.136	0.136	0
-3	82.5	≦* <	87.5	68	1.84784	0.132	0.132	0
-4	77.5	≦* <	82.5	64	1.79722	0.129	0.129	0
-5	72.5	≦* <	77.5	60	1.74661	0.125	0.125	0
-6	67.5	≦* <	72.5	56	1.69599	0.121	0.121	0
-7	62.5	≦* <	67.5	52	1.64537	0.118	0.118	0
-8	57.5	≦* <	62.5	48	1.59475	0.114	0.114	0
-9	52.5	≦* <	57.5	44	1.54414	0.110	0.110	0
-10	47.5	≦* <	52.5	40	1.49352	0.107	0.107	0
-11	42.5	≦* <	47.5	36	1.44290	0.103	0.103	0
-12	37.5	≦* <	42.5	32	1.39228	0.100	0.100	0
-13	32.5	≦* <	37.5	28	1.34167	0.096	0.096	0
-14	27.5	≦* <	32.5	24	1.29105	0.092	0.092	0
-15	22.5	≦* <	27.5	20	1.24043	0.089	0.089	0
-16	17.5	≦* <	22.5	16	1.18982	0.085	0.085	0
-17	12.5	≦* <	17.5	12	1.13920	0.081	0.081	0
-18	7.5	≦* <	12.5	8	1.08858	0.078	0.078	0
-19	2.5	≦* <	7.5	4	1.03796	0.074	0.074	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.071 ※	0.071	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.076 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.126	0.126	28,959.13506
19	192.5	≧* <	197.5	156	2.15198	0.082	0.082	2,197.17158
18	187.5	≧* <	192.5	152	2.12226	0.081	0.081	0
17	182.5	≧* <	187.5	148	2.09253	0.080	0.080	0
16	177.5	≧* <	182.5	144	2.06280	0.078	0.078	0
15	172.5	≧* <	177.5	140	2.03307	0.077	0.077	0
14	167.5	≧* <	172.5	136	2.00334	0.076	0.076	0
13	162.5	≧* <	167.5	132	1.97361	0.075	0.075	0
12	157.5	≧* <	162.5	128	1.94388	0.074	0.074	0
11	152.5	≧* <	157.5	124	1.91416	0.073	0.073	0
10	147.5	≧* <	152.5	120	1.88443	0.072	0.072	0
9	142.5	≧* <	147.5	116	1.85470	0.070	0.070	0
8	137.5	≧* <	142.5	112	1.82497	0.069	0.069	0
7	132.5	≧* <	137.5	108	1.79524	0.068	0.068	786.31512
6	127.5	≧* <	132.5	104	1.76551	0.067	0.067	6,851.94431
5	122.5	≧* <	127.5	100	1.73578	0.066	0.066	0
4	117.5	≧* <	122.5	96	1.70605	0.065	0.065	0
3	112.5	≧* <	117.5	92	1.67633	0.064	0.064	0
2	107.5	≧* <	112.5	88	1.64660	0.063	0.063	5,641.25160
1	102.5	≧* <	107.5	84	1.61687	0.061	0.061	0
0	97.5	≧* <	102.5	80	1.58714	0.060	0.060	0
-1	92.5	≧* <	97.5	76	1.55741	0.059	0.059	0
-2	87.5	≧* <	92.5	72	1.52768	0.058	0.058	2,384.70848
-3	82.5	≧* <	87.5	68	1.49795	0.057	0.057	6,827.65610
-4	77.5	≧* <	82.5	64	1.46823	0.056	0.056	1,877.86617
-5	72.5	≧* <	77.5	60	1.43850	0.055	0.055	542.31450
-6	67.5	≧* <	72.5	56	1.40877	0.054	0.054	1,427.08401
-7	62.5	≧* <	67.5	52	1.37904	0.052	0.052	2,074.07616
-8	57.5	≧* <	62.5	48	1.34931	0.051	0.051	0
-9	52.5	≧* <	57.5	44	1.31958	0.050	0.050	1,016.07660
-10	47.5	≧* <	52.5	40	1.28985	0.049	0.049	1,077.02475
-11	42.5	≧* <	47.5	36	1.26013	0.048	0.048	843.02697
-12	37.5	≧* <	42.5	32	1.23040	0.047	0.047	0
-13	32.5	≧* <	37.5	28	1.20067	0.046	0.046	3,484.34434
-14	27.5	≧* <	32.5	24	1.17094	0.044	0.044	0
-15	22.5	≧* <	27.5	20	1.14121	0.043	0.043	0
-16	17.5	≧* <	22.5	16	1.11148	0.042	0.042	0
-17	12.5	≧* <	17.5	12	1.08175	0.041	0.041	0
-18	7.5	≧* <	12.5	8	1.05203	0.040	0.040	0
-19	2.5	≧* <	7.5	4	1.02230	0.039	0.039	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.038	0.038	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.064 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.106	0.106	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.069	0.069	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.068	0.068	0
17	182.5	≦* <	187.5	148	2.09253	0.067	0.067	0
16	177.5	≦* <	182.5	144	2.06280	0.066	0.066	0
15	172.5	≦* <	177.5	140	2.03307	0.065	0.065	0
14	167.5	≦* <	172.5	136	2.00334	0.064	0.064	0
13	162.5	≦* <	167.5	132	1.97361	0.063	0.063	0
12	157.5	≦* <	162.5	128	1.94388	0.062	0.062	0
11	152.5	≦* <	157.5	124	1.91416	0.061	0.061	0
10	147.5	≦* <	152.5	120	1.88443	0.060	0.060	0
9	142.5	≦* <	147.5	116	1.85470	0.059	0.059	0
8	137.5	≦* <	142.5	112	1.82497	0.058	0.058	0
7	132.5	≦* <	137.5	108	1.79524	0.057	0.057	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.056	0.056	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.056	0.056	0
4	117.5	≦* <	122.5	96	1.70605	0.055	0.055	0
3	112.5	≦* <	117.5	92	1.67633	0.054	0.054	0
2	107.5	≦* <	112.5	88	1.64660	0.053	0.053	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.052	0.052	0
0	97.5	≦* <	102.5	80	1.58714	0.051	0.051	0
-1	92.5	≦* <	97.5	76	1.55741	0.050	0.050	0
-2	87.5	≦* <	92.5	72	1.52768	0.049	0.049	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.048	0.048	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.047	0.047	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.046	0.046	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.045	0.045	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.044	0.044	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.043	0.043	0
-9	52.5	≦* <	57.5	44	1.31958	0.042	0.042	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.041	0.041	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.040	0.040	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.039	0.039	0
-13	32.5	≦* <	37.5	28	1.20067	0.038	0.038	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.037	0.037	0
-15	22.5	≦* <	27.5	20	1.14121	0.037	0.037	0
-16	17.5	≦* <	22.5	16	1.11148	0.036	0.036	0
-17	12.5	≦* <	17.5	12	1.08175	0.035	0.035	0
-18	7.5	≦* <	12.5	8	1.05203	0.034	0.034	0
-19	2.5	≦* <	7.5	4	1.02230	0.033	0.033	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.032	0.032	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.054 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.089	0.089	28,959.13506
19	192.5	≦* <	197.5	156	2.15198	0.058	0.058	2,197.17158
18	187.5	≦* <	192.5	152	2.12226	0.057	0.057	0
17	182.5	≦* <	187.5	148	2.09253	0.056	0.056	0
16	177.5	≦* <	182.5	144	2.06280	0.056	0.056	0
15	172.5	≦* <	177.5	140	2.03307	0.055	0.055	0
14	167.5	≦* <	172.5	136	2.00334	0.054	0.054	0
13	162.5	≦* <	167.5	132	1.97361	0.053	0.053	0
12	157.5	≦* <	162.5	128	1.94388	0.052	0.052	0
11	152.5	≦* <	157.5	124	1.91416	0.052	0.052	0
10	147.5	≦* <	152.5	120	1.88443	0.051	0.051	0
9	142.5	≦* <	147.5	116	1.85470	0.050	0.050	0
8	137.5	≦* <	142.5	112	1.82497	0.049	0.049	0
7	132.5	≦* <	137.5	108	1.79524	0.048	0.048	786.31512
6	127.5	≦* <	132.5	104	1.76551	0.048	0.048	6,851.94431
5	122.5	≦* <	127.5	100	1.73578	0.047	0.047	0
4	117.5	≦* <	122.5	96	1.70605	0.046	0.046	0
3	112.5	≦* <	117.5	92	1.67633	0.045	0.045	0
2	107.5	≦* <	112.5	88	1.64660	0.044	0.044	5,641.25160
1	102.5	≦* <	107.5	84	1.61687	0.044	0.044	0
0	97.5	≦* <	102.5	80	1.58714	0.043	0.043	0
-1	92.5	≦* <	97.5	76	1.55741	0.042	0.042	0
-2	87.5	≦* <	92.5	72	1.52768	0.041	0.041	2,384.70848
-3	82.5	≦* <	87.5	68	1.49795	0.040	0.040	6,827.65610
-4	77.5	≦* <	82.5	64	1.46823	0.040	0.040	1,877.86617
-5	72.5	≦* <	77.5	60	1.43850	0.039	0.039	542.31450
-6	67.5	≦* <	72.5	56	1.40877	0.038	0.038	1,427.08401
-7	62.5	≦* <	67.5	52	1.37904	0.037	0.037	2,074.07616
-8	57.5	≦* <	62.5	48	1.34931	0.036	0.036	0
-9	52.5	≦* <	57.5	44	1.31958	0.036	0.036	1,016.07660
-10	47.5	≦* <	52.5	40	1.28985	0.035	0.035	1,077.02475
-11	42.5	≦* <	47.5	36	1.26013	0.034	0.034	843.02697
-12	37.5	≦* <	42.5	32	1.23040	0.033	0.033	0
-13	32.5	≦* <	37.5	28	1.20067	0.032	0.032	3,484.34434
-14	27.5	≦* <	32.5	24	1.17094	0.032	0.032	0
-15	22.5	≦* <	27.5	20	1.14121	0.031	0.031	0
-16	17.5	≦* <	22.5	16	1.11148	0.030	0.030	0
-17	12.5	≦* <	17.5	12	1.08175	0.029	0.029	0
-18	7.5	≦* <	12.5	8	1.05203	0.028	0.028	0
-19	2.5	≦* <	7.5	4	1.02230	0.028	0.028	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.027	0.027	0
計	平均			135.55050	2.00000		32,995	65,989.99575

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.215 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.324	0.324	0
19	192.5	≦* <	197.5	156	2.96142	0.318	0.318	0
18	187.5	≦* <	192.5	152	2.91081	0.313	0.313	0
17	182.5	≦* <	187.5	148	2.86019	0.307	0.307	0
16	177.5	≦* <	182.5	144	2.80957	0.302	0.302	0
15	172.5	≦* <	177.5	140	2.75895	0.297	0.297	0
14	167.5	≦* <	172.5	136	2.70834	0.291	0.291	0
13	162.5	≦* <	167.5	132	2.65772	0.286	0.286	0
12	157.5	≦* <	162.5	128	2.60710	0.280	0.280	0
11	152.5	≦* <	157.5	124	2.55648	0.275	0.275	0
10	147.5	≦* <	152.5	120	2.50587	0.269	0.269	0
9	142.5	≦* <	147.5	116	2.45525	0.264	0.264	0
8	137.5	≦* <	142.5	112	2.40463	0.258	0.258	0
7	132.5	≦* <	137.5	108	2.35401	0.253	0.253	0
6	127.5	≦* <	132.5	104	2.30340	0.248	0.248	0
5	122.5	≦* <	127.5	100	2.25278	0.242	0.242	0
4	117.5	≦* <	122.5	96	2.20216	0.237	0.237	0
3	112.5	≦* <	117.5	92	2.15154	0.231	0.231	0
2	107.5	≦* <	112.5	88	2.10093	0.226	0.226	0
1	102.5	≦* <	107.5	84	2.05031	0.220	0.220	0
0	97.5	≦* <	102.5	80	1.99969	0.215	0.215	0
-1	92.5	≦* <	97.5	76	1.94908	0.210	0.210	0
-2	87.5	≦* <	92.5	72	1.89846	0.204	0.204	0
-3	82.5	≦* <	87.5	68	1.84784	0.199	0.199	0
-4	77.5	≦* <	82.5	64	1.79722	0.193	0.193	0
-5	72.5	≦* <	77.5	60	1.74661	0.188	0.188	0
-6	67.5	≦* <	72.5	56	1.69599	0.182	0.182	0
-7	62.5	≦* <	67.5	52	1.64537	0.177	0.177	0
-8	57.5	≦* <	62.5	48	1.59475	0.171	0.171	0
-9	52.5	≦* <	57.5	44	1.54414	0.166	0.166	0
-10	47.5	≦* <	52.5	40	1.49352	0.161	0.161	0
-11	42.5	≦* <	47.5	36	1.44290	0.155	0.155	0
-12	37.5	≦* <	42.5	32	1.39228	0.150	0.150	0
-13	32.5	≦* <	37.5	28	1.34167	0.144	0.144	0
-14	27.5	≦* <	32.5	24	1.29105	0.139	0.139	0
-15	22.5	≦* <	27.5	20	1.24043	0.133	0.133	0
-16	17.5	≦* <	22.5	16	1.18982	0.128	0.128	0
-17	12.5	≦* <	17.5	12	1.13920	0.122	0.122	0
-18	7.5	≦* <	12.5	8	1.08858	0.117	0.117	0
-19	2.5	≦* <	7.5	4	1.03796	0.112	0.112	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.107 ※	0.107	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	0
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	0
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	0
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	0
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	0
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	0
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	0
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	0
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	0
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	0
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	0
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	0
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	0
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	0
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	0
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	0
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	0
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	0
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	0
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	0
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	0
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	0
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	0
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	0
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	0
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	0
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	0
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	0
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	0
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	0
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	0
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	0
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	0
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.192 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.289	0.289	0
19	192.5	≦* <	197.5	156	2.96142	0.284	0.284	0
18	187.5	≦* <	192.5	152	2.91081	0.279	0.279	0
17	182.5	≦* <	187.5	148	2.86019	0.275	0.275	0
16	177.5	≦* <	182.5	144	2.80957	0.270	0.270	0
15	172.5	≦* <	177.5	140	2.75895	0.265	0.265	0
14	167.5	≦* <	172.5	136	2.70834	0.260	0.260	0
13	162.5	≦* <	167.5	132	2.65772	0.255	0.255	0
12	157.5	≦* <	162.5	128	2.60710	0.250	0.250	0
11	152.5	≦* <	157.5	124	2.55648	0.245	0.245	0
10	147.5	≦* <	152.5	120	2.50587	0.241	0.241	0
9	142.5	≦* <	147.5	116	2.45525	0.236	0.236	0
8	137.5	≦* <	142.5	112	2.40463	0.231	0.231	0
7	132.5	≦* <	137.5	108	2.35401	0.226	0.226	0
6	127.5	≦* <	132.5	104	2.30340	0.221	0.221	0
5	122.5	≦* <	127.5	100	2.25278	0.216	0.216	0
4	117.5	≦* <	122.5	96	2.20216	0.211	0.211	0
3	112.5	≦* <	117.5	92	2.15154	0.207	0.207	0
2	107.5	≦* <	112.5	88	2.10093	0.202	0.202	0
1	102.5	≦* <	107.5	84	2.05031	0.197	0.197	0
0	97.5	≦* <	102.5	80	1.99969	0.192	0.192	0
-1	92.5	≦* <	97.5	76	1.94908	0.187	0.187	0
-2	87.5	≦* <	92.5	72	1.89846	0.182	0.182	0
-3	82.5	≦* <	87.5	68	1.84784	0.177	0.177	0
-4	77.5	≦* <	82.5	64	1.79722	0.173	0.173	0
-5	72.5	≦* <	77.5	60	1.74661	0.168	0.168	0
-6	67.5	≦* <	72.5	56	1.69599	0.163	0.163	0
-7	62.5	≦* <	67.5	52	1.64537	0.158	0.158	0
-8	57.5	≦* <	62.5	48	1.59475	0.153	0.153	0
-9	52.5	≦* <	57.5	44	1.54414	0.148	0.148	0
-10	47.5	≦* <	52.5	40	1.49352	0.143	0.143	0
-11	42.5	≦* <	47.5	36	1.44290	0.139	0.139	0
-12	37.5	≦* <	42.5	32	1.39228	0.134	0.134	0
-13	32.5	≦* <	37.5	28	1.34167	0.129	0.129	0
-14	27.5	≦* <	32.5	24	1.29105	0.124	0.124	0
-15	22.5	≦* <	27.5	20	1.24043	0.119	0.119	0
-16	17.5	≦* <	22.5	16	1.18982	0.114	0.114	0
-17	12.5	≦* <	17.5	12	1.13920	0.109	0.109	0
-18	7.5	≦* <	12.5	8	1.08858	0.105	0.105	0
-19	2.5	≦* <	7.5	4	1.03796	0.100	0.100	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.096	0.096	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	0
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	0
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	0
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	0
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	0
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	0
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	0
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	0
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	0
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	0
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	0
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	0
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	0
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	0
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	0
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	0
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	0
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	0
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	0
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	0
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	0
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	0
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	0
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	0
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	0
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	0
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	0
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	0
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	0
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	0
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	0
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	0
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	0
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.142 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.214	0.214	0
19	192.5	≦* <	197.5	156	2.96142	0.210	0.210	0
18	187.5	≦* <	192.5	152	2.91081	0.207	0.207	0
17	182.5	≦* <	187.5	148	2.86019	0.203	0.203	0
16	177.5	≦* <	182.5	144	2.80957	0.199	0.199	0
15	172.5	≦* <	177.5	140	2.75895	0.196	0.196	0
14	167.5	≦* <	172.5	136	2.70834	0.192	0.192	0
13	162.5	≦* <	167.5	132	2.65772	0.189	0.189	0
12	157.5	≦* <	162.5	128	2.60710	0.185	0.185	0
11	152.5	≦* <	157.5	124	2.55648	0.182	0.182	0
10	147.5	≦* <	152.5	120	2.50587	0.178	0.178	0
9	142.5	≦* <	147.5	116	2.45525	0.174	0.174	0
8	137.5	≦* <	142.5	112	2.40463	0.171	0.171	0
7	132.5	≦* <	137.5	108	2.35401	0.167	0.167	0
6	127.5	≦* <	132.5	104	2.30340	0.164	0.164	0
5	122.5	≦* <	127.5	100	2.25278	0.160	0.160	0
4	117.5	≦* <	122.5	96	2.20216	0.156	0.156	0
3	112.5	≦* <	117.5	92	2.15154	0.153	0.153	0
2	107.5	≦* <	112.5	88	2.10093	0.149	0.149	0
1	102.5	≦* <	107.5	84	2.05031	0.146	0.146	0
0	97.5	≦* <	102.5	80	1.99969	0.142	0.142	0
-1	92.5	≦* <	97.5	76	1.94908	0.138	0.138	0
-2	87.5	≦* <	92.5	72	1.89846	0.135	0.135	0
-3	82.5	≦* <	87.5	68	1.84784	0.131	0.131	0
-4	77.5	≦* <	82.5	64	1.79722	0.128	0.128	0
-5	72.5	≦* <	77.5	60	1.74661	0.124	0.124	0
-6	67.5	≦* <	72.5	56	1.69599	0.120	0.120	0
-7	62.5	≦* <	67.5	52	1.64537	0.117	0.117	0
-8	57.5	≦* <	62.5	48	1.59475	0.113	0.113	0
-9	52.5	≦* <	57.5	44	1.54414	0.110	0.110	0
-10	47.5	≦* <	52.5	40	1.49352	0.106	0.106	0
-11	42.5	≦* <	47.5	36	1.44290	0.102	0.102	0
-12	37.5	≦* <	42.5	32	1.39228	0.099	0.099	0
-13	32.5	≦* <	37.5	28	1.34167	0.095	0.095	0
-14	27.5	≦* <	32.5	24	1.29105	0.092	0.092	0
-15	22.5	≦* <	27.5	20	1.24043	0.088	0.088	0
-16	17.5	≦* <	22.5	16	1.18982	0.084	0.084	0
-17	12.5	≦* <	17.5	12	1.13920	0.081	0.081	0
-18	7.5	≦* <	12.5	8	1.08858	0.077	0.077	0
-19	2.5	≦* <	7.5	4	1.03796	0.074	0.074	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.071	0.071	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	0
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	0
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	0
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	0
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	0
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	0
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	0
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	0
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	0
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	0
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	0
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	0
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	0
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	0
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	0
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	0
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	0
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	0
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	0
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	0
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	0
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	0
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	0
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	0
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	0
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	0
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	0
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	0
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	0
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	0
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	0
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	0
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	0
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	0
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	0
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.510 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.074	1.074	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	1.032	1.032	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	1.012	1.012	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.992	0.992	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.972	0.972	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.952	0.952	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.932	0.932	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.912	0.912	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.892	0.892	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.872	0.872	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.852	0.852	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.832	0.832	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.811	0.811	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.791	0.791	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.771	0.771	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.751	0.751	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.731	0.731	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.711	0.711	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.691	0.691	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.671	0.671	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.651	0.651	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.631	0.631	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.611	0.611	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.591	0.591	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.571	0.571	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.551	0.551	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.531	0.531	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.511	0.511	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.491	0.491	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.471	0.471	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.451	0.451	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.430	0.430	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.410	0.410	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.390	0.390	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.370	0.370	0
-15	22.5	≦* <	27.5	20	1.37354	0.350	0.350	0
-16	17.5	≦* <	22.5	16	1.29490	0.330	0.330	0
-17	12.5	≦* <	17.5	12	1.21626	0.310	0.310	0
-18	7.5	≦* <	12.5	8	1.13762	0.290	0.290	0
-19	2.5	≦* <	7.5	4	1.05898	0.270	0.270	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.255	0.255	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.008 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.017	0.017	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.016	0.016	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.016	0.016	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.016	0.016	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.015	0.015	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.015	0.015	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.015	0.015	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.014	0.014	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.014	0.014	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.014	0.014	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.013	0.013	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.013	0.013	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.013	0.013	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.012	0.012	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.012	0.012	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.012	0.012	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.011	0.011	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.011	0.011	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.011	0.011	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.011	0.011	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.010	0.010	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.010	0.010	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.010	0.010	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.009	0.009	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.009	0.009	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.009	0.009	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.008	0.008	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.008	0.008	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.008	0.008	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.007	0.007	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.007	0.007	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.007	0.007	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.006	0.006	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.006	0.006	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.006	0.006	0
-15	22.5	≦* <	27.5	20	1.37354	0.005	0.005	0
-16	17.5	≦* <	22.5	16	1.29490	0.005	0.005	0
-17	12.5	≦* <	17.5	12	1.21626	0.005	0.005	0
-18	7.5	≦* <	12.5	8	1.13762	0.005	0.005	0
-19	2.5	≦* <	7.5	4	1.05898	0.004	0.004	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.246 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.518	0.518	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.498	0.498	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.488	0.488	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.478	0.478	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.469	0.469	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.459	0.459	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.449	0.449	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.440	0.440	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.430	0.430	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.420	0.420	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.411	0.411	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.401	0.401	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.391	0.391	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.382	0.382	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.372	0.372	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.362	0.362	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.353	0.353	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.343	0.343	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.333	0.333	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.324	0.324	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.314	0.314	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.304	0.304	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.295	0.295	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.285	0.285	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.275	0.275	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.266	0.266	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.256	0.256	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.246	0.246	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.237	0.237	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.227	0.227	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.217	0.217	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.208	0.208	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.198	0.198	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.188	0.188	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.179	0.179	0
-15	22.5	≦* <	27.5	20	1.37354	0.169	0.169	0
-16	17.5	≦* <	22.5	16	1.29490	0.159	0.159	0
-17	12.5	≦* <	17.5	12	1.21626	0.150	0.150	0
-18	7.5	≦* <	12.5	8	1.13762	0.140	0.140	0
-19	2.5	≦* <	7.5	4	1.05898	0.130	0.130	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.123	0.123	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.007 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.015	0.015	77,505.49300
19	192.5	≧* <	197.5	156	4.04730	0.014	0.014	9,159.03990
18	187.5	≧* <	192.5	152	3.96866	0.014	0.014	1,551.74606
17	182.5	≧* <	187.5	148	3.89002	0.014	0.014	8,449.12344
16	177.5	≧* <	182.5	144	3.81138	0.013	0.013	12,295.51188
15	172.5	≧* <	177.5	140	3.73274	0.013	0.013	12,321.77474
14	167.5	≧* <	172.5	136	3.65410	0.013	0.013	9,303.33860
13	162.5	≧* <	167.5	132	3.57546	0.013	0.013	16,400.63502
12	157.5	≧* <	162.5	128	3.49682	0.012	0.012	19,907.39626
11	152.5	≧* <	157.5	124	3.41818	0.012	0.012	11,454.32118
10	147.5	≧* <	152.5	120	3.33954	0.012	0.012	6,174.80946
9	142.5	≧* <	147.5	116	3.26090	0.011	0.011	4,151.12570
8	137.5	≧* <	142.5	112	3.18226	0.011	0.011	23,300.50772
7	132.5	≧* <	137.5	108	3.10362	0.011	0.011	21,563.95176
6	127.5	≧* <	132.5	104	3.02498	0.011	0.011	19,647.24510
5	122.5	≧* <	127.5	100	2.94634	0.010	0.010	24,849.43156
4	117.5	≧* <	122.5	96	2.86770	0.010	0.010	18,439.31100
3	112.5	≧* <	117.5	92	2.78906	0.010	0.010	26,557.42932
2	107.5	≧* <	112.5	88	2.71042	0.009	0.009	39,382.40260
1	102.5	≧* <	107.5	84	2.63178	0.009	0.009	51,567.09732
0	97.5	≧* <	102.5	80	2.55314	0.009	0.009	36,729.47204
-1	92.5	≧* <	97.5	76	2.47450	0.009	0.009	79,396.80700
-2	87.5	≧* <	92.5	72	2.39586	0.008	0.008	144,515.87934
-3	82.5	≧* <	87.5	68	2.31722	0.008	0.008	140,859.16936
-4	77.5	≧* <	82.5	64	2.23858	0.008	0.008	135,328.87674
-5	72.5	≧* <	77.5	60	2.15994	0.008	0.008	138,387.35580
-6	67.5	≧* <	72.5	56	2.08130	0.007	0.007	93,129.84980
-7	62.5	≧* <	67.5	52	2.00266	0.007	0.007	168,792.19544
-8	57.5	≧* <	62.5	48	1.92402	0.007	0.007	140,611.22964
-9	52.5	≧* <	57.5	44	1.84538	0.006	0.006	142,871.16498
-10	47.5	≧* <	52.5	40	1.76674	0.006	0.006	192,956.27584
-11	42.5	≧* <	47.5	36	1.68810	0.006	0.006	153,968.22480
-12	37.5	≧* <	42.5	32	1.60946	0.006	0.006	281,087.36062
-13	32.5	≧* <	37.5	28	1.53082	0.005	0.005	367,248.31046
-14	27.5	≧* <	32.5	24	1.45218	0.005	0.005	0
-15	22.5	≧* <	27.5	20	1.37354	0.005	0.005	0
-16	17.5	≧* <	22.5	16	1.29490	0.005	0.005	0
-17	12.5	≧* <	17.5	12	1.21626	0.004	0.004	0
-18	7.5	≧* <	12.5	8	1.13762	0.004	0.004	0
-19	2.5	≧* <	7.5	4	1.05898	0.004	0.004	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.003 ※	0.003	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.129 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.272	0.272	77,505.49300
19	192.5	≦* <	197.5	156	4.04730	0.261	0.261	9,159.03990
18	187.5	≦* <	192.5	152	3.96866	0.256	0.256	1,551.74606
17	182.5	≦* <	187.5	148	3.89002	0.251	0.251	8,449.12344
16	177.5	≦* <	182.5	144	3.81138	0.246	0.246	12,295.51188
15	172.5	≦* <	177.5	140	3.73274	0.241	0.241	12,321.77474
14	167.5	≦* <	172.5	136	3.65410	0.236	0.236	9,303.33860
13	162.5	≦* <	167.5	132	3.57546	0.231	0.231	16,400.63502
12	157.5	≦* <	162.5	128	3.49682	0.226	0.226	19,907.39626
11	152.5	≦* <	157.5	124	3.41818	0.220	0.220	11,454.32118
10	147.5	≦* <	152.5	120	3.33954	0.215	0.215	6,174.80946
9	142.5	≦* <	147.5	116	3.26090	0.210	0.210	4,151.12570
8	137.5	≦* <	142.5	112	3.18226	0.205	0.205	23,300.50772
7	132.5	≦* <	137.5	108	3.10362	0.200	0.200	21,563.95176
6	127.5	≦* <	132.5	104	3.02498	0.195	0.195	19,647.24510
5	122.5	≦* <	127.5	100	2.94634	0.190	0.190	24,849.43156
4	117.5	≦* <	122.5	96	2.86770	0.185	0.185	18,439.31100
3	112.5	≦* <	117.5	92	2.78906	0.180	0.180	26,557.42932
2	107.5	≦* <	112.5	88	2.71042	0.175	0.175	39,382.40260
1	102.5	≦* <	107.5	84	2.63178	0.170	0.170	51,567.09732
0	97.5	≦* <	102.5	80	2.55314	0.165	0.165	36,729.47204
-1	92.5	≦* <	97.5	76	2.47450	0.160	0.160	79,396.80700
-2	87.5	≦* <	92.5	72	2.39586	0.155	0.155	144,515.87934
-3	82.5	≦* <	87.5	68	2.31722	0.149	0.149	140,859.16936
-4	77.5	≦* <	82.5	64	2.23858	0.144	0.144	135,328.87674
-5	72.5	≦* <	77.5	60	2.15994	0.139	0.139	138,387.35580
-6	67.5	≦* <	72.5	56	2.08130	0.134	0.134	93,129.84980
-7	62.5	≦* <	67.5	52	2.00266	0.129	0.129	168,792.19544
-8	57.5	≦* <	62.5	48	1.92402	0.124	0.124	140,611.22964
-9	52.5	≦* <	57.5	44	1.84538	0.119	0.119	142,871.16498
-10	47.5	≦* <	52.5	40	1.76674	0.114	0.114	192,956.27584
-11	42.5	≦* <	47.5	36	1.68810	0.109	0.109	153,968.22480
-12	37.5	≦* <	42.5	32	1.60946	0.104	0.104	281,087.36062
-13	32.5	≦* <	37.5	28	1.53082	0.099	0.099	367,248.31046
-14	27.5	≦* <	32.5	24	1.45218	0.094	0.094	0
-15	22.5	≦* <	27.5	20	1.37354	0.089	0.089	0
-16	17.5	≦* <	22.5	16	1.29490	0.084	0.084	0
-17	12.5	≦* <	17.5	12	1.21626	0.078	0.078	0
-18	7.5	≦* <	12.5	8	1.13762	0.073	0.073	0
-19	2.5	≦* <	7.5	4	1.05898	0.068	0.068	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.064 ※	0.064	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.006 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.013	0.013	77,505.49300
19	192.5	≧* <	197.5	156	4.04730	0.012	0.012	9,159.03990
18	187.5	≧* <	192.5	152	3.96866	0.012	0.012	1,551.74606
17	182.5	≧* <	187.5	148	3.89002	0.012	0.012	8,449.12344
16	177.5	≧* <	182.5	144	3.81138	0.011	0.011	12,295.51188
15	172.5	≧* <	177.5	140	3.73274	0.011	0.011	12,321.77474
14	167.5	≧* <	172.5	136	3.65410	0.011	0.011	9,303.33860
13	162.5	≧* <	167.5	132	3.57546	0.011	0.011	16,400.63502
12	157.5	≧* <	162.5	128	3.49682	0.010	0.010	19,907.39626
11	152.5	≧* <	157.5	124	3.41818	0.010	0.010	11,454.32118
10	147.5	≧* <	152.5	120	3.33954	0.010	0.010	6,174.80946
9	142.5	≧* <	147.5	116	3.26090	0.010	0.010	4,151.12570
8	137.5	≧* <	142.5	112	3.18226	0.010	0.010	23,300.50772
7	132.5	≧* <	137.5	108	3.10362	0.009	0.009	21,563.95176
6	127.5	≧* <	132.5	104	3.02498	0.009	0.009	19,647.24510
5	122.5	≧* <	127.5	100	2.94634	0.009	0.009	24,849.43156
4	117.5	≧* <	122.5	96	2.86770	0.009	0.009	18,439.31100
3	112.5	≧* <	117.5	92	2.78906	0.008	0.008	26,557.42932
2	107.5	≧* <	112.5	88	2.71042	0.008	0.008	39,382.40260
1	102.5	≧* <	107.5	84	2.63178	0.008	0.008	51,567.09732
0	97.5	≧* <	102.5	80	2.55314	0.008	0.008	36,729.47204
-1	92.5	≧* <	97.5	76	2.47450	0.007	0.007	79,396.80700
-2	87.5	≧* <	92.5	72	2.39586	0.007	0.007	144,515.87934
-3	82.5	≧* <	87.5	68	2.31722	0.007	0.007	140,859.16936
-4	77.5	≧* <	82.5	64	2.23858	0.007	0.007	135,328.87674
-5	72.5	≧* <	77.5	60	2.15994	0.006	0.006	138,387.35580
-6	67.5	≧* <	72.5	56	2.08130	0.006	0.006	93,129.84980
-7	62.5	≧* <	67.5	52	2.00266	0.006	0.006	168,792.19544
-8	57.5	≧* <	62.5	48	1.92402	0.006	0.006	140,611.22964
-9	52.5	≧* <	57.5	44	1.84538	0.006	0.006	142,871.16498
-10	47.5	≧* <	52.5	40	1.76674	0.005	0.005	192,956.27584
-11	42.5	≧* <	47.5	36	1.68810	0.005	0.005	153,968.22480
-12	37.5	≧* <	42.5	32	1.60946	0.005	0.005	281,087.36062
-13	32.5	≧* <	37.5	28	1.53082	0.005	0.005	367,248.31046
-14	27.5	≧* <	32.5	24	1.45218	0.004	0.004	0
-15	22.5	≧* <	27.5	20	1.37354	0.004	0.004	0
-16	17.5	≧* <	22.5	16	1.29490	0.004	0.004	0
-17	12.5	≧* <	17.5	12	1.21626	0.004	0.004	0
-18	7.5	≧* <	12.5	8	1.13762	0.003	0.003	0
-19	2.5	≧* <	7.5	4	1.05898	0.003	0.003	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.003	0.003	0
計	平均			51.86477	2.00000		1,314,931	2,629,863.86348

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.720 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.887	1.887	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	1.459	1.459	0
18	187.5	≦* <	192.5	152	3.97314	1.430	1.430	0
17	182.5	≦* <	187.5	148	3.89438	1.402	1.402	447.85370
16	177.5	≦* <	182.5	144	3.81562	1.374	1.374	480.76812
15	172.5	≦* <	177.5	140	3.73686	1.345	1.345	0
14	167.5	≦* <	172.5	136	3.65810	1.317	1.317	0
13	162.5	≦* <	167.5	132	3.57934	1.289	1.289	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	1.260	1.260	0
11	152.5	≦* <	157.5	124	3.42183	1.232	1.232	855.45750
10	147.5	≦* <	152.5	120	3.34307	1.204	1.204	324.27779
9	142.5	≦* <	147.5	116	3.26431	1.175	1.175	0
8	137.5	≦* <	142.5	112	3.18555	1.147	1.147	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	1.118	1.118	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	1.090	1.090	532.93328
5	122.5	≦* <	127.5	100	2.94928	1.062	1.062	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	1.033	1.033	783.65196
3	112.5	≦* <	117.5	92	2.79176	1.005	1.005	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.977	0.977	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.948	0.948	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.920	0.920	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.892	0.892	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.863	0.863	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.835	0.835	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.807	0.807	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.778	0.778	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.750	0.750	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.722	0.722	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.693	0.693	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.665	0.665	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.636	0.636	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.608	0.608	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.580	0.580	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.551	0.551	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.523	0.523	0
-15	22.5	≦* <	27.5	20	1.37410	0.495	0.495	0
-16	17.5	≦* <	22.5	16	1.29534	0.466	0.466	0
-17	12.5	≦* <	17.5	12	1.21659	0.438	0.438	0
-18	7.5	≦* <	12.5	8	1.13783	0.410	0.410	0
-19	2.5	≦* <	7.5	4	1.05907	0.381	0.381	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.360	0.360	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.011 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.029	0.029	3,486.59500
19	192.5	≧* <	197.5	156	4.05190	0.022	0.022	0
18	187.5	≧* <	192.5	152	3.97314	0.022	0.022	0
17	182.5	≧* <	187.5	148	3.89438	0.021	0.021	447.85370
16	177.5	≧* <	182.5	144	3.81562	0.021	0.021	480.76812
15	172.5	≧* <	177.5	140	3.73686	0.021	0.021	0
14	167.5	≧* <	172.5	136	3.65810	0.020	0.020	0
13	162.5	≧* <	167.5	132	3.57934	0.020	0.020	4,001.70212
12	157.5	≧* <	162.5	128	3.50059	0.019	0.019	0
11	152.5	≧* <	157.5	124	3.42183	0.019	0.019	855.45750
10	147.5	≧* <	152.5	120	3.34307	0.018	0.018	324.27779
9	142.5	≧* <	147.5	116	3.26431	0.018	0.018	0
8	137.5	≧* <	142.5	112	3.18555	0.018	0.018	1,420.75530
7	132.5	≧* <	137.5	108	3.10679	0.017	0.017	5,977.46396
6	127.5	≧* <	132.5	104	3.02803	0.017	0.017	532.93328
5	122.5	≧* <	127.5	100	2.94928	0.016	0.016	1,518.87920
4	117.5	≧* <	122.5	96	2.87052	0.016	0.016	783.65196
3	112.5	≧* <	117.5	92	2.79176	0.015	0.015	6,694.64048
2	107.5	≧* <	112.5	88	2.71300	0.015	0.015	3,315.28600
1	102.5	≧* <	107.5	84	2.63424	0.014	0.014	724.41600
0	97.5	≧* <	102.5	80	2.55548	0.014	0.014	4,045.32484
-1	92.5	≧* <	97.5	76	2.47672	0.014	0.014	7,019.02448
-2	87.5	≧* <	92.5	72	2.39797	0.013	0.013	17,409.26220
-3	82.5	≧* <	87.5	68	2.31921	0.013	0.013	23,948.16246
-4	77.5	≧* <	82.5	64	2.24045	0.012	0.012	8,244.85600
-5	72.5	≧* <	77.5	60	2.16169	0.012	0.012	17,321.62197
-6	67.5	≧* <	72.5	56	2.08293	0.011	0.011	11,058.27537
-7	62.5	≧* <	67.5	52	2.00417	0.011	0.011	14,277.70708
-8	57.5	≧* <	62.5	48	1.92541	0.011	0.011	9,424.88195
-9	52.5	≧* <	57.5	44	1.84666	0.010	0.010	10,152.93668
-10	47.5	≧* <	52.5	40	1.76790	0.010	0.010	9,419.37120
-11	42.5	≧* <	47.5	36	1.68914	0.009	0.009	10,097.67892
-12	37.5	≧* <	42.5	32	1.61038	0.009	0.009	10,842.68854
-13	32.5	≧* <	37.5	28	1.53162	0.008	0.008	50,699.68524
-14	27.5	≧* <	32.5	24	1.45286	0.008	0.008	0
-15	22.5	≧* <	27.5	20	1.37410	0.008	0.008	0
-16	17.5	≧* <	22.5	16	1.29534	0.007	0.007	0
-17	12.5	≧* <	17.5	12	1.21659	0.007	0.007	0
-18	7.5	≧* <	12.5	8	1.13783	0.006	0.006	0
-19	2.5	≧* <	7.5	4	1.05907	0.006	0.006	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.005 ※	0.005	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.616 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.615	1.615	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	1.248	1.248	0
18	187.5	≦* <	192.5	152	3.97314	1.224	1.224	0
17	182.5	≦* <	187.5	148	3.89438	1.199	1.199	447.85370
16	177.5	≦* <	182.5	144	3.81562	1.175	1.175	480.76812
15	172.5	≦* <	177.5	140	3.73686	1.151	1.151	0
14	167.5	≦* <	172.5	136	3.65810	1.127	1.127	0
13	162.5	≦* <	167.5	132	3.57934	1.102	1.102	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	1.078	1.078	0
11	152.5	≦* <	157.5	124	3.42183	1.054	1.054	855.45750
10	147.5	≦* <	152.5	120	3.34307	1.030	1.030	324.27779
9	142.5	≦* <	147.5	116	3.26431	1.005	1.005	0
8	137.5	≦* <	142.5	112	3.18555	0.981	0.981	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.957	0.957	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.933	0.933	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.908	0.908	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.884	0.884	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.860	0.860	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.836	0.836	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.811	0.811	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.787	0.787	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.763	0.763	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.739	0.739	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.714	0.714	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.690	0.690	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.666	0.666	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.642	0.642	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.617	0.617	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.593	0.593	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.569	0.569	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.545	0.545	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.520	0.520	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.496	0.496	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.472	0.472	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.447	0.447	0
-15	22.5	≦* <	27.5	20	1.37410	0.423	0.423	0
-16	17.5	≦* <	22.5	16	1.29534	0.399	0.399	0
-17	12.5	≦* <	17.5	12	1.21659	0.375	0.375	0
-18	7.5	≦* <	12.5	8	1.13783	0.350	0.350	0
-19	2.5	≦* <	7.5	4	1.05907	0.326	0.326	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.308	0.308	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.009 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.024	0.024	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	0.018	0.018	0
18	187.5	≦* <	192.5	152	3.97314	0.018	0.018	0
17	182.5	≦* <	187.5	148	3.89438	0.018	0.018	447.85370
16	177.5	≦* <	182.5	144	3.81562	0.017	0.017	480.76812
15	172.5	≦* <	177.5	140	3.73686	0.017	0.017	0
14	167.5	≦* <	172.5	136	3.65810	0.016	0.016	0
13	162.5	≦* <	167.5	132	3.57934	0.016	0.016	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.016	0.016	0
11	152.5	≦* <	157.5	124	3.42183	0.015	0.015	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.015	0.015	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.015	0.015	0
8	137.5	≦* <	142.5	112	3.18555	0.014	0.014	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.014	0.014	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.014	0.014	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.013	0.013	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.013	0.013	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.013	0.013	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.012	0.012	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.012	0.012	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.011	0.011	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.011	0.011	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.011	0.011	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.010	0.010	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.010	0.010	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.010	0.010	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.009	0.009	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.009	0.009	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.009	0.009	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.008	0.008	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.008	0.008	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.008	0.008	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.007	0.007	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.007	0.007	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.007	0.007	0
-15	22.5	≦* <	27.5	20	1.37410	0.006	0.006	0
-16	17.5	≦* <	22.5	16	1.29534	0.006	0.006	0
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	0
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	0
-19	2.5	≦* <	7.5	4	1.05907	0.005	0.005	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.004 ※	0.004	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.529 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.387	1.387	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	1.072	1.072	0
18	187.5	≦* <	192.5	152	3.97314	1.051	1.051	0
17	182.5	≦* <	187.5	148	3.89438	1.030	1.030	447.85370
16	177.5	≦* <	182.5	144	3.81562	1.009	1.009	480.76812
15	172.5	≦* <	177.5	140	3.73686	0.988	0.988	0
14	167.5	≦* <	172.5	136	3.65810	0.968	0.968	0
13	162.5	≦* <	167.5	132	3.57934	0.947	0.947	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.926	0.926	0
11	152.5	≦* <	157.5	124	3.42183	0.905	0.905	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.884	0.884	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.863	0.863	0
8	137.5	≦* <	142.5	112	3.18555	0.843	0.843	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.822	0.822	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.801	0.801	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.780	0.780	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.759	0.759	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.738	0.738	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.718	0.718	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.697	0.697	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.676	0.676	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.655	0.655	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.634	0.634	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.613	0.613	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.593	0.593	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.572	0.572	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.551	0.551	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.530	0.530	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.509	0.509	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.488	0.488	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.468	0.468	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.447	0.447	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.426	0.426	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.405	0.405	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.384	0.384	0
-15	22.5	≦* <	27.5	20	1.37410	0.363	0.363	0
-16	17.5	≦* <	22.5	16	1.29534	0.343	0.343	0
-17	12.5	≦* <	17.5	12	1.21659	0.322	0.322	0
-18	7.5	≦* <	12.5	8	1.13783	0.301	0.301	0
-19	2.5	≦* <	7.5	4	1.05907	0.280	0.280	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.264 ※	0.264	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.008 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	0.021	0.021	3,486.59500
19	192.5	≦* <	197.5	156	4.05190	0.016	0.016	0
18	187.5	≦* <	192.5	152	3.97314	0.016	0.016	0
17	182.5	≦* <	187.5	148	3.89438	0.016	0.016	447.85370
16	177.5	≦* <	182.5	144	3.81562	0.015	0.015	480.76812
15	172.5	≦* <	177.5	140	3.73686	0.015	0.015	0
14	167.5	≦* <	172.5	136	3.65810	0.015	0.015	0
13	162.5	≦* <	167.5	132	3.57934	0.014	0.014	4,001.70212
12	157.5	≦* <	162.5	128	3.50059	0.014	0.014	0
11	152.5	≦* <	157.5	124	3.42183	0.014	0.014	855.45750
10	147.5	≦* <	152.5	120	3.34307	0.013	0.013	324.27779
9	142.5	≦* <	147.5	116	3.26431	0.013	0.013	0
8	137.5	≦* <	142.5	112	3.18555	0.013	0.013	1,420.75530
7	132.5	≦* <	137.5	108	3.10679	0.012	0.012	5,977.46396
6	127.5	≦* <	132.5	104	3.02803	0.012	0.012	532.93328
5	122.5	≦* <	127.5	100	2.94928	0.012	0.012	1,518.87920
4	117.5	≦* <	122.5	96	2.87052	0.011	0.011	783.65196
3	112.5	≦* <	117.5	92	2.79176	0.011	0.011	6,694.64048
2	107.5	≦* <	112.5	88	2.71300	0.011	0.011	3,315.28600
1	102.5	≦* <	107.5	84	2.63424	0.011	0.011	724.41600
0	97.5	≦* <	102.5	80	2.55548	0.010	0.010	4,045.32484
-1	92.5	≦* <	97.5	76	2.47672	0.010	0.010	7,019.02448
-2	87.5	≦* <	92.5	72	2.39797	0.010	0.010	17,409.26220
-3	82.5	≦* <	87.5	68	2.31921	0.009	0.009	23,948.16246
-4	77.5	≦* <	82.5	64	2.24045	0.009	0.009	8,244.85600
-5	72.5	≦* <	77.5	60	2.16169	0.009	0.009	17,321.62197
-6	67.5	≦* <	72.5	56	2.08293	0.008	0.008	11,058.27537
-7	62.5	≦* <	67.5	52	2.00417	0.008	0.008	14,277.70708
-8	57.5	≦* <	62.5	48	1.92541	0.008	0.008	9,424.88195
-9	52.5	≦* <	57.5	44	1.84666	0.007	0.007	10,152.93668
-10	47.5	≦* <	52.5	40	1.76790	0.007	0.007	9,419.37120
-11	42.5	≦* <	47.5	36	1.68914	0.007	0.007	10,097.67892
-12	37.5	≦* <	42.5	32	1.61038	0.006	0.006	10,842.68854
-13	32.5	≦* <	37.5	28	1.53162	0.006	0.006	50,699.68524
-14	27.5	≦* <	32.5	24	1.45286	0.006	0.006	0
-15	22.5	≦* <	27.5	20	1.37410	0.005	0.005	0
-16	17.5	≦* <	22.5	16	1.29534	0.005	0.005	0
-17	12.5	≦* <	17.5	12	1.21659	0.005	0.005	0
-18	7.5	≦* <	12.5	8	1.13783	0.005	0.005	0
-19	2.5	≦* <	7.5	4	1.05907	0.004	0.004	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.004	0.004	0
計	平均			51.78814	2.00000		117,263	234,526.15734

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.319 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.881	0.881	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.552	0.552	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.542	0.542	0
17	182.5	≦* <	187.5	148	3.33391	0.532	0.532	0
16	177.5	≦* <	182.5	144	3.27041	0.522	0.522	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.512	0.512	0
14	167.5	≦* <	172.5	136	3.14339	0.501	0.501	0
13	162.5	≦* <	167.5	132	3.07988	0.491	0.491	0
12	157.5	≦* <	162.5	128	3.01637	0.481	0.481	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.471	0.471	0
10	147.5	≦* <	152.5	120	2.88936	0.461	0.461	0
9	142.5	≦* <	147.5	116	2.82585	0.451	0.451	0
8	137.5	≦* <	142.5	112	2.76234	0.441	0.441	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.430	0.430	0
6	127.5	≦* <	132.5	104	2.63533	0.420	0.420	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.410	0.410	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.400	0.400	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.390	0.390	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.380	0.380	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.370	0.370	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.360	0.360	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.349	0.349	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.339	0.339	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.329	0.329	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.319	0.319	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.309	0.309	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.299	0.299	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.289	0.289	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.279	0.279	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.268	0.268	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.258	0.258	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.248	0.248	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.238	0.238	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.228	0.228	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.218	0.218	0
-15	22.5	≦* <	27.5	20	1.30166	0.208	0.208	0
-16	17.5	≦* <	22.5	16	1.23815	0.197	0.197	0
-17	12.5	≦* <	17.5	12	1.17465	0.187	0.187	0
-18	7.5	≦* <	12.5	8	1.11114	0.177	0.177	0
-19	2.5	≦* <	7.5	4	1.04763	0.167	0.167	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.159 ※	0.159	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.014	0.014	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.009	0.009	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.008	0.008	0
17	182.5	≦* <	187.5	148	3.33391	0.008	0.008	0
16	177.5	≦* <	182.5	144	3.27041	0.008	0.008	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.008	0.008	0
14	167.5	≦* <	172.5	136	3.14339	0.008	0.008	0
13	162.5	≦* <	167.5	132	3.07988	0.008	0.008	0
12	157.5	≦* <	162.5	128	3.01637	0.008	0.008	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.007	0.007	0
10	147.5	≦* <	152.5	120	2.88936	0.007	0.007	0
9	142.5	≦* <	147.5	116	2.82585	0.007	0.007	0
8	137.5	≦* <	142.5	112	2.76234	0.007	0.007	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.007	0.007	0
6	127.5	≦* <	132.5	104	2.63533	0.007	0.007	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.006	0.006	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.006	0.006	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.006	0.006	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.006	0.006	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.006	0.006	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.006	0.006	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.005	0.005	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.005	0.005	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.005	0.005	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.005	0.005	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.005	0.005	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.005	0.005	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.005	0.005	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.004	0.004	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.004	0.004	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.004	0.004	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.004	0.004	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.004	0.004	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.004	0.004	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.30166	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.23815	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.17465	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.11114	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.04763	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.274 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.757	0.757	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.474	0.474	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.465	0.465	0
17	182.5	≦* <	187.5	148	3.33391	0.457	0.457	0
16	177.5	≦* <	182.5	144	3.27041	0.448	0.448	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.439	0.439	0
14	167.5	≦* <	172.5	136	3.14339	0.431	0.431	0
13	162.5	≦* <	167.5	132	3.07988	0.422	0.422	0
12	157.5	≦* <	162.5	128	3.01637	0.413	0.413	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.405	0.405	0
10	147.5	≦* <	152.5	120	2.88936	0.396	0.396	0
9	142.5	≦* <	147.5	116	2.82585	0.387	0.387	0
8	137.5	≦* <	142.5	112	2.76234	0.378	0.378	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.370	0.370	0
6	127.5	≦* <	132.5	104	2.63533	0.361	0.361	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.352	0.352	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.344	0.344	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.335	0.335	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.326	0.326	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.318	0.318	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.309	0.309	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.300	0.300	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.291	0.291	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.283	0.283	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.274	0.274	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.265	0.265	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.257	0.257	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.248	0.248	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.239	0.239	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.231	0.231	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.222	0.222	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.213	0.213	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.204	0.204	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.196	0.196	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.187	0.187	0
-15	22.5	≦* <	27.5	20	1.30166	0.178	0.178	0
-16	17.5	≦* <	22.5	16	1.23815	0.170	0.170	0
-17	12.5	≦* <	17.5	12	1.17465	0.161	0.161	0
-18	7.5	≦* <	12.5	8	1.11114	0.152	0.152	0
-19	2.5	≦* <	7.5	4	1.04763	0.144	0.144	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.137	0.137	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.011	0.011	19,956.76098
19	192.5	≧* <	197.5	156	3.46093	0.007	0.007	1,373.98921
18	187.5	≧* <	192.5	152	3.39742	0.007	0.007	0
17	182.5	≧* <	187.5	148	3.33391	0.007	0.007	0
16	177.5	≧* <	182.5	144	3.27041	0.007	0.007	3,129.78237
15	172.5	≧* <	177.5	140	3.20690	0.006	0.006	0
14	167.5	≧* <	172.5	136	3.14339	0.006	0.006	0
13	162.5	≧* <	167.5	132	3.07988	0.006	0.006	0
12	157.5	≧* <	162.5	128	3.01637	0.006	0.006	663.60140
11	152.5	≧* <	157.5	124	2.95287	0.006	0.006	0
10	147.5	≧* <	152.5	120	2.88936	0.006	0.006	0
9	142.5	≧* <	147.5	116	2.82585	0.006	0.006	0
8	137.5	≧* <	142.5	112	2.76234	0.006	0.006	1,193.33088
7	132.5	≧* <	137.5	108	2.69884	0.005	0.005	0
6	127.5	≧* <	132.5	104	2.63533	0.005	0.005	1,185.89850
5	122.5	≧* <	127.5	100	2.57182	0.005	0.005	804.97966
4	117.5	≧* <	122.5	96	2.50831	0.005	0.005	3,012.48031
3	112.5	≧* <	117.5	92	2.44480	0.005	0.005	3,882.34240
2	107.5	≧* <	112.5	88	2.38130	0.005	0.005	3,059.97050
1	102.5	≧* <	107.5	84	2.31779	0.005	0.005	1,386.03842
0	97.5	≧* <	102.5	80	2.25428	0.005	0.005	10,142.00572
-1	92.5	≧* <	97.5	76	2.19077	0.004	0.004	7,683.03039
-2	87.5	≧* <	92.5	72	2.12726	0.004	0.004	4,022.64866
-3	82.5	≧* <	87.5	68	2.06376	0.004	0.004	4,616.63112
-4	77.5	≧* <	82.5	64	2.00025	0.004	0.004	12,287.53575
-5	72.5	≧* <	77.5	60	1.93674	0.004	0.004	10,847.68074
-6	67.5	≧* <	72.5	56	1.87323	0.004	0.004	4,808.58141
-7	62.5	≧* <	67.5	52	1.80973	0.004	0.004	6,160.32092
-8	57.5	≧* <	62.5	48	1.74622	0.003	0.003	3,111.76404
-9	52.5	≧* <	57.5	44	1.68271	0.003	0.003	3,565.66249
-10	47.5	≧* <	52.5	40	1.61920	0.003	0.003	4,868.93440
-11	42.5	≧* <	47.5	36	1.55569	0.003	0.003	11,358.09269
-12	37.5	≧* <	42.5	32	1.49219	0.003	0.003	9,339.61721
-13	32.5	≧* <	37.5	28	1.42868	0.003	0.003	24,300.41812
-14	27.5	≧* <	32.5	24	1.36517	0.003	0.003	0
-15	22.5	≧* <	27.5	20	1.30166	0.003	0.003	0
-16	17.5	≧* <	22.5	16	1.23815	0.002	0.002	0
-17	12.5	≧* <	17.5	12	1.17465	0.002	0.002	0
-18	7.5	≧* <	12.5	8	1.11114	0.002	0.002	0
-19	2.5	≧* <	7.5	4	1.04763	0.002	0.002	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.225 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.621	0.621	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.389	0.389	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.382	0.382	0
17	182.5	≦* <	187.5	148	3.33391	0.375	0.375	0
16	177.5	≦* <	182.5	144	3.27041	0.368	0.368	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.361	0.361	0
14	167.5	≦* <	172.5	136	3.14339	0.354	0.354	0
13	162.5	≦* <	167.5	132	3.07988	0.346	0.346	0
12	157.5	≦* <	162.5	128	3.01637	0.339	0.339	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.332	0.332	0
10	147.5	≦* <	152.5	120	2.88936	0.325	0.325	0
9	142.5	≦* <	147.5	116	2.82585	0.318	0.318	0
8	137.5	≦* <	142.5	112	2.76234	0.311	0.311	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.304	0.304	0
6	127.5	≦* <	132.5	104	2.63533	0.296	0.296	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.289	0.289	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.282	0.282	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.275	0.275	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.268	0.268	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.261	0.261	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.254	0.254	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.246	0.246	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.239	0.239	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.232	0.232	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.225	0.225	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.218	0.218	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.211	0.211	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.204	0.204	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.196	0.196	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.189	0.189	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.182	0.182	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.175	0.175	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.168	0.168	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.161	0.161	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.154	0.154	0
-15	22.5	≦* <	27.5	20	1.30166	0.146	0.146	0
-16	17.5	≦* <	22.5	16	1.23815	0.139	0.139	0
-17	12.5	≦* <	17.5	12	1.17465	0.132	0.132	0
-18	7.5	≦* <	12.5	8	1.11114	0.125	0.125	0
-19	2.5	≦* <	7.5	4	1.04763	0.118	0.118	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.112 ※	0.112	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	0.008	0.008	19,956.76098
19	192.5	≦* <	197.5	156	3.46093	0.005	0.005	1,373.98921
18	187.5	≦* <	192.5	152	3.39742	0.005	0.005	0
17	182.5	≦* <	187.5	148	3.33391	0.005	0.005	0
16	177.5	≦* <	182.5	144	3.27041	0.005	0.005	3,129.78237
15	172.5	≦* <	177.5	140	3.20690	0.005	0.005	0
14	167.5	≦* <	172.5	136	3.14339	0.005	0.005	0
13	162.5	≦* <	167.5	132	3.07988	0.005	0.005	0
12	157.5	≦* <	162.5	128	3.01637	0.005	0.005	663.60140
11	152.5	≦* <	157.5	124	2.95287	0.004	0.004	0
10	147.5	≦* <	152.5	120	2.88936	0.004	0.004	0
9	142.5	≦* <	147.5	116	2.82585	0.004	0.004	0
8	137.5	≦* <	142.5	112	2.76234	0.004	0.004	1,193.33088
7	132.5	≦* <	137.5	108	2.69884	0.004	0.004	0
6	127.5	≦* <	132.5	104	2.63533	0.004	0.004	1,185.89850
5	122.5	≦* <	127.5	100	2.57182	0.004	0.004	804.97966
4	117.5	≦* <	122.5	96	2.50831	0.004	0.004	3,012.48031
3	112.5	≦* <	117.5	92	2.44480	0.004	0.004	3,882.34240
2	107.5	≦* <	112.5	88	2.38130	0.004	0.004	3,059.97050
1	102.5	≦* <	107.5	84	2.31779	0.003	0.003	1,386.03842
0	97.5	≦* <	102.5	80	2.25428	0.003	0.003	10,142.00572
-1	92.5	≦* <	97.5	76	2.19077	0.003	0.003	7,683.03039
-2	87.5	≦* <	92.5	72	2.12726	0.003	0.003	4,022.64866
-3	82.5	≦* <	87.5	68	2.06376	0.003	0.003	4,616.63112
-4	77.5	≦* <	82.5	64	2.00025	0.003	0.003	12,287.53575
-5	72.5	≦* <	77.5	60	1.93674	0.003	0.003	10,847.68074
-6	67.5	≦* <	72.5	56	1.87323	0.003	0.003	4,808.58141
-7	62.5	≦* <	67.5	52	1.80973	0.003	0.003	6,160.32092
-8	57.5	≦* <	62.5	48	1.74622	0.003	0.003	3,111.76404
-9	52.5	≦* <	57.5	44	1.68271	0.003	0.003	3,565.66249
-10	47.5	≦* <	52.5	40	1.61920	0.002	0.002	4,868.93440
-11	42.5	≦* <	47.5	36	1.55569	0.002	0.002	11,358.09269
-12	37.5	≦* <	42.5	32	1.49219	0.002	0.002	9,339.61721
-13	32.5	≦* <	37.5	28	1.42868	0.002	0.002	24,300.41812
-14	27.5	≦* <	32.5	24	1.36517	0.002	0.002	0
-15	22.5	≦* <	27.5	20	1.30166	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.23815	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.17465	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.11114	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.04763	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			63.98438	2.00000		78,381	156,762.09829

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.174 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.442	0.442	17,429.12964
19	192.5	≧* <	197.5	156	3.42820	0.298	0.298	0
18	187.5	≧* <	192.5	152	3.36553	0.293	0.293	0
17	182.5	≧* <	187.5	148	3.30287	0.287	0.287	0
16	177.5	≧* <	182.5	144	3.24021	0.282	0.282	0
15	172.5	≧* <	177.5	140	3.17754	0.276	0.276	0
14	167.5	≧* <	172.5	136	3.11488	0.271	0.271	0
13	162.5	≧* <	167.5	132	3.05222	0.266	0.266	1,056.06812
12	157.5	≧* <	162.5	128	2.98955	0.260	0.260	0
11	152.5	≧* <	157.5	124	2.92689	0.255	0.255	4,123.98801
10	147.5	≧* <	152.5	120	2.86423	0.249	0.249	0
9	142.5	≧* <	147.5	116	2.80157	0.244	0.244	0
8	137.5	≧* <	142.5	112	2.73890	0.238	0.238	0
7	132.5	≧* <	137.5	108	2.67624	0.233	0.233	0
6	127.5	≧* <	132.5	104	2.61358	0.227	0.227	1,884.39118
5	122.5	≧* <	127.5	100	2.55091	0.222	0.222	0
4	117.5	≧* <	122.5	96	2.48825	0.216	0.216	0
3	112.5	≧* <	117.5	92	2.42559	0.211	0.211	1,603.31499
2	107.5	≧* <	112.5	88	2.36292	0.206	0.206	1,020.78144
1	102.5	≧* <	107.5	84	2.30026	0.200	0.200	1,856.30982
0	97.5	≧* <	102.5	80	2.23760	0.195	0.195	0
-1	92.5	≧* <	97.5	76	2.17493	0.189	0.189	9,939.43010
-2	87.5	≧* <	92.5	72	2.11227	0.184	0.184	3,607.75716
-3	82.5	≧* <	87.5	68	2.04961	0.178	0.178	19,965.25101
-4	77.5	≧* <	82.5	64	1.98694	0.173	0.173	5,627.01408
-5	72.5	≧* <	77.5	60	1.92428	0.167	0.167	3,633.04064
-6	67.5	≧* <	72.5	56	1.86162	0.162	0.162	1,061.12340
-7	62.5	≧* <	67.5	52	1.79896	0.157	0.157	1,365.41064
-8	57.5	≧* <	62.5	48	1.73629	0.151	0.151	774.38534
-9	52.5	≧* <	57.5	44	1.67363	0.146	0.146	9,799.10365
-10	47.5	≧* <	52.5	40	1.61097	0.140	0.140	2,699.98572
-11	42.5	≧* <	47.5	36	1.54830	0.135	0.135	3,364.45590
-12	37.5	≧* <	42.5	32	1.48564	0.129	0.129	5,340.87580
-13	32.5	≧* <	37.5	28	1.42298	0.124	0.124	21,962.27332
-14	27.5	≧* <	32.5	24	1.36031	0.118	0.118	0
-15	22.5	≧* <	27.5	20	1.29765	0.113	0.113	0
-16	17.5	≧* <	22.5	16	1.23499	0.107	0.107	0
-17	12.5	≧* <	17.5	12	1.17232	0.102	0.102	0
-18	7.5	≧* <	12.5	8	1.10966	0.097	0.097	0
-19	2.5	≧* <	7.5	4	1.04700	0.091	0.091	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.087	0.087	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.013	0.013	17,429.12964
19	192.5	≧* <	197.5	156	3.42820	0.009	0.009	0
18	187.5	≧* <	192.5	152	3.36553	0.008	0.008	0
17	182.5	≧* <	187.5	148	3.30287	0.008	0.008	0
16	177.5	≧* <	182.5	144	3.24021	0.008	0.008	0
15	172.5	≧* <	177.5	140	3.17754	0.008	0.008	0
14	167.5	≧* <	172.5	136	3.11488	0.008	0.008	0
13	162.5	≧* <	167.5	132	3.05222	0.008	0.008	1,056.06812
12	157.5	≧* <	162.5	128	2.98955	0.007	0.007	0
11	152.5	≧* <	157.5	124	2.92689	0.007	0.007	4,123.98801
10	147.5	≧* <	152.5	120	2.86423	0.007	0.007	0
9	142.5	≧* <	147.5	116	2.80157	0.007	0.007	0
8	137.5	≧* <	142.5	112	2.73890	0.007	0.007	0
7	132.5	≧* <	137.5	108	2.67624	0.007	0.007	0
6	127.5	≧* <	132.5	104	2.61358	0.007	0.007	1,884.39118
5	122.5	≧* <	127.5	100	2.55091	0.006	0.006	0
4	117.5	≧* <	122.5	96	2.48825	0.006	0.006	0
3	112.5	≧* <	117.5	92	2.42559	0.006	0.006	1,603.31499
2	107.5	≧* <	112.5	88	2.36292	0.006	0.006	1,020.78144
1	102.5	≧* <	107.5	84	2.30026	0.006	0.006	1,856.30982
0	97.5	≧* <	102.5	80	2.23760	0.006	0.006	0
-1	92.5	≧* <	97.5	76	2.17493	0.005	0.005	9,939.43010
-2	87.5	≧* <	92.5	72	2.11227	0.005	0.005	3,607.75716
-3	82.5	≧* <	87.5	68	2.04961	0.005	0.005	19,965.25101
-4	77.5	≧* <	82.5	64	1.98694	0.005	0.005	5,627.01408
-5	72.5	≧* <	77.5	60	1.92428	0.005	0.005	3,633.04064
-6	67.5	≧* <	72.5	56	1.86162	0.005	0.005	1,061.12340
-7	62.5	≧* <	67.5	52	1.79896	0.004	0.004	1,365.41064
-8	57.5	≧* <	62.5	48	1.73629	0.004	0.004	774.38534
-9	52.5	≧* <	57.5	44	1.67363	0.004	0.004	9,799.10365
-10	47.5	≧* <	52.5	40	1.61097	0.004	0.004	2,699.98572
-11	42.5	≧* <	47.5	36	1.54830	0.004	0.004	3,364.45590
-12	37.5	≧* <	42.5	32	1.48564	0.004	0.004	5,340.87580
-13	32.5	≧* <	37.5	28	1.42298	0.004	0.004	21,962.27332
-14	27.5	≧* <	32.5	24	1.36031	0.003	0.003	0
-15	22.5	≧* <	27.5	20	1.29765	0.003	0.003	0
-16	17.5	≧* <	22.5	16	1.23499	0.003	0.003	0
-17	12.5	≧* <	17.5	12	1.17232	0.003	0.003	0
-18	7.5	≧* <	12.5	8	1.10966	0.003	0.003	0
-19	2.5	≧* <	7.5	4	1.04700	0.003	0.003	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.156 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.396	0.396	17,429.12964
19	192.5	≧* <	197.5	156	3.42820	0.267	0.267	0
18	187.5	≧* <	192.5	152	3.36553	0.263	0.263	0
17	182.5	≧* <	187.5	148	3.30287	0.258	0.258	0
16	177.5	≧* <	182.5	144	3.24021	0.253	0.253	0
15	172.5	≧* <	177.5	140	3.17754	0.248	0.248	0
14	167.5	≧* <	172.5	136	3.11488	0.243	0.243	0
13	162.5	≧* <	167.5	132	3.05222	0.238	0.238	1,056.06812
12	157.5	≧* <	162.5	128	2.98955	0.233	0.233	0
11	152.5	≧* <	157.5	124	2.92689	0.228	0.228	4,123.98801
10	147.5	≧* <	152.5	120	2.86423	0.223	0.223	0
9	142.5	≧* <	147.5	116	2.80157	0.219	0.219	0
8	137.5	≧* <	142.5	112	2.73890	0.214	0.214	0
7	132.5	≧* <	137.5	108	2.67624	0.209	0.209	0
6	127.5	≧* <	132.5	104	2.61358	0.204	0.204	1,884.39118
5	122.5	≧* <	127.5	100	2.55091	0.199	0.199	0
4	117.5	≧* <	122.5	96	2.48825	0.194	0.194	0
3	112.5	≧* <	117.5	92	2.42559	0.189	0.189	1,603.31499
2	107.5	≧* <	112.5	88	2.36292	0.184	0.184	1,020.78144
1	102.5	≧* <	107.5	84	2.30026	0.179	0.179	1,856.30982
0	97.5	≧* <	102.5	80	2.23760	0.175	0.175	0
-1	92.5	≧* <	97.5	76	2.17493	0.170	0.170	9,939.43010
-2	87.5	≧* <	92.5	72	2.11227	0.165	0.165	3,607.75716
-3	82.5	≧* <	87.5	68	2.04961	0.160	0.160	19,965.25101
-4	77.5	≧* <	82.5	64	1.98694	0.155	0.155	5,627.01408
-5	72.5	≧* <	77.5	60	1.92428	0.150	0.150	3,633.04064
-6	67.5	≧* <	72.5	56	1.86162	0.145	0.145	1,061.12340
-7	62.5	≧* <	67.5	52	1.79896	0.140	0.140	1,365.41064
-8	57.5	≧* <	62.5	48	1.73629	0.135	0.135	774.38534
-9	52.5	≧* <	57.5	44	1.67363	0.131	0.131	9,799.10365
-10	47.5	≧* <	52.5	40	1.61097	0.126	0.126	2,699.98572
-11	42.5	≧* <	47.5	36	1.54830	0.121	0.121	3,364.45590
-12	37.5	≧* <	42.5	32	1.48564	0.116	0.116	5,340.87580
-13	32.5	≧* <	37.5	28	1.42298	0.111	0.111	21,962.27332
-14	27.5	≧* <	32.5	24	1.36031	0.106	0.106	0
-15	22.5	≧* <	27.5	20	1.29765	0.101	0.101	0
-16	17.5	≧* <	22.5	16	1.23499	0.096	0.096	0
-17	12.5	≧* <	17.5	12	1.17232	0.091	0.091	0
-18	7.5	≧* <	12.5	8	1.10966	0.087	0.087	0
-19	2.5	≧* <	7.5	4	1.04700	0.082	0.082	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.078	0.078	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.010	0.010	17,429.12964
19	192.5	≧* <	197.5	156	3.42820	0.007	0.007	0
18	187.5	≧* <	192.5	152	3.36553	0.007	0.007	0
17	182.5	≧* <	187.5	148	3.30287	0.007	0.007	0
16	177.5	≧* <	182.5	144	3.24021	0.006	0.006	0
15	172.5	≧* <	177.5	140	3.17754	0.006	0.006	0
14	167.5	≧* <	172.5	136	3.11488	0.006	0.006	0
13	162.5	≧* <	167.5	132	3.05222	0.006	0.006	1,056.06812
12	157.5	≧* <	162.5	128	2.98955	0.006	0.006	0
11	152.5	≧* <	157.5	124	2.92689	0.006	0.006	4,123.98801
10	147.5	≧* <	152.5	120	2.86423	0.006	0.006	0
9	142.5	≧* <	147.5	116	2.80157	0.006	0.006	0
8	137.5	≧* <	142.5	112	2.73890	0.005	0.005	0
7	132.5	≧* <	137.5	108	2.67624	0.005	0.005	0
6	127.5	≧* <	132.5	104	2.61358	0.005	0.005	1,884.39118
5	122.5	≧* <	127.5	100	2.55091	0.005	0.005	0
4	117.5	≧* <	122.5	96	2.48825	0.005	0.005	0
3	112.5	≧* <	117.5	92	2.42559	0.005	0.005	1,603.31499
2	107.5	≧* <	112.5	88	2.36292	0.005	0.005	1,020.78144
1	102.5	≧* <	107.5	84	2.30026	0.005	0.005	1,856.30982
0	97.5	≧* <	102.5	80	2.23760	0.004	0.004	0
-1	92.5	≧* <	97.5	76	2.17493	0.004	0.004	9,939.43010
-2	87.5	≧* <	92.5	72	2.11227	0.004	0.004	3,607.75716
-3	82.5	≧* <	87.5	68	2.04961	0.004	0.004	19,965.25101
-4	77.5	≧* <	82.5	64	1.98694	0.004	0.004	5,627.01408
-5	72.5	≧* <	77.5	60	1.92428	0.004	0.004	3,633.04064
-6	67.5	≧* <	72.5	56	1.86162	0.004	0.004	1,061.12340
-7	62.5	≧* <	67.5	52	1.79896	0.004	0.004	1,365.41064
-8	57.5	≧* <	62.5	48	1.73629	0.003	0.003	774.38534
-9	52.5	≧* <	57.5	44	1.67363	0.003	0.003	9,799.10365
-10	47.5	≧* <	52.5	40	1.61097	0.003	0.003	2,699.98572
-11	42.5	≧* <	47.5	36	1.54830	0.003	0.003	3,364.45590
-12	37.5	≧* <	42.5	32	1.48564	0.003	0.003	5,340.87580
-13	32.5	≧* <	37.5	28	1.42298	0.003	0.003	21,962.27332
-14	27.5	≧* <	32.5	24	1.36031	0.003	0.003	0
-15	22.5	≧* <	27.5	20	1.29765	0.003	0.003	0
-16	17.5	≧* <	22.5	16	1.23499	0.002	0.002	0
-17	12.5	≧* <	17.5	12	1.17232	0.002	0.002	0
-18	7.5	≧* <	12.5	8	1.10966	0.002	0.002	0
-19	2.5	≧* <	7.5	4	1.04700	0.002	0.002	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.132 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.335	0.335	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.226	0.226	0
18	187.5	≦* <	192.5	152	3.36553	0.222	0.222	0
17	182.5	≦* <	187.5	148	3.30287	0.218	0.218	0
16	177.5	≦* <	182.5	144	3.24021	0.214	0.214	0
15	172.5	≦* <	177.5	140	3.17754	0.210	0.210	0
14	167.5	≦* <	172.5	136	3.11488	0.206	0.206	0
13	162.5	≦* <	167.5	132	3.05222	0.201	0.201	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.197	0.197	0
11	152.5	≦* <	157.5	124	2.92689	0.193	0.193	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.189	0.189	0
9	142.5	≦* <	147.5	116	2.80157	0.185	0.185	0
8	137.5	≦* <	142.5	112	2.73890	0.181	0.181	0
7	132.5	≦* <	137.5	108	2.67624	0.177	0.177	0
6	127.5	≦* <	132.5	104	2.61358	0.172	0.172	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.168	0.168	0
4	117.5	≦* <	122.5	96	2.48825	0.164	0.164	0
3	112.5	≦* <	117.5	92	2.42559	0.160	0.160	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.156	0.156	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.152	0.152	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.148	0.148	0
-1	92.5	≦* <	97.5	76	2.17493	0.144	0.144	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.139	0.139	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.135	0.135	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.131	0.131	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.127	0.127	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.123	0.123	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.119	0.119	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.115	0.115	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.110	0.110	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.106	0.106	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.102	0.102	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.098	0.098	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.094	0.094	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.090	0.090	0
-15	22.5	≦* <	27.5	20	1.29765	0.086	0.086	0
-16	17.5	≦* <	22.5	16	1.23499	0.082	0.082	0
-17	12.5	≦* <	17.5	12	1.17232	0.077	0.077	0
-18	7.5	≦* <	12.5	8	1.10966	0.073	0.073	0
-19	2.5	≦* <	7.5	4	1.04700	0.069	0.069	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.066	0.066	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.008	0.008	17,429.12964
19	192.5	≦* <	197.5	156	3.42820	0.005	0.005	0
18	187.5	≦* <	192.5	152	3.36553	0.005	0.005	0
17	182.5	≦* <	187.5	148	3.30287	0.005	0.005	0
16	177.5	≦* <	182.5	144	3.24021	0.005	0.005	0
15	172.5	≦* <	177.5	140	3.17754	0.005	0.005	0
14	167.5	≦* <	172.5	136	3.11488	0.005	0.005	0
13	162.5	≦* <	167.5	132	3.05222	0.005	0.005	1,056.06812
12	157.5	≦* <	162.5	128	2.98955	0.004	0.004	0
11	152.5	≦* <	157.5	124	2.92689	0.004	0.004	4,123.98801
10	147.5	≦* <	152.5	120	2.86423	0.004	0.004	0
9	142.5	≦* <	147.5	116	2.80157	0.004	0.004	0
8	137.5	≦* <	142.5	112	2.73890	0.004	0.004	0
7	132.5	≦* <	137.5	108	2.67624	0.004	0.004	0
6	127.5	≦* <	132.5	104	2.61358	0.004	0.004	1,884.39118
5	122.5	≦* <	127.5	100	2.55091	0.004	0.004	0
4	117.5	≦* <	122.5	96	2.48825	0.004	0.004	0
3	112.5	≦* <	117.5	92	2.42559	0.004	0.004	1,603.31499
2	107.5	≦* <	112.5	88	2.36292	0.004	0.004	1,020.78144
1	102.5	≦* <	107.5	84	2.30026	0.003	0.003	1,856.30982
0	97.5	≦* <	102.5	80	2.23760	0.003	0.003	0
-1	92.5	≦* <	97.5	76	2.17493	0.003	0.003	9,939.43010
-2	87.5	≦* <	92.5	72	2.11227	0.003	0.003	3,607.75716
-3	82.5	≦* <	87.5	68	2.04961	0.003	0.003	19,965.25101
-4	77.5	≦* <	82.5	64	1.98694	0.003	0.003	5,627.01408
-5	72.5	≦* <	77.5	60	1.92428	0.003	0.003	3,633.04064
-6	67.5	≦* <	72.5	56	1.86162	0.003	0.003	1,061.12340
-7	62.5	≦* <	67.5	52	1.79896	0.003	0.003	1,365.41064
-8	57.5	≦* <	62.5	48	1.73629	0.003	0.003	774.38534
-9	52.5	≦* <	57.5	44	1.67363	0.003	0.003	9,799.10365
-10	47.5	≦* <	52.5	40	1.61097	0.002	0.002	2,699.98572
-11	42.5	≦* <	47.5	36	1.54830	0.002	0.002	3,364.45590
-12	37.5	≦* <	42.5	32	1.48564	0.002	0.002	5,340.87580
-13	32.5	≦* <	37.5	28	1.42298	0.002	0.002	21,962.27332
-14	27.5	≦* <	32.5	24	1.36031	0.002	0.002	0
-15	22.5	≦* <	27.5	20	1.29765	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.23499	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.17232	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.10966	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.04700	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			64.83341	2.00000		59,057	118,114.08996

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.170 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.389	0.389	0
19	192.5	≧* <	197.5	156	4.49034	0.382	0.382	0
18	187.5	≧* <	192.5	152	4.40026	0.374	0.374	0
17	182.5	≧* <	187.5	148	4.31019	0.366	0.366	0
16	177.5	≧* <	182.5	144	4.22012	0.359	0.359	0
15	172.5	≧* <	177.5	140	4.13004	0.351	0.351	0
14	167.5	≧* <	172.5	136	4.03997	0.343	0.343	0
13	162.5	≧* <	167.5	132	3.94990	0.336	0.336	0
12	157.5	≧* <	162.5	128	3.85982	0.328	0.328	0
11	152.5	≧* <	157.5	124	3.76975	0.320	0.320	0
10	147.5	≧* <	152.5	120	3.67968	0.313	0.313	0
9	142.5	≧* <	147.5	116	3.58960	0.305	0.305	0
8	137.5	≧* <	142.5	112	3.49953	0.297	0.297	0
7	132.5	≧* <	137.5	108	3.40946	0.290	0.290	0
6	127.5	≧* <	132.5	104	3.31939	0.282	0.282	0
5	122.5	≧* <	127.5	100	3.22931	0.274	0.274	0
4	117.5	≧* <	122.5	96	3.13924	0.267	0.267	0
3	112.5	≧* <	117.5	92	3.04917	0.259	0.259	0
2	107.5	≧* <	112.5	88	2.95909	0.252	0.252	0
1	102.5	≧* <	107.5	84	2.86902	0.244	0.244	0
0	97.5	≧* <	102.5	80	2.77895	0.236	0.236	0
-1	92.5	≧* <	97.5	76	2.68887	0.229	0.229	301.15344
-2	87.5	≧* <	92.5	72	2.59880	0.221	0.221	4,844.16320
-3	82.5	≧* <	87.5	68	2.50873	0.213	0.213	2,476.11651
-4	77.5	≧* <	82.5	64	2.41865	0.206	0.206	0
-5	72.5	≧* <	77.5	60	2.32858	0.198	0.198	575.15926
-6	67.5	≧* <	72.5	56	2.23851	0.190	0.190	2,169.11619
-7	62.5	≧* <	67.5	52	2.14843	0.183	0.183	461.91245
-8	57.5	≧* <	62.5	48	2.05836	0.175	0.175	0
-9	52.5	≧* <	57.5	44	1.96829	0.167	0.167	0
-10	47.5	≧* <	52.5	40	1.87821	0.160	0.160	882.75870
-11	42.5	≧* <	47.5	36	1.78814	0.152	0.152	0
-12	37.5	≧* <	42.5	32	1.69807	0.144	0.144	0
-13	32.5	≧* <	37.5	28	1.60799	0.137	0.137	8,131.60543
-14	27.5	≧* <	32.5	24	1.51792	0.129	0.129	0
-15	22.5	≧* <	27.5	20	1.42785	0.121	0.121	0
-16	17.5	≧* <	22.5	16	1.33777	0.114	0.114	0
-17	12.5	≧* <	17.5	12	1.24770	0.106	0.106	0
-18	7.5	≧* <	12.5	8	1.15763	0.098	0.098	0
-19	2.5	≧* <	7.5	4	1.06755	0.091	0.091	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.085	0.085	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.011	0.011	0
19	192.5	≧* <	197.5	156	4.49034	0.011	0.011	0
18	187.5	≧* <	192.5	152	4.40026	0.011	0.011	0
17	182.5	≧* <	187.5	148	4.31019	0.011	0.011	0
16	177.5	≧* <	182.5	144	4.22012	0.011	0.011	0
15	172.5	≧* <	177.5	140	4.13004	0.010	0.010	0
14	167.5	≧* <	172.5	136	4.03997	0.010	0.010	0
13	162.5	≧* <	167.5	132	3.94990	0.010	0.010	0
12	157.5	≧* <	162.5	128	3.85982	0.010	0.010	0
11	152.5	≧* <	157.5	124	3.76975	0.009	0.009	0
10	147.5	≧* <	152.5	120	3.67968	0.009	0.009	0
9	142.5	≧* <	147.5	116	3.58960	0.009	0.009	0
8	137.5	≧* <	142.5	112	3.49953	0.009	0.009	0
7	132.5	≧* <	137.5	108	3.40946	0.009	0.009	0
6	127.5	≧* <	132.5	104	3.31939	0.008	0.008	0
5	122.5	≧* <	127.5	100	3.22931	0.008	0.008	0
4	117.5	≧* <	122.5	96	3.13924	0.008	0.008	0
3	112.5	≧* <	117.5	92	3.04917	0.008	0.008	0
2	107.5	≧* <	112.5	88	2.95909	0.007	0.007	0
1	102.5	≧* <	107.5	84	2.86902	0.007	0.007	0
0	97.5	≧* <	102.5	80	2.77895	0.007	0.007	0
-1	92.5	≧* <	97.5	76	2.68887	0.007	0.007	301.15344
-2	87.5	≧* <	92.5	72	2.59880	0.006	0.006	4,844.16320
-3	82.5	≧* <	87.5	68	2.50873	0.006	0.006	2,476.11651
-4	77.5	≧* <	82.5	64	2.41865	0.006	0.006	0
-5	72.5	≧* <	77.5	60	2.32858	0.006	0.006	575.15926
-6	67.5	≧* <	72.5	56	2.23851	0.006	0.006	2,169.11619
-7	62.5	≧* <	67.5	52	2.14843	0.005	0.005	461.91245
-8	57.5	≧* <	62.5	48	2.05836	0.005	0.005	0
-9	52.5	≧* <	57.5	44	1.96829	0.005	0.005	0
-10	47.5	≧* <	52.5	40	1.87821	0.005	0.005	882.75870
-11	42.5	≧* <	47.5	36	1.78814	0.004	0.004	0
-12	37.5	≧* <	42.5	32	1.69807	0.004	0.004	0
-13	32.5	≧* <	37.5	28	1.60799	0.004	0.004	8,131.60543
-14	27.5	≧* <	32.5	24	1.51792	0.004	0.004	0
-15	22.5	≧* <	27.5	20	1.42785	0.004	0.004	0
-16	17.5	≧* <	22.5	16	1.33777	0.003	0.003	0
-17	12.5	≧* <	17.5	12	1.24770	0.003	0.003	0
-18	7.5	≧* <	12.5	8	1.15763	0.003	0.003	0
-19	2.5	≧* <	7.5	4	1.06755	0.003	0.003	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.153 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.350	0.350	0
19	192.5	≦* <	197.5	156	4.49034	0.344	0.344	0
18	187.5	≦* <	192.5	152	4.40026	0.337	0.337	0
17	182.5	≦* <	187.5	148	4.31019	0.330	0.330	0
16	177.5	≦* <	182.5	144	4.22012	0.323	0.323	0
15	172.5	≦* <	177.5	140	4.13004	0.316	0.316	0
14	167.5	≦* <	172.5	136	4.03997	0.309	0.309	0
13	162.5	≦* <	167.5	132	3.94990	0.302	0.302	0
12	157.5	≦* <	162.5	128	3.85982	0.295	0.295	0
11	152.5	≦* <	157.5	124	3.76975	0.288	0.288	0
10	147.5	≦* <	152.5	120	3.67968	0.281	0.281	0
9	142.5	≦* <	147.5	116	3.58960	0.275	0.275	0
8	137.5	≦* <	142.5	112	3.49953	0.268	0.268	0
7	132.5	≦* <	137.5	108	3.40946	0.261	0.261	0
6	127.5	≦* <	132.5	104	3.31939	0.254	0.254	0
5	122.5	≦* <	127.5	100	3.22931	0.247	0.247	0
4	117.5	≦* <	122.5	96	3.13924	0.240	0.240	0
3	112.5	≦* <	117.5	92	3.04917	0.233	0.233	0
2	107.5	≦* <	112.5	88	2.95909	0.226	0.226	0
1	102.5	≦* <	107.5	84	2.86902	0.219	0.219	0
0	97.5	≦* <	102.5	80	2.77895	0.213	0.213	0
-1	92.5	≦* <	97.5	76	2.68887	0.206	0.206	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.199	0.199	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.192	0.192	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.185	0.185	0
-5	72.5	≦* <	77.5	60	2.32858	0.178	0.178	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.171	0.171	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.164	0.164	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.157	0.157	0
-9	52.5	≦* <	57.5	44	1.96829	0.151	0.151	0
-10	47.5	≦* <	52.5	40	1.87821	0.144	0.144	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.137	0.137	0
-12	37.5	≦* <	42.5	32	1.69807	0.130	0.130	0
-13	32.5	≦* <	37.5	28	1.60799	0.123	0.123	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.116	0.116	0
-15	22.5	≦* <	27.5	20	1.42785	0.109	0.109	0
-16	17.5	≦* <	22.5	16	1.33777	0.102	0.102	0
-17	12.5	≦* <	17.5	12	1.24770	0.095	0.095	0
-18	7.5	≦* <	12.5	8	1.15763	0.089	0.089	0
-19	2.5	≦* <	7.5	4	1.06755	0.082	0.082	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.076 ※	0.076	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.009	0.009	0
19	192.5	≧* <	197.5	156	4.49034	0.009	0.009	0
18	187.5	≧* <	192.5	152	4.40026	0.009	0.009	0
17	182.5	≧* <	187.5	148	4.31019	0.009	0.009	0
16	177.5	≧* <	182.5	144	4.22012	0.008	0.008	0
15	172.5	≧* <	177.5	140	4.13004	0.008	0.008	0
14	167.5	≧* <	172.5	136	4.03997	0.008	0.008	0
13	162.5	≧* <	167.5	132	3.94990	0.008	0.008	0
12	157.5	≧* <	162.5	128	3.85982	0.008	0.008	0
11	152.5	≧* <	157.5	124	3.76975	0.008	0.008	0
10	147.5	≧* <	152.5	120	3.67968	0.007	0.007	0
9	142.5	≧* <	147.5	116	3.58960	0.007	0.007	0
8	137.5	≧* <	142.5	112	3.49953	0.007	0.007	0
7	132.5	≧* <	137.5	108	3.40946	0.007	0.007	0
6	127.5	≧* <	132.5	104	3.31939	0.007	0.007	0
5	122.5	≧* <	127.5	100	3.22931	0.006	0.006	0
4	117.5	≧* <	122.5	96	3.13924	0.006	0.006	0
3	112.5	≧* <	117.5	92	3.04917	0.006	0.006	0
2	107.5	≧* <	112.5	88	2.95909	0.006	0.006	0
1	102.5	≧* <	107.5	84	2.86902	0.006	0.006	0
0	97.5	≧* <	102.5	80	2.77895	0.006	0.006	0
-1	92.5	≧* <	97.5	76	2.68887	0.005	0.005	301.15344
-2	87.5	≧* <	92.5	72	2.59880	0.005	0.005	4,844.16320
-3	82.5	≧* <	87.5	68	2.50873	0.005	0.005	2,476.11651
-4	77.5	≧* <	82.5	64	2.41865	0.005	0.005	0
-5	72.5	≧* <	77.5	60	2.32858	0.005	0.005	575.15926
-6	67.5	≧* <	72.5	56	2.23851	0.004	0.004	2,169.11619
-7	62.5	≧* <	67.5	52	2.14843	0.004	0.004	461.91245
-8	57.5	≧* <	62.5	48	2.05836	0.004	0.004	0
-9	52.5	≧* <	57.5	44	1.96829	0.004	0.004	0
-10	47.5	≧* <	52.5	40	1.87821	0.004	0.004	882.75870
-11	42.5	≧* <	47.5	36	1.78814	0.004	0.004	0
-12	37.5	≧* <	42.5	32	1.69807	0.003	0.003	0
-13	32.5	≧* <	37.5	28	1.60799	0.003	0.003	8,131.60543
-14	27.5	≧* <	32.5	24	1.51792	0.003	0.003	0
-15	22.5	≧* <	27.5	20	1.42785	0.003	0.003	0
-16	17.5	≧* <	22.5	16	1.33777	0.003	0.003	0
-17	12.5	≧* <	17.5	12	1.24770	0.002	0.002	0
-18	7.5	≧* <	12.5	8	1.15763	0.002	0.002	0
-19	2.5	≧* <	7.5	4	1.06755	0.002	0.002	0
-20	0.0	≧* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.140 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)
			圧縮前				
20	197.5	≦*	160	4.58041	0.321	0.321	0
19	192.5	≧* <	156	4.49034	0.314	0.314	0
18	187.5	≧* <	152	4.40026	0.308	0.308	0
17	182.5	≧* <	148	4.31019	0.302	0.302	0
16	177.5	≧* <	144	4.22012	0.295	0.295	0
15	172.5	≧* <	140	4.13004	0.289	0.289	0
14	167.5	≧* <	136	4.03997	0.283	0.283	0
13	162.5	≧* <	132	3.94990	0.276	0.276	0
12	157.5	≧* <	128	3.85982	0.270	0.270	0
11	152.5	≧* <	124	3.76975	0.264	0.264	0
10	147.5	≧* <	120	3.67968	0.258	0.258	0
9	142.5	≧* <	116	3.58960	0.251	0.251	0
8	137.5	≧* <	112	3.49953	0.245	0.245	0
7	132.5	≧* <	108	3.40946	0.239	0.239	0
6	127.5	≧* <	104	3.31939	0.232	0.232	0
5	122.5	≧* <	100	3.22931	0.226	0.226	0
4	117.5	≧* <	96	3.13924	0.220	0.220	0
3	112.5	≧* <	92	3.04917	0.213	0.213	0
2	107.5	≧* <	88	2.95909	0.207	0.207	0
1	102.5	≧* <	84	2.86902	0.201	0.201	0
0	97.5	≧* <	80	2.77895	0.195	0.195	0
-1	92.5	≧* <	76	2.68887	0.188	0.188	301.15344
-2	87.5	≧* <	72	2.59880	0.182	0.182	4,844.16320
-3	82.5	≧* <	68	2.50873	0.176	0.176	2,476.11651
-4	77.5	≧* <	64	2.41865	0.169	0.169	0
-5	72.5	≧* <	60	2.32858	0.163	0.163	575.15926
-6	67.5	≧* <	56	2.23851	0.157	0.157	2,169.11619
-7	62.5	≧* <	52	2.14843	0.150	0.150	461.91245
-8	57.5	≧* <	48	2.05836	0.144	0.144	0
-9	52.5	≧* <	44	1.96829	0.138	0.138	0
-10	47.5	≧* <	40	1.87821	0.131	0.131	882.75870
-11	42.5	≧* <	36	1.78814	0.125	0.125	0
-12	37.5	≧* <	32	1.69807	0.119	0.119	0
-13	32.5	≧* <	28	1.60799	0.113	0.113	8,131.60543
-14	27.5	≧* <	24	1.51792	0.106	0.106	0
-15	22.5	≧* <	20	1.42785	0.100	0.100	0
-16	17.5	≧* <	16	1.33777	0.094	0.094	0
-17	12.5	≧* <	12	1.24770	0.087	0.087	0
-18	7.5	≧* <	8	1.15763	0.081	0.081	0
-19	2.5	≧* <	4	1.06755	0.075	0.075	0
-20	0.0	≧* <	1.00	1.00000	0.070	0.070	0
計	平均		45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	4.58041	0.007	0.007	0
19	192.5	≦* <	197.5	156	4.49034	0.007	0.007	0
18	187.5	≦* <	192.5	152	4.40026	0.007	0.007	0
17	182.5	≦* <	187.5	148	4.31019	0.006	0.006	0
16	177.5	≦* <	182.5	144	4.22012	0.006	0.006	0
15	172.5	≦* <	177.5	140	4.13004	0.006	0.006	0
14	167.5	≦* <	172.5	136	4.03997	0.006	0.006	0
13	162.5	≦* <	167.5	132	3.94990	0.006	0.006	0
12	157.5	≦* <	162.5	128	3.85982	0.006	0.006	0
11	152.5	≦* <	157.5	124	3.76975	0.006	0.006	0
10	147.5	≦* <	152.5	120	3.67968	0.006	0.006	0
9	142.5	≦* <	147.5	116	3.58960	0.005	0.005	0
8	137.5	≦* <	142.5	112	3.49953	0.005	0.005	0
7	132.5	≦* <	137.5	108	3.40946	0.005	0.005	0
6	127.5	≦* <	132.5	104	3.31939	0.005	0.005	0
5	122.5	≦* <	127.5	100	3.22931	0.005	0.005	0
4	117.5	≦* <	122.5	96	3.13924	0.005	0.005	0
3	112.5	≦* <	117.5	92	3.04917	0.005	0.005	0
2	107.5	≦* <	112.5	88	2.95909	0.004	0.004	0
1	102.5	≦* <	107.5	84	2.86902	0.004	0.004	0
0	97.5	≦* <	102.5	80	2.77895	0.004	0.004	0
-1	92.5	≦* <	97.5	76	2.68887	0.004	0.004	301.15344
-2	87.5	≦* <	92.5	72	2.59880	0.004	0.004	4,844.16320
-3	82.5	≦* <	87.5	68	2.50873	0.004	0.004	2,476.11651
-4	77.5	≦* <	82.5	64	2.41865	0.004	0.004	0
-5	72.5	≦* <	77.5	60	2.32858	0.003	0.003	575.15926
-6	67.5	≦* <	72.5	56	2.23851	0.003	0.003	2,169.11619
-7	62.5	≦* <	67.5	52	2.14843	0.003	0.003	461.91245
-8	57.5	≦* <	62.5	48	2.05836	0.003	0.003	0
-9	52.5	≦* <	57.5	44	1.96829	0.003	0.003	0
-10	47.5	≦* <	52.5	40	1.87821	0.003	0.003	882.75870
-11	42.5	≦* <	47.5	36	1.78814	0.003	0.003	0
-12	37.5	≦* <	42.5	32	1.69807	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.60799	0.002	0.002	8,131.60543
-14	27.5	≦* <	32.5	24	1.51792	0.002	0.002	0
-15	22.5	≦* <	27.5	20	1.42785	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.33777	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.24770	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.15763	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.06755	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			45.40833	2.00000		9,921	19,841.98518

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.886 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	3.250	3.250	0
19	192.5	≦* <	197.5	156	3.38446	3.192	3.192	0
18	187.5	≦* <	192.5	152	3.32292	3.134	3.134	0
17	182.5	≦* <	187.5	148	3.26139	3.075	3.075	0
16	177.5	≦* <	182.5	144	3.19985	3.017	3.017	0
15	172.5	≦* <	177.5	140	3.13832	2.959	2.959	0
14	167.5	≦* <	172.5	136	3.07678	2.901	2.901	0
13	162.5	≦* <	167.5	132	3.01525	2.843	2.843	0
12	157.5	≦* <	162.5	128	2.95372	2.785	2.785	0
11	152.5	≦* <	157.5	124	2.89218	2.727	2.727	0
10	147.5	≦* <	152.5	120	2.83065	2.669	2.669	0
9	142.5	≦* <	147.5	116	2.76911	2.611	2.611	0
8	137.5	≦* <	142.5	112	2.70758	2.553	2.553	0
7	132.5	≦* <	137.5	108	2.64604	2.495	2.495	0
6	127.5	≦* <	132.5	104	2.58451	2.437	2.437	0
5	122.5	≦* <	127.5	100	2.52297	2.379	2.379	47.93643
4	117.5	≦* <	122.5	96	2.46144	2.321	2.321	0
3	112.5	≦* <	117.5	92	2.39991	2.263	2.263	0
2	107.5	≦* <	112.5	88	2.33837	2.205	2.205	0
1	102.5	≦* <	107.5	84	2.27684	2.147	2.147	0
0	97.5	≦* <	102.5	80	2.21530	2.089	2.089	0
-1	92.5	≦* <	97.5	76	2.15377	2.031	2.031	0
-2	87.5	≦* <	92.5	72	2.09223	1.973	1.973	479.12067
-3	82.5	≦* <	87.5	68	2.03070	1.915	1.915	62.95170
-4	77.5	≦* <	82.5	64	1.96917	1.857	1.857	19.69170
-5	72.5	≦* <	77.5	60	1.90763	1.799	1.799	0
-6	67.5	≦* <	72.5	56	1.84610	1.741	1.741	286.14550
-7	62.5	≦* <	67.5	52	1.78456	1.683	1.683	0
-8	57.5	≦* <	62.5	48	1.72303	1.625	1.625	0
-9	52.5	≦* <	57.5	44	1.66149	1.567	1.567	0
-10	47.5	≦* <	52.5	40	1.59996	1.509	1.509	0
-11	42.5	≦* <	47.5	36	1.53843	1.451	1.451	0
-12	37.5	≦* <	42.5	32	1.47689	1.393	1.393	22.15335
-13	32.5	≦* <	37.5	28	1.41536	1.335	1.335	0
-14	27.5	≦* <	32.5	24	1.35382	1.277	1.277	0
-15	22.5	≦* <	27.5	20	1.29229	1.219	1.219	0
-16	17.5	≦* <	22.5	16	1.23075	1.161	1.161	0
-17	12.5	≦* <	17.5	12	1.16922	1.103	1.103	0
-18	7.5	≦* <	12.5	8	1.10769	1.045	1.045	0
-19	2.5	≦* <	7.5	4	1.04615	0.987	0.987	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.943	0.943	0
計	平 均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.008 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)
			圧縮前				
20	197.5	≦*	160	3.44599	0.014	0.014	0
19	192.5	≦* < 197.5	156	3.38446	0.014	0.014	0
18	187.5	≦* < 192.5	152	3.32292	0.013	0.013	0
17	182.5	≦* < 187.5	148	3.26139	0.013	0.013	0
16	177.5	≦* < 182.5	144	3.19985	0.013	0.013	0
15	172.5	≦* < 177.5	140	3.13832	0.013	0.013	0
14	167.5	≦* < 172.5	136	3.07678	0.012	0.012	0
13	162.5	≦* < 167.5	132	3.01525	0.012	0.012	0
12	157.5	≦* < 162.5	128	2.95372	0.012	0.012	0
11	152.5	≦* < 157.5	124	2.89218	0.012	0.012	0
10	147.5	≦* < 152.5	120	2.83065	0.011	0.011	0
9	142.5	≦* < 147.5	116	2.76911	0.011	0.011	0
8	137.5	≦* < 142.5	112	2.70758	0.011	0.011	0
7	132.5	≦* < 137.5	108	2.64604	0.011	0.011	0
6	127.5	≦* < 132.5	104	2.58451	0.010	0.010	0
5	122.5	≦* < 127.5	100	2.52297	0.010	0.010	47.93643
4	117.5	≦* < 122.5	96	2.46144	0.010	0.010	0
3	112.5	≦* < 117.5	92	2.39991	0.010	0.010	0
2	107.5	≦* < 112.5	88	2.33837	0.009	0.009	0
1	102.5	≦* < 107.5	84	2.27684	0.009	0.009	0
0	97.5	≦* < 102.5	80	2.21530	0.009	0.009	0
-1	92.5	≦* < 97.5	76	2.15377	0.009	0.009	0
-2	87.5	≦* < 92.5	72	2.09223	0.008	0.008	479.12067
-3	82.5	≦* < 87.5	68	2.03070	0.008	0.008	62.95170
-4	77.5	≦* < 82.5	64	1.96917	0.008	0.008	19.69170
-5	72.5	≦* < 77.5	60	1.90763	0.008	0.008	0
-6	67.5	≦* < 72.5	56	1.84610	0.007	0.007	286.14550
-7	62.5	≦* < 67.5	52	1.78456	0.007	0.007	0
-8	57.5	≦* < 62.5	48	1.72303	0.007	0.007	0
-9	52.5	≦* < 57.5	44	1.66149	0.007	0.007	0
-10	47.5	≦* < 52.5	40	1.59996	0.006	0.006	0
-11	42.5	≦* < 47.5	36	1.53843	0.006	0.006	0
-12	37.5	≦* < 42.5	32	1.47689	0.006	0.006	22.15335
-13	32.5	≦* < 37.5	28	1.41536	0.006	0.006	0
-14	27.5	≦* < 32.5	24	1.35382	0.005	0.005	0
-15	22.5	≦* < 27.5	20	1.29229	0.005	0.005	0
-16	17.5	≦* < 22.5	16	1.23075	0.005	0.005	0
-17	12.5	≦* < 17.5	12	1.16922	0.005	0.005	0
-18	7.5	≦* < 12.5	8	1.10769	0.004	0.004	0
-19	2.5	≦* < 7.5	4	1.04615	0.004	0.004	0
-20	0.0	≦* < 2.5	1.00	1.00000	0.004	0.004	0
計	平均		66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.432 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	2.467	2.467	0
19	192.5	≦* <	197.5	156	3.38446	2.423	2.423	0
18	187.5	≦* <	192.5	152	3.32292	2.379	2.379	0
17	182.5	≦* <	187.5	148	3.26139	2.335	2.335	0
16	177.5	≦* <	182.5	144	3.19985	2.291	2.291	0
15	172.5	≦* <	177.5	140	3.13832	2.247	2.247	0
14	167.5	≦* <	172.5	136	3.07678	2.203	2.203	0
13	162.5	≦* <	167.5	132	3.01525	2.159	2.159	0
12	157.5	≦* <	162.5	128	2.95372	2.115	2.115	0
11	152.5	≦* <	157.5	124	2.89218	2.071	2.071	0
10	147.5	≦* <	152.5	120	2.83065	2.027	2.027	0
9	142.5	≦* <	147.5	116	2.76911	1.983	1.983	0
8	137.5	≦* <	142.5	112	2.70758	1.939	1.939	0
7	132.5	≦* <	137.5	108	2.64604	1.895	1.895	0
6	127.5	≦* <	132.5	104	2.58451	1.851	1.851	0
5	122.5	≦* <	127.5	100	2.52297	1.806	1.806	47.93643
4	117.5	≦* <	122.5	96	2.46144	1.762	1.762	0
3	112.5	≦* <	117.5	92	2.39991	1.718	1.718	0
2	107.5	≦* <	112.5	88	2.33837	1.674	1.674	0
1	102.5	≦* <	107.5	84	2.27684	1.630	1.630	0
0	97.5	≦* <	102.5	80	2.21530	1.586	1.586	0
-1	92.5	≦* <	97.5	76	2.15377	1.542	1.542	0
-2	87.5	≦* <	92.5	72	2.09223	1.498	1.498	479.12067
-3	82.5	≦* <	87.5	68	2.03070	1.454	1.454	62.95170
-4	77.5	≦* <	82.5	64	1.96917	1.410	1.410	19.69170
-5	72.5	≦* <	77.5	60	1.90763	1.366	1.366	0
-6	67.5	≦* <	72.5	56	1.84610	1.322	1.322	286.14550
-7	62.5	≦* <	67.5	52	1.78456	1.278	1.278	0
-8	57.5	≦* <	62.5	48	1.72303	1.234	1.234	0
-9	52.5	≦* <	57.5	44	1.66149	1.190	1.190	0
-10	47.5	≦* <	52.5	40	1.59996	1.146	1.146	0
-11	42.5	≦* <	47.5	36	1.53843	1.102	1.102	0
-12	37.5	≦* <	42.5	32	1.47689	1.057	1.057	22.15335
-13	32.5	≦* <	37.5	28	1.41536	1.013	1.013	0
-14	27.5	≦* <	32.5	24	1.35382	0.969	0.969	0
-15	22.5	≦* <	27.5	20	1.29229	0.925	0.925	0
-16	17.5	≦* <	22.5	16	1.23075	0.881	0.881	0
-17	12.5	≦* <	17.5	12	1.16922	0.837	0.837	0
-18	7.5	≦* <	12.5	8	1.10769	0.793	0.793	0
-19	2.5	≦* <	7.5	4	1.04615	0.749	0.749	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.716	0.716	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.007 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	0.012	0.012	0
19	192.5	≦* <	197.5	156	3.38446	0.012	0.012	0
18	187.5	≦* <	192.5	152	3.32292	0.012	0.012	0
17	182.5	≦* <	187.5	148	3.26139	0.011	0.011	0
16	177.5	≦* <	182.5	144	3.19985	0.011	0.011	0
15	172.5	≦* <	177.5	140	3.13832	0.011	0.011	0
14	167.5	≦* <	172.5	136	3.07678	0.011	0.011	0
13	162.5	≦* <	167.5	132	3.01525	0.011	0.011	0
12	157.5	≦* <	162.5	128	2.95372	0.010	0.010	0
11	152.5	≦* <	157.5	124	2.89218	0.010	0.010	0
10	147.5	≦* <	152.5	120	2.83065	0.010	0.010	0
9	142.5	≦* <	147.5	116	2.76911	0.010	0.010	0
8	137.5	≦* <	142.5	112	2.70758	0.009	0.009	0
7	132.5	≦* <	137.5	108	2.64604	0.009	0.009	0
6	127.5	≦* <	132.5	104	2.58451	0.009	0.009	0
5	122.5	≦* <	127.5	100	2.52297	0.009	0.009	47.93643
4	117.5	≦* <	122.5	96	2.46144	0.009	0.009	0
3	112.5	≦* <	117.5	92	2.39991	0.008	0.008	0
2	107.5	≦* <	112.5	88	2.33837	0.008	0.008	0
1	102.5	≦* <	107.5	84	2.27684	0.008	0.008	0
0	97.5	≦* <	102.5	80	2.21530	0.008	0.008	0
-1	92.5	≦* <	97.5	76	2.15377	0.008	0.008	0
-2	87.5	≦* <	92.5	72	2.09223	0.007	0.007	479.12067
-3	82.5	≦* <	87.5	68	2.03070	0.007	0.007	62.95170
-4	77.5	≦* <	82.5	64	1.96917	0.007	0.007	19.69170
-5	72.5	≦* <	77.5	60	1.90763	0.007	0.007	0
-6	67.5	≦* <	72.5	56	1.84610	0.006	0.006	286.14550
-7	62.5	≦* <	67.5	52	1.78456	0.006	0.006	0
-8	57.5	≦* <	62.5	48	1.72303	0.006	0.006	0
-9	52.5	≦* <	57.5	44	1.66149	0.006	0.006	0
-10	47.5	≦* <	52.5	40	1.59996	0.006	0.006	0
-11	42.5	≦* <	47.5	36	1.53843	0.005	0.005	0
-12	37.5	≦* <	42.5	32	1.47689	0.005	0.005	22.15335
-13	32.5	≦* <	37.5	28	1.41536	0.005	0.005	0
-14	27.5	≦* <	32.5	24	1.35382	0.005	0.005	0
-15	22.5	≦* <	27.5	20	1.29229	0.005	0.005	0
-16	17.5	≦* <	22.5	16	1.23075	0.004	0.004	0
-17	12.5	≦* <	17.5	12	1.16922	0.004	0.004	0
-18	7.5	≦* <	12.5	8	1.10769	0.004	0.004	0
-19	2.5	≦* <	7.5	4	1.04615	0.004	0.004	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.003 ※	0.003	0
計	平均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 1.233 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.44599	2.124	2.124	0
19	192.5	≦* <	197.5	156	3.38446	2.087	2.087	0
18	187.5	≦* <	192.5	152	3.32292	2.049	2.049	0
17	182.5	≦* <	187.5	148	3.26139	2.011	2.011	0
16	177.5	≦* <	182.5	144	3.19985	1.973	1.973	0
15	172.5	≦* <	177.5	140	3.13832	1.935	1.935	0
14	167.5	≦* <	172.5	136	3.07678	1.897	1.897	0
13	162.5	≦* <	167.5	132	3.01525	1.859	1.859	0
12	157.5	≦* <	162.5	128	2.95372	1.821	1.821	0
11	152.5	≦* <	157.5	124	2.89218	1.783	1.783	0
10	147.5	≦* <	152.5	120	2.83065	1.745	1.745	0
9	142.5	≦* <	147.5	116	2.76911	1.707	1.707	0
8	137.5	≦* <	142.5	112	2.70758	1.669	1.669	0
7	132.5	≦* <	137.5	108	2.64604	1.631	1.631	0
6	127.5	≦* <	132.5	104	2.58451	1.593	1.593	0
5	122.5	≦* <	127.5	100	2.52297	1.555	1.555	47.93643
4	117.5	≦* <	122.5	96	2.46144	1.517	1.517	0
3	112.5	≦* <	117.5	92	2.39991	1.480	1.480	0
2	107.5	≦* <	112.5	88	2.33837	1.442	1.442	0
1	102.5	≦* <	107.5	84	2.27684	1.404	1.404	0
0	97.5	≦* <	102.5	80	2.21530	1.366	1.366	0
-1	92.5	≦* <	97.5	76	2.15377	1.328	1.328	0
-2	87.5	≦* <	92.5	72	2.09223	1.290	1.290	479.12067
-3	82.5	≦* <	87.5	68	2.03070	1.252	1.252	62.95170
-4	77.5	≦* <	82.5	64	1.96917	1.214	1.214	19.69170
-5	72.5	≦* <	77.5	60	1.90763	1.176	1.176	0
-6	67.5	≦* <	72.5	56	1.84610	1.138	1.138	286.14550
-7	62.5	≦* <	67.5	52	1.78456	1.100	1.100	0
-8	57.5	≦* <	62.5	48	1.72303	1.062	1.062	0
-9	52.5	≦* <	57.5	44	1.66149	1.024	1.024	0
-10	47.5	≦* <	52.5	40	1.59996	0.986	0.986	0
-11	42.5	≦* <	47.5	36	1.53843	0.948	0.948	0
-12	37.5	≦* <	42.5	32	1.47689	0.911	0.911	22.15335
-13	32.5	≦* <	37.5	28	1.41536	0.873	0.873	0
-14	27.5	≦* <	32.5	24	1.35382	0.835	0.835	0
-15	22.5	≦* <	27.5	20	1.29229	0.797	0.797	0
-16	17.5	≦* <	22.5	16	1.23075	0.759	0.759	0
-17	12.5	≦* <	17.5	12	1.16922	0.721	0.721	0
-18	7.5	≦* <	12.5	8	1.10769	0.683	0.683	0
-19	2.5	≦* <	7.5	4	1.04615	0.645	0.645	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.616 ※	0.616	0
計	平 均			66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスVI類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.006 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)
			圧縮前				
20	197.5	≦*	160	3.44599	0.010	0.010	0
19	192.5	≧* <	156	3.38446	0.010	0.010	0
18	187.5	≧* <	152	3.32292	0.010	0.010	0
17	182.5	≧* <	148	3.26139	0.010	0.010	0
16	177.5	≧* <	144	3.19985	0.010	0.010	0
15	172.5	≧* <	140	3.13832	0.009	0.009	0
14	167.5	≧* <	136	3.07678	0.009	0.009	0
13	162.5	≧* <	132	3.01525	0.009	0.009	0
12	157.5	≧* <	128	2.95372	0.009	0.009	0
11	152.5	≧* <	124	2.89218	0.009	0.009	0
10	147.5	≧* <	120	2.83065	0.008	0.008	0
9	142.5	≧* <	116	2.76911	0.008	0.008	0
8	137.5	≧* <	112	2.70758	0.008	0.008	0
7	132.5	≧* <	108	2.64604	0.008	0.008	0
6	127.5	≧* <	104	2.58451	0.008	0.008	0
5	122.5	≧* <	100	2.52297	0.008	0.008	47.93643
4	117.5	≧* <	96	2.46144	0.007	0.007	0
3	112.5	≧* <	92	2.39991	0.007	0.007	0
2	107.5	≧* <	88	2.33837	0.007	0.007	0
1	102.5	≧* <	84	2.27684	0.007	0.007	0
0	97.5	≧* <	80	2.21530	0.007	0.007	0
-1	92.5	≧* <	76	2.15377	0.006	0.006	0
-2	87.5	≧* <	72	2.09223	0.006	0.006	479.12067
-3	82.5	≧* <	68	2.03070	0.006	0.006	62.95170
-4	77.5	≧* <	64	1.96917	0.006	0.006	19.69170
-5	72.5	≧* <	60	1.90763	0.006	0.006	0
-6	67.5	≧* <	56	1.84610	0.006	0.006	286.14550
-7	62.5	≧* <	52	1.78456	0.005	0.005	0
-8	57.5	≧* <	48	1.72303	0.005	0.005	0
-9	52.5	≧* <	44	1.66149	0.005	0.005	0
-10	47.5	≧* <	40	1.59996	0.005	0.005	0
-11	42.5	≧* <	36	1.53843	0.005	0.005	0
-12	37.5	≧* <	32	1.47689	0.004	0.004	22.15335
-13	32.5	≧* <	28	1.41536	0.004	0.004	0
-14	27.5	≧* <	24	1.35382	0.004	0.004	0
-15	22.5	≧* <	20	1.29229	0.004	0.004	0
-16	17.5	≧* <	16	1.23075	0.004	0.004	0
-17	12.5	≧* <	12	1.16922	0.004	0.004	0
-18	7.5	≧* <	8	1.10769	0.003	0.003	0
-19	2.5	≧* <	4	1.04615	0.003	0.003	0
-20	0.0	≧* <	1.00	1.00000	0.003	0.003	0
計	平均		66.00436	2.00000		459	917.99935

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施



(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.420 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.633	0.633	0
19	192.5	≦* <	197.5	156	2.96142	0.622	0.622	0
18	187.5	≦* <	192.5	152	2.91081	0.611	0.611	0
17	182.5	≦* <	187.5	148	2.86019	0.601	0.601	0
16	177.5	≦* <	182.5	144	2.80957	0.590	0.590	0
15	172.5	≦* <	177.5	140	2.75895	0.579	0.579	0
14	167.5	≦* <	172.5	136	2.70834	0.569	0.569	0
13	162.5	≦* <	167.5	132	2.65772	0.558	0.558	0
12	157.5	≦* <	162.5	128	2.60710	0.547	0.547	0
11	152.5	≦* <	157.5	124	2.55648	0.537	0.537	0
10	147.5	≦* <	152.5	120	2.50587	0.526	0.526	0
9	142.5	≦* <	147.5	116	2.45525	0.516	0.516	0
8	137.5	≦* <	142.5	112	2.40463	0.505	0.505	0
7	132.5	≦* <	137.5	108	2.35401	0.494	0.494	0
6	127.5	≦* <	132.5	104	2.30340	0.484	0.484	0
5	122.5	≦* <	127.5	100	2.25278	0.473	0.473	0
4	117.5	≦* <	122.5	96	2.20216	0.462	0.462	0
3	112.5	≦* <	117.5	92	2.15154	0.452	0.452	0
2	107.5	≦* <	112.5	88	2.10093	0.441	0.441	0
1	102.5	≦* <	107.5	84	2.05031	0.431	0.431	0
0	97.5	≦* <	102.5	80	1.99969	0.420	0.420	0
-1	92.5	≦* <	97.5	76	1.94908	0.409	0.409	0
-2	87.5	≦* <	92.5	72	1.89846	0.399	0.399	0
-3	82.5	≦* <	87.5	68	1.84784	0.388	0.388	0
-4	77.5	≦* <	82.5	64	1.79722	0.377	0.377	0
-5	72.5	≦* <	77.5	60	1.74661	0.367	0.367	0
-6	67.5	≦* <	72.5	56	1.69599	0.356	0.356	0
-7	62.5	≦* <	67.5	52	1.64537	0.346	0.346	0
-8	57.5	≦* <	62.5	48	1.59475	0.335	0.335	0
-9	52.5	≦* <	57.5	44	1.54414	0.324	0.324	0
-10	47.5	≦* <	52.5	40	1.49352	0.314	0.314	0
-11	42.5	≦* <	47.5	36	1.44290	0.303	0.303	0
-12	37.5	≦* <	42.5	32	1.39228	0.292	0.292	0
-13	32.5	≦* <	37.5	28	1.34167	0.282	0.282	0
-14	27.5	≦* <	32.5	24	1.29105	0.271	0.271	0
-15	22.5	≦* <	27.5	20	1.24043	0.260	0.260	0
-16	17.5	≦* <	22.5	16	1.18982	0.250	0.250	0
-17	12.5	≦* <	17.5	12	1.13920	0.239	0.239	0
-18	7.5	≦* <	12.5	8	1.08858	0.229	0.229	0
-19	2.5	≦* <	7.5	4	1.03796	0.218	0.218	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.210	0.210	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 0 3万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.005 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.008	0.008	0
19	192.5	≦* <	197.5	156	2.96142	0.007	0.007	0
18	187.5	≦* <	192.5	152	2.91081	0.007	0.007	0
17	182.5	≦* <	187.5	148	2.86019	0.007	0.007	0
16	177.5	≦* <	182.5	144	2.80957	0.007	0.007	0
15	172.5	≦* <	177.5	140	2.75895	0.007	0.007	0
14	167.5	≦* <	172.5	136	2.70834	0.007	0.007	0
13	162.5	≦* <	167.5	132	2.65772	0.007	0.007	0
12	157.5	≦* <	162.5	128	2.60710	0.007	0.007	0
11	152.5	≦* <	157.5	124	2.55648	0.006	0.006	0
10	147.5	≦* <	152.5	120	2.50587	0.006	0.006	0
9	142.5	≦* <	147.5	116	2.45525	0.006	0.006	0
8	137.5	≦* <	142.5	112	2.40463	0.006	0.006	0
7	132.5	≦* <	137.5	108	2.35401	0.006	0.006	0
6	127.5	≦* <	132.5	104	2.30340	0.006	0.006	0
5	122.5	≦* <	127.5	100	2.25278	0.006	0.006	0
4	117.5	≦* <	122.5	96	2.20216	0.006	0.006	0
3	112.5	≦* <	117.5	92	2.15154	0.005	0.005	0
2	107.5	≦* <	112.5	88	2.10093	0.005	0.005	0
1	102.5	≦* <	107.5	84	2.05031	0.005	0.005	0
0	97.5	≦* <	102.5	80	1.99969	0.005	0.005	0
-1	92.5	≦* <	97.5	76	1.94908	0.005	0.005	0
-2	87.5	≦* <	92.5	72	1.89846	0.005	0.005	0
-3	82.5	≦* <	87.5	68	1.84784	0.005	0.005	0
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	0
-5	72.5	≦* <	77.5	60	1.74661	0.004	0.004	0
-6	67.5	≦* <	72.5	56	1.69599	0.004	0.004	0
-7	62.5	≦* <	67.5	52	1.64537	0.004	0.004	0
-8	57.5	≦* <	62.5	48	1.59475	0.004	0.004	0
-9	52.5	≦* <	57.5	44	1.54414	0.004	0.004	0
-10	47.5	≦* <	52.5	40	1.49352	0.004	0.004	0
-11	42.5	≦* <	47.5	36	1.44290	0.004	0.004	0
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	0
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.24043	0.003	0.003	0
-16	17.5	≦* <	22.5	16	1.18982	0.003	0.003	0
-17	12.5	≦* <	17.5	12	1.13920	0.003	0.003	0
-18	7.5	≦* <	12.5	8	1.08858	0.003	0.003	0
-19	2.5	≦* <	7.5	4	1.03796	0.003	0.003	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002 ※	0.002	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.263 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別 基準共済掛金率 (%)	危険段階別 共済掛金率 (%)	備 考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.396	0.396	0
19	192.5	≦* <	197.5	156	2.96142	0.389	0.389	0
18	187.5	≦* <	192.5	152	2.91081	0.383	0.383	0
17	182.5	≦* <	187.5	148	2.86019	0.376	0.376	0
16	177.5	≦* <	182.5	144	2.80957	0.369	0.369	0
15	172.5	≦* <	177.5	140	2.75895	0.363	0.363	0
14	167.5	≦* <	172.5	136	2.70834	0.356	0.356	0
13	162.5	≦* <	167.5	132	2.65772	0.349	0.349	0
12	157.5	≦* <	162.5	128	2.60710	0.343	0.343	0
11	152.5	≦* <	157.5	124	2.55648	0.336	0.336	0
10	147.5	≦* <	152.5	120	2.50587	0.330	0.330	0
9	142.5	≦* <	147.5	116	2.45525	0.323	0.323	0
8	137.5	≦* <	142.5	112	2.40463	0.316	0.316	0
7	132.5	≦* <	137.5	108	2.35401	0.310	0.310	0
6	127.5	≦* <	132.5	104	2.30340	0.303	0.303	0
5	122.5	≦* <	127.5	100	2.25278	0.296	0.296	0
4	117.5	≦* <	122.5	96	2.20216	0.290	0.290	0
3	112.5	≦* <	117.5	92	2.15154	0.283	0.283	0
2	107.5	≦* <	112.5	88	2.10093	0.276	0.276	0
1	102.5	≦* <	107.5	84	2.05031	0.270	0.270	0
0	97.5	≦* <	102.5	80	1.99969	0.263	0.263	0
-1	92.5	≦* <	97.5	76	1.94908	0.256	0.256	0
-2	87.5	≦* <	92.5	72	1.89846	0.250	0.250	0
-3	82.5	≦* <	87.5	68	1.84784	0.243	0.243	0
-4	77.5	≦* <	82.5	64	1.79722	0.236	0.236	0
-5	72.5	≦* <	77.5	60	1.74661	0.230	0.230	0
-6	67.5	≦* <	72.5	56	1.69599	0.223	0.223	0
-7	62.5	≦* <	67.5	52	1.64537	0.216	0.216	0
-8	57.5	≦* <	62.5	48	1.59475	0.210	0.210	0
-9	52.5	≦* <	57.5	44	1.54414	0.203	0.203	0
-10	47.5	≦* <	52.5	40	1.49352	0.196	0.196	0
-11	42.5	≦* <	47.5	36	1.44290	0.190	0.190	0
-12	37.5	≦* <	42.5	32	1.39228	0.183	0.183	0
-13	32.5	≦* <	37.5	28	1.34167	0.176	0.176	0
-14	27.5	≦* <	32.5	24	1.29105	0.170	0.170	0
-15	22.5	≦* <	27.5	20	1.24043	0.163	0.163	0
-16	17.5	≦* <	22.5	16	1.18982	0.156	0.156	0
-17	12.5	≦* <	17.5	12	1.13920	0.150	0.150	0
-18	7.5	≦* <	12.5	8	1.08858	0.143	0.143	0
-19	2.5	≦* <	7.5	4	1.03796	0.136	0.136	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.131 ※	0.131	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 1 10万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.004 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.006	0.006	0
19	192.5	≦* <	197.5	156	2.96142	0.006	0.006	0
18	187.5	≦* <	192.5	152	2.91081	0.006	0.006	0
17	182.5	≦* <	187.5	148	2.86019	0.006	0.006	0
16	177.5	≦* <	182.5	144	2.80957	0.006	0.006	0
15	172.5	≦* <	177.5	140	2.75895	0.006	0.006	0
14	167.5	≦* <	172.5	136	2.70834	0.005	0.005	0
13	162.5	≦* <	167.5	132	2.65772	0.005	0.005	0
12	157.5	≦* <	162.5	128	2.60710	0.005	0.005	0
11	152.5	≦* <	157.5	124	2.55648	0.005	0.005	0
10	147.5	≦* <	152.5	120	2.50587	0.005	0.005	0
9	142.5	≦* <	147.5	116	2.45525	0.005	0.005	0
8	137.5	≦* <	142.5	112	2.40463	0.005	0.005	0
7	132.5	≦* <	137.5	108	2.35401	0.005	0.005	0
6	127.5	≦* <	132.5	104	2.30340	0.005	0.005	0
5	122.5	≦* <	127.5	100	2.25278	0.005	0.005	0
4	117.5	≦* <	122.5	96	2.20216	0.004	0.004	0
3	112.5	≦* <	117.5	92	2.15154	0.004	0.004	0
2	107.5	≦* <	112.5	88	2.10093	0.004	0.004	0
1	102.5	≦* <	107.5	84	2.05031	0.004	0.004	0
0	97.5	≦* <	102.5	80	1.99969	0.004	0.004	0
-1	92.5	≦* <	97.5	76	1.94908	0.004	0.004	0
-2	87.5	≦* <	92.5	72	1.89846	0.004	0.004	0
-3	82.5	≦* <	87.5	68	1.84784	0.004	0.004	0
-4	77.5	≦* <	82.5	64	1.79722	0.004	0.004	0
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	0
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	0
-7	62.5	≦* <	67.5	52	1.64537	0.003	0.003	0
-8	57.5	≦* <	62.5	48	1.59475	0.003	0.003	0
-9	52.5	≦* <	57.5	44	1.54414	0.003	0.003	0
-10	47.5	≦* <	52.5	40	1.49352	0.003	0.003	0
-11	42.5	≦* <	47.5	36	1.44290	0.003	0.003	0
-12	37.5	≦* <	42.5	32	1.39228	0.003	0.003	0
-13	32.5	≦* <	37.5	28	1.34167	0.003	0.003	0
-14	27.5	≦* <	32.5	24	1.29105	0.003	0.003	0
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.002	0.002	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

共済掛金標準率: 0.187 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.282	0.282	0
19	192.5	≦* <	197.5	156	2.96142	0.277	0.277	0
18	187.5	≦* <	192.5	152	2.91081	0.272	0.272	0
17	182.5	≦* <	187.5	148	2.86019	0.267	0.267	0
16	177.5	≦* <	182.5	144	2.80957	0.263	0.263	0
15	172.5	≦* <	177.5	140	2.75895	0.258	0.258	0
14	167.5	≦* <	172.5	136	2.70834	0.253	0.253	0
13	162.5	≦* <	167.5	132	2.65772	0.248	0.248	0
12	157.5	≦* <	162.5	128	2.60710	0.244	0.244	0
11	152.5	≦* <	157.5	124	2.55648	0.239	0.239	0
10	147.5	≦* <	152.5	120	2.50587	0.234	0.234	0
9	142.5	≦* <	147.5	116	2.45525	0.230	0.230	0
8	137.5	≦* <	142.5	112	2.40463	0.225	0.225	0
7	132.5	≦* <	137.5	108	2.35401	0.220	0.220	0
6	127.5	≦* <	132.5	104	2.30340	0.215	0.215	0
5	122.5	≦* <	127.5	100	2.25278	0.211	0.211	0
4	117.5	≦* <	122.5	96	2.20216	0.206	0.206	0
3	112.5	≦* <	117.5	92	2.15154	0.201	0.201	0
2	107.5	≦* <	112.5	88	2.10093	0.196	0.196	0
1	102.5	≦* <	107.5	84	2.05031	0.192	0.192	0
0	97.5	≦* <	102.5	80	1.99969	0.187	0.187	0
-1	92.5	≦* <	97.5	76	1.94908	0.182	0.182	0
-2	87.5	≦* <	92.5	72	1.89846	0.178	0.178	0
-3	82.5	≦* <	87.5	68	1.84784	0.173	0.173	0
-4	77.5	≦* <	82.5	64	1.79722	0.168	0.168	0
-5	72.5	≦* <	77.5	60	1.74661	0.163	0.163	0
-6	67.5	≦* <	72.5	56	1.69599	0.159	0.159	0
-7	62.5	≦* <	67.5	52	1.64537	0.154	0.154	0
-8	57.5	≦* <	62.5	48	1.59475	0.149	0.149	0
-9	52.5	≦* <	57.5	44	1.54414	0.144	0.144	0
-10	47.5	≦* <	52.5	40	1.49352	0.140	0.140	0
-11	42.5	≦* <	47.5	36	1.44290	0.135	0.135	0
-12	37.5	≦* <	42.5	32	1.39228	0.130	0.130	0
-13	32.5	≦* <	37.5	28	1.34167	0.125	0.125	0
-14	27.5	≦* <	32.5	24	1.29105	0.121	0.121	0
-15	22.5	≦* <	27.5	20	1.24043	0.116	0.116	0
-16	17.5	≦* <	22.5	16	1.18982	0.111	0.111	0
-17	12.5	≦* <	17.5	12	1.13920	0.107	0.107	0
-18	7.5	≦* <	12.5	8	1.08858	0.102	0.102	0
-19	2.5	≦* <	7.5	4	1.03796	0.097	0.097	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.093 ※	0.093	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施

(表3) 危険段階別共済掛金率の表 (復旧費用)

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

小損害不填補: 2 20万円

被覆期間: 0 未被覆期間

共済掛金標準率: 0.003 %

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考 (危険指数加重値)	
			圧縮前					
20	197.5	≦*		160	3.01204	0.005	0.005	0
19	192.5	≦* <	197.5	156	2.96142	0.004	0.004	0
18	187.5	≦* <	192.5	152	2.91081	0.004	0.004	0
17	182.5	≦* <	187.5	148	2.86019	0.004	0.004	0
16	177.5	≦* <	182.5	144	2.80957	0.004	0.004	0
15	172.5	≦* <	177.5	140	2.75895	0.004	0.004	0
14	167.5	≦* <	172.5	136	2.70834	0.004	0.004	0
13	162.5	≦* <	167.5	132	2.65772	0.004	0.004	0
12	157.5	≦* <	162.5	128	2.60710	0.004	0.004	0
11	152.5	≦* <	157.5	124	2.55648	0.004	0.004	0
10	147.5	≦* <	152.5	120	2.50587	0.004	0.004	0
9	142.5	≦* <	147.5	116	2.45525	0.004	0.004	0
8	137.5	≦* <	142.5	112	2.40463	0.004	0.004	0
7	132.5	≦* <	137.5	108	2.35401	0.004	0.004	0
6	127.5	≦* <	132.5	104	2.30340	0.003	0.003	0
5	122.5	≦* <	127.5	100	2.25278	0.003	0.003	0
4	117.5	≦* <	122.5	96	2.20216	0.003	0.003	0
3	112.5	≦* <	117.5	92	2.15154	0.003	0.003	0
2	107.5	≦* <	112.5	88	2.10093	0.003	0.003	0
1	102.5	≦* <	107.5	84	2.05031	0.003	0.003	0
0	97.5	≦* <	102.5	80	1.99969	0.003	0.003	0
-1	92.5	≦* <	97.5	76	1.94908	0.003	0.003	0
-2	87.5	≦* <	92.5	72	1.89846	0.003	0.003	0
-3	82.5	≦* <	87.5	68	1.84784	0.003	0.003	0
-4	77.5	≦* <	82.5	64	1.79722	0.003	0.003	0
-5	72.5	≦* <	77.5	60	1.74661	0.003	0.003	0
-6	67.5	≦* <	72.5	56	1.69599	0.003	0.003	0
-7	62.5	≦* <	67.5	52	1.64537	0.002	0.002	0
-8	57.5	≦* <	62.5	48	1.59475	0.002	0.002	0
-9	52.5	≦* <	57.5	44	1.54414	0.002	0.002	0
-10	47.5	≦* <	52.5	40	1.49352	0.002	0.002	0
-11	42.5	≦* <	47.5	36	1.44290	0.002	0.002	0
-12	37.5	≦* <	42.5	32	1.39228	0.002	0.002	0
-13	32.5	≦* <	37.5	28	1.34167	0.002	0.002	0
-14	27.5	≦* <	32.5	24	1.29105	0.002	0.002	0
-15	22.5	≦* <	27.5	20	1.24043	0.002	0.002	0
-16	17.5	≦* <	22.5	16	1.18982	0.002	0.002	0
-17	12.5	≦* <	17.5	12	1.13920	0.002	0.002	0
-18	7.5	≦* <	12.5	8	1.08858	0.002	0.002	0
-19	2.5	≦* <	7.5	4	1.03796	0.002	0.002	0
-20	0.0	≦* <	2.5	1.00	1.00000	0.001 ※	0.001	0
計	平均			80.02439	2.00000		41	82.00006

危険段階区分-20の基準共済掛金率に※のあるものは、小数点以下第4位切り捨ての端数処理を実施